



Appendix C

RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: 3D Printer

Test Model: Anycubic Kobra 2 Plus

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Ling Zhu
	<i>Ling Zhu</i>
Supervised by:	Li Huan
	<i>Li Huan</i>





C.1 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	7.551	0.5	Pass
NVNT	b	2437	Ant1	9.969	0.5	Pass
NVNT	b	2462	Ant1	10.11	0.5	Pass
NVNT	g	2412	Ant1	16.422	0.5	Pass
NVNT	g	2437	Ant1	16.312	0.5	Pass
NVNT	g	2462	Ant1	16.265	0.5	Pass
NVNT	n20	2412	Ant1	17.724	0.5	Pass
NVNT	n20	2437	Ant1	16.693	0.5	Pass
NVNT	n20	2462	Ant1	17.653	0.5	Pass
NVNT	n40	2422	Ant1	34.703	0.5	Pass
NVNT	n40	2437	Ant1	34.923	0.5	Pass
NVNT	n40	2452	Ant1	33.804	0.5	Pass






Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1






-6dB Bandwidth NVNT b 2462MHz Ant1



-6dB Bandwidth NVNT g 2412MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT g 2437MHz Ant1



-6dB Bandwidth NVNT g 2462MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT n20 2412MHz Ant1




-6dB Bandwidth NVNT n20 2437MHz Ant1






-6dB Bandwidth NVNT n20 2462MHz Ant1



-6dB Bandwidth NVNT n40 2422MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT n40 2437MHz Ant1



-6dB Bandwidth NVNT n40 2452MHz Ant1





C.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	19.22	30	Pass
NVNT	b	2437	Ant1	19.41	30	Pass
NVNT	b	2462	Ant1	19.57	30	Pass
NVNT	g	2412	Ant1	15.13	30	Pass
NVNT	g	2437	Ant1	16.93	30	Pass
NVNT	g	2462	Ant1	17.03	30	Pass
NVNT	n20	2412	Ant1	16.33	30	Pass
NVNT	n20	2437	Ant1	15.75	30	Pass
NVNT	n20	2462	Ant1	18.07	30	Pass
NVNT	n40	2422	Ant1	15.03	30	Pass
NVNT	n40	2437	Ant1	15.12	30	Pass
NVNT	n40	2452	Ant1	15.32	30	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



C.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-7.83	8	Pass
NVNT	b	2437	Ant1	-7.52	8	Pass
NVNT	b	2462	Ant1	-6.77	8	Pass
NVNT	g	2412	Ant1	-14.11	8	Pass
NVNT	g	2437	Ant1	-12.47	8	Pass
NVNT	g	2462	Ant1	-11.97	8	Pass
NVNT	n20	2412	Ant1	-12.12	8	Pass
NVNT	n20	2437	Ant1	-13.4	8	Pass
NVNT	n20	2462	Ant1	-12.93	8	Pass
NVNT	n40	2422	Ant1	-16.46	8	Pass
NVNT	n40	2437	Ant1	-15.45	8	Pass
NVNT	n40	2452	Ant1	-15.14	8	Pass








Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1












PSD NVNT g 2437MHz Ant1





PSD NVNT g 2462MHz Ant1











C.4 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-45.64	-20	Pass
NVNT	b	2462	Ant1	-60.88	-20	Pass
NVNT	g	2412	Ant1	-39.72	-20	Pass
NVNT	g	2462	Ant1	-45.01	-20	Pass
NVNT	n20	2412	Ant1	-37.7	-20	Pass
NVNT	n20	2462	Ant1	-45.96	-20	Pass
NVNT	n40	2422	Ant1	-40.2	-20	Pass
NVNT	n40	2452	Ant1	-41.89	-20	Pass






Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission






Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission






Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission






Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission






Band Edge NVNT n20 2412MHz Ant1 Ref




Band Edge NVNT n20 2412MHz Ant1 Emission






Band Edge NVNT n20 2462MHz Ant1 Ref




Band Edge NVNT n20 2462MHz Ant1 Emission






Band Edge NVNT n40 2422MHz Ant1 Ref




Band Edge NVNT n40 2422MHz Ant1 Emission






Band Edge NVNT n40 2452MHz Ant1 Ref



Band Edge NVNT n40 2452MHz Ant1 Emission





C.5 Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-48.46	-20	Pass
NVNT	b	2437	Ant1	-53.57	-20	Pass
NVNT	b	2462	Ant1	-52.46	-20	Pass
NVNT	g	2412	Ant1	-47.78	-20	Pass
NVNT	g	2437	Ant1	-49.42	-20	Pass
NVNT	g	2462	Ant1	-49.51	-20	Pass
NVNT	n20	2412	Ant1	-48.39	-20	Pass
NVNT	n20	2437	Ant1	-48.01	-20	Pass
NVNT	n20	2462	Ant1	-48.08	-20	Pass
NVNT	n40	2422	Ant1	-44.8	-20	Pass
NVNT	n40	2437	Ant1	-45.26	-20	Pass
NVNT	n40	2452	Ant1	-45.31	-20	Pass






Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission






Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission






Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission






Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission






Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission






Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission






Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission






Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission






Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission






Tx. Spurious NVNT n40 2422MHz Ant1 Ref




Tx. Spurious NVNT n40 2422MHz Ant1 Emission






Tx. Spurious NVNT n40 2437MHz Ant1 Ref




Tx. Spurious NVNT n40 2437MHz Ant1 Emission






Tx. Spurious NVNT n40 2452MHz Ant1 Ref



Tx. Spurious NVNT n40 2452MHz Ant1 Emission





C.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	93.55	0.29	0.77
NVNT	b	2437	Ant1	94.77	0.23	0.77
NVNT	b	2462	Ant1	91.84	0.37	0.77
NVNT	g	2412	Ant1	59.33	2.27	4.03
NVNT	g	2437	Ant1	59.33	2.27	4.03
NVNT	g	2462	Ant1	63.27	1.99	4.03
NVNT	n20	2412	Ant1	80.85	0.92	4.39
NVNT	n20	2437	Ant1	78.08	1.07	4.39
NVNT	n20	2462	Ant1	78.62	1.04	4.39
NVNT	n40	2422	Ant1	42.95	3.67	7.81
NVNT	n40	2437	Ant1	74.42	1.28	7.81
NVNT	n40	2452	Ant1	65	1.87	7.69








Test Graphs



Duty Cycle NVNT b 2412MHz Ant1







Duty Cycle NVNT b 2437MHz Ant1

















C.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-49.36	2	47.9	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-59.03	2	38.23	Average	54	Pass
NVNT	b	2412	Ant1	2387.454	-42.86	2	54.4	Peak	74	Pass
NVNT	b	2412	Ant1	2389.911	-54.17	2	43.09	Average	54	Pass
NVNT	b	2412	Ant1	2390	-44.48	2	52.78	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-54.02	2	43.24	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-43.83	2	53.43	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-53.34	2	43.92	Average	54	Pass
NVNT	b	2462	Ant1	2486.008	-41.22	2	56.04	Peak	74	Pass
NVNT	b	2462	Ant1	2483.888	-53.24	2	44.02	Average	54	Pass
NVNT	b	2462	Ant1	2500	-45.21	2	52.05	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-55.37	2	41.89	Average	54	Pass
NVNT	g	2412	Ant1	2310	-50.28	2	46.98	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-59.06	2	38.2	Average	54	Pass
NVNT	g	2412	Ant1	2389.677	-38.71	2	58.55	Peak	74	Pass
NVNT	g	2412	Ant1	2389.911	-52.14	2	45.12	Average	54	Pass
NVNT	g	2412	Ant1	2390	-39.97	2	57.29	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-52.28	2	44.98	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-30.25	2	67.01	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-47.33	2	49.93	Average	54	Pass
NVNT	g	2462	Ant1	2483.941	-26.12	2	71.14	Peak	74	Pass
NVNT	g	2462	Ant1	2483.517	-47.33	2	49.93	Average	54	Pass
NVNT	g	2462	Ant1	2500	-42.16	2	55.1	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-53.8	2	43.46	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-50.38	2	46.88	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-58.43	2	38.83	Average	54	Pass
NVNT	n20	2412	Ant1	2389.677	-35.15	2	62.11	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.794	-48.94	2	48.32	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-37.11	2	60.15	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-48.91	2	48.35	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-23.75	2	73.51	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-49.12	2	48.14	Average	54	Pass
NVNT	n20	2462	Ant1	2483.517	-23.75	2	73.51	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.676	-48.69	2	48.57	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-46.87	2	50.39	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-54.9	2	42.36	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-49.83	2	47.43	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-57.74	2	39.52	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.




Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	n40	2422	Ant1	2389.946	-34.39	2	62.87	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.52	-45.82	2	51.44	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-34.39	2	62.87	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-46.07	2	51.19	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-28.97	2	68.29	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-45.46	2	51.8	Average	54	Pass
NVNT	n40	2452	Ant1	2485.648	-27.87	2	69.39	Peak	74	Pass
NVNT	n40	2452	Ant1	2485.18	-45.36	2	51.9	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-44.36	2	52.9	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-52.09	2	45.17	Average	54	Pass






Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average





Restrict Band NVNT b 2462MHz Ant1 Peak



Restrict Band NVNT b 2462MHz Ant1 Average

