


Appendix B. Radiated Emission


Below 1 GHz

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	Transmit Mode		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	153.1900	31.37	-6.69	24.68	43.50	-18.82	QP
2	251.1600	33.73	-7.08	26.65	46.00	-19.35	QP
3	400.5400	29.04	-3.21	25.83	46.00	-20.17	QP
4	478.1400	28.30	-1.95	26.35	46.00	-19.65	QP
5	564.4700	27.67	-0.39	27.28	46.00	-18.72	QP
6*	678.9300	28.55	1.95	30.50	46.00	-15.50	QP

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	Transmit Mode		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	159.0100	33.49	-6.52	26.97	43.50	-16.53	QP
2	252.1300	31.27	-7.06	24.21	46.00	-21.79	QP
3	325.8500	28.41	-5.13	23.28	46.00	-22.72	QP
4	443.2200	29.36	-2.16	27.20	46.00	-18.80	QP
5	547.0100	27.90	-0.86	27.04	46.00	-18.96	QP
6*	644.0100	28.50	1.28	29.78	46.00	-16.22	QP

Harmonic


Above 1 GHz

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11910.000	43.96	14.00	57.96	74.00	-16.04	peak
2	11910.000	34.43	14.00	48.43	54.00	-5.57	AVG
3	17865.000	33.35	27.96	61.31	74.00	-12.69	peak
4*	17865.000	21.62	27.96	49.58	54.00	-4.42	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11910.000	39.06	14.00	53.06	74.00	-20.94	peak
2	11910.000	32.58	14.00	46.58	54.00	-7.42	AVG
3	17865.000	32.89	27.96	60.85	74.00	-13.15	peak
4*	17865.000	21.62	27.96	49.58	54.00	-4.42	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 6175 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12350.000	35.45	14.09	49.54	74.00	-24.46	peak
2	18525.000	32.65	19.62	52.27	74.00	-21.73	peak
3*	18525.000	21.85	19.62	41.47	54.00	-12.53	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 6175 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12350.000	34.65	14.09	48.74	74.00	-25.26	peak
2*	18525.000	31.63	19.62	51.25	74.00	-22.75	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 6415 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12830.000	40.15	14.95	55.10	88.20	-33.10	peak
2	19245.000	32.00	20.42	52.42	74.00	-21.58	peak
3*	19245.000	23.12	20.42	43.54	54.00	-10.46	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 6415 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12830.000	36.53	14.95	51.48	88.20	-36.72	peak
2	19245.000	33.10	20.42	53.52	74.00	-20.48	peak
3*	19245.000	21.36	20.42	41.78	54.00	-12.22	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 6435 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12870.000	36.70	15.13	51.83	88.20	-36.37	peak
2	19305.000	32.01	20.42	52.43	74.00	-21.57	peak
3*	19305.000	22.33	20.42	42.75	54.00	-11.25	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 6435 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12870.000	34.30	15.13	49.43	88.20	-38.77	peak
2	19305.000	32.13	20.42	52.55	74.00	-21.45	peak
3*	19305.000	21.15	20.42	41.57	54.00	-12.43	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 6475 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12950.000	45.03	15.19	60.22	88.20	-27.98	peak
2	19425.000	32.19	20.44	52.63	74.00	-21.37	peak
3*	19425.000	21.00	20.44	41.44	54.00	-12.56	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 6475 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12950.000	39.66	15.19	54.85	88.20	-33.35	peak
2	19425.000	32.50	20.44	52.94	74.00	-21.06	peak
3*	19425.000	20.97	20.44	41.41	54.00	-12.59	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 6515 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13030.000	42.68	15.10	57.78	88.20	-30.42	peak
2	19545.000	31.96	20.51	52.47	74.00	-21.53	peak
3*	19545.000	21.12	20.51	41.63	54.00	-12.37	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 6515 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13030.000	37.15	15.10	52.25	88.20	-35.95	peak
2	19545.000	32.18	20.51	52.69	74.00	-21.31	peak
3*	19545.000	21.11	20.51	41.62	54.00	-12.38	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 6525 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13050.000	44.01	15.10	59.11	88.20	-29.09	peak
2	19575.000	32.65	20.55	53.20	74.00	-20.80	peak
3*	19575.000	21.12	20.55	41.67	54.00	-12.33	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 6525 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13050.000	39.58	15.10	54.68	88.20	-33.52	peak
2	19575.000	32.23	20.55	52.78	74.00	-21.22	peak
3*	19575.000	21.10	20.55	41.65	54.00	-12.35	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 6695 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13390.000	34.23	15.96	50.19	74.00	-23.81	peak
2	20085.000	33.07	20.99	54.06	74.00	-19.94	peak
3*	20085.000	21.45	20.99	42.44	54.00	-11.56	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 6695 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13390.000	33.46	15.96	49.42	74.00	-24.58	peak
2	20085.000	31.69	20.99	52.68	74.00	-21.32	peak
3*	20085.000	21.42	20.99	42.41	54.00	-11.59	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 6855 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13710.000	38.47	16.85	55.32	88.20	-32.88	peak
2	20565.000	32.69	20.37	53.06	74.00	-20.94	peak
3*	20565.000	21.17	20.37	41.54	54.00	-12.46	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 6855 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13710.000	34.38	16.85	51.23	88.20	-36.97	peak
2	20565.000	32.34	20.37	52.71	74.00	-21.29	peak
3*	20565.000	21.13	20.37	41.50	54.00	-12.50	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 6875 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13750.000	37.66	16.95	54.61	88.20	-33.59	peak
2	20625.000	31.59	20.48	52.07	74.00	-21.93	peak
3*	20625.000	21.00	20.48	41.48	54.00	-12.52	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 6875 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13750.000	36.77	16.95	53.72	88.20	-34.48	peak
2	20625.000	31.79	20.48	52.27	74.00	-21.73	peak
3*	20625.000	20.98	20.48	41.46	54.00	-12.54	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 6895 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13790.000	37.66	17.06	54.72	88.20	-33.48	peak
2	20685.000	33.25	20.60	53.85	74.00	-20.15	peak
3*	20685.000	22.96	20.60	43.56	54.00	-10.44	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 6895 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13790.000	33.28	17.06	50.34	88.20	-37.86	peak
2	20685.000	31.58	20.60	52.18	74.00	-21.82	peak
3*	20685.000	21.02	20.60	41.62	54.00	-12.38	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 6995 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13990.000	33.26	17.98	51.24	88.20	-36.96	peak
2	20985.000	31.69	21.14	52.83	74.00	-21.17	peak
3*	20985.000	21.24	21.14	42.38	54.00	-11.62	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 6995 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13990.000	34.04	17.98	52.02	88.20	-36.18	peak
2	20985.000	31.31	21.14	52.45	74.00	-21.55	peak
3*	20985.000	21.08	21.14	42.22	54.00	-11.78	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14230.000	36.06	18.67	54.73	88.20	-33.47	peak
2	21345.000	31.75	20.62	52.37	74.00	-21.63	peak
3*	21345.000	23.19	20.62	43.81	54.00	-10.19	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14230.000	34.58	18.67	53.25	88.20	-34.95	peak
2	21345.000	31.64	20.62	52.26	74.00	-21.74	peak
3*	21345.000	20.92	20.62	41.54	54.00	-12.46	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11910.000	36.49	14.00	50.49	74.00	-23.51	peak
2	17865.000	31.74	27.96	59.70	74.00	-14.30	peak
3*	17865.000	19.33	27.96	47.29	54.00	-6.71	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11910.000	40.15	14.00	54.15	74.00	-19.85	peak
2	11910.000	28.85	14.00	42.85	54.00	-11.15	AVG
3	17865.000	31.61	27.96	59.57	74.00	-14.43	peak
4*	17865.000	19.38	27.96	47.34	54.00	-6.66	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6175 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12350.000	34.77	14.09	48.86	74.00	-25.14	peak
2*	18525.000	32.07	19.62	51.69	74.00	-22.31	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6175 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12350.000	33.49	14.09	47.58	74.00	-26.42	peak
2*	18525.000	31.73	19.62	51.35	74.00	-22.65	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6415 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12830.000	35.96	14.95	50.91	88.20	-37.29	peak
2	19245.000	32.96	20.42	53.38	74.00	-20.62	peak
3*	19245.000	21.35	20.42	41.77	54.00	-12.23	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6415 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12830.000	38.13	14.95	53.08	88.20	-35.12	peak
2*	19245.000	31.22	20.42	51.64	74.00	-22.36	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6435 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12870.000	37.63	15.13	52.76	88.20	-35.44	peak
2*	19305.000	30.99	20.42	51.41	74.00	-22.59	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6435 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12870.000	35.92	15.13	51.05	88.20	-37.15	peak
2*	19305.000	31.26	20.42	51.68	74.00	-22.32	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6475 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12950.000	45.28	15.19	60.47	88.20	-27.73	peak
2*	19425.000	31.20	20.44	51.64	74.00	-22.36	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6475 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12950.000	37.83	15.19	53.02	88.20	-35.18	peak
2*	19425.000	30.84	20.44	51.28	74.00	-22.72	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6515 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13030.000	42.09	15.10	57.19	88.20	-31.01	peak
2	19545.000	32.12	20.51	52.63	74.00	-21.37	peak
3*	19545.000	20.93	20.51	41.44	54.00	-12.56	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6515 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13030.000	34.91	15.10	50.01	88.20	-38.19	peak
2*	19545.000	31.40	20.51	51.91	74.00	-22.09	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6525 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13050.000	41.08	15.10	56.18	88.20	-32.02	peak
2	19575.000	32.15	20.55	52.70	74.00	-21.30	peak
3*	19575.000	20.91	20.55	41.46	54.00	-12.54	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6525 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13050.000	34.36	15.10	49.46	88.20	-38.74	peak
2	19575.000	31.59	20.55	52.14	74.00	-21.86	peak
3*	19575.000	20.91	20.55	41.46	54.00	-12.54	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6695 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13390.000	35.08	15.96	51.04	74.00	-22.96	peak
2	20085.000	33.20	20.99	54.19	74.00	-19.81	peak
3*	20085.000	21.26	20.99	42.25	54.00	-11.75	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6695 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13390.000	33.17	15.96	49.13	74.00	-24.87	peak
2	20085.000	32.90	20.99	53.89	74.00	-20.11	peak
3*	20085.000	21.29	20.99	42.28	54.00	-11.72	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6855 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13710.000	36.46	16.85	53.31	88.20	-34.89	peak
2	20565.000	32.35	20.37	52.72	74.00	-21.28	peak
3*	20565.000	20.99	20.37	41.36	54.00	-12.64	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6855 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13710.000	34.46	16.85	51.31	88.20	-36.89	peak
2*	20565.000	31.28	20.37	51.65	74.00	-22.35	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6875 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13750.000	37.23	16.95	54.18	88.20	-34.02	peak
2*	20625.000	31.45	20.48	51.93	74.00	-22.07	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6875 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13750.000	34.42	16.95	51.37	88.20	-36.83	peak
2	20625.000	31.72	20.48	52.20	74.00	-21.80	peak
3*	20625.000	20.79	20.48	41.27	54.00	-12.73	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6895 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13790.000	36.63	17.06	53.69	88.20	-34.51	peak
2	20685.000	33.60	20.60	54.20	74.00	-19.80	peak
3*	20685.000	22.67	20.60	43.27	54.00	-10.73	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6895 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13790.000	32.55	17.06	49.61	88.20	-38.59	peak
2	20685.000	32.34	20.60	52.94	74.00	-21.06	peak
3*	20685.000	20.86	20.60	41.46	54.00	-12.54	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6995 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13990.000	34.05	17.98	52.03	88.20	-36.17	peak
2	20985.000	31.77	21.14	52.91	74.00	-21.09	peak
3*	20985.000	21.01	21.14	42.15	54.00	-11.85	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6995 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13990.000	33.42	17.98	51.40	88.20	-36.80	peak
2	20985.000	32.45	21.14	53.59	74.00	-20.41	peak
3*	20985.000	20.96	21.14	42.10	54.00	-11.90	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14230.000	33.95	18.67	52.62	88.20	-35.58	peak
2	21345.000	31.40	20.62	52.02	74.00	-21.98	peak
3*	21345.000	23.11	20.62	43.73	54.00	-10.27	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14230.000	35.43	18.67	54.10	88.20	-34.10	peak
2	21345.000	32.78	20.62	53.40	74.00	-20.60	peak
3*	21345.000	21.03	20.62	41.65	54.00	-12.35	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11930.000	38.93	14.01	52.94	74.00	-21.06	peak
2	11930.000	30.69	14.01	44.70	54.00	-9.30	AVG
3	17895.000	31.64	28.52	60.16	74.00	-13.84	peak
4*	17895.000	21.14	28.52	49.66	54.00	-4.34	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11930.000	36.89	14.01	50.90	74.00	-23.10	peak
2	17895.000	32.06	28.52	60.58	74.00	-13.42	peak
3*	17895.000	21.12	28.52	49.64	54.00	-4.36	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6165 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12330.000	33.97	14.08	48.05	74.00	-25.95	peak
2*	18495.000	32.09	19.56	51.65	74.00	-22.35	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6165 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12330.000	35.65	14.08	49.73	74.00	-24.27	peak
2	18495.000	32.89	19.56	52.45	74.00	-21.55	peak
3*	18495.000	21.27	19.56	40.83	54.00	-13.17	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6405 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12810.000	37.69	14.86	52.55	88.20	-35.65	peak
2	19215.000	32.05	20.42	52.47	74.00	-21.53	peak
3*	19215.000	21.44	20.42	41.86	54.00	-12.14	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6405 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12810.000	35.12	14.86	49.98	88.20	-38.22	peak
2	19215.000	31.97	20.42	52.39	74.00	-21.61	peak
3*	19215.000	21.26	20.42	41.68	54.00	-12.32	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6445 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12890.000	41.30	15.22	56.52	88.20	-31.68	peak
2*	19335.000	31.49	20.43	51.92	74.00	-22.08	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6445 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12890.000	35.73	15.22	50.95	88.20	-37.25	peak
2	19335.000	32.18	20.43	52.61	74.00	-21.39	peak
3*	19335.000	20.75	20.43	41.18	54.00	-12.82	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6485 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12970.000	39.60	15.15	54.75	88.20	-33.45	peak
2	19455.000	31.72	20.45	52.17	74.00	-21.83	peak
3*	19455.000	21.13	20.45	41.58	54.00	-12.42	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6485 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12970.000	37.44	15.15	52.59	88.20	-35.61	peak
2	19455.000	31.72	20.45	52.17	74.00	-21.83	peak
3*	19455.000	21.12	20.45	41.57	54.00	-12.43	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6525 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13050.000	40.68	15.10	55.78	88.20	-32.42	peak
2*	19575.000	30.93	20.55	51.48	74.00	-22.52	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6525 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13050.000	35.17	15.10	50.27	88.20	-37.93	peak
2	19575.000	32.17	20.55	52.72	74.00	-21.28	peak
3*	19575.000	21.20	20.55	41.75	54.00	-12.25	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6565 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13130.000	36.06	15.11	51.17	88.20	-37.03	peak
2	19695.000	32.52	20.72	53.24	74.00	-20.76	peak
3*	19695.000	21.10	20.72	41.82	54.00	-12.18	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6565 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13130.000	33.95	15.11	49.06	88.20	-39.14	peak
2	19695.000	32.08	20.72	52.80	74.00	-21.20	peak
3*	19695.000	21.09	20.72	41.81	54.00	-12.19	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6685 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13370.000	33.18	15.84	49.02	74.00	-24.98	peak
2	20055.000	31.80	21.05	52.85	74.00	-21.15	peak
3*	20055.000	21.39	21.05	42.44	54.00	-11.56	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6685 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13370.000	33.74	15.84	49.58	74.00	-24.42	peak
2	20055.000	32.59	21.05	53.64	74.00	-20.36	peak
3*	20055.000	21.39	21.05	42.44	54.00	-11.56	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6845 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13690.000	33.92	16.80	50.72	88.20	-37.48	peak
2	20535.000	32.22	20.30	52.52	74.00	-21.48	peak
3*	20535.000	21.26	20.30	41.56	54.00	-12.44	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6845 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13690.000	32.84	16.80	49.64	88.20	-38.56	peak
2	20535.000	31.98	20.30	52.28	74.00	-21.72	peak
3*	20535.000	21.28	20.30	41.58	54.00	-12.42	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6885 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13770.000	33.33	17.01	50.34	88.20	-37.86	peak
2	20655.000	32.00	20.54	52.54	74.00	-21.46	peak
3*	20655.000	21.08	20.54	41.62	54.00	-12.38	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6885 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13770.000	32.78	17.01	49.79	88.20	-38.41	peak
2	20655.000	31.93	20.54	52.47	74.00	-21.53	peak
3*	20655.000	20.89	20.54	41.43	54.00	-12.57	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6925 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13850.000	34.72	17.32	52.04	88.20	-36.16	peak
2	20775.000	31.43	20.75	52.18	74.00	-21.82	peak
3*	20775.000	20.74	20.75	41.49	54.00	-12.51	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6925 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13850.000	33.85	17.32	51.17	88.20	-37.03	peak
2	20775.000	31.89	20.75	52.64	74.00	-21.36	peak
3*	20775.000	20.72	20.75	41.47	54.00	-12.53	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 7005 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14010.000	33.46	18.08	51.54	88.20	-36.66	peak
2	21015.000	31.67	21.14	52.81	74.00	-21.19	peak
3*	21015.000	20.34	21.14	41.48	54.00	-12.52	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 7005 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14010.000	33.39	18.08	51.47	88.20	-36.73	peak
2	21015.000	32.21	21.14	53.35	74.00	-20.65	peak
3*	21015.000	20.30	21.14	41.44	54.00	-12.56	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14170.000	35.53	18.59	54.12	88.20	-34.08	peak
2	21255.000	33.01	20.77	53.78	74.00	-20.22	peak
3*	21255.000	20.71	20.77	41.48	54.00	-12.52	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14170.000	33.76	18.59	52.35	88.20	-35.85	peak
2	21255.000	32.40	20.77	53.17	74.00	-20.83	peak
3*	21255.000	20.67	20.77	41.44	54.00	-12.56	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11970.000	38.79	14.02	52.81	74.00	-21.19	peak
2	11970.000	29.08	14.02	43.10	54.00	-10.90	AVG
3	17955.000	32.05	29.63	61.68	74.00	-12.32	peak
4*	17955.000	21.14	29.63	50.77	54.00	-3.23	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11970.000	36.22	14.02	50.24	74.00	-23.76	peak
2	17955.000	31.59	29.63	61.22	74.00	-12.78	peak
3*	17955.000	21.10	29.63	50.73	54.00	-3.27	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6145 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12290.000	33.52	14.12	47.64	74.00	-26.36	peak
2*	18435.000	31.36	19.38	50.74	74.00	-23.26	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6145 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12290.000	32.67	14.12	46.79	74.00	-27.21	peak
2*	18435.000	31.53	19.38	50.91	74.00	-23.09	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6385 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12770.000	33.10	14.77	47.87	88.20	-40.33	peak
2	19155.000	32.92	20.41	53.33	74.00	-20.67	peak
3*	19155.000	21.08	20.41	41.49	54.00	-12.51	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6385 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12770.000	33.02	14.77	47.79	88.20	-40.41	peak
2	19155.000	31.98	20.41	52.39	74.00	-21.61	peak
3*	19155.000	20.99	20.41	41.40	54.00	-12.60	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6465 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12930.000	33.82	15.21	49.03	88.20	-39.17	peak
2	19395.000	31.73	20.43	52.16	74.00	-21.84	peak
3*	19395.000	20.66	20.43	41.09	54.00	-12.91	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6465 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12930.000	33.33	15.21	48.54	88.20	-39.66	peak
2*	19395.000	31.24	20.43	51.67	74.00	-22.33	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6545 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13090.000	33.44	15.09	48.53	88.20	-39.67	peak
2*	19635.000	30.90	20.64	51.54	74.00	-22.46	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6545 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13090.000	33.18	15.09	48.27	88.20	-39.93	peak
2	19635.000	31.56	20.64	52.20	74.00	-21.80	peak
3*	19635.000	20.76	20.64	41.40	54.00	-12.60	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6625 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13250.000	32.89	15.30	48.19	74.00	-25.81	peak
2	19875.000	31.66	20.96	52.62	74.00	-21.38	peak
3*	19875.000	21.09	20.96	42.05	54.00	-11.95	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6625 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13250.000	32.84	15.30	48.14	74.00	-25.86	peak
2	19875.000	31.58	20.96	52.54	74.00	-21.46	peak
3*	19875.000	21.11	20.96	42.07	54.00	-11.93	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6705 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13410.000	32.99	16.02	49.01	88.20	-39.19	peak
2*	20115.000	31.00	20.95	51.95	74.00	-22.05	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6705 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13410.000	32.76	16.02	48.78	88.20	-39.42	peak
2	20115.000	31.80	20.95	52.75	74.00	-21.25	peak
3*	20115.000	21.23	20.95	42.18	54.00	-11.82	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13570.000	34.32	16.51	50.83	88.20	-37.37	peak
2*	20355.000	31.05	20.52	51.57	74.00	-22.43	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13570.000	34.32	16.51	50.83	88.20	-37.37	peak
2*	20355.000	31.27	20.52	51.79	74.00	-22.21	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6865 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13730.000	33.87	16.90	50.77	88.20	-37.43	peak
2	20595.000	31.59	20.43	52.02	74.00	-21.98	peak
3*	20595.000	20.82	20.43	41.25	54.00	-12.75	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6865 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13730.000	33.86	16.90	50.76	88.20	-37.44	peak
2*	20595.000	31.09	20.43	51.52	74.00	-22.48	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6945 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13890.000	34.33	17.50	51.83	88.20	-36.37	peak
2	20835.000	32.01	20.87	52.88	74.00	-21.12	peak
3*	20835.000	21.21	20.87	42.08	54.00	-11.92	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6945 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13890.000	33.21	17.50	50.71	88.20	-37.49	peak
2	20835.000	32.08	20.87	52.95	74.00	-21.05	peak
3*	20835.000	20.93	20.87	41.80	54.00	-12.20	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14050.000	33.10	18.31	51.41	88.20	-36.79	peak
2	21075.000	32.08	21.04	53.12	74.00	-20.88	peak
3*	21075.000	21.24	21.04	42.28	54.00	-11.72	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14050.000	32.66	18.31	50.97	88.20	-37.23	peak
2	21075.000	33.15	21.04	54.19	74.00	-19.81	peak
3*	21075.000	21.14	21.04	42.18	54.00	-11.82	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12050.000	33.65	14.07	47.72	74.00	-26.28	peak
2*	18075.000	31.04	18.37	49.41	74.00	-24.59	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12050.000	34.15	14.07	48.22	74.00	-25.78	peak
2*	18075.000	31.91	18.37	50.28	74.00	-23.72	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6185 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12370.000	33.66	14.08	47.74	74.00	-26.26	peak
2*	18555.000	31.80	19.67	51.47	74.00	-22.53	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6185 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12370.000	33.65	14.08	47.73	74.00	-26.27	peak
2*	18555.000	31.49	19.67	51.16	74.00	-22.84	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6345 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12690.000	34.17	14.61	48.78	74.00	-25.22	peak
2	19035.000	33.26	20.41	53.67	74.00	-20.33	peak
3*	19035.000	21.44	20.41	41.85	54.00	-12.15	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6345 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12690.000	33.98	14.61	48.59	74.00	-25.41	peak
2	19035.000	32.78	20.41	53.19	74.00	-20.81	peak
3*	19035.000	21.38	20.41	41.79	54.00	-12.21	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6505 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13010.000	33.62	15.10	48.72	88.20	-39.48	peak
2*	19515.000	31.23	20.47	51.70	74.00	-22.30	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6505 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13010.000	32.62	15.10	47.72	88.20	-40.48	peak
2*	19515.000	31.51	20.47	51.98	74.00	-22.02	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6665 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13330.000	33.00	15.61	48.61	74.00	-25.39	peak
2	19995.000	32.63	21.14	53.77	74.00	-20.23	peak
3*	19995.000	20.88	21.14	42.02	54.00	-11.98	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6665 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13330.000	33.58	15.61	49.19	74.00	-24.81	peak
2	19995.000	31.70	21.14	52.84	74.00	-21.16	peak
3*	19995.000	20.87	21.14	42.01	54.00	-11.99	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13650.000	34.28	16.74	51.02	88.20	-37.18	peak
2*	20475.000	31.39	20.30	51.69	74.00	-22.31	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13650.000	33.78	16.74	50.52	88.20	-37.68	peak
2*	20475.000	31.54	20.30	51.84	74.00	-22.16	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13970.000	32.79	17.88	50.67	88.20	-37.53	peak
2	20955.000	31.98	21.08	53.06	74.00	-20.94	peak
3*	20955.000	20.83	21.08	41.91	54.00	-12.09	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13970.000	33.11	17.88	50.99	88.20	-37.21	peak
2	20955.000	31.95	21.08	53.03	74.00	-20.97	peak
3*	20955.000	20.83	21.08	41.91	54.00	-12.09	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	6E+LE		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	3499.000	39.99	-4.16	35.83	88.20	-52.37	peak
2	5845.000	37.85	2.57	40.42	88.20	-47.78	peak
3*	7885.000	36.54	7.65	44.19	88.20	-44.01	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	6E+LE		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	3482.000	40.69	-4.35	36.34	88.20	-51.86	peak
2	5301.000	39.39	0.70	40.09	88.20	-48.11	peak
3*	6491.000	37.03	4.44	41.47	88.20	-46.73	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	6E+2.4G		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	3125.000	41.03	-4.37	36.66	88.20	-51.54	peak
2	5318.000	38.24	0.77	39.01	88.20	-49.19	peak
3*	6814.000	37.60	5.21	42.81	88.20	-45.39	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	6E+2.4G		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	3023.000	40.86	-4.71	36.15	88.20	-52.05	peak
2	5250.000	39.10	0.81	39.91	88.20	-48.29	peak
3*	6389.000	37.53	4.03	41.56	88.20	-46.64	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	6E+5G		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2581.000	40.69	-6.44	34.25	88.20	-53.95	peak
2	3431.000	41.48	-4.72	36.76	88.20	-51.44	peak
3*	5250.000	38.63	0.81	39.44	88.20	-48.76	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	6E+5G		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	3074.000	41.84	-4.38	37.46	88.20	-50.74	peak
2	5267.000	38.75	0.77	39.52	88.20	-48.68	peak
3*	6389.000	37.14	4.03	41.17	88.20	-47.03	peak

Band Edge


Peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5920.200	54.38	2.60	56.98	88.20	-31.22	peak
2	5925.000	59.07	2.58	61.65	88.20	-26.55	peak
3*	5951.000	109.59	2.44	112.03	130.00	-17.97	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5923.000	55.55	2.59	58.14	88.20	-30.06	peak
2	5925.000	58.69	2.58	61.27	88.20	-26.93	peak
3*	5959.400	108.32	2.46	110.78	130.00	-19.22	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7107.400	100.14	6.26	106.40	130.00	-23.60	peak
2*	7125.000	74.35	6.23	80.58	88.20	-7.62	peak
3	7129.800	72.82	6.22	79.04	88.20	-9.16	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7120.000	96.72	6.24	102.96	130.00	-27.04	peak
2*	7125.000	68.23	6.23	74.46	88.20	-13.74	peak
3	7129.800	65.03	6.22	71.25	88.20	-16.95	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5921.600	55.43	2.59	58.02	88.20	-30.18	peak
2	5925.000	64.43	2.58	67.01	88.20	-21.19	peak
3*	5956.600	108.88	2.45	111.33	130.00	-18.67	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5921.600	59.12	2.59	61.71	88.20	-26.49	peak
2	5925.000	61.76	2.58	64.34	88.20	-23.86	peak
3*	5953.800	109.47	2.45	111.92	130.00	-18.08	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7120.000	92.83	6.24	99.07	130.00	-30.93	peak
2*	7125.000	78.47	6.23	84.70	88.20	-3.50	peak
3	7127.000	58.04	6.23	64.27	88.20	-23.93	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7117.200	84.41	6.25	90.66	130.00	-39.34	peak
2*	7125.000	72.83	6.23	79.06	88.20	-9.14	peak
3	7127.000	56.41	6.23	62.64	88.20	-25.56	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5920.200	64.07	2.60	66.67	88.20	-21.53	peak
2*	5925.000	70.51	2.58	73.09	88.20	-15.11	peak
3	5976.200	107.52	2.50	110.02	130.00	-19.98	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5921.600	65.33	2.59	67.92	88.20	-20.28	peak
2*	5925.000	70.42	2.58	73.00	88.20	-15.20	peak
3	5963.600	107.64	2.47	110.11	130.00	-19.89	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7092.000	102.42	6.23	108.65	130.00	-21.35	peak
2*	7125.000	69.27	6.23	75.50	88.20	-12.70	peak
3	7132.600	67.01	6.22	73.23	88.20	-14.97	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7086.400	98.36	6.19	104.55	130.00	-25.45	peak
2*	7125.000	65.68	6.23	71.91	88.20	-16.29	peak
3	7128.400	62.00	6.23	68.23	88.20	-19.97	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5917.400	71.59	2.62	74.21	88.20	-13.99	peak
2	5925.000	70.10	2.58	72.68	88.20	-15.52	peak
3	5997.200	104.08	2.56	106.64	130.00	-23.36	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5916.000	70.43	2.62	73.05	88.20	-15.15	peak
2*	5925.000	71.08	2.58	73.66	88.20	-14.54	peak
3	5993.000	104.62	2.56	107.18	130.00	-22.82	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7010.800	104.00	5.63	109.63	130.00	-20.37	peak
2*	7125.000	66.59	6.23	72.82	88.20	-15.38	peak
3	7128.400	65.65	6.23	71.88	88.20	-16.32	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7006.600	95.75	5.60	101.35	130.00	-28.65	peak
2	7125.000	60.99	6.23	67.22	88.20	-20.98	peak
3*	7128.400	63.78	6.23	70.01	88.20	-18.19	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5906.200	71.81	2.67	74.48	88.20	-13.72	peak
2	5925.000	70.34	2.58	72.92	88.20	-15.28	peak
3	6016.800	101.31	2.65	103.96	130.00	-26.04	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5903.400	72.57	2.69	75.26	88.20	-12.94	peak
2	5925.000	70.71	2.58	73.29	88.20	-14.91	peak
3	6012.600	102.46	2.63	105.09	130.00	-24.91	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	6963.200	99.33	5.53	104.86	130.00	-25.14	peak
2	7125.000	68.22	6.23	74.45	88.20	-13.75	peak
3*	7131.200	70.65	6.22	76.87	88.20	-11.33	peak


Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	6975.800	93.89	5.54	99.43	130.00	-30.57	peak
2*	7125.000	66.26	6.23	72.49	88.20	-15.71	peak
3	7135.400	66.10	6.21	72.31	88.20	-15.89	peak


Average

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5923.000	41.92	2.59	44.51	68.20	-23.69	AVG
2*	5925.000	45.99	2.58	48.57	68.20	-19.63	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5921.600	40.90	2.59	43.49	68.20	-24.71	AVG
2*	5925.000	44.22	2.58	46.80	68.20	-21.40	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11a 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	58.61	6.23	64.84	68.20	-3.36	AVG
2	7129.800	53.34	6.22	59.56	68.20	-8.64	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11a 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	51.19	6.23	57.42	68.20	-10.78	AVG
2	7127.000	46.17	6.23	52.40	68.20	-15.80	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5923.000	43.44	2.59	46.03	68.20	-22.17	AVG
2*	5925.000	47.81	2.58	50.39	68.20	-17.81	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5923.000	44.42	2.59	47.01	68.20	-21.19	AVG
2*	5925.000	44.96	2.58	47.54	68.20	-20.66	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	58.58	6.23	64.81	68.20	-3.39	AVG
2	7126.000	42.64	6.23	48.87	68.20	-19.33	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	57.29	6.23	63.52	68.20	-4.68	AVG
2	7127.000	40.83	6.23	47.06	68.20	-21.14	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5923.000	53.73	2.59	56.32	68.20	-11.88	AVG
2*	5925.000	56.46	2.58	59.04	68.20	-9.16	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5923.000	55.03	2.59	57.62	68.20	-10.58	AVG
2*	5925.000	55.61	2.58	58.19	68.20	-10.01	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	54.97	6.23	61.20	68.20	-7.00	AVG
2	7127.000	53.95	6.23	60.18	68.20	-8.02	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	54.35	6.23	60.58	68.20	-7.62	AVG
2	7127.000	53.76	6.23	59.99	68.20	-8.21	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5917.400	58.30	2.62	60.92	68.20	-7.28	AVG
2*	5925.000	59.81	2.58	62.39	68.20	-5.81	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5921.600	55.31	2.59	57.90	68.20	-10.30	AVG
2*	5925.000	57.00	2.58	59.58	68.20	-8.62	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	58.16	6.23	64.39	68.20	-3.81	AVG
2	7132.600	55.29	6.22	61.51	68.20	-6.69	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	53.21	6.23	59.44	68.20	-8.76	AVG
2	7127.000	52.69	6.23	58.92	68.20	-9.28	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5917.400	59.61	2.62	62.23	68.20	-5.97	AVG
2*	5925.000	59.75	2.58	62.33	68.20	-5.87	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5914.600	60.07	2.63	62.70	68.20	-5.50	AVG
2*	5925.000	60.55	2.58	63.13	68.20	-5.07	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7125.000	55.48	6.23	61.71	68.20	-6.49	AVG
2*	7131.200	58.35	6.22	64.57	68.20	-3.63	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	56.41	6.23	62.64	68.20	-5.56	AVG
2	7127.000	56.38	6.23	62.61	68.20	-5.59	AVG

Beamforming on


Below 1 GHz

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	Transmit Mode		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	151.2500	30.38	-6.78	23.60	43.50	-19.90	QP
2	245.3400	31.78	-7.23	24.55	46.00	-21.45	QP
3	273.4700	31.96	-6.36	25.60	46.00	-20.40	QP
4	389.8700	30.12	-3.49	26.63	46.00	-19.37	QP
5	489.7800	28.54	-1.94	26.60	46.00	-19.40	QP
6*	583.8700	27.70	0.16	27.86	46.00	-18.14	QP

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	Transmit Mode		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	155.1300	31.87	-6.60	25.27	43.50	-18.23	QP
2	182.2900	31.40	-8.07	23.33	43.50	-20.17	QP
3	247.2800	32.13	-7.18	24.95	46.00	-21.05	QP
4	317.1200	28.80	-5.33	23.47	46.00	-22.53	QP
5	395.6900	28.40	-3.33	25.07	46.00	-20.93	QP
6	487.8400	28.07	-1.95	26.12	46.00	-19.88	QP

Harmonic


Above 1 GHz

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11910.000	41.88	14.00	55.88	74.00	-18.12	peak
2	11910.000	34.35	14.00	48.35	54.00	-5.65	AVG
3	17865.000	32.99	27.96	60.95	74.00	-13.05	peak
4*	17865.000	21.15	27.96	49.11	54.00	-4.89	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11910.000	34.96	14.00	48.96	74.00	-25.04	peak
2	17865.000	31.45	27.96	59.41	74.00	-14.59	peak
3*	17865.000	21.18	27.96	49.14	54.00	-4.86	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6175 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12350.000	36.60	14.09	50.69	74.00	-23.31	peak
2*	18525.000	31.40	19.62	51.02	74.00	-22.98	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6175 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12350.000	35.20	14.09	49.29	74.00	-24.71	peak
2*	18525.000	32.05	19.62	51.67	74.00	-22.33	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6415 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12830.000	35.45	14.95	50.40	88.20	-37.80	peak
2	19245.000	31.59	20.42	52.01	74.00	-21.99	peak
3*	19245.000	21.13	20.42	41.55	54.00	-12.45	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6415 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12830.000	35.16	14.95	50.11	88.20	-38.09	peak
2	19245.000	32.02	20.42	52.44	74.00	-21.56	peak
3*	19245.000	20.96	20.42	41.38	54.00	-12.62	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6435 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12870.000	40.60	15.13	55.73	88.20	-32.47	peak
2*	19305.000	31.12	20.42	51.54	74.00	-22.46	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6435 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12870.000	35.03	15.13	50.16	88.20	-38.04	peak
2	19305.000	32.33	20.42	52.75	74.00	-21.25	peak
3*	19305.000	20.78	20.42	41.20	54.00	-12.80	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6475 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12950.000	41.06	15.19	56.25	88.20	-31.95	peak
2	19425.000	32.83	20.44	53.27	74.00	-20.73	peak
3*	19425.000	20.80	20.44	41.24	54.00	-12.76	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6475 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12950.000	36.01	15.19	51.20	88.20	-37.00	peak
2*	19425.000	31.46	20.44	51.90	74.00	-22.10	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6515 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13030.000	38.98	15.10	54.08	88.20	-34.12	peak
2	19545.000	32.61	20.51	53.12	74.00	-20.88	peak
3*	19545.000	20.95	20.51	41.46	54.00	-12.54	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6515 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13030.000	35.06	15.10	50.16	88.20	-38.04	peak
2*	19545.000	31.04	20.51	51.55	74.00	-22.45	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6525 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13050.000	41.15	15.10	56.25	88.20	-31.95	peak
2	19575.000	31.71	20.55	52.26	74.00	-21.74	peak
3*	19575.000	20.95	20.55	41.50	54.00	-12.50	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6525 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13050.000	34.39	15.10	49.49	88.20	-38.71	peak
2*	19575.000	31.15	20.55	51.70	74.00	-22.30	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6695 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13390.000	32.42	15.96	48.38	74.00	-25.62	peak
2	20085.000	32.34	20.99	53.33	74.00	-20.67	peak
3*	20085.000	21.27	20.99	42.26	54.00	-11.74	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6695 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13390.000	33.24	15.96	49.20	74.00	-24.80	peak
2	20085.000	31.77	20.99	52.76	74.00	-21.24	peak
3*	20085.000	21.27	20.99	42.26	54.00	-11.74	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6855 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13710.000	34.96	16.85	51.81	88.20	-36.39	peak
2*	20565.000	31.27	20.37	51.64	74.00	-22.36	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6855 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13710.000	35.21	16.85	52.06	88.20	-36.14	peak
2	20565.000	32.03	20.37	52.40	74.00	-21.60	peak
3*	20565.000	20.96	20.37	41.33	54.00	-12.67	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6875 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13750.000	37.07	16.95	54.02	88.20	-34.18	peak
2*	20625.000	30.85	20.48	51.33	74.00	-22.67	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6875 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13750.000	34.10	16.95	51.05	88.20	-37.15	peak
2	20625.000	31.92	20.48	52.40	74.00	-21.60	peak
3*	20625.000	20.87	20.48	41.35	54.00	-12.65	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6895 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13790.000	34.82	17.06	51.88	88.20	-36.32	peak
2	20685.000	31.62	20.60	52.22	74.00	-21.78	peak
3*	20685.000	21.69	20.60	42.29	54.00	-11.71	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6895 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13790.000	34.22	17.06	51.28	88.20	-36.92	peak
2	20685.000	31.77	20.60	52.37	74.00	-21.63	peak
3*	20685.000	20.79	20.60	41.39	54.00	-12.61	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 6995 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13990.000	32.89	17.98	50.87	88.20	-37.33	peak
2	20985.000	32.26	21.14	53.40	74.00	-20.60	peak
3*	20985.000	21.09	21.14	42.23	54.00	-11.77	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 6995 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13990.000	32.01	17.98	49.99	88.20	-38.21	peak
2	20985.000	32.24	21.14	53.38	74.00	-20.62	peak
3*	20985.000	21.02	21.14	42.16	54.00	-11.84	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14230.000	34.23	18.67	52.90	88.20	-35.30	peak
2*	21345.000	31.26	20.62	51.88	74.00	-22.12	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14230.000	33.92	18.67	52.59	88.20	-35.61	peak
2	21345.000	32.80	20.62	53.42	74.00	-20.58	peak
3*	21345.000	21.06	20.62	41.68	54.00	-12.32	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11930.000	40.46	14.01	54.47	74.00	-19.53	peak
2	11930.000	30.33	14.01	44.34	54.00	-9.66	AVG
3	17895.000	31.95	28.52	60.47	74.00	-13.53	peak
4*	17895.000	21.12	28.52	49.64	54.00	-4.36	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11930.000	37.44	14.01	51.45	74.00	-22.55	peak
2	17895.000	31.76	28.52	60.28	74.00	-13.72	peak
3*	17895.000	21.13	28.52	49.65	54.00	-4.35	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6165 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12330.000	34.36	14.08	48.44	74.00	-25.56	peak
2*	18495.000	32.22	19.56	51.78	74.00	-22.22	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6165 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12330.000	32.97	14.08	47.05	74.00	-26.95	peak
2	18495.000	32.46	19.56	52.02	74.00	-21.98	peak
3*	18495.000	21.29	19.56	40.85	54.00	-13.15	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6405 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12810.000	37.45	14.86	52.31	88.20	-35.89	peak
2	19215.000	32.89	20.42	53.31	74.00	-20.69	peak
3*	19215.000	21.32	20.42	41.74	54.00	-12.26	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6405 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12810.000	35.54	14.86	50.40	88.20	-37.80	peak
2	19215.000	32.26	20.42	52.68	74.00	-21.32	peak
3*	19215.000	21.27	20.42	41.69	54.00	-12.31	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6445 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12890.000	41.24	15.22	56.46	88.20	-31.74	peak
2	19335.000	31.76	20.43	52.19	74.00	-21.81	peak
3*	19335.000	20.77	20.43	41.20	54.00	-12.80	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6445 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12890.000	36.95	15.22	52.17	88.20	-36.03	peak
2	19335.000	31.67	20.43	52.10	74.00	-21.90	peak
3*	19335.000	20.77	20.43	41.20	54.00	-12.80	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6485 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12970.000	38.66	15.15	53.81	88.20	-34.39	peak
2	19455.000	32.39	20.45	52.84	74.00	-21.16	peak
3*	19455.000	21.14	20.45	41.59	54.00	-12.41	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6485 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12970.000	34.80	15.15	49.95	88.20	-38.25	peak
2	19455.000	31.66	20.45	52.11	74.00	-21.89	peak
3*	19455.000	21.15	20.45	41.60	54.00	-12.40	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6525 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13050.000	40.53	15.10	55.63	88.20	-32.57	peak
2	19575.000	31.71	20.55	52.26	74.00	-21.74	peak
3*	19575.000	21.11	20.55	41.66	54.00	-12.34	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6525 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13050.000	33.70	15.10	48.80	88.20	-39.40	peak
2	19575.000	32.34	20.55	52.89	74.00	-21.11	peak
3*	19575.000	21.13	20.55	41.68	54.00	-12.32	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6565 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13130.000	36.55	15.11	51.66	88.20	-36.54	peak
2	19695.000	33.02	20.72	53.74	74.00	-20.26	peak
3*	19695.000	21.06	20.72	41.78	54.00	-12.22	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6565 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13130.000	32.96	15.11	48.07	88.20	-40.13	peak
2	19695.000	31.61	20.72	52.33	74.00	-21.67	peak
3*	19695.000	21.08	20.72	41.80	54.00	-12.20	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6685 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13370.000	33.03	15.84	48.87	74.00	-25.13	peak
2	20055.000	31.73	21.05	52.78	74.00	-21.22	peak
3*	20055.000	21.36	21.05	42.41	54.00	-11.59	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6685 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13370.000	33.14	15.84	48.98	74.00	-25.02	peak
2	20055.000	31.59	21.05	52.64	74.00	-21.36	peak
3*	20055.000	21.36	21.05	42.41	54.00	-11.59	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6845 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13690.000	33.05	16.80	49.85	88.20	-38.35	peak
2*	20535.000	31.49	20.30	51.79	74.00	-22.21	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6845 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13690.000	32.54	16.80	49.34	88.20	-38.86	peak
2	20535.000	32.28	20.30	52.58	74.00	-21.42	peak
3*	20535.000	21.22	20.30	41.52	54.00	-12.48	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6885 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13770.000	33.06	17.01	50.07	88.20	-38.13	peak
2	20655.000	31.69	20.54	52.23	74.00	-21.77	peak
3*	20655.000	20.95	20.54	41.49	54.00	-12.51	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6885 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13770.000	34.41	17.01	51.42	88.20	-36.78	peak
2	20655.000	31.67	20.54	52.21	74.00	-21.79	peak
3*	20655.000	20.91	20.54	41.45	54.00	-12.55	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 6925 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13850.000	35.01	17.32	52.33	88.20	-35.87	peak
2	20775.000	32.04	20.75	52.79	74.00	-21.21	peak
3*	20775.000	20.72	20.75	41.47	54.00	-12.53	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 6925 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13850.000	33.70	17.32	51.02	88.20	-37.18	peak
2	20775.000	32.32	20.75	53.07	74.00	-20.93	peak
3*	20775.000	20.68	20.75	41.43	54.00	-12.57	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 7005 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14010.000	34.39	18.08	52.47	88.20	-35.73	peak
2	21015.000	32.15	21.14	53.29	74.00	-20.71	peak
3*	21015.000	20.35	21.14	41.49	54.00	-12.51	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 7005 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14010.000	33.87	18.08	51.95	88.20	-36.25	peak
2	21015.000	32.13	21.14	53.27	74.00	-20.73	peak
3*	21015.000	20.29	21.14	41.43	54.00	-12.57	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14170.000	34.61	18.59	53.20	88.20	-35.00	peak
2	21255.000	32.65	20.77	53.42	74.00	-20.58	peak
3*	21255.000	20.69	20.77	41.46	54.00	-12.54	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14170.000	34.36	18.59	52.95	88.20	-35.25	peak
2	21255.000	31.46	20.77	52.23	74.00	-21.77	peak
3*	21255.000	20.64	20.77	41.41	54.00	-12.59	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11970.000	37.43	14.02	51.45	74.00	-22.55	peak
2	17955.000	31.95	29.63	61.58	74.00	-12.42	peak
3*	17955.000	21.14	29.63	50.77	54.00	-3.23	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11970.000	35.72	14.02	49.74	74.00	-24.26	peak
2	17955.000	32.54	29.63	62.17	74.00	-11.83	peak
3*	17955.000	21.02	29.63	50.65	54.00	-3.35	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6145 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12290.000	33.33	14.12	47.45	74.00	-26.55	peak
2*	18435.000	31.95	19.38	51.33	74.00	-22.67	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6145 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12290.000	32.84	14.12	46.96	74.00	-27.04	peak
2*	18435.000	31.60	19.38	50.98	74.00	-23.02	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6385 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12770.000	34.11	14.77	48.88	88.20	-39.32	peak
2	19155.000	32.21	20.41	52.62	74.00	-21.38	peak
3*	19155.000	21.13	20.41	41.54	54.00	-12.46	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6385 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12770.000	33.29	14.77	48.06	88.20	-40.14	peak
2	19155.000	32.28	20.41	52.69	74.00	-21.31	peak
3*	19155.000	21.13	20.41	41.54	54.00	-12.46	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6465 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12930.000	34.07	15.21	49.28	88.20	-38.92	peak
2*	19395.000	30.94	20.43	51.37	74.00	-22.63	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6465 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12930.000	34.00	15.21	49.21	88.20	-38.99	peak
2	19395.000	32.12	20.43	52.55	74.00	-21.45	peak
3*	19395.000	20.67	20.43	41.10	54.00	-12.90	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6545 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13090.000	33.47	15.09	48.56	88.20	-39.64	peak
2	19635.000	32.04	20.64	52.68	74.00	-21.32	peak
3*	19635.000	20.78	20.64	41.42	54.00	-12.58	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6545 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13090.000	32.58	15.09	47.67	88.20	-40.53	peak
2*	19635.000	31.32	20.64	51.96	74.00	-22.04	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6625 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13250.000	33.00	15.30	48.30	74.00	-25.70	peak
2	19875.000	32.42	20.96	53.38	74.00	-20.62	peak
3*	19875.000	21.13	20.96	42.09	54.00	-11.91	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6625 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13250.000	33.31	15.30	48.61	74.00	-25.39	peak
2	19875.000	32.35	20.96	53.31	74.00	-20.69	peak
3*	19875.000	21.11	20.96	42.07	54.00	-11.93	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6705 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13410.000	33.49	16.02	49.51	88.20	-38.69	peak
2	20115.000	31.58	20.95	52.53	74.00	-21.47	peak
3*	20115.000	21.26	20.95	42.21	54.00	-11.79	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6705 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13410.000	32.60	16.02	48.62	88.20	-39.58	peak
2	20115.000	31.69	20.95	52.64	74.00	-21.36	peak
3*	20115.000	21.23	20.95	42.18	54.00	-11.82	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13570.000	33.72	16.51	50.23	88.20	-37.97	peak
2*	20355.000	31.48	20.52	52.00	74.00	-22.00	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6785 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13570.000	33.14	16.51	49.65	88.20	-38.55	peak
2	20355.000	31.49	20.52	52.01	74.00	-21.99	peak
3*	20355.000	20.68	20.52	41.20	54.00	-12.80	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6865 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13730.000	33.77	16.90	50.67	88.20	-37.53	peak
2	20595.000	32.06	20.43	52.49	74.00	-21.51	peak
3*	20595.000	20.84	20.43	41.27	54.00	-12.73	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6865 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13730.000	32.89	16.90	49.79	88.20	-38.41	peak
2	20595.000	32.43	20.43	52.86	74.00	-21.14	peak
3*	20595.000	20.82	20.43	41.25	54.00	-12.75	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 6945 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13890.000	32.98	17.50	50.48	88.20	-37.72	peak
2	20835.000	31.42	20.87	52.29	74.00	-21.71	peak
3*	20835.000	21.08	20.87	41.95	54.00	-12.05	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 6945 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13890.000	34.22	17.50	51.72	88.20	-36.48	peak
2	20835.000	32.08	20.87	52.95	74.00	-21.05	peak
3*	20835.000	20.87	20.87	41.74	54.00	-12.26	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14050.000	33.49	18.31	51.80	88.20	-36.40	peak
2	21075.000	32.13	21.04	53.17	74.00	-20.83	peak
3*	21075.000	21.22	21.04	42.26	54.00	-11.74	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	14050.000	33.11	18.31	51.42	88.20	-36.78	peak
2	21075.000	31.68	21.04	52.72	74.00	-21.28	peak
3*	21075.000	21.13	21.04	42.17	54.00	-11.83	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12050.000	34.63	14.07	48.70	74.00	-25.30	peak
2*	18075.000	31.44	18.37	49.81	74.00	-24.19	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12050.000	35.59	14.07	49.66	74.00	-24.34	peak
2*	18075.000	32.83	18.37	51.20	74.00	-22.80	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6185 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12370.000	34.37	14.08	48.45	74.00	-25.55	peak
2*	18555.000	31.43	19.67	51.10	74.00	-22.90	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6185 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12370.000	34.56	14.08	48.64	74.00	-25.36	peak
2*	18555.000	31.48	19.67	51.15	74.00	-22.85	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6345 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12690.000	36.42	14.61	51.03	74.00	-22.97	peak
2	19035.000	32.73	20.41	53.14	74.00	-20.86	peak
3*	19035.000	21.43	20.41	41.84	54.00	-12.16	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6345 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	12690.000	34.63	14.61	49.24	74.00	-24.76	peak
2	19035.000	32.65	20.41	53.06	74.00	-20.94	peak
3*	19035.000	21.42	20.41	41.83	54.00	-12.17	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6505 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13010.000	32.42	15.10	47.52	88.20	-40.68	peak
2	19515.000	32.50	20.47	52.97	74.00	-21.03	peak
3*	19515.000	20.75	20.47	41.22	54.00	-12.78	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6505 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13010.000	32.79	15.10	47.89	88.20	-40.31	peak
2	19515.000	31.54	20.47	52.01	74.00	-21.99	peak
3*	19515.000	20.75	20.47	41.22	54.00	-12.78	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6665 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13330.000	32.42	15.61	48.03	74.00	-25.97	peak
2	19995.000	31.78	21.14	52.92	74.00	-21.08	peak
3*	19995.000	20.93	21.14	42.07	54.00	-11.93	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6665 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13330.000	33.74	15.61	49.35	74.00	-24.65	peak
2	19995.000	31.78	21.14	52.92	74.00	-21.08	peak
3*	19995.000	20.93	21.14	42.07	54.00	-11.93	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13650.000	33.40	16.74	50.14	88.20	-38.06	peak
2	20475.000	31.85	20.30	52.15	74.00	-21.85	peak
3*	20475.000	20.80	20.30	41.10	54.00	-12.90	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6825 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13650.000	33.91	16.74	50.65	88.20	-37.55	peak
2	20475.000	32.21	20.30	52.51	74.00	-21.49	peak
3*	20475.000	20.78	20.30	41.08	54.00	-12.92	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13970.000	32.54	17.88	50.42	88.20	-37.78	peak
2	20955.000	32.12	21.08	53.20	74.00	-20.80	peak
3*	20955.000	20.83	21.08	41.91	54.00	-12.09	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	13970.000	32.50	17.88	50.38	88.20	-37.82	peak
2	20955.000	31.71	21.08	52.79	74.00	-21.21	peak
3*	20955.000	20.83	21.08	41.91	54.00	-12.09	AVG

Band Edge


Peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5832.000	52.59	2.56	55.15	88.20	-33.05	peak
2	5925.000	59.22	2.58	61.80	88.20	-26.40	peak
3*	5953.800	108.21	2.45	110.66	130.00	-19.34	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5921.600	56.73	2.59	59.32	88.20	-28.88	peak
2	5925.000	55.71	2.58	58.29	88.20	-29.91	peak
3*	5963.600	108.62	2.47	111.09	130.00	-18.91	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7117.200	92.19	6.25	98.44	130.00	-31.56	peak
2*	7125.000	77.89	6.23	84.12	88.20	-4.08	peak
3	7127.100	57.08	6.23	63.31	88.20	-24.89	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7107.400	84.11	6.26	90.37	130.00	-39.63	peak
2*	7125.000	72.00	6.23	78.23	88.20	-9.97	peak
3	7126.900	62.46	6.23	68.69	88.20	-19.51	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5920.200	64.72	2.60	67.32	88.20	-20.88	peak
2*	5925.000	66.91	2.58	69.49	88.20	-18.71	peak
3	5963.600	106.93	2.47	109.40	130.00	-20.60	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5921.600	67.04	2.59	69.63	88.20	-18.57	peak
2	5925.000	66.59	2.58	69.17	88.20	-19.03	peak
3	5963.600	106.82	2.47	109.29	130.00	-20.71	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7073.800	101.94	6.11	108.05	130.00	-21.95	peak
2*	7125.000	65.97	6.23	72.20	88.20	-16.00	peak
3	7131.200	65.73	6.22	71.95	88.20	-16.25	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7099.000	97.62	6.27	103.89	130.00	-26.11	peak
2	7125.000	65.22	6.23	71.45	88.20	-16.75	peak
3*	7129.800	65.94	6.22	72.16	88.20	-16.04	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5916.000	71.21	2.62	73.83	88.20	-14.37	peak
2	5925.000	70.91	2.58	73.49	88.20	-14.71	peak
3	6005.600	103.25	2.59	105.84	130.00	-24.16	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5911.800	70.04	2.65	72.69	88.20	-15.51	peak
2	5925.000	67.25	2.58	69.83	88.20	-18.37	peak
3	5983.200	104.40	2.53	106.93	130.00	-23.07	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7003.800	101.12	5.57	106.69	130.00	-23.31	peak
2*	7125.000	65.71	6.23	71.94	88.20	-16.26	peak
3	7134.000	65.52	6.22	71.74	88.20	-16.46	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7017.800	95.19	5.69	100.88	130.00	-29.12	peak
2*	7125.000	63.02	6.23	69.25	88.20	-18.95	peak
3	7139.600	61.04	6.22	67.26	88.20	-20.94	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5914.600	70.29	2.63	72.92	88.20	-15.28	peak
2	5925.000	69.86	2.58	72.44	88.20	-15.76	peak
3	6033.600	100.49	2.72	103.21	130.00	-26.79	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5918.800	71.20	2.61	73.81	88.20	-14.39	peak
2	5925.000	69.47	2.58	72.05	88.20	-16.15	peak
3	5981.800	102.09	2.52	104.61	130.00	-25.39	peak

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	6912.800	97.17	5.53	102.70	130.00	-27.30	peak
2	7125.000	69.48	6.23	75.71	88.20	-12.49	peak
3*	7132.600	69.89	6.22	76.11	88.20	-12.09	peak


Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	6917.000	93.50	5.53	99.03	130.00	-30.97	peak
2	7125.000	66.41	6.23	72.64	88.20	-15.56	peak
3*	7134.000	68.50	6.22	74.72	88.20	-13.48	peak


Average

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5923.000	43.99	2.59	46.58	68.20	-21.62	AVG
2*	5925.000	44.71	2.58	47.29	68.20	-20.91	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 5955 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5923.000	43.61	2.59	46.20	68.20	-22.00	AVG
2	5925.000	42.27	2.58	44.85	68.20	-23.35	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	58.58	6.23	64.81	68.20	-3.39	AVG
2	7126.400	41.36	6.23	47.59	68.20	-20.61	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE20 7115 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	54.68	6.23	60.91	68.20	-7.29	AVG
2	7126.800	42.57	6.23	48.80	68.20	-19.40	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5921.600	51.62	2.59	54.21	68.20	-13.99	AVG
2*	5925.000	55.86	2.58	58.44	68.20	-9.76	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 5965 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5923.000	54.93	2.59	57.52	68.20	-10.68	AVG
2	5925.000	53.46	2.58	56.04	68.20	-12.16	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	54.73	6.23	60.96	68.20	-7.24	AVG
2	7127.000	51.51	6.23	57.74	68.20	-10.46	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE40 7085 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	52.71	6.23	58.94	68.20	-9.26	AVG
2	7127.000	51.58	6.23	57.81	68.20	-10.39	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5921.600	58.13	2.59	60.72	68.20	-7.48	AVG
2	5925.000	56.67	2.58	59.25	68.20	-8.95	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 5985 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5911.800	55.27	2.65	57.92	68.20	-10.28	AVG
2	5925.000	54.43	2.58	57.01	68.20	-11.19	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7125.000	57.83	6.23	64.06	68.20	-4.14	AVG
2*	7131.200	58.04	6.22	64.26	68.20	-3.94	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE80 7025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7125.000	52.80	6.23	59.03	68.20	-9.17	AVG
2*	7131.200	54.35	6.22	60.57	68.20	-7.63	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5916.000	58.93	2.62	61.55	68.20	-6.65	AVG
2	5925.000	58.90	2.58	61.48	68.20	-6.72	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6025 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	5902.000	58.51	2.70	61.21	68.20	-6.99	AVG
2	5925.000	57.68	2.58	60.26	68.20	-7.94	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7125.000	55.91	6.23	62.14	68.20	-6.06	AVG
2*	7132.600	57.78	6.22	64.00	68.20	-4.20	AVG

Standard:	Part 15E_WIFI 6E	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11ax HE160 6985 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	7125.000	55.72	6.23	61.95	68.20	-6.25	AVG
2	7129.800	54.80	6.22	61.02	68.20	-7.18	AVG