

Antenna Specification

Specifications Summary

ITEM	SPEC.	
Model Name	IBM 2.4 GHz	
Center Frequency	2403 MHz	-2.28 dBi
	2441 MHz	-2.44 dBi
	2480 MHz	-4.34 dBi
MAX. GAIN	0.95 dBi	
Polarization	Horizontal	
Azimuth Beam Pattern	Omni-directional	
Impedance	50 Ω	
Antenna Length	2.21cm	

Antenna Photo & Length (mm)

Type:PCB ANT




Shenzhen Ajazz Tongchuang Electronic Technology Co., Ltd.

2104-1, Block A, CIMC Low Orbit Satellite Internet of Things Industrial Park, Dongkeng Community,
Fenghuang Street, Guangming District, Shenzhen, Guangdong, China

1. Main antenna : 2403 MHz

(green line: horizontal power)
(red line: vertical power)

1.1 Horizontal



Frequency(MHZ): **2403**


Antenna Polarity: **Horizontal**

Maximum Value(dBi): **-2.24**

Average Gain(dBi) : **-2.48**

Minimum Gain(dBi): **-55.18**

1.2 Vertical



Frequency(MHZ): **2403**

Antenna Polarity: **Vertical**


Maximum Value(dBi): **-4.51**

Average Gain(dBi) : **-8.98**

Minimum Gain(dBi): **-62.3**

2. Main antenna : 2441 MHz

2.1 Horizontal



Frequency(MHZ): **2441**


Antenna Polarity: **Horizontal**

Maximum Value(dBi): **-6.20**

Average Gain(dBi) : **-2.44**

Minimum Gain(dBi): **-64.78**

2.2 Vertical



Frequency(MHZ): **2441**

Antenna Polarity: **Vertical**


Maximum Value(dBi): **-10.00**

Average Gain(dBi) : **-8.41**

Minimum Gain(dBi): **-47.4**

2. Main antenna : 2480 MHz

2.1 Horizontal



Frequency(MHZ): **2480**


Antenna Polarity: **Horizontal**

Maximum Value(dBi): **-8.31**

Average Gain(dBi) : **-4.34**

Minimum Gain(dBi): **-55.4**

2.2 Vertical



Frequency(MHZ): **2480**

Antenna Polarity: **Vertical**

Maximum Value(dBi): **0.95**

Average Gain(dBi) : **-14.06**

Minimum Gain(dBi): **-64.00**