

Antenna Datasheet

Product OC: Y0YRX00A1BA

Version: 1.0

Date: 2023-08-14 **Status:** Preliminary

Product Name: BT FPC Antenna

Key Features:

Frequency Band: 2400–2400 MHz

Dimensions: 35*7 mm Efficiency: Up to 25.4%

RoHS and REACH Compliant

Overview

Wi-Fi 2.4G/Zigbee2.4G/Bluetooth Antenna

Quectel Wi-Fi 2.4G antenna covers 2.4 ~2.5GHz bands, fully satisfying customers' requirements for Wi-Fi/Zigbee/BT antennas. There are various antenna types, including built-in FPC/PCB antenna, ceramic patch antenna, and other external antennas of different shapes or sizes. The antenna performance meets the customers' demands for efficiency, gain, and radiation and ensures the superior experience of the customers' products in use.



Contents

Οv	erview		2
Со	ntents		3
1	Specificat	ion	4
	1.1. Elec	etrical	4
	1.2. Med	chanical, Environmental & Storage	5
	1.3. Anto	enna Assembly	6
	1.4. Mat	ching Circuit	错误!未定义书签。
2	Drawing		7
3	Detailed	Performance	8
	3.1. S-P	arameter Test	8
	3.1.1.	VSWR	8
	3.1.2.	Return Loss	9
	3.2. OTA	Test Data	错误!未定义书签。
	3.3. Rad	liation Performance Test	10
	3.3.1.	Efficiency	10
	3.3.2.	Average Gain	11
	3.3.3.	Peak Gain	12
	3.3.4.	3D & 2D Radiation Pattern	13
4	Packagir	g	15
Со	ntact US		
Le	gal Notices		17
Re	vision Histo	ory	19



1 Specification

Test Condition: Assembled in test device

1.1. Electrical

Electrical					
Frequency Range	2400-2500MHz				
Impedance	50 Ω				
Polarization	Linear				
Radiation Pattern	Omni-directional				

Electric	al - Detail											
Band	Band	B71	B12 /B13 /B28	Lora	N74 /N75 /N76	B1 /B2 /B3	B40	Wi-Fi 2G	B38 /B41	B42 /B48 /N77	N79	Wi-Fi 5G
SPEC	Freq. (MHz)	600 – 700	700– 810	820- 960	1420- 1520	1700– 2170	2300- 2400	2400– 2500	2500- 2690	3300- 4200	4400- 5000	5150- 5850
Max. VSWR		-	-	_	_	_	-	5.5	-	_	-	-
Max. Ref	turn Loss	-	-	-	-	-	-	-3.2	-	-	-	-
AVG Eff.	. (%)	-	-	-	-	_	-	16.3	-	-	-	-
AVG Gai	in (dB)	-	-	-	-	-	-	-8.1	-	-	-	-
Max. Pea	ak Gain	-	-	-	-	-	-	0.5	-	-	-	-
VSWR						<	5.5					
Return L	oss.					\ \[\]	-3.2 dB					
Gain						\leq	0.5 dBi					

Antenna_Datasheet 4 / 22




1.2. Mechanical, Environmental & Storage

Mechanical						
Antenna Dimensions	35 *7 mm					
Material & Color	FPC & Black					
Cable Type & Color & Length	Ф0.81 & Black & 120mm					
Connector Type	IPEX MHF 4					
Weight	Typ. /					
Mounting Type	Adhesive					
Environmental						
Operation Temperature	-40 °C to +85 °C					
RoHS & REACH Compliant	Yes					
Storage						
Storage Temperature	-40 °C to +85 °C					
Humidity	Less than 75% RH					
Storage Place	Away from corrosive gas and direct sunlight					
Packaging	Antennas should be stored in unopened sealed manufacturer's plastic packaging.					

Antenna_Datasheet 5 / 22




1.3. Antenna Assembly



Antenna_Datasheet 6 / 22



2 Drawing




Antenna_Datasheet 7 / 22



Detailed Performance

2.1. S-Parameter Test

2.1.1. VSWR




VSWR

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
VSWR	-	_	_	_	_	_	_	_	_	-
Frequency (MHz)	1950	2140	2400	2450	2500	3600	4700	5000	5500	6000
VSWR	_	_	5.5	3.3	1.8	_	_	_	_	_

Antenna_Datasheet 8 / 22



2.1.2. Return Loss



Return Loss (dB)

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Return Loss (dB)	-	-	-	-	-	-	-	-	-	-
Frequency										
(MHz)	1950	2140	2400	2450	2500	3600	4700	5000	5500	6000

Antenna_Datasheet 9 / 22



2.2. Radiation Performance Test

2.2.1. Efficiency




Efficiency (%)

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Efficiency (%)	-	_	-	-	_	_	-	-	-	-
Frequency (MHz)	1950	2140	2400	2450	2500	3600	4700	5000	5500	6000
Efficiency (%)	-	_	10.1	15.3	25.4	_	-	-	-	-

Antenna_Datasheet 10 / 22



2.2.2. Average Gain




Average Gain (dB)

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Average Gain (dB)	-	-	-	-	-	-	-	-	-	-
Frequency (MHz)	1950	2140	2400	2450	2500	3600	4700	5000	5500	6000
Average Gain										

Antenna_Datasheet 11 / 22



2.2.3. Peak Gain



Peak Gain (dBi)

Frequency (MHz)	600	630	710	830	900	960	1440	1710	1740	1880
Peak Gain (dBi)	-	-	-	-	-	-	-	-	-	-
Frequency	1950	0440		0.450			4=00			0000
(MHz)	1950	2140	2400	2450	2500	3600	4700	5000	5500	6000


Antenna_Datasheet 12 / 22



2.2.4. 3D & 2D Radiation Pattern

Test Condition: Assembled in test device

• Test Chamber: HF-G-1



Antenna_Datasheet 13 / 22



2450MHz		
z X y	H Plane +X	
E1 Plane +Z 0° 2400MHz 2450MHz 2450MHz 2500MHz 40° 150° 150°	E2 Plane +Z	

Antenna_Datasheet 14 / 22



3 Packaging

Antenna_Datasheet 15 / 22



Contact US

At Quectel, our aim is to provide timely and comprehensive services to our customers. If you require any assistance, please contact our headquarters:

Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China

Tel: +86 21 5108 6236 Email: <u>info@quectel.com</u>

Or our local offices. For more information, please visit:

http://www.quectel.com/support/sales.htm.

For technical support, or to report documentation errors, please visit:

http://www.quectel.com/support/technical.htm.

Or email us at: support@quectel.com.

Antenna_Datasheet 16 / 22



Legal Notices

We offer information as a service to you. The provided information is based on your requirements and we make every effort to ensure its quality. You agree that you are responsible for using independent analysis and evaluation in designing intended products, and we provide reference designs for illustrative purposes only. Before using any hardware, software or service guided by this document, please read this notice carefully. Even though we employ commercially reasonable efforts to provide the best possible experience, you hereby acknowledge and agree that this document and related services hereunder are provided to you on an "as available" basis. We may revise or restate this document from time to time at our sole discretion without any prior notice to you.

Use and Disclosure Restrictions

License Agreements

Documents and information provided by us shall be kept confidential, unless specific permission is granted. They shall not be accessed or used for any purpose except as expressly provided herein.

Copyright

Our and third-party products hereunder may contain copyrighted material. Such copyrighted material shall not be copied, reproduced, distributed, merged, published, translated, or modified without prior written consent. We and the third party have exclusive rights over copyrighted material. No license shall be granted or conveyed under any patents, copyrights, trademarks, or service mark rights. To avoid ambiguities, purchasing in any form cannot be deemed as granting a license other than the normal non-exclusive, royalty-free license to use the material. We reserve the right to take legal action for noncompliance with abovementioned requirements, unauthorized use, or other illegal or malicious use of the material.

Trademarks

Except as otherwise set forth herein, nothing in this document shall be construed as conferring any rights to use any trademark, trade name or name, abbreviation, or counterfeit product thereof owned by Quectel or any third party in advertising, publicity, or other aspects.

Third-Party Rights

This document may refer to hardware, software and/or documentation owned by one or more third parties ("third-party materials"). Use of such third-party materials shall be governed by all restrictions and obligations applicable thereto.

Antenna_Datasheet 17 / 22



We make no warranty or representation, either express or implied, regarding the third-party materials, including but not limited to any implied or statutory, warranties of merchantability or fitness for a particular purpose, quiet enjoyment, system integration, information accuracy, and non-infringement of any third-party intellectual property rights with regard to the licensed technology or use thereof. Nothing herein constitutes a representation or warranty by us to either develop, enhance, modify, distribute, market, sell, offer for sale, or otherwise maintain production of any our products or any other hardware, software, device, tool, information, or product. We moreover disclaim any and all warranties arising from the course of dealing or usage of trade.

Privacy Policy

To implement module functionality, certain device data are uploaded to Quectel's or third-party's servers, including carriers, chipset suppliers or customer-designated servers. Quectel, strictly abiding by the relevant laws and regulations, shall retain, use, disclose or otherwise process relevant data for the purpose of performing the service only or as permitted by applicable laws. Before data interaction with third parties, please be informed of their privacy and data security policy.

Disclaimer

- a) We acknowledge no liability for any injury or damage arising from the reliance upon the information.
- b) We shall bear no liability resulting from any inaccuracies or omissions, or from the use of the information contained herein.
- c) While we have made every effort to ensure that the functions and features under
- d) development are free from errors, it is possible that they could contain errors, inaccuracies, and omissions. Unless otherwise provided by valid agreement, we make no warranties of any kind, either implied or express, and exclude all liability for any loss or damage suffered in connection with the use of features and functions under development, to the maximum extent permitted by law, regardless of whether such loss or damage may have been foreseeable.
- e) We are not responsible for the accessibility, safety, accuracy, availability, legality, or completeness of information, advertising, commercial offers, products, services, and materials on third-party websites and third-party resources.

Copyright © Quectel Wireless Solutions Co., Ltd. 2022. All rights reserved.

Antenna_Datasheet 18 / 22



Revision History

Version	Date	Author	Note
-	2023-08-04	Aria CHU	Creation of the document
1.0	2023-08-04	Wilson BAO Lance Sun Aria CHU	First official release

Antenna_Datasheet 19 / 22



www.quectel.com

