




Page 120 of 155

11.5. APPENDIX E: BAND EDGE MEASUREMENTS 11.5.1. Test Result


Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
11B-CDD	Ant6	Low	2412	9.97	-36.56	≤-20.03	PASS
	Ant7	Low	2412	8.49	-36.66	≤-21.51	PASS
TIB-CDD	Ant6	High	2462	9.70	-36.24	≤-20.3	PASS
	Ant7	High	2462	9.06	-36.83	≤-20.94	PASS
	Ant6	Low	2412	3.37	-27.08	≤-26.63	PASS
11G-CDD	Ant7	Low	2412	3.86	-30.46	≤-26.14	PASS
	Ant6	High	2462	4.48	-36.74	≤-25.52	PASS
	Ant7	High	2462	5.10	-37	≤-24.9	PASS
11N20MIMO	Ant6	Low	2412	5.71	-27.43	≤-24.29	PASS
	Ant7	Low	2412	4.71	-29.5	≤-25.29	PASS
	Ant6	High	2462	5.96	-36.54	≤-24.04	PASS
	Ant7	High	2462	3.50	-36.3	≤-26.5	PASS
11N40MIMO	Ant6	Low	2422	1.80	-31.15	≤-28.2	PASS
	Ant7	Low	2422	3.48	-32.66	≤-26.52	PASS
	Ant6	High	2452	5.35	-32.58	≤-24.65	PASS
	Ant7	High	2452	3.89	-30.06	≤-26.11	PASS




11.5.2. Test Graphs




























Page 127 of 155

11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION 11.6.1. Test Result

Test Mode	Antenna	Frequency[MHz]	FreqRange [Mhz]	Result [dBm]	Limit [dBm]	Verdict
	Ant6		Reference	9.69		PASS
		2412	30~1000	-40.07	≤-20.31	PASS
		2112	1000~26500	-40.82	≤-20.31	PASS
			Reference	9.39		PASS
	Ant7	2412	30~1000	-40.25	≤-20.61	PASS
			1000~26500	-40.24	≤-20.61	PASS
			Reference 10.17			PASS
	Ant6	2437	30~1000	-39.87	≤-19.83	PASS
		2.07	1000~26500	-40.39	≤-19.83	PASS
11B-CDD			Reference	9.79		PASS
	Ant7	2437	30~1000	-39.98	≤-20.21	PASS
	7 (11)		1000~26500	-39.89	≤-20.21	PASS
			Reference	10.06	- 20.21	PASS
	Ant6	2462	30~1000	-40.3	≤-19.94	PASS
	Aito	2402	1000~26500	-40.48	≤-19.94	PASS
			Reference	9.42		PASS
	Ant7	2462	30~1000	-39.89	≤-20.58	PASS
	Anti		1000~26500	-40.94	≤-20.58	PASS
			Reference	6.27	<u></u>	PASS
	Ant6	2412	30~1000	-39.71	 ≤-23.73	PASS
			1000~26500	-39.7	≤-23.73 ≤-23.73	PASS
				5.12	≥-23.73 	PASS
	Ant7	2412	Reference	-39.73	 ≤-24.88	PASS
			30~1000 1000~26500	-39.73 -40.84		PASS
				6.38	≤-24.88	PASS
	A = 4C	2437	Reference		 < 00.00	
	Ant6		30~1000	-39.88	≤-23.62	PASS
11G-CDD			1000~26500	-40.64	≤-23.62 	PASS
	Ant7	2437	Reference	4.26		PASS
			30~1000	-39.75	≤-25.74	PASS
			1000~26500	-40.31	≤-25.74	PASS
	A = 40	0.400	Reference	5.49		PASS
	Ant6	2462	30~1000	-39.96	≤-24.51	PASS
			1000~26500	-39.92	≤-24.51	PASS
	Ant7	2462	Reference	4.21		PASS
			30~1000	-40.59	≤-25.79	PASS
			1000~26500	-40.55	≤-25.79	PASS
	Ant6	6 2412	Reference	6.48		PASS
			30~1000	-38.83	≤-23.52	PASS
			1000~26500	-39.51	≤-23.52	PASS
	Ant7	2412	Reference	6.42		PASS
			30~1000	-40.1	≤-23.58	PASS
			1000~26500	-39.29	≤-23.58	PASS
	Ant6	2437	Reference	6.34		PASS
11N20MIMO			30~1000	-39.78	≤-23.66	PASS
			1000~26500	-40.5	≤-23.66	PASS
	Ant7	2437	Reference	6.00		PASS
			30~1000	-39.81	≤-24	PASS
			1000~26500	-40.67	≤-24	PASS
	Ant6	2462	Reference	6.94		PASS
			30~1000	-40.11	≤-23.06	PASS
			1000~26500	-40.37	≤-23.06	PASS
			Reference	4.44		PASS
	Ant7	2462	30~1000	-39.8	≤-25.56	PASS
			1000~26500	-40.62	≤-25.56	PASS
11N40MIMO	Ant6	2422	Reference	3.80		PASS




Page 128 of 155


			30~1000	-38.85	≤-26.2	PASS	
			1000~26500	-39.61	≤-26.2	PASS	
	Ant7		Reference	3.32		PASS	
		2422	30~1000	-40.04	≤-26.68	PASS	
			1000~26500	-40.7	≤-26.68	PASS	
	Ant6		Reference	4.35		PASS	
		2437	30~1000	-40.32	≤-25.65	PASS	
			1000~26500	-39.86	≤-25.65	PASS	
	Ant7		Reference	3.72		PASS	
		2437	30~1000	-39.53	≤-26.28	PASS	
			1000~26500	-40.64	≤-26.28	PASS	
	Ant6		Reference	5.29		PASS	
		2452	30~1000	-39.55	≤-24.71	PASS	
			1000~26500	-39.75	≤-24.71	PASS	
	Ant7		Reference	3.64		PASS	
		Ant7	2452	30~1000	-39.55	≤-26.36	PASS
			1000~26500	-40.54	≤-26.36	PASS	




11.6.2. Test Graphs






















































































































Page 153 of 155

11.7. APPENDIX G: DUTY CYCLE 11.7.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11B-CDD	8.36	9.45	0.8847	88.47	0.53	0.12	1
11G-CDD	1.37	2.41	0.5685	56.85	2.45	0.73	1
11N20MIMO	1.28	2.31	0.5541	55.41	2.56	0.78	1
11N40MIMO	0.63	1.67	0.3772	37.72	4.23	1.59	2

Note:

Duty Cycle Correction Factor=10log (1/x).


Where: x is Duty Cycle (Linear)

Where: T is On Time


If that calculated VBW is not available on the analyzer then the next higher value should be used.



11.7.2. Test Graphs







END OF REPORT