





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	30.13	33.60	39.83	54.00	14.17	Average
2	11510.00	38.10	5.20	41.80	33.60	51.50	74.00	22.50	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	30.36	33.60	40.06	54.00	13.94	Average
2	11510.00	38.10	5.20	42.57	33.60	52.27	74.00	21.73	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11590.00	38.10	5.22	29.67	33.62	39.37	54.00	14.63	Average
2	11590.00	38.10	5.22	41.73	33.62	51.43	74.00	22.57	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11590.00	38.10	5.22	29.87	33.62	39.57	54.00	14.43	Average
2	11590.00	38.10	5.22	42.60	33.62	52.30	74.00	21.70	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	29.67	33.60	39.37	54.00	14.63	Average
2	11510.00	38.10	5.20	42.05	33.60	51.75	74.00	22.25	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	30.43	33.60	40.13	54.00	13.87	Average
2	11510.00	38.10	5.20	42.14	33.60	51.84	74.00	22.16	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11590.00	38.10	5.22	30.55	33.62	40.25	54.00	13.75	Average
2	11590.00	38.10	5.22	42.56	33.62	52.26	74.00	21.74	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11590.00	38.10	5.22	30.86	33.62	40.56	54.00	13.44	Average
2	11590.00	38.10	5.22	41.45	33.62	51.15	74.00	22.85	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	30.59	33.60	40.29	54.00	13.71	Average
2	11510.00	38.10	5.20	41.52	33.60	51.22	74.00	22.78	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11510.00	38.10	5.20	30.71	33.60	40.41	54.00	13.59	Average
2	11510.00	38.10	5.20	42.10	33.60	51.80	74.00	22.20	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11590.00	38.10	5.22	30.29	33.62	39.99	54.00	14.01	Average
2	11590.00	38.10	5.22	40.83	33.62	50.53	74.00	23.47	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11590.00	38.10	5.22	30.43	33.62	40.13	54.00	13.87	Average
2	11590.00	38.10	5.22	41.42	33.62	51.12	74.00	22.88	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11550.00	38.10	5.21	30.55	33.61	40.25	54.00	13.75	Average
2	11550.00	38.10	5.21	41.37	33.61	51.07	74.00	22.93	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11550.00	38.10	5.21	31.59	33.61	41.29	54.00	12.71	Average
2	11550.00	38.10	5.21	41.29	33.61	50.99	74.00	23.01	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2AY4C-GM06



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11550.00	38.10	5.21	31.96	33.61	41.66	54.00	12.34	Average
2	11550.00	38.10	5.21	40.91	33.61	50.61	74.00	23.39	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	11550.00	38.10	5.21	31.59	33.61	41.29	54.00	12.71	Average
2	11550.00	38.10	5.21	40.96	33.61	50.66	74.00	23.34	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.



Data for metal appearance:  
U-NII-1 Band:




Date: 2023-05-16  
File: F:\2023 Report\A122303076R3\222\WiFi 5G Band1.EM6 (152)  
Site no. : RF Chamber  
Dis. / Ant. : 3m 2022 MCTD1209-3006  
Limit : FCC 15E PK U-NII-1  
Env. / Ins. : 23.2°C/52.5%  
Power Rating :  
Test Mode : 5G 11a 5180MHz TX  
Data no. : 73  
Ant. pol. : VERTICAL  
Pressure : 101.7kPa  
Engineer : nier




Date: 2023-05-16  
File: F:\2023 Report\A122303076R3\222\WiFi 5G Band1.EM6 (152)  
Site no. : RF Chamber  
Dis. / Ant. : 3m 2022 MCTD1209-3006  
Limit : FCC 15E PK U-NII-1  
Env. / Ins. : 23.2°C/52.5%  
Power Rating :  
Test Mode : 5G 11a 5180MHz TX  
Data no. : 74  
Ant. pol. : VERTICAL  
Pressure : 101.7kPa  
Engineer : nier

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5180.00	33.27	3.47	103.56	33.66	106.64	-----	-----	Peak
2	10360.00	38.27	4.91	42.75	33.95	51.98	-----	-----	Average
3	10360.00	38.27	4.91	52.04	33.95	61.27	68.20	6.93	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.  
2. The emission levels that are 20dB below the official limit are not reported.




Date: 2023-05-16  
File: F:\2023 Report\A122303076R3\222\WiFi 5G Band1.EM6 (152)  
Site no. : RF Chamber  
Dis. / Ant. : 3m 2022 MCTD1209-3006  
Limit : FCC 15E PK U-NII-1  
Env. / Ins. : 23.2°C/52.5%  
Power Rating :  
Test Mode : 5G 11a 5180MHz TX  
Data no. : 75  
Ant. pol. : HORIZONTAL  
Pressure : 101.7kPa  
Engineer : nier



Date: 2023-05-16  
File: F:\2023 Report\A122303076R3\222\WiFi 5G Band1.EM6 (152)  
Site no. : RF Chamber  
Dis. / Ant. : 3m 2022 MCTD1209-3006  
Limit : FCC 15E PK U-NII-1  
Env. / Ins. : 23.2°C/52.5%  
Power Rating :  
Test Mode : 5G 11a 5180MHz TX  
Data no. : 76  
Ant. pol. : HORIZONTAL  
Pressure : 101.7kPa  
Engineer : nier

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5180.00	33.27	3.47	96.61	33.66	99.69	-----	-----	Peak
2	10360.00	38.27	4.91	37.26	33.95	46.49	-----	-----	Average
3	10360.00	38.27	4.91	48.55	33.95	57.78	68.20	10.42	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.  
2. The emission levels that are 20dB below the official limit are not reported.




Date: 2023-05-16  
 File: F:2023 Report\A122303076R3\222\WiFi 5G Band1.EM6 (152)  
 Site no. : RF Chamber  
 Dis. / Ant. : 3m 2022 MCTD1209-3006  
 Limit : FCC 15E PK U-NII-1  
 Env. / Ins. : 23.2°C/52.5%  
 Power Rating :  
 Test Mode : 5G 11a 5200MHz TX  
 Data no. : 77  
 Ant. pol. : HORIZONTAL  
 Pressure : 101.7kPa  
 Engineer : nier

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBW)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5199.00	33.30	3.48	95.99	33.66	99.11	60.20	38.91	Peak
2	10401.00	38.30	4.92	47.95	33.91	57.26	60.20	-3.94	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.




Date: 2023-05-16  
 File: F:2023 Report\A122303076R3\222\WiFi 5G Band1.EM6 (152)  
 Site no. : RF Chamber  
 Dis. / Ant. : 3m 2022 MCTD1209-3006  
 Limit : FCC 15E PK U-NII-1  
 Env. / Ins. : 23.2°C/52.5%  
 Power Rating :  
 Test Mode : 5G 11a 5200MHz TX  
 Data no. : 78  
 Ant. pol. : HORIZONTAL  
 Pressure : 101.7kPa  
 Engineer : nier





Date: 2023-05-16  
 File: F:2023 Report\A122303076R3\222\WiFi 5G Band1.EM6 (152)  
 Site no. : RF Chamber  
 Dis. / Ant. : 3m 2022 MCTD1209-3006  
 Limit : FCC 15E PK U-NII-1  
 Env. / Ins. : 23.2°C/52.5%  
 Power Rating :  
 Test Mode : 5G 11a 5200MHz TX  
 Data no. : 79  
 Ant. pol. : VERTICAL  
 Pressure : 101.7kPa  
 Engineer : nier

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBW)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5199.00	33.30	3.48	102.63	33.66	105.75	60.20	45.55	Peak
2	10400.00	38.30	4.92	51.03	33.91	60.34	60.20	0.14	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





Date: 2023-05-16  
 File: F:2023 Report\A122303076R3\222\WiFi 5G Band1.EM6 (152)  
 Site no. : RF Chamber  
 Dis. / Ant. : 3m 2022 MCTD1209-3006  
 Limit : FCC 15E PK U-NII-1  
 Env. / Ins. : 23.2°C/52.5%  
 Power Rating :  
 Test Mode : 5G 11a 5200MHz TX  
 Data no. : 80  
 Ant. pol. : VERTICAL  
 Pressure : 101.7kPa  
 Engineer : nier





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBW)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.00	33.17	3.49	103.97	33.65	106.98	68.20	7.34	Peak
2	10480.00	38.30	4.95	51.47	33.86	60.86	68.20	7.34	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBW)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.00	33.17	3.49	104.33	33.65	107.34	68.20	7.18	Peak
2	10480.00	38.30	4.95	51.63	33.86	61.02	68.20	7.18	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5180.00	33.27	3.47	95.83	33.66	98.91	-----	-----	Peak
2	10360.00	38.27	4.91	47.96	33.95	57.19	68.20	11.01	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5180.00	33.27	3.47	100.92	33.66	104.00	-----	-----	Peak
2	10360.00	38.27	4.91	50.63	33.95	59.86	68.20	8.34	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.




Site no. : RF Chamber Data no. : 89  
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL  
 Limit : FCC 15E PK U-NII-1 Pressure : 101.7kPa  
 Env. / Ins. : 23.2°C/52.5% Engineer : nier  
 Power Rating :  
 Test Mode : 5G 11n HT20 5200MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBW)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5200.00	33.30	3.48	100.07	33.66	103.19	60.20	7.37	Peak
2	10400.00	38.30	4.92	51.52	33.91	60.83	60.20		Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.




Site no. : RF Chamber Data no. : 90  
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL  
 Limit : FCC 15E PK U-NII-1 Pressure : 101.7kPa  
 Env. / Ins. : 23.2°C/52.5% Engineer : nier  
 Power Rating :  
 Test Mode : 5G 11n HT20 5200MHz TX




Site no. : RF Chamber Data no. : 91  
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL  
 Limit : FCC 15E PK U-NII-1 Pressure : 101.7kPa  
 Env. / Ins. : 23.2°C/52.5% Engineer : nier  
 Power Rating :  
 Test Mode : 5G 11n HT20 5200MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBW)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5200.00	33.30	3.48	93.60	33.66	96.72	60.20	10.73	Peak
2	10400.00	38.30	4.92	48.16	33.91	57.47	60.20	10.73	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.




Site no. : RF Chamber Data no. : 92  
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL  
 Limit : FCC 15E PK U-NII-1 Pressure : 101.7kPa  
 Env. / Ins. : 23.2°C/52.5% Engineer : nier  
 Power Rating :  
 Test Mode : 5G 11n HT20 5200MHz TX




Site no. : RF Chamber Data no. : 93  
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL  
 Limit : FCC 15E PK U-NII-1 Pressure : 101.7kPa  
 Env. / Ins. : 23.2°C/52.5% Engineer : nier  
 Power Rating :  
 Test Mode : 5G 11n HT20 5240MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBW)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.00	33.17	3.49	95.18	33.65	98.19	68.20	---	Peak
2	10480.00	38.30	4.95	47.73	33.86	57.12	68.20	11.08	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.




Site no. : RF Chamber Data no. : 94  
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : HORIZONTAL  
 Limit : FCC 15E PK U-NII-1 Pressure : 101.7kPa  
 Env. / Ins. : 23.2°C/52.5% Engineer : nier  
 Power Rating :  
 Test Mode : 5G 11n HT20 5240MHz TX





Site no. : RF Chamber Data no. : 95  
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL  
 Limit : FCC 15E PK U-NII-1 Pressure : 101.7kPa  
 Env. / Ins. : 23.2°C/52.5% Engineer : nier  
 Power Rating :  
 Test Mode : 5G 11n HT20 5240MHz TX

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBW)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.00	33.17	3.49	101.03	33.65	104.04	68.20	---	Peak
2	10480.00	38.30	4.95	52.16	33.86	61.55	68.20	6.65	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





Site no. : RF Chamber Data no. : 96  
 Dis. / Ant. : 3m 2022 MCTD1209-3006 Ant. pol. : VERTICAL  
 Limit : FCC 15E PK U-NII-1 Pressure : 101.7kPa  
 Env. / Ins. : 23.2°C/52.5% Engineer : nier  
 Power Rating :  
 Test Mode : 5G 11n HT20 5240MHz TX





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5180.00	33.27	3.47	96.88	33.66	99.96	68.20	9.66	Peak
2	10360.00	38.27	4.91	49.31	33.95	58.54	68.20	9.66	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5180.00	33.27	3.47	104.40	33.66	107.48	68.20	3.31	Peak
2	10360.00	38.27	4.91	55.66	33.95	64.89	68.20	3.31	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5200.00	33.30	3.48	101.82	33.66	104.94	-----	-----	Peak
2	10400.00	38.30	4.92	55.38	33.91	64.69	68.20	3.51	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5200.00	33.30	3.48	94.38	33.66	97.50	-----	-----	Peak
2	10400.00	38.30	4.92	47.93	33.91	57.24	68.20	10.96	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.







No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.00	33.17	3.49	97.43	33.65	100.44	-----	-----	Peak
2	10480.00	38.30	4.95	47.04	33.86	56.43	68.20	11.77	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.00	33.17	3.49	101.60	33.65	104.61	-----	-----	Peak
2	10480.00	38.30	4.95	55.19	33.86	64.58	68.20	3.62	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5180.00	33.27	3.47	103.25	33.66	106.33	68.20	5.32	Peak
2	10360.00	38.27	4.91	53.65	33.95	62.08	68.20	5.32	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5180.00	33.27	3.47	95.44	33.66	98.52	68.20	11.19	Peak
2	10360.00	38.27	4.91	47.78	33.95	57.01	68.20	11.19	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.  
 2. The emission levels that are 20dB below the official limit are not reported.