




Date: 10.OCT.2022 04:24:40




Date: 10.OCT.2022 04:27:53




Date: 10.OCT.2022 04:29:44




Date: 10.OCT.2022 04:31:31




Date: 10.OCT.2022 04:36:49




Date: 10.OCT.2022 04:39:33




Date: 10.OCT.2022 04:42:25




Date: 10.OCT.2022 04:45:26




Date: 10.OCT.2022 04:48:52




Date: 10.OCT.2022 04:51:03




Date: 10.OCT.2022 04:53:23




Date: 10.OCT.2022 04:55:45




Date: 10.OCT.2022 05:01:19




Date: 10.OCT.2022 05:02:54




Date: 10.OCT.2022 05:12:37




Date: 10.OCT.2022 05:16:37




Date: 10.OCT.2022 05:20:17



Date: 10.OCT.2022 05:23:09





Date: 10.OCT.2022 05:26:02




Date: 10.OCT.2022 05:30:14


Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	2.43	0	2.43	11	Pass
NVNT	a	5200	Ant1	2.56	0	2.56	11	Pass
NVNT	a	5240	Ant1	2.9	0	2.9	11	Pass
NVNT	a	5745	Ant1	-1.07	0	-1.07	30	Pass
NVNT	a	5785	Ant1	-0.52	0	-0.52	30	Pass
NVNT	a	5825	Ant1	-1.55	0	-1.55	30	Pass
NVNT	n20	5180	Ant1	-0.67	0	-0.67	11	Pass
NVNT	n20	5200	Ant1	-0.49	0	-0.49	11	Pass
NVNT	n20	5240	Ant1	-0.15	0	-0.15	11	Pass
NVNT	n20	5745	Ant1	-4.66	0	-4.66	30	Pass
NVNT	n20	5785	Ant1	-4.49	0	-4.49	30	Pass
NVNT	n20	5825	Ant1	-4.18	0	-4.18	30	Pass
NVNT	n40	5190	Ant1	-3.16	0	-3.16	11	Pass
NVNT	n40	5230	Ant1	-3.01	0	-3.01	11	Pass
NVNT	n40	5755	Ant1	-6.87	0	-6.87	30	Pass
NVNT	n40	5795	Ant1	-7.73	0	-7.73	30	Pass
NVNT	ac20	5180	Ant1	-0.64	0	-0.64	11	Pass
NVNT	ac20	5200	Ant1	0.13	0	0.13	11	Pass
NVNT	ac20	5240	Ant1	-0.5	0	-0.5	11	Pass
NVNT	ac20	5745	Ant1	-3.79	0	-3.79	30	Pass
NVNT	ac20	5785	Ant1	-3.69	0	-3.69	30	Pass
NVNT	ac20	5825	Ant1	-3.49	0	-3.49	30	Pass
NVNT	ac40	5190	Ant1	-3.59	0	-3.59	11	Pass
NVNT	ac40	5230	Ant1	-2.75	0	-2.75	11	Pass
NVNT	ac40	5755	Ant1	-7.56	0	-7.56	30	Pass
NVNT	ac40	5795	Ant1	-7.12	0	-7.12	30	Pass
NVNT	ac80	5210	Ant1	-6.82	0	-6.82	11	Pass
NVNT	ac80	5775	Ant1	-10.69	0	-10.69	30	Pass







Date: 10.OCT.2022 03:54:10




Date: 10.OCT.2022 03:57:41




Date: 10.OCT.2022 04:03:40




Date: 10.OCT.2022 04:05:45




Date: 10.OCT.2022 04:08:52




Date: 10.OCT.2022 04:11:14




Date: 10.OCT.2022 04:25:17




Date: 10.OCT.2022 04:28:08




Date: 10.OCT.2022 04:29:59




Date: 10.OCT.2022 04:31:48




Date: 10.OCT.2022 04:37:12




Date: 10.OCT.2022 04:39:53




Date: 10.OCT.2022 04:42:48




Date: 10.OCT.2022 04:45:48




Date: 10.OCT.2022 04:49:08




Date: 10.OCT.2022 04:51:28




Date: 10.OCT.2022 04:53:49




Date: 10.OCT.2022 04:57:42




Date: 10.OCT.2022 05:01:35




Date: 10.OCT.2022 05:03:08




Date: 10.OCT.2022 05:13:08




Date: 10.OCT.2022 05:18:03




Date: 10.OCT.2022 05:20:39



Date: 10.OCT.2022 05:23:51





Date: 10.OCT.2022 05:26:22






Date: 10.OCT.2022 05:30:28

Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-35.12	-27	Pass
NVNT	a	5240	Ant1	-36.21	-27	Pass
NVNT	a	5745	Ant1	-24.57	See test graph	Pass
NVNT	a	5825	Ant1	-27.04	See test graph	Pass
NVNT	n20	5180	Ant1	-35.25	-27	Pass
NVNT	n20	5240	Ant1	-35.79	-27	Pass
NVNT	n20	5745	Ant1	-25.62	See test graph	Pass
NVNT	n20	5825	Ant1	-28.26	See test graph	Pass
NVNT	n40	5190	Ant1	-34.4	-27	Pass
NVNT	n40	5230	Ant1	-34.83	-27	Pass
NVNT	n40	5755	Ant1	-24.91	See test graph	Pass
NVNT	n40	5795	Ant1	-28.74	See test graph	Pass
NVNT	ac20	5180	Ant1	-34.56	-27	Pass
NVNT	ac20	5240	Ant1	-36.04	-27	Pass
NVNT	ac20	5745	Ant1	-26.44	See test graph	Pass
NVNT	ac20	5825	Ant1	-28.89	See test graph	Pass
NVNT	ac40	5190	Ant1	-33.15	-27	Pass
NVNT	ac40	5230	Ant1	-36.16	-27	Pass
NVNT	ac40	5755	Ant1	-23.73	See test graph	Pass
NVNT	ac40	5795	Ant1	-29.6	See test graph	Pass
NVNT	ac80	5210	Ant1	-30.15	-27	Pass
NVNT	ac80	5775	Ant1	-28.78	See test graph	Pass
NVNT	ac80	5775	Ant1	-25.92	See test graph	Pass









Date: 10.OCT.2022 04:08:58




Date: 10.OCT.2022 04:25:31




Date: 10.OCT.2022 04:28:14




Date: 10.OCT.2022 04:31:53




Date: 10.OCT.2022 04:37:18




Date: 10.OCT.2022 04:39:59




Date: 10.OCT.2022 04:42:55




Date: 10.OCT.2022 04:45:57




Date: 10.OCT.2022 04:49:13





Date: 10.OCT.2022 04:53:59




Date: 10.OCT.2022 04:57:48




Date: 10.OCT.2022 05:03:17







Date: 10.OCT.2022 05:20:49




Date: 10.OCT.2022 05:24:05



Date: 10.OCT.2022 05:26:28



Date: 10.OCT.2022 05:32:36



Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5180	Ant1	5180.02	20000	3.86	25	Pass
20C 120V	a	5180	Ant1	5180.02	20000	3.86	25	Pass
20C 138V	a	5180	Ant1	5180.06	60000	11.58	25	Pass
-20C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-10C 120V	a	5180	Ant1	5180	0	0	25	Pass
0C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
10C 120V	a	5180	Ant1	5180.02	20000	3.86	25	Pass
30C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
40C 120V	a	5180	Ant1	5180	0	0	25	Pass
50C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 102V	a	5240	Ant1	5240.02	20000	3.82	25	Pass
20C 120V	a	5240	Ant1	5240.02	20000	3.82	25	Pass
20C 138V	a	5240	Ant1	5240.02	20000	3.82	25	Pass
-20C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
-10C 120V	a	5240	Ant1	5240	0	0	25	Pass
0C 120V	a	5240	Ant1	5240.02	20000	3.82	25	Pass
10C 120V	a	5240	Ant1	5240	0	0	25	Pass
30C 120V	a	5240	Ant1	5240.02	20000	3.82	25	Pass
40C 120V	a	5240	Ant1	5240.02	20000	3.82	25	Pass
50C 120V	a	5240	Ant1	5240	0	0	25	Pass
20C 102V	a	5745	Ant1	5745	0	0	25	Pass
20C 120V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 138V	a	5745	Ant1	5745	0	0	25	Pass
-20C 120V	a	5745	Ant1	5745.02	20000	3.48	25	Pass
-10C 120V	a	5745	Ant1	5745.02	20000	3.48	25	Pass
0C 120V	a	5745	Ant1	5745.02	20000	3.48	25	Pass
10C 120V	a	5745	Ant1	5745.04	40000	6.96	25	Pass
30C 120V	a	5745	Ant1	5745.02	20000	3.48	25	Pass
40C 120V	a	5745	Ant1	5745	0	0	25	Pass
50C 120V	a	5745	Ant1	5745.02	20000	3.48	25	Pass
20C 102V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	a	5825	Ant1	5825	0	0	25	Pass
20C 138V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
-20C 120V	a	5825	Ant1	5825.02	20000	3.43	25	Pass
-10C 120V	a	5825	Ant1	5825	0	0	25	Pass
0C 120V	a	5825	Ant1	5825	0	0	25	Pass
10C 120V	a	5825	Ant1	5825	0	0	25	Pass



30C 120V	a	5825	Ant1	5824.96	-40000	-6.87	25	Pass
40C 120V	a	5825	Ant1	5825	0	0	25	Pass
50C 120V	a	5825	Ant1	5825.02	20000	3.43	25	Pass
20C 102V	n20	5180	Ant1	5179.96	-40000	-7.72	25	Pass
20C 120V	n20	5180	Ant1	5180.04	40000	7.72	25	Pass
20C 138V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-20C 120V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-10C 120V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
0C 120V	n20	5180	Ant1	5180.02	20000	3.86	25	Pass
10C 120V	n20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
30C 120V	n20	5180	Ant1	5180	0	0	25	Pass
40C 120V	n20	5180	Ant1	5180	0	0	25	Pass
50C 120V	n20	5180	Ant1	5180	0	0	25	Pass
20C 102V	n20	5240	Ant1	5240.02	20000	3.82	25	Pass
20C 120V	n20	5240	Ant1	5240.02	20000	3.82	25	Pass
20C 138V	n20	5240	Ant1	5240	0	0	25	Pass
-20C 120V	n20	5240	Ant1	5240.16	160000	30.53	25	Pass
-10C 120V	n20	5240	Ant1	5240	0	0	25	Pass
0C 120V	n20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
10C 120V	n20	5240	Ant1	5240	0	0	25	Pass
30C 120V	n20	5240	Ant1	5240	0	0	25	Pass
40C 120V	n20	5240	Ant1	5240.02	20000	3.82	25	Pass
50C 120V	n20	5240	Ant1	5240.02	20000	3.82	25	Pass
20C 102V	n20	5745	Ant1	5745.02	20000	3.48	25	Pass
20C 120V	n20	5745	Ant1	5745.02	20000	3.48	25	Pass
20C 138V	n20	5745	Ant1	5745	0	0	25	Pass
-20C 120V	n20	5745	Ant1	5745	0	0	25	Pass
-10C 120V	n20	5745	Ant1	5745.04	40000	6.96	25	Pass
0C 120V	n20	5745	Ant1	5745	0	0	25	Pass
10C 120V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
30C 120V	n20	5745	Ant1	5745	0	0	25	Pass
40C 120V	n20	5745	Ant1	5745	0	0	25	Pass
50C 120V	n20	5745	Ant1	5745	0	0	25	Pass
20C 102V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
20C 120V	n20	5825	Ant1	5825	0	0	25	Pass
20C 138V	n20	5825	Ant1	5825	0	0	25	Pass
-20C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-10C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
0C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
10C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
30C 120V	n20	5825	Ant1	5825	0	0	25	Pass


40C 120V	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
50C 120V	n20	5825	Ant1	5825	0	0	25	Pass
20C 102V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
20C 120V	n40	5190	Ant1	5190	0	0	25	Pass
20C 138V	n40	5190	Ant1	5190	0	0	25	Pass
-20C 120V	n40	5190	Ant1	5190.04	40000	7.71	25	Pass
-10C 120V	n40	5190	Ant1	5190	0	0	25	Pass
0C 120V	n40	5190	Ant1	5190	0	0	25	Pass
10C 120V	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
30C 120V	n40	5190	Ant1	5190	0	0	25	Pass
40C 120V	n40	5190	Ant1	5190.04	40000	7.71	25	Pass
50C 120V	n40	5190	Ant1	5190	0	0	25	Pass
20C 102V	n40	5230	Ant1	5230	0	0	25	Pass
20C 120V	n40	5230	Ant1	5230	0	0	25	Pass
20C 138V	n40	5230	Ant1	5230	0	0	25	Pass
-20C 120V	n40	5230	Ant1	5230	0	0	25	Pass
-10C 120V	n40	5230	Ant1	5230	0	0	25	Pass
0C 120V	n40	5230	Ant1	5230	0	0	25	Pass
10C 120V	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
30C 120V	n40	5230	Ant1	5230	0	0	25	Pass
40C 120V	n40	5230	Ant1	5230	0	0	25	Pass
50C 120V	n40	5230	Ant1	5230	0	0	25	Pass
20C 102V	n40	5755	Ant1	5755.04	40000	6.95	25	Pass
20C 120V	n40	5755	Ant1	5755.12	120000	20.85	25	Pass
20C 138V	n40	5755	Ant1	5755	0	0	25	Pass
-20C 120V	n40	5755	Ant1	5755	0	0	25	Pass
-10C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	n40	5755	Ant1	5755	0	0	25	Pass
10C 120V	n40	5755	Ant1	5755.04	40000	6.95	25	Pass
30C 120V	n40	5755	Ant1	5755	0	0	25	Pass
40C 120V	n40	5755	Ant1	5755	0	0	25	Pass
50C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 102V	n40	5795	Ant1	5795	0	0	25	Pass
20C 120V	n40	5795	Ant1	5795	0	0	25	Pass
20C 138V	n40	5795	Ant1	5795	0	0	25	Pass
-20C 120V	n40	5795	Ant1	5794.8	-200000	-34.51	25	Pass
-10C 120V	n40	5795	Ant1	5795	0	0	25	Pass
0C 120V	n40	5795	Ant1	5795	0	0	25	Pass
10C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
30C 120V	n40	5795	Ant1	5795	0	0	25	Pass
40C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass

50C 120V	n40	5795	Ant1	5795	0	0	25	Pass
20C 102V	ac20	5180	Ant1	5180.02	20000	3.86	25	Pass
20C 120V	ac20	5180	Ant1	5180	0	0	25	Pass
20C 138V	ac20	5180	Ant1	5180	0	0	25	Pass
-20C 120V	ac20	5180	Ant1	5180	0	0	25	Pass
-10C 120V	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
0C 120V	ac20	5180	Ant1	5180	0	0	25	Pass
10C 120V	ac20	5180	Ant1	5180	0	0	25	Pass
30C 120V	ac20	5180	Ant1	5180	0	0	25	Pass
40C 120V	ac20	5180	Ant1	5180	0	0	25	Pass
50C 120V	ac20	5180	Ant1	5180	0	0	25	Pass
20C 102V	ac20	5240	Ant1	5240	0	0	25	Pass
20C 120V	ac20	5240	Ant1	5240	0	0	25	Pass
20C 138V	ac20	5240	Ant1	5240.02	20000	3.82	25	Pass
-20C 120V	ac20	5240	Ant1	5240	0	0	25	Pass
-10C 120V	ac20	5240	Ant1	5240.02	20000	3.82	25	Pass
0C 120V	ac20	5240	Ant1	5240	0	0	25	Pass
10C 120V	ac20	5240	Ant1	5240	0	0	25	Pass
30C 120V	ac20	5240	Ant1	5240.02	20000	3.82	25	Pass
40C 120V	ac20	5240	Ant1	5240.02	20000	3.82	25	Pass
50C 120V	ac20	5240	Ant1	5240.02	20000	3.82	25	Pass
20C 102V	ac20	5745	Ant1	5745.02	20000	3.48	25	Pass
20C 120V	ac20	5745	Ant1	5745	0	0	25	Pass
20C 138V	ac20	5745	Ant1	5745.04	40000	6.96	25	Pass
-20C 120V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
-10C 120V	ac20	5745	Ant1	5745	0	0	25	Pass
0C 120V	ac20	5745	Ant1	5745	0	0	25	Pass
10C 120V	ac20	5745	Ant1	5745.02	20000	3.48	25	Pass
30C 120V	ac20	5745	Ant1	5745.14	140000	24.37	25	Pass
40C 120V	ac20	5745	Ant1	5745.02	20000	3.48	25	Pass
50C 120V	ac20	5745	Ant1	5745.02	20000	3.48	25	Pass
20C 102V	ac20	5825	Ant1	5825	0	0	25	Pass
20C 120V	ac20	5825	Ant1	5825	0	0	25	Pass
20C 138V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
-20C 120V	ac20	5825	Ant1	5825	0	0	25	Pass
-10C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
0C 120V	ac20	5825	Ant1	5825	0	0	25	Pass
10C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
30C 120V	ac20	5825	Ant1	5825.02	20000	3.43	25	Pass
40C 120V	ac20	5825	Ant1	5825	0	0	25	Pass
50C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass


20C 102V	ac40	5190	Ant1	5190.04	40000	7.71	25	Pass
20C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
20C 138V	ac40	5190	Ant1	5190	0	0	25	Pass
-20C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
-10C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
0C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
10C 120V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
30C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
40C 120V	ac40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
50C 120V	ac40	5190	Ant1	5190	0	0	25	Pass
20C 102V	ac40	5230	Ant1	5230	0	0	25	Pass
20C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
20C 138V	ac40	5230	Ant1	5230.04	40000	7.65	25	Pass
-20C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
-10C 120V	ac40	5230	Ant1	5230.04	40000	7.65	25	Pass
0C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
10C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
30C 120V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
40C 120V	ac40	5230	Ant1	5230	0	0	25	Pass
50C 120V	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
20C 102V	ac40	5755	Ant1	5755.08	80000	13.9	25	Pass
20C 120V	ac40	5755	Ant1	5755.08	80000	13.9	25	Pass
20C 138V	ac40	5755	Ant1	5755	0	0	25	Pass
-20C 120V	ac40	5755	Ant1	5755	0	0	25	Pass
-10C 120V	ac40	5755	Ant1	5755.04	40000	6.95	25	Pass
0C 120V	ac40	5755	Ant1	5755	0	0	25	Pass
10C 120V	ac40	5755	Ant1	5755	0	0	25	Pass
30C 120V	ac40	5755	Ant1	5755	0	0	25	Pass
40C 120V	ac40	5755	Ant1	5755.04	40000	6.95	25	Pass
50C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 102V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
20C 138V	ac40	5795	Ant1	5795	0	0	25	Pass
-20C 120V	ac40	5795	Ant1	5795.04	40000	6.9	25	Pass
-10C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
0C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
10C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
30C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
40C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
50C 120V	ac40	5795	Ant1	5795	0	0	25	Pass
20C 102V	ac80	5210	Ant1	5210	0	0	25	Pass

20C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
20C 138V	ac80	5210	Ant1	5210	0	0	25	Pass
-20C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
-10C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
0C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
10C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
30C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
40C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
50C 120V	ac80	5210	Ant1	5210	0	0	25	Pass
20C 102V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 138V	ac80	5775	Ant1	5775	0	0	25	Pass
-20C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
-10C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
0C 120V	ac80	5775	Ant1	5774.92	-80000	-13.85	25	Pass
10C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
30C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
40C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
50C 120V	ac80	5775	Ant1	5775	0	0	25	Pass





Date: 10.OCT.2022 03:50:24



Date: 10.OCT.2022 03:50:27