



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Intelligent Link Terminal

Test Model: ST13

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Nick Peng





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.892	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.841	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.844	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.27	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.271	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.27	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.292	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.259	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.267	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-1.28	21	Pass
NVNT	1-DH5	2441	Ant1	-1.74	21	Pass
NVNT	1-DH5	2480	Ant1	-0.56	21	Pass
NVNT	2-DH5	2402	Ant1	-1.92	21	Pass
NVNT	2-DH5	2441	Ant1	-2.54	21	Pass
NVNT	2-DH5	2480	Ant1	-1.43	21	Pass
NVNT	3-DH5	2402	Ant1	-1.9	21	Pass
NVNT	3-DH5	2441	Ant1	-2.55	21	Pass
NVNT	3-DH5	2480	Ant1	-1.43	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.02	2402.994	0.974	0.595	Pass
NVNT	2-DH5	Ant1	2402.004	2403.162	1.158	0.847	Pass
NVNT	3-DH5	Ant1	2401.942	2403.158	1.216	0.861	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	270.908	94	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.882	317.02	110	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.886	282.828	98	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-54.74	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-56.09	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-53.11	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-53.48	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-53.58	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-53.8	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-54.16	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-54.27	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-53.73	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-54.97	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-53.98	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-54.07	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-53.57	-20	Pass
NVNT	1-DH5	2441	Ant1	-52.74	-20	Pass
NVNT	1-DH5	2480	Ant1	-54.04	-20	Pass
NVNT	2-DH5	2402	Ant1	-50	-20	Pass
NVNT	2-DH5	2441	Ant1	-52.78	-20	Pass
NVNT	2-DH5	2480	Ant1	-51.6	-20	Pass
NVNT	3-DH5	2402	Ant1	-52.63	-20	Pass
NVNT	3-DH5	2441	Ant1	-51.9	-20	Pass
NVNT	3-DH5	2480	Ant1	-51.74	-20	Pass






Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2441	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2480	Ant1	76.88	1.14	0.35
NVNT	2-DH5	2402	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2441	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2480	Ant1	76.96	1.14	0.35
NVNT	3-DH5	2402	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2441	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2480	Ant1	77.01	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.8	3.42	-	47.88	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.88	3.42	1.14	39.80	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2389.872	-46.51	3.42	-	52.17	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2386.992	-57.62	3.42	1.14	41.06	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-48.4	3.42	-	50.28	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.86	3.42	1.14	39.82	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.3	3.42	-	48.38	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.81	3.42	1.14	40.87	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2491.864	-47.02	3.42	-	51.66	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2497.576	-57.06	3.42	1.14	41.62	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.11	3.42	-	49.57	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-57.97	3.42	1.14	40.71	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.13	3.42	-	47.55	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.82	3.42	1.14	39.86	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2372.88	-46.49	3.42	-	52.19	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2388.048	-57.57	3.42	1.14	41.11	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.68	3.42	-	47.00	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.05	3.42	1.14	40.63	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-50.05	3.42	-	48.63	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-58.05	3.42	1.14	40.63	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2486.368	-46.81	3.42	-	51.87	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2491	-57.15	3.42	1.14	41.53	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-51.56	3.42	-	47.12	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.8	3.42	1.14	40.88	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-51.05	3.42	-	47.63	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.9	3.42	1.13	39.78	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2381.712	-47.31	3.42	-	51.37	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2387.952	-57.56	3.42	1.13	41.12	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-51.14	3.42	-	47.54	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.23	3.42	1.13	40.45	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-50.38	3.42	-	48.30	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.71	3.42	1.13	40.97	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2495.08	-47.03	3.42	-	51.65	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2495.8	-57.09	3.42	1.13	41.59	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.23	3.42	-	48.45	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.89	3.42	1.13	40.79	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

