





PSD NVNT ac20 5240MHz Ant3




PSD NVNT ac40 5190MHz Ant3






PSD NVNT ac40 5230MHz Ant3



PSD NVNT ac80 5210MHz Ant3





D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-49.41	3.87	49.69	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-58.28	3.87	40.82	Average	54	Pass
NVNT	a	5180	Ant1	5149.6	-36.37	3.87	62.73	Peak	68.2	Pass
NVNT	a	5180	Ant1	5148.2	-50.65	3.87	48.45	Average	54	Pass
NVNT	a	5180	Ant1	5150	-39.43	3.87	59.67	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-50.37	3.87	48.73	Average	54	Pass
NVNT	a	5240	Ant1	5350	-50.62	3.87	48.48	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-57.7	3.87	41.4	Average	54	Pass
NVNT	a	5240	Ant1	5390.4	-46.49	3.87	52.61	Peak	68.2	Pass
NVNT	a	5240	Ant1	5393.52	-56.92	3.87	42.18	Average	54	Pass
NVNT	a	5240	Ant1	5460	-48.99	3.87	50.11	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-57.97	3.87	41.13	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-49.32	3.87	49.78	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-58.26	3.87	40.84	Average	54	Pass
NVNT	n20	5180	Ant1	5149.6	-37.59	3.87	61.51	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-50.46	3.87	48.64	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-42.02	3.87	57.08	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-51.07	3.87	48.03	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-50.43	3.87	48.67	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-57.51	3.87	41.59	Average	54	Pass
NVNT	n20	5240	Ant1	5405.28	-46.94	3.87	52.16	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5428.56	-56.87	3.87	42.23	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-51.15	3.87	47.95	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-57.46	3.87	41.64	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-50.35	3.87	48.75	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-58.24	3.87	40.86	Average	54	Pass
NVNT	n40	5190	Ant1	5148.24	-40.86	3.87	58.24	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5149.7	-51.2	3.87	47.9	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-42.35	3.87	56.75	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-51.2	3.87	47.9	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-50.07	3.87	49.03	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-57.68	3.87	41.42	Average	54	Pass
NVNT	n40	5230	Ant1	5367.12	-47.22	3.87	51.88	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5401.41	-56.8	3.87	42.3	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-49.35	3.87	49.75	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-58.35	3.87	40.75	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-50.27	3.87	48.83	Peak	68.2	Pass





NVNT	ac20	5180	Ant1	4500	-58.2	3.87	40.9	Average	54	Pass
NVNT	ac20	5180	Ant1	5149.6	-37.16	3.87	61.94	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5148.9	-51.1	3.87	48	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-40	3.87	59.1	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-50.26	3.87	48.84	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-49.71	3.87	49.39	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-57.64	3.87	41.46	Average	54	Pass
NVNT	ac20	5240	Ant1	5379.84	-47.57	3.87	51.53	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5437.44	-56.93	3.87	42.17	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-49.8	3.87	49.3	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-57.85	3.87	41.25	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-49.26	3.87	49.84	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-58.06	3.87	41.04	Average	54	Pass
NVNT	ac40	5190	Ant1	5148.24	-41.84	3.87	57.26	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5148.97	-51.1	3.87	48	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-43.08	3.87	56.02	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-51.33	3.87	47.77	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-48.22	3.87	50.88	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-57.9	3.87	41.2	Average	54	Pass
NVNT	ac40	5230	Ant1	5450.28	-46.68	3.87	52.42	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5430.84	-57.04	3.87	42.06	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-49.57	3.87	49.53	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-58.33	3.87	40.77	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-48.41	3.87	50.69	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-57.09	3.87	42.01	Average	54	Pass
NVNT	ac80	5210	Ant1	5360.67	-45.97	3.87	53.13	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5359.68	-56.46	3.87	42.64	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-48.51	3.87	50.59	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-57.35	3.87	41.75	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-49.8	3.87	49.3	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-58.38	3.87	40.72	Average	54	Pass
NVNT	ac80	5210	Ant1	5149.38	-39.43	3.87	59.67	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5147.8	-52.13	3.87	46.97	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-40.49	3.87	58.61	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-51.81	3.87	47.29	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average






Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average






Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average






Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average






Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average






Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average






Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average






Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average






Restrict Band NVNT ac80 5210MHz Ant1 Peak




Restrict Band NVNT ac80 5210MHz Ant1 Average






Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant2	4500	-49.42	4.95	50.76	Peak	68.2	Pass
NVNT	a	5180	Ant2	4500	-57.8	4.95	42.38	Average	54	Pass
NVNT	a	5180	Ant2	5148.2	-37.4	4.95	62.78	Peak	68.2	Pass
NVNT	a	5180	Ant2	5149.6	-48.08	4.95	52.1	Average	54	Pass
NVNT	a	5180	Ant2	5150	-36.02	4.95	64.16	Peak	68.2	Pass
NVNT	a	5180	Ant2	5150	-47.29	4.95	52.89	Average	54	Pass
NVNT	a	5240	Ant2	5350	-48.08	4.95	52.1	Peak	68.2	Pass
NVNT	a	5240	Ant2	5350	-56.75	4.95	43.43	Average	54	Pass
NVNT	a	5240	Ant2	5353.44	-46.91	4.95	53.27	Peak	68.2	Pass
NVNT	a	5240	Ant2	5372.4	-56.68	4.95	43.5	Average	54	Pass
NVNT	a	5240	Ant2	5460	-50.94	4.95	49.24	Peak	68.2	Pass
NVNT	a	5240	Ant2	5460	-57.8	4.95	42.38	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-49.99	4.95	50.19	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-57.99	4.95	42.19	Average	54	Pass
NVNT	n20	5180	Ant2	5149.6	-44.31	4.95	55.87	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5149.6	-54.94	4.95	45.24	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-45.07	4.95	55.11	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-55.66	4.95	44.52	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-49.14	4.95	51.04	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-56.71	4.95	43.47	Average	54	Pass
NVNT	n20	5240	Ant2	5360.4	-47.02	4.95	53.16	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5353.2	-56.66	4.95	43.52	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-49.73	4.95	50.45	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-57.9	4.95	42.28	Average	54	Pass
NVNT	n40	5190	Ant2	4500	-49.37	4.95	50.81	Peak	68.2	Pass
NVNT	n40	5190	Ant2	4500	-58.29	4.95	41.89	Average	54	Pass
NVNT	n40	5190	Ant2	5149.7	-43.12	4.95	57.06	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5148.97	-54.2	4.95	45.98	Average	54	Pass
NVNT	n40	5190	Ant2	5150	-43.12	4.95	57.06	Peak	68.2	Pass
NVNT	n40	5190	Ant2	5150	-54.76	4.95	45.42	Average	54	Pass
NVNT	n40	5230	Ant2	5350	-50.85	4.95	49.33	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5350	-57.91	4.95	42.27	Average	54	Pass
NVNT	n40	5230	Ant2	5354.43	-47.39	4.95	52.79	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5363.07	-56.81	4.95	43.37	Average	54	Pass
NVNT	n40	5230	Ant2	5460	-47.75	4.95	52.43	Peak	68.2	Pass
NVNT	n40	5230	Ant2	5460	-57.4	4.95	42.78	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-48.24	4.95	51.94	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4500	-57.99	4.95	42.19	Average	54	Pass
NVNT	ac20	5180	Ant2	5123	-44.68	4.95	55.5	Peak	68.2	Pass






NVNT	ac20	5180	Ant2	5069.8	-55.85	4.95	44.33	Average	54	Pass
NVNT	ac20	5180	Ant2	5150	-45.71	4.95	54.47	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5150	-55.23	4.95	44.95	Average	54	Pass
NVNT	ac20	5240	Ant2	5350	-48.61	4.95	51.57	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5350	-57.35	4.95	42.83	Average	54	Pass
NVNT	ac20	5240	Ant2	5438.16	-46.62	4.95	53.56	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5389.2	-56.67	4.95	43.51	Average	54	Pass
NVNT	ac20	5240	Ant2	5460	-49.1	4.95	51.08	Peak	68.2	Pass
NVNT	ac20	5240	Ant2	5460	-58.4	4.95	41.78	Average	54	Pass
NVNT	ac40	5190	Ant2	4500	-49.82	4.95	50.36	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	4500	-58.17	4.95	42.01	Average	54	Pass
NVNT	ac40	5190	Ant2	5148.97	-43.43	4.95	56.75	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5149.7	-53.7	4.95	46.48	Average	54	Pass
NVNT	ac40	5190	Ant2	5150	-45.41	4.95	54.77	Peak	68.2	Pass
NVNT	ac40	5190	Ant2	5150	-53.7	4.95	46.48	Average	54	Pass
NVNT	ac40	5230	Ant2	5350	-49.99	4.95	50.19	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5350	-58.17	4.95	42.01	Average	54	Pass
NVNT	ac40	5230	Ant2	5398.44	-45.26	4.95	54.92	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5459.46	-56.83	4.95	43.35	Average	54	Pass
NVNT	ac40	5230	Ant2	5460	-50.08	4.95	50.1	Peak	68.2	Pass
NVNT	ac40	5230	Ant2	5460	-57.66	4.95	42.52	Average	54	Pass
NVNT	ac80	5210	Ant2	5350	-48.87	4.95	51.31	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5350	-57.29	4.95	42.89	Average	54	Pass
NVNT	ac80	5210	Ant2	5354.4	-46.74	4.95	53.44	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5402.25	-56.47	4.95	43.71	Average	54	Pass
NVNT	ac80	5210	Ant2	5460	-49.91	4.95	50.27	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5460	-57.21	4.95	42.97	Average	54	Pass
NVNT	ac80	5210	Ant2	4500	-50.28	4.95	49.9	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	4500	-58.21	4.95	41.97	Average	54	Pass
NVNT	ac80	5210	Ant2	5149.38	-45.14	4.95	55.04	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5149.38	-54.79	4.95	45.39	Average	54	Pass
NVNT	ac80	5210	Ant2	5150	-45.31	4.95	54.87	Peak	68.2	Pass
NVNT	ac80	5210	Ant2	5150	-54.93	4.95	45.25	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5180MHz Ant2 Peak




Restrict Band NVNT a 5180MHz Ant2 Average






Restrict Band NVNT a 5240MHz Ant2 Peak




Restrict Band NVNT a 5240MHz Ant2 Average






Restrict Band NVNT n20 5180MHz Ant2 Peak




Restrict Band NVNT n20 5180MHz Ant2 Average






Restrict Band NVNT n20 5240MHz Ant2 Peak




Restrict Band NVNT n20 5240MHz Ant2 Average






Restrict Band NVNT n40 5190MHz Ant2 Peak




Restrict Band NVNT n40 5190MHz Ant2 Average






Restrict Band NVNT n40 5230MHz Ant2 Peak




Restrict Band NVNT n40 5230MHz Ant2 Average






Restrict Band NVNT ac20 5180MHz Ant2 Peak




Restrict Band NVNT ac20 5180MHz Ant2 Average






Restrict Band NVNT ac20 5240MHz Ant2 Peak




Restrict Band NVNT ac20 5240MHz Ant2 Average






Restrict Band NVNT ac40 5190MHz Ant2 Peak




Restrict Band NVNT ac40 5190MHz Ant2 Average






Restrict Band NVNT ac40 5230MHz Ant2 Peak




Restrict Band NVNT ac40 5230MHz Ant2 Average






Restrict Band NVNT ac80 5210MHz Ant2 Peak




Restrict Band NVNT ac80 5210MHz Ant2 Average






Restrict Band NVNT ac80 5210MHz Ant2 Peak



Restrict Band NVNT ac80 5210MHz Ant2 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant3	4500	-49.83	6.11	51.51	Peak	68.2	Pass
NVNT	a	5180	Ant3	4500	-58.02	6.11	43.32	Average	54	Pass
NVNT	a	5180	Ant3	5149.6	-35.17	6.11	66.17	Peak	68.2	Pass
NVNT	a	5180	Ant3	5148.9	-51.69	6.11	49.65	Average	54	Pass
NVNT	a	5180	Ant3	5150	-40.46	6.11	60.88	Peak	68.2	Pass
NVNT	a	5180	Ant3	5150	-51.38	6.11	49.96	Average	54	Pass
NVNT	a	5240	Ant3	5350	-50.1	6.11	51.24	Peak	68.2	Pass
NVNT	a	5240	Ant3	5350	-56.93	6.11	44.41	Average	54	Pass
NVNT	a	5240	Ant3	5370.72	-46.16	6.11	55.18	Peak	68.2	Pass
NVNT	a	5240	Ant3	5351.76	-56.65	6.11	44.69	Average	54	Pass
NVNT	a	5240	Ant3	5460	-48.57	6.11	52.77	Peak	68.2	Pass
NVNT	a	5240	Ant3	5460	-57.99	6.11	43.35	Average	54	Pass
NVNT	n20	5180	Ant3	4500	-49.27	6.11	52.07	Peak	68.2	Pass
NVNT	n20	5180	Ant3	4500	-58.11	6.11	43.23	Average	54	Pass
NVNT	n20	5180	Ant3	5062.8	-45.63	6.11	55.71	Peak	68.2	Pass
NVNT	n20	5180	Ant3	5095.7	-55.34	6.11	46	Average	54	Pass
NVNT	n20	5180	Ant3	5150	-46.93	6.11	54.41	Peak	68.2	Pass
NVNT	n20	5180	Ant3	5150	-55.57	6.11	45.77	Average	54	Pass
NVNT	n20	5240	Ant3	5350	-49.92	6.11	51.42	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5350	-57.07	6.11	44.27	Average	54	Pass
NVNT	n20	5240	Ant3	5413.68	-46.5	6.11	54.84	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5351.28	-56.95	6.11	44.39	Average	54	Pass
NVNT	n20	5240	Ant3	5460	-51.05	6.11	50.29	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5460	-57.7	6.11	43.64	Average	54	Pass
NVNT	n40	5190	Ant3	4500	-49.49	6.11	51.85	Peak	68.2	Pass
NVNT	n40	5190	Ant3	4500	-58.16	6.11	43.18	Average	54	Pass
NVNT	n40	5190	Ant3	5121.23	-45.45	6.11	55.89	Peak	68.2	Pass
NVNT	n40	5190	Ant3	5147.51	-55.54	6.11	45.8	Average	54	Pass
NVNT	n40	5190	Ant3	5150	-46.49	6.11	54.85	Peak	68.2	Pass
NVNT	n40	5190	Ant3	5150	-55.59	6.11	45.75	Average	54	Pass
NVNT	n40	5230	Ant3	5350	-50.6	6.11	50.74	Peak	68.2	Pass
NVNT	n40	5230	Ant3	5350	-58.02	6.11	43.32	Average	54	Pass
NVNT	n40	5230	Ant3	5429.22	-46.87	6.11	54.47	Peak	68.2	Pass
NVNT	n40	5230	Ant3	5441.64	-57	6.11	44.34	Average	54	Pass
NVNT	n40	5230	Ant3	5460	-49.6	6.11	51.74	Peak	68.2	Pass
NVNT	n40	5230	Ant3	5460	-57.61	6.11	43.73	Average	54	Pass
NVNT	ac20	5180	Ant3	4500	-51.31	6.11	50.03	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac20	5180	Ant3	4500	-57.87	6.11	43.47	Average	54	Pass
NVNT	ac20	5180	Ant3	4801.7	-45.61	6.11	55.73	Peak	68.2	Pass
NVNT	ac20	5180	Ant3	5148.9	-55.56	6.11	45.78	Average	54	Pass
NVNT	ac20	5180	Ant3	5150	-47.4	6.11	53.94	Peak	68.2	Pass
NVNT	ac20	5180	Ant3	5150	-55.24	6.11	46.1	Average	54	Pass
NVNT	ac20	5240	Ant3	5350	-49.77	6.11	51.57	Peak	68.2	Pass
NVNT	ac20	5240	Ant3	5350	-57.83	6.11	43.51	Average	54	Pass
NVNT	ac20	5240	Ant3	5424.48	-45.93	6.11	55.41	Peak	68.2	Pass
NVNT	ac20	5240	Ant3	5375.04	-56.91	6.11	44.43	Average	54	Pass
NVNT	ac20	5240	Ant3	5460	-49.28	6.11	52.06	Peak	68.2	Pass
NVNT	ac20	5240	Ant3	5460	-57.91	6.11	43.43	Average	54	Pass
NVNT	ac40	5190	Ant3	4500	-51.34	6.11	50	Peak	68.2	Pass
NVNT	ac40	5190	Ant3	4500	-58.1	6.11	43.24	Average	54	Pass
NVNT	ac40	5190	Ant3	5146.05	-44.88	6.11	56.46	Peak	68.2	Pass
NVNT	ac40	5190	Ant3	5148.97	-55.13	6.11	46.21	Average	54	Pass
NVNT	ac40	5190	Ant3	5150	-47.14	6.11	54.2	Peak	68.2	Pass
NVNT	ac40	5190	Ant3	5150	-55.8	6.11	45.54	Average	54	Pass
NVNT	ac40	5230	Ant3	5350	-50.16	6.11	51.18	Peak	68.2	Pass
NVNT	ac40	5230	Ant3	5350	-57.87	6.11	43.47	Average	54	Pass
NVNT	ac40	5230	Ant3	5450.01	-47.06	6.11	54.28	Peak	68.2	Pass
NVNT	ac40	5230	Ant3	5408.7	-56.82	6.11	44.52	Average	54	Pass
NVNT	ac40	5230	Ant3	5460	-49.59	6.11	51.75	Peak	68.2	Pass
NVNT	ac40	5230	Ant3	5460	-57.87	6.11	43.47	Average	54	Pass
NVNT	ac80	5210	Ant3	5350	-48.31	6.11	53.03	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5350	-57.3	6.11	44.04	Average	54	Pass
NVNT	ac80	5210	Ant3	5448.12	-46.25	6.11	55.09	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5400.27	-56.43	6.11	44.91	Average	54	Pass
NVNT	ac80	5210	Ant3	5460	-48.02	6.11	53.32	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5460	-57.24	6.11	44.1	Average	54	Pass
NVNT	ac80	5210	Ant3	4500	-49.38	6.11	51.96	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	4500	-57.9	6.11	43.44	Average	54	Pass
NVNT	ac80	5210	Ant3	5005.6	-45.91	6.11	55.43	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5139.9	-55.77	6.11	45.57	Average	54	Pass
NVNT	ac80	5210	Ant3	5150	-46.24	6.11	55.1	Peak	68.2	Pass
NVNT	ac80	5210	Ant3	5150	-56.34	6.11	45	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant3 Peak




Restrict Band NVNT a 5180MHz Ant3 Average






Restrict Band NVNT n20 5180MHz Ant3 Peak




Restrict Band NVNT n20 5180MHz Ant3 Average






Restrict Band NVNT n20 5240MHz Ant3 Peak




Restrict Band NVNT n20 5240MHz Ant3 Average






Restrict Band NVNT n40 5190MHz Ant3 Peak




Restrict Band NVNT n40 5190MHz Ant3 Average






Restrict Band NVNT n40 5230MHz Ant3 Peak




Restrict Band NVNT n40 5230MHz Ant3 Average






Restrict Band NVNT ac20 5180MHz Ant3 Peak




Restrict Band NVNT ac20 5180MHz Ant3 Average






Restrict Band NVNT ac20 5240MHz Ant3 Peak




Restrict Band NVNT ac20 5240MHz Ant3 Average






Restrict Band NVNT ac40 5190MHz Ant3 Peak




Restrict Band NVNT ac40 5190MHz Ant3 Average






Restrict Band NVNT ac40 5230MHz Ant3 Peak




Restrict Band NVNT ac40 5230MHz Ant3 Average






Restrict Band NVNT ac80 5210MHz Ant3 Peak




Restrict Band NVNT ac80 5210MHz Ant3 Average






Restrict Band NVNT ac80 5210MHz Ant3 Peak



Restrict Band NVNT ac80 5210MHz Ant3 Average





MIMO

Condition	Mode	Frequency (MHz)	Ant2 Power (dBm)	Ant3 Power (dBm)	Gain (dBi)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5180	-49.99	-49.27	8.58	57.24	Peak	68.2	Pass
NVNT	n20	5180	-57.99	-58.11	8.58	48.80	Average	54	Pass
NVNT	n20	5180	-44.31	-45.63	8.58	61.93	Peak	68.2	Pass
NVNT	n20	5180	-54.94	-55.34	8.58	51.71	Average	54	Pass
NVNT	n20	5180	-45.07	-46.93	8.58	60.95	Peak	68.2	Pass
NVNT	n20	5180	-55.66	-55.57	8.58	51.24	Average	54	Pass
NVNT	n20	5240	-49.14	-49.92	8.58	57.34	Peak	68.2	Pass
NVNT	n20	5240	-56.71	-57.07	8.58	49.96	Average	54	Pass
NVNT	n20	5240	-47.02	-46.5	8.58	60.10	Peak	68.2	Pass
NVNT	n20	5240	-56.66	-56.95	8.58	50.05	Average	54	Pass
NVNT	n20	5240	-49.73	-51.05	8.58	56.51	Peak	68.2	Pass
NVNT	n20	5240	-57.9	-57.7	8.58	49.05	Average	54	Pass
NVNT	n40	5190	-49.37	-49.49	8.58	57.42	Peak	68.2	Pass
NVNT	n40	5190	-58.29	-58.16	8.58	48.63	Average	54	Pass
NVNT	n40	5190	-43.12	-45.45	8.58	62.72	Peak	68.2	Pass
NVNT	n40	5190	-54.2	-55.54	8.58	52.03	Average	54	Pass
NVNT	n40	5190	-43.12	-46.49	8.58	62.36	Peak	68.2	Pass
NVNT	n40	5190	-54.76	-55.59	8.58	51.70	Average	54	Pass
NVNT	n40	5230	-50.85	-50.6	8.58	56.13	Peak	68.2	Pass
NVNT	n40	5230	-57.91	-58.02	8.58	48.89	Average	54	Pass
NVNT	n40	5230	-47.39	-46.87	8.58	59.73	Peak	68.2	Pass
NVNT	n40	5230	-56.81	-57	8.58	49.95	Average	54	Pass
NVNT	n40	5230	-47.75	-49.6	8.58	58.27	Peak	68.2	Pass
NVNT	n40	5230	-57.4	-57.61	8.58	49.35	Average	54	Pass
NVNT	ac20	5180	-48.24	-51.31	8.58	57.34	Peak	68.2	Pass
NVNT	ac20	5180	-57.99	-57.87	8.58	48.92	Average	54	Pass
NVNT	ac20	5180	-44.68	-45.61	8.58	61.73	Peak	68.2	Pass
NVNT	ac20	5180	-55.85	-55.56	8.58	51.15	Average	54	Pass
NVNT	ac20	5180	-45.71	-47.4	8.58	60.38	Peak	68.2	Pass
NVNT	ac20	5180	-55.23	-55.24	8.58	51.62	Average	54	Pass
NVNT	ac20	5240	-48.61	-49.77	8.58	57.70	Peak	68.2	Pass
NVNT	ac20	5240	-57.35	-57.83	8.58	49.27	Average	54	Pass
NVNT	ac20	5240	-46.62	-45.93	8.58	60.59	Peak	68.2	Pass
NVNT	ac20	5240	-56.67	-56.91	8.58	50.06	Average	54	Pass
NVNT	ac20	5240	-49.1	-49.28	8.58	57.66	Peak	68.2	Pass
NVNT	ac20	5240	-58.4	-57.91	8.58	48.70	Average	54	Pass
NVNT	ac40	5190	-49.82	-51.34	8.58	56.34	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac40	5190	-58.17	-58.1	8.58	48.72	Average	54	Pass
NVNT	ac40	5190	-43.43	-44.88	8.58	62.76	Peak	68.2	Pass
NVNT	ac40	5190	-53.7	-55.13	8.58	52.49	Average	54	Pass
NVNT	ac40	5190	-45.41	-47.14	8.58	60.66	Peak	68.2	Pass
NVNT	ac40	5190	-53.7	-55.8	8.58	52.23	Average	54	Pass
NVNT	ac40	5230	-49.99	-50.16	8.58	56.78	Peak	68.2	Pass
NVNT	ac40	5230	-58.17	-57.87	8.58	48.83	Average	54	Pass
NVNT	ac40	5230	-45.26	-47.06	8.58	60.78	Peak	68.2	Pass
NVNT	ac40	5230	-56.83	-56.82	8.58	50.03	Average	54	Pass
NVNT	ac40	5230	-50.08	-49.59	8.58	57.02	Peak	68.2	Pass
NVNT	ac40	5230	-57.66	-57.87	8.58	49.09	Average	54	Pass
NVNT	ac80	5210	-48.87	-48.31	8.58	58.27	Peak	68.2	Pass
NVNT	ac80	5210	-57.29	-57.3	8.58	49.56	Average	54	Pass
NVNT	ac80	5210	-46.74	-46.25	8.58	60.36	Peak	68.2	Pass
NVNT	ac80	5210	-56.47	-56.43	8.58	50.40	Average	54	Pass
NVNT	ac80	5210	-49.91	-48.02	8.58	57.99	Peak	68.2	Pass
NVNT	ac80	5210	-57.21	-57.24	8.58	49.63	Average	54	Pass
NVNT	ac80	5210	-50.28	-49.38	8.58	57.04	Peak	68.2	Pass
NVNT	ac80	5210	-58.21	-57.9	8.58	48.80	Average	54	Pass
NVNT	ac80	5210	-45.14	-45.91	8.58	61.34	Peak	68.2	Pass
NVNT	ac80	5210	-54.79	-55.77	8.58	51.60	Average	54	Pass
NVNT	ac80	5210	-45.31	-46.24	8.58	61.10	Peak	68.2	Pass
NVNT	ac80	5210	-54.93	-56.34	8.58	51.27	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



D.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5180	Ant1	5180	0	0	25	Pass
NVNT	ac20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
NVNT	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
NVNT	ac40	5190	Ant1	5190	0	0	25	Pass
NVNT	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant1	5209.92	-80000	-15.36	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT ac20 5180MHz Ant1




Freq. Stability NVNT ac20 5200MHz Ant1






Freq. Stability NVNT ac20 5240MHz Ant1




Freq. Stability NVNT ac40 5190MHz Ant1





Freq. Stability NVNT ac40 5230MHz Ant1



Freq. Stability NVNT ac80 5210MHz Ant1

