

## Appendix B

### RF Test Data for BT V5.0(BDR/EDR) (Conducted Measurement)

Product Name: Smart talkie

Trade Mark: N/A


Test Model: T2

#### Environmental Conditions

Temperature:	23.6 ° C
Relative Humidity:	52.7%
ATM Pressure:	100.0 kPa
Test Engineer:	Jam Zheng
Supervised by:	Li Huan


#### B.1 Duty Cycle


Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS



### B.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	-2.335	30	PASS
BT LE	MCH	-2.258	30	PASS
BT LE	HCH	-3.687	30	PASS





### B.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-17.777	8	PASS
BT LE	MCH	-18.031	8	PASS
BT LE	HCH	-19.564	8	PASS


Test Graphs													
LCH	<div style="border: 1px solid black; padding: 5px;"> <p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Swept SA</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN: AUTO 02:44:32 PM Nov 13, 2020</p> <p style="font-size: small; margin: 0;">Center Freq 2.40200000 GHz Avg Type: Log-Pwr AvgHold: 10/10</p> <p style="font-size: x-small; margin: 0;">PNO: Wide Trg: Free Run IFGain: Low #Atten: 30 dB</p> <p style="font-size: x-small; margin: 0;">Mkr1 2.401 997 0 GHz -17.777 dBm</p> <p style="font-size: x-small; margin: 0;">Ref Offset 8.05 dB Ref 20.00 dBm</p> <p style="font-size: x-small; margin: 0;">10 dB/div Log</p> <p style="font-size: x-small; margin: 0;">Center 2.4020000 GHz #Res BW 3.0 kHz #VBW 10 kHz Span 1.500 MHz Sweep 158.2 ms (1001 pts)</p> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <tr><td>Frequency</td><td>Auto Tune</td></tr> <tr><td>Center Freq</td><td>2.402000000 GHz</td></tr> <tr><td>Start Freq</td><td>2.401250000 GHz</td></tr> <tr><td>Stop Freq</td><td>2.402750000 GHz</td></tr> <tr><td>CF Step</td><td>150.000 kHz</td></tr> <tr><td>Freq Offset</td><td>0 Hz</td></tr> </table>	Frequency	Auto Tune	Center Freq	2.402000000 GHz	Start Freq	2.401250000 GHz	Stop Freq	2.402750000 GHz	CF Step	150.000 kHz	Freq Offset	0 Hz
Frequency	Auto Tune												
Center Freq	2.402000000 GHz												
Start Freq	2.401250000 GHz												
Stop Freq	2.402750000 GHz												
CF Step	150.000 kHz												
Freq Offset	0 Hz												
MCH	<div style="border: 1px solid black; padding: 5px;"> <p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Swept SA</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN: AUTO 02:48:15 PM Nov 13, 2020</p> <p style="font-size: small; margin: 0;">Center Freq 2.440000000 GHz Avg Type: Log-Pwr AvgHold: 10/10</p> <p style="font-size: x-small; margin: 0;">PNO: Wide Trg: Free Run IFGain: Low #Atten: 30 dB</p> <p style="font-size: x-small; margin: 0;">Mkr1 2.439 983 5 GHz -18.031 dBm</p> <p style="font-size: x-small; margin: 0;">Ref Offset 8.05 dB Ref 20.00 dBm</p> <p style="font-size: x-small; margin: 0;">10 dB/div Log</p> <p style="font-size: x-small; margin: 0;">Center 2.4400000 GHz #Res BW 3.0 kHz #VBW 10 kHz Span 1.500 MHz Sweep 158.2 ms (1001 pts)</p> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div> <table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <tr><td>Frequency</td><td>Auto Tune</td></tr> <tr><td>Center Freq</td><td>2.440000000 GHz</td></tr> <tr><td>Start Freq</td><td>2.439250000 GHz</td></tr> <tr><td>Stop Freq</td><td>2.440750000 GHz</td></tr> <tr><td>CF Step</td><td>150.000 kHz</td></tr> <tr><td>Freq Offset</td><td>0 Hz</td></tr> </table>	Frequency	Auto Tune	Center Freq	2.440000000 GHz	Start Freq	2.439250000 GHz	Stop Freq	2.440750000 GHz	CF Step	150.000 kHz	Freq Offset	0 Hz
Frequency	Auto Tune												
Center Freq	2.440000000 GHz												
Start Freq	2.439250000 GHz												
Stop Freq	2.440750000 GHz												
CF Step	150.000 kHz												
Freq Offset	0 Hz												



**B.4 6dB Bandwidth**

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6635	≥0.5	PASS
BT LE	MCH	0.6502	≥0.5	PASS
BT LE	HCH	0.6482	≥0.5	PASS


Test Graphs													
LCH	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 02:44:08 PM Nov 13, 2020</p> <p style="margin: 0;">Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None                      Trig: Free Run AvgHold: 1/1                      #IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: right; margin: 0;">Mkr1 2.4022483 GHz -3.1699 dBm</p> </div> <p style="font-size: small; margin: 0;">Center 2.402 GHz Span 3 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: small;"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td>3.70 dBm</td> </tr> <tr> <td style="text-align: center;"><b>1.0291 MHz</b></td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>-15.594 kHz</td> <td>OBW Power 99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>663.5 kHz</td> <td>x dB -6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div>	Occupied Bandwidth	Total Power	3.70 dBm	<b>1.0291 MHz</b>			Transmit Freq Error	-15.594 kHz	OBW Power 99.00 %	x dB Bandwidth	663.5 kHz	x dB -6.00 dB
Occupied Bandwidth	Total Power	3.70 dBm											
<b>1.0291 MHz</b>													
Transmit Freq Error	-15.594 kHz	OBW Power 99.00 %											
x dB Bandwidth	663.5 kHz	x dB -6.00 dB											
MCH	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 02:47:50 PM Nov 13, 2020</p> <p style="margin: 0;">Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None                      Trig: Free Run AvgHold: 1/1                      #IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="border: 1px solid black; padding: 2px;"> <p style="text-align: right; margin: 0;">Mkr1 2.4402381 GHz -2.8563 dBm</p> </div> <p style="font-size: small; margin: 0;">Center 2.44 GHz Span 3 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: small;"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td>3.79 dBm</td> </tr> <tr> <td style="text-align: center;"><b>1.0339 MHz</b></td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>-16.921 kHz</td> <td>OBW Power 99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>650.2 kHz</td> <td>x dB -6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div>	Occupied Bandwidth	Total Power	3.79 dBm	<b>1.0339 MHz</b>			Transmit Freq Error	-16.921 kHz	OBW Power 99.00 %	x dB Bandwidth	650.2 kHz	x dB -6.00 dB
Occupied Bandwidth	Total Power	3.79 dBm											
<b>1.0339 MHz</b>													
Transmit Freq Error	-16.921 kHz	OBW Power 99.00 %											
x dB Bandwidth	650.2 kHz	x dB -6.00 dB											



### B.5 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-1.989	-36.676	-21.989	PASS
BT LE	MCH	-2.743	-37.113	-22.743	PASS
BT LE	HCH	-4.237	-37.027	-24.237	PASS


BT LE\_LCH\_Graphs






BT LE\_MCH\_Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH



BT LE\_HCH\_Graphs

Pref/BT LE/HCH





Puw/BT LE/HCH



### B.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-2.373	-48.825	-22.37	PASS
BT LE	HCH	-4.310	-48.962	-24.31	PASS


#### Test Graphs

LCH		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.35700000 GHz</p> <p>Start Freq 2.31000000 GHz</p> <p>Stop Freq 2.40400000 GHz</p> <p>CF Step 9.400000 MHz</p> <p>Freq Offset 0 Hz</p>
		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.48900000 GHz</p> <p>Start Freq 2.47800000 GHz</p> <p>Stop Freq 2.50000000 GHz</p> <p>CF Step 2.200000 MHz</p> <p>Freq Offset 0 Hz</p>


**B.7 Restrict-band band-edge measurements**

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-43.78	2.0	0	53.48	PEAK	74	PASS
		Ant1	2310.0	-53.29	2.0	0	43.97	AV	54	PASS
		Ant1	2390.0	-43.46	2.0	0	53.8	PEAK	74	PASS
		Ant1	2390.0	-52.87	2.0	0	44.39	AV	54	PASS
	2480	Ant1	2483.5	-41.95	2.0	0	55.31	PEAK	74	PASS
		Ant1	2483.5	-51.99	2.0	0	45.27	AV	54	PASS
		Ant1	2500.0	-41.41	2.0	0	55.85	PEAK	74	PASS
		Ant1	2500.0	-52.29	2.0	0	44.97	AV	54	PASS


Restrict-band band-edge measurements\_BT LE\_2402\_Ant1\_PEAK



Restrict-band band-edge measurements\_BT LE\_2402\_Ant1\_AV



Restrict-band band-edge measurements\_BT LE\_2480\_Ant1\_PEAK



Restrict-band band-edge measurements\_BT LE\_2480\_Ant1\_AV

