

APPENDIX REPORT

Project No.	SHT2104048701EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT21040197001	Model No.	RE730
Start test date	2021-04-23	Finish date	2021-04-23
Temperature	25.2°C	Humidity	47%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zhu

Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

Appendix A: Conducted Peak Output Power

Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	13.34	10.72	≤ 30.00	Pass
	06	13.29	10.81		
	11	13.35	10.84		
802.11g	01	14.12	11.17	≤ 30.00	Pass
	06	14.33	11.40		
	11	14.25	11.34		
802.11n (HT20)	01	13.61	10.67	≤ 30.00	Pass
	06	13.75	10.82		
	11	13.78	10.89		
802.11n (HT40)	03	14.20	11.21	≤ 30.00	Pass
	06	14.24	11.26		
	09	14.27	11.29		

Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	-3.76	≤8.00	Pass
	06	-3.88		
	11	-3.85		
802.11g	01	-10.15	≤8.00	Pass
	06	-10.11		
	11	-10.46		
802.11n(HT20)	01	-12.02	≤8.00	Pass
	06	-11.93		
	11	-11.87		
802.11n(HT40)	03	-14.54	≤8.00	Pass
	06	-14.40		
	09	-14.85		

Type:	802.11 b
CH01	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] -3.76 dBm 2.4126550 GHz CF 2.412 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 23 APR 2021 13:50:17</p>
CH06	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] -3.88 dBm 2.4363290 GHz CF 2.437 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 23 APR 2021 13:54:16</p>
CH11	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] -3.85 dBm 2.4626710 GHz CF 2.462 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 23 APR 2021 13:57:11</p>

Type:	802.11 g
CH01	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -10.15 dBm 2.414980 GHz CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 23 APR 2021 14:08:08 </p>
CH06	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -10.11 dBm 2.444930 GHz CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 23 APR 2021 14:09:52 </p>
CH11	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -10.46 dBm 2.464980 GHz CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 23 APR 2021 14:12:22 </p>


Type:	802.11n(HT20)
CH01	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -12.02 dBm 2.4163710 GHz CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 23.APR.2021 14:04:38</p>
CH06	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -11.93 dBm 2.4319800 GHz CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 23.APR.2021 14:08:40</p>
CH11	<p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -11.87 dBm 2.4563810 GHz CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 23.APR.2021 14:01:29</p>


Type:	802.11n(HT40)
CH03	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -14.54 dBm 2.4248570 GHz CF 2.422 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz Date: 23 APR 2021 14:43:04 </p>
CH06	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -14.40 dBm 2.4398570 GHz CF 2.437 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz Date: 23 APR 2021 14:47:11 </p>
CH09	<p> Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -14.85 dBm 2.4433190 GHz CF 2.452 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz Date: 23 APR 2021 14:50:48 </p>

Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	10.08	≥0.5	Pass
	06	10.11		
	11	10.11		
802.11g	01	16.41	≥0.5	Pass
	06	16.41		
	11	16.41		
802.11n(HT20)	01	17.67	≥0.5	Pass
	06	17.64		
	11	17.64		
802.11n(HT40)	03	36.42	≥0.5	Pass
	06	36.42		
	09	36.42		

Type:	802.11 b																												
CH01	<p>Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40696 GHz</td> <td>-5.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41149 GHz</td> <td>0.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>10.08 MHz</td> <td>-0.39 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 11:29:54</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40696 GHz	-5.42 dBm			M2	1		2.41149 GHz	0.59 dBm			D3	M1	1	10.08 MHz	-0.39 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40696 GHz	-5.42 dBm																									
M2	1		2.41149 GHz	0.59 dBm																									
D3	M1	1	10.08 MHz	-0.39 dB																									
CH06	<p>Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.43193 GHz</td> <td>-6.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43649 GHz</td> <td>0.58 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>10.11 MHz</td> <td>0.75 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 13:02:40</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.43193 GHz	-6.47 dBm			M2	1		2.43649 GHz	0.58 dBm			D3	M1	1	10.11 MHz	0.75 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.43193 GHz	-6.47 dBm																									
M2	1		2.43649 GHz	0.58 dBm																									
D3	M1	1	10.11 MHz	0.75 dB																									
CH11	<p>Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45693 GHz</td> <td>-6.17 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.46251 GHz</td> <td>0.69 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>10.11 MHz</td> <td>0.33 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 13:06:41</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45693 GHz	-6.17 dBm			M2	1		2.46251 GHz	0.69 dBm			D3	M1	1	10.11 MHz	0.33 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45693 GHz	-6.17 dBm																									
M2	1		2.46251 GHz	0.69 dBm																									
D3	M1	1	10.11 MHz	0.33 dB																									














Type:	802.11n(HT40)																												
CH03	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40376 GHz</td> <td>-15.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41948 GHz</td> <td>-7.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>36.42 MHz</td> <td>0.37 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:41:33</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40376 GHz	-15.07 dBm			M2	1		2.41948 GHz	-7.73 dBm			D3	M1	1	36.42 MHz	0.37 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40376 GHz	-15.07 dBm																									
M2	1		2.41948 GHz	-7.73 dBm																									
D3	M1	1	36.42 MHz	0.37 dB																									
CH06	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41876 GHz</td> <td>-15.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43196 GHz</td> <td>-7.76 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>36.42 MHz</td> <td>1.55 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:45:22</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41876 GHz	-15.42 dBm			M2	1		2.43196 GHz	-7.76 dBm			D3	M1	1	36.42 MHz	1.55 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.41876 GHz	-15.42 dBm																									
M2	1		2.43196 GHz	-7.76 dBm																									
D3	M1	1	36.42 MHz	1.55 dB																									
CH09	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.43376 GHz</td> <td>-15.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.44696 GHz</td> <td>-7.76 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>36.42 MHz</td> <td>1.12 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:48:53</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.43376 GHz	-15.10 dBm			M2	1		2.44696 GHz	-7.76 dBm			D3	M1	1	36.42 MHz	1.12 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.43376 GHz	-15.10 dBm																									
M2	1		2.44696 GHz	-7.76 dBm																									
D3	M1	1	36.42 MHz	1.12 dB																									

Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	15.07	-	Pass
	06	15.10		
	11	15.10		
802.11g	01	17.17	-	Pass
	06	17.17		
	11	17.17		
802.11n(HT20)	01	18.01	-	Pass
	06	18.01		
	11	18.01		
802.11n(HT40)	03	36.56	-	Pass
	06	36.62		
	09	36.62		

Type:	802.11 b																												
CH01	 <p>2.411491 GHz 2.05 dBm</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.411491 GHz</td> <td>2.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4044476 GHz</td> <td>-11.58 dBm</td> <td>Occ Bw</td> <td>15.074925075 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4195225 GHz</td> <td>-11.46 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 11:40:03</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.411491 GHz	2.05 dBm			T1	1		2.4044476 GHz	-11.58 dBm	Occ Bw	15.074925075 MHz	T2	1		2.4195225 GHz	-11.46 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.411491 GHz	2.05 dBm																									
T1	1		2.4044476 GHz	-11.58 dBm	Occ Bw	15.074925075 MHz																							
T2	1		2.4195225 GHz	-11.46 dBm																									
CH06	 <p>2.436491 GHz 1.87 dBm</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.436491 GHz</td> <td>1.87 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4294476 GHz</td> <td>-11.81 dBm</td> <td>Occ Bw</td> <td>15.104895105 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4435224 GHz</td> <td>-11.81 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 13:02:49</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.436491 GHz	1.87 dBm			T1	1		2.4294476 GHz	-11.81 dBm	Occ Bw	15.104895105 MHz	T2	1		2.4435224 GHz	-11.81 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.436491 GHz	1.87 dBm																									
T1	1		2.4294476 GHz	-11.81 dBm	Occ Bw	15.104895105 MHz																							
T2	1		2.4435224 GHz	-11.81 dBm																									
CH11	 <p>2.461491 GHz 2.10 dBm</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.461491 GHz</td> <td>2.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4544476 GHz</td> <td>-11.60 dBm</td> <td>Occ Bw</td> <td>15.104895105 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4695224 GHz</td> <td>-11.59 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 13:06:49</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.461491 GHz	2.10 dBm			T1	1		2.4544476 GHz	-11.60 dBm	Occ Bw	15.104895105 MHz	T2	1		2.4695224 GHz	-11.59 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.461491 GHz	2.10 dBm																									
T1	1		2.4544476 GHz	-11.60 dBm	Occ Bw	15.104895105 MHz																							
T2	1		2.4695224 GHz	-11.59 dBm																									



Type:	802.11 g																												
CH01	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 Hz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth</p> <p>MI[1] 2.54 dBm 2.4103220 GHz</p> <p>GF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.410322 GHz</td> <td>-2.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.403686 GHz</td> <td>-11.29 dBm</td> <td>Occ Bw</td> <td>17.172827173 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.425415 GHz</td> <td>-11.68 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:06:00</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.410322 GHz	-2.54 dBm			T1	1		2.403686 GHz	-11.29 dBm	Occ Bw	17.172827173 MHz	T2	1		2.425415 GHz	-11.68 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.410322 GHz	-2.54 dBm																									
T1	1		2.403686 GHz	-11.29 dBm	Occ Bw	17.172827173 MHz																							
T2	1		2.425415 GHz	-11.68 dBm																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 Hz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth</p> <p>MI[1] 2.69 dBm 2.4353520 GHz</p> <p>GF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.435352 GHz</td> <td>-2.69 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.428686 GHz</td> <td>-11.68 dBm</td> <td>Occ Bw</td> <td>17.172827173 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.445415 GHz</td> <td>-11.28 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:09:17</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.435352 GHz	-2.69 dBm			T1	1		2.428686 GHz	-11.68 dBm	Occ Bw	17.172827173 MHz	T2	1		2.445415 GHz	-11.28 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.435352 GHz	-2.69 dBm																									
T1	1		2.428686 GHz	-11.68 dBm	Occ Bw	17.172827173 MHz																							
T2	1		2.445415 GHz	-11.28 dBm																									
CH11	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 Hz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth</p> <p>MI[1] 2.66 dBm 2.4603520 GHz</p> <p>GF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.460352 GHz</td> <td>-2.66 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.453686 GHz</td> <td>-11.05 dBm</td> <td>Occ Bw</td> <td>17.172827173 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.470415 GHz</td> <td>-11.05 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:01:41</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460352 GHz	-2.66 dBm			T1	1		2.453686 GHz	-11.05 dBm	Occ Bw	17.172827173 MHz	T2	1		2.470415 GHz	-11.05 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.460352 GHz	-2.66 dBm																									
T1	1		2.453686 GHz	-11.05 dBm	Occ Bw	17.172827173 MHz																							
T2	1		2.470415 GHz	-11.05 dBm																									


Type:	802.11n(HT20)																												
CH01	 <p>1 Occupied Bandwidth</p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>M1[1] 3.24 dBm 2.4148770 GHz</p> <p>CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.414877 GHz</td> <td>-3.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.402979 GHz</td> <td>-10.24 dBm</td> <td>Occ Bw</td> <td>18.011988012 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.420991 GHz</td> <td>-10.22 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:23:43</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.414877 GHz	-3.24 dBm			T1	1		2.402979 GHz	-10.24 dBm	Occ Bw	18.011988012 MHz	T2	1		2.420991 GHz	-10.22 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.414877 GHz	-3.24 dBm																									
T1	1		2.402979 GHz	-10.24 dBm	Occ Bw	18.011988012 MHz																							
T2	1		2.420991 GHz	-10.22 dBm																									
CH06	 <p>1 Occupied Bandwidth</p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>M1[1] 3.36 dBm 2.4423950 GHz</p> <p>CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.442395 GHz</td> <td>-3.36 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.427979 GHz</td> <td>-10.39 dBm</td> <td>Occ Bw</td> <td>18.011988012 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.445991 GHz</td> <td>-10.41 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:27:33</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.442395 GHz	-3.36 dBm			T1	1		2.427979 GHz	-10.39 dBm	Occ Bw	18.011988012 MHz	T2	1		2.445991 GHz	-10.41 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.442395 GHz	-3.36 dBm																									
T1	1		2.427979 GHz	-10.39 dBm	Occ Bw	18.011988012 MHz																							
T2	1		2.445991 GHz	-10.41 dBm																									
CH11	 <p>1 Occupied Bandwidth</p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>M1[1] 3.31 dBm 2.4673950 GHz</p> <p>CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.467395 GHz</td> <td>-3.31 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.452979 GHz</td> <td>-10.37 dBm</td> <td>Occ Bw</td> <td>18.011988012 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.470991 GHz</td> <td>-9.95 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:30:20</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.467395 GHz	-3.31 dBm			T1	1		2.452979 GHz	-10.37 dBm	Occ Bw	18.011988012 MHz	T2	1		2.470991 GHz	-9.95 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.467395 GHz	-3.31 dBm																									
T1	1		2.452979 GHz	-10.37 dBm	Occ Bw	18.011988012 MHz																							
T2	1		2.470991 GHz	-9.95 dBm																									

Type:	802.11n(HT40)																												
CH03	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.409832 GHz</td> <td>-2.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4036583 GHz</td> <td>-9.14 dBm</td> <td>Occ Bw</td> <td>36.563436563 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4402218 GHz</td> <td>-8.12 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:42:04</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.409832 GHz	-2.80 dBm			T1	1		2.4036583 GHz	-9.14 dBm	Occ Bw	36.563436563 MHz	T2	1		2.4402218 GHz	-8.12 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.409832 GHz	-2.80 dBm																									
T1	1		2.4036583 GHz	-9.14 dBm	Occ Bw	36.563436563 MHz																							
T2	1		2.4402218 GHz	-8.12 dBm																									
CH06	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.424892 GHz</td> <td>-3.00 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4186583 GHz</td> <td>-9.43 dBm</td> <td>Occ Bw</td> <td>36.623376623 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4552817 GHz</td> <td>-8.69 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:45:56</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.424892 GHz	-3.00 dBm			T1	1		2.4186583 GHz	-9.43 dBm	Occ Bw	36.623376623 MHz	T2	1		2.4552817 GHz	-8.69 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.424892 GHz	-3.00 dBm																									
T1	1		2.4186583 GHz	-9.43 dBm	Occ Bw	36.623376623 MHz																							
T2	1		2.4552817 GHz	-8.69 dBm																									
CH09	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.460511 GHz</td> <td>-3.21 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4336583 GHz</td> <td>-9.66 dBm</td> <td>Occ Bw</td> <td>36.623376623 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4702817 GHz</td> <td>-9.06 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:52:04</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460511 GHz	-3.21 dBm			T1	1		2.4336583 GHz	-9.66 dBm	Occ Bw	36.623376623 MHz	T2	1		2.4702817 GHz	-9.06 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.460511 GHz	-3.21 dBm																									
T1	1		2.4336583 GHz	-9.66 dBm	Occ Bw	36.623376623 MHz																							
T2	1		2.4702817 GHz	-9.06 dBm																									

Appendix E: Duty Cycle



Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	8.36	8.39	99.6%	0.1
11g	2437	1.39	1.40	99.3%	0.7
11n20	2437	5.06	5.08	99.6%	0.2
11n40	2437	2.46	2.48	99.2%	0.4












Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b																																										
CH01	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41243 GHz</td> <td>0.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-37.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-53.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.46 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.398032 GHz</td> <td>-32.56 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR. 2021 13:50:28</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41243 GHz	0.45 dBm			M2	1		2.4 GHz	-37.10 dBm			M3	1		2.39 GHz	-53.91 dBm			M4	1		2.31 GHz	-63.46 dBm			M5	1		2.398032 GHz	-32.56 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41243 GHz	0.45 dBm																																									
M2	1		2.4 GHz	-37.10 dBm																																									
M3	1		2.39 GHz	-53.91 dBm																																									
M4	1		2.31 GHz	-63.46 dBm																																									
M5	1		2.398032 GHz	-32.56 dBm																																									
CH11	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.451471 GHz</td> <td>0.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.461471 GHz</td> <td>-54.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-57.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.485024 GHz</td> <td>-51.17 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR. 2021 13:57:22</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.451471 GHz	0.48 dBm			M2	1		2.461471 GHz	-54.48 dBm			M3	1		2.5 GHz	-57.13 dBm			M4	1		2.485024 GHz	-51.17 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.451471 GHz	0.48 dBm																																									
M2	1		2.461471 GHz	-54.48 dBm																																									
M3	1		2.5 GHz	-57.13 dBm																																									
M4	1		2.485024 GHz	-51.17 dBm																																									


Test Item:	Bandedge	Type:	802.11 g																																										
CH01	 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40695 GHz</td> <td>-5.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-39.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-53.36 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.38 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399824 GHz</td> <td>-39.46 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:06:58</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40695 GHz	-5.07 dBm			M2	1		2.4 GHz	-39.95 dBm			M3	1		2.39 GHz	-53.36 dBm			M4	1		2.31 GHz	-63.38 dBm			M5	1		2.399824 GHz	-39.46 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.40695 GHz	-5.07 dBm																																									
M2	1		2.4 GHz	-39.95 dBm																																									
M3	1		2.39 GHz	-53.36 dBm																																									
M4	1		2.31 GHz	-63.38 dBm																																									
M5	1		2.399824 GHz	-39.46 dBm																																									
CH11	 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.466985 GHz</td> <td>-5.04 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-54.34 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-58.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.485744 GHz</td> <td>-52.86 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:02:42</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-5.04 dBm			M2	1		2.4835 GHz	-54.34 dBm			M3	1		2.5 GHz	-58.45 dBm			M4	1		2.485744 GHz	-52.86 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-5.04 dBm																																									
M2	1		2.4835 GHz	-54.34 dBm																																									
M3	1		2.5 GHz	-58.45 dBm																																									
M4	1		2.485744 GHz	-52.86 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40695 GHz</td> <td>-5.52 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-45.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-52.60 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.27 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399824 GHz</td> <td>-44.88 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:04:56</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40695 GHz	-5.52 dBm			M2	1		2.4 GHz	-45.86 dBm			M3	1		2.39 GHz	-52.60 dBm			M4	1		2.31 GHz	-63.27 dBm			M5	1		2.399824 GHz	-44.88 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.40695 GHz	-5.52 dBm																																									
M2	1		2.4 GHz	-45.86 dBm																																									
M3	1		2.39 GHz	-52.60 dBm																																									
M4	1		2.31 GHz	-63.27 dBm																																									
M5	1		2.399824 GHz	-44.88 dBm																																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.456963 GHz</td> <td>-5.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-53.40 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-59.66 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.485408 GHz</td> <td>-53.28 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 23 APR 2021 14:01:40</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.456963 GHz	-5.62 dBm			M2	1		2.4835 GHz	-53.40 dBm			M3	1		2.5 GHz	-59.66 dBm			M4	1		2.485408 GHz	-53.28 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.456963 GHz	-5.62 dBm																																									
M2	1		2.4835 GHz	-53.40 dBm																																									
M3	1		2.5 GHz	-59.66 dBm																																									
M4	1		2.485408 GHz	-53.28 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT40)																																										
CH03		 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42571 GHz</td> <td>-7.89 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-48.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-50.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.00 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.396968 GHz</td> <td>-42.66 dBm</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42571 GHz	-7.89 dBm			M2	1		2.4 GHz	-48.24 dBm			M3	1		2.39 GHz	-50.01 dBm			M4	1		2.31 GHz	-63.00 dBm			M5	1		2.396968 GHz	-42.66 dBm			
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.42571 GHz	-7.89 dBm																																									
M2	1		2.4 GHz	-48.24 dBm																																									
M3	1		2.39 GHz	-50.01 dBm																																									
M4	1		2.31 GHz	-63.00 dBm																																									
M5	1		2.396968 GHz	-42.66 dBm																																									
CH09		 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.446979 GHz</td> <td>-7.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-52.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-59.68 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.484768 GHz</td> <td>-46.95 dBm</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.446979 GHz	-7.83 dBm			M2	1		2.4835 GHz	-52.13 dBm			M3	1		2.5 GHz	-59.68 dBm			M4	1		2.484768 GHz	-46.95 dBm										
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.446979 GHz	-7.83 dBm																																									
M2	1		2.4835 GHz	-52.13 dBm																																									
M3	1		2.5 GHz	-59.68 dBm																																									
M4	1		2.484768 GHz	-46.95 dBm																																									


Test Item:	SE	Type:	802.11b
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

CH06
Reference level




Date: 23 APR 2021 13:54:58

CH06
30MHz~1000MHz







Date: 23 APR 2021 13:55:15

CH06
1GHz~26GHz




Date: 23 APR 2021 13:55:01




Test Item:	SE	Type:	802.11g
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

CH06
Reference level




Date: 23 APR 2021 14:10:20

CH06
30MHz~1000MHz



Date: 23 APR 2021 14:10:26

CH06
1GHz~26GHz




Date: 23 APR 2021 14:10:23


<p>CH11 Reference level</p>	<p>MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep MI[1] -5.15 dBm 2.4569950 GHz CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 23 APR 2021 14:12:50</p>
<p>CH11 30MHz~1000MHz</p>	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep MI[1] -60.26 dBm 553.0870 MHz H1 -25.150 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 23 APR 2021 14:13:07</p>
<p>CH11 1GHz~26GHz</p>	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep MI[1] -52.85 dBm 25.934167 GHz H1 -25.150 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 23 APR 2021 14:13:23</p>

Test Item:	SE	Type:	802.11n(HT20)
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06
Reference level




CH06
30MHz~1000MHz



CH06
1GHz~26GHz




CH11
Reference level




Date: 23 APR 2021 14:31:49

CH11
30MHz~1000MHz



Date: 23 APR 2021 14:32:05


CH11
1GHz~26GHz



Date: 23 APR 2021 14:32:22


Test Item:	SE	Type:	802.11n(HT40)
<p>CH03 Reference level</p>			
<p>CH03 30MHz~1000MHz</p>			
<p>CH03 1GHz~26GHz</p>			

CH06
Reference level




Date: 23 APR 2021 14:47:48

CH06
30MHz~1000MHz




Date: 23 APR 2021 14:47:49

CH06
1GHz~26GHz



Date: 23 APR 2021 14:47:51



-----End of Report-----