




WCDMA Band4 Channel=1312




WCDMA Band4 Channel=1450




WCDMA Band4 Channel=1513




WCDMA Band5 Channel=4132



WCDMA Band5 Channel=4182




WCDMA Band5 Channel=4233




RADIATED SPURIOUS EMISSION

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-19
Test Mode: WCDMA Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	71.2250MHz	-79.24	-13.00	-66.24	PK	Hor
2*	163.1325MHz	-76.77	-13.00	-63.77	PK	Hor
3*	172.5900MHz	-78.34	-13.00	-65.34	PK	Hor
4*	487.2338MHz	-72.96	-13.00	-59.96	PK	Hor
5*	759.0763MHz	-64.80	-13.00	-51.80	PK	Hor
6*	937.4350MHz	-61.01	-13.00	-48.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.1275MHz	-78.09	-13.00	-65.09	PK	Ver
2*	57.7663MHz	-78.25	-13.00	-65.25	PK	Ver
3*	153.5538MHz	-76.60	-13.00	-63.60	PK	Ver
4*	285.8375MHz	-76.54	-13.00	-63.54	PK	Ver
5*	687.5388MHz	-63.75	-13.00	-50.75	PK	Ver
6*	997.4538MHz	-61.11	-13.00	-48.11	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-19
Test Mode: WCDMA Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.2150MHz	-78.14	-13.00	-65.14	PK	Hor
2*	47.0963MHz	-77.99	-13.00	-64.99	PK	Hor
3*	151.0075MHz	-76.34	-13.00	-63.34	PK	Hor
4*	447.1000MHz	-72.95	-13.00	-59.95	PK	Hor
5*	765.0175MHz	-64.29	-13.00	-51.29	PK	Hor
6*	970.4150MHz	-60.03	-13.00	-47.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.1263MHz	-77.18	-13.00	-64.18	PK	Ver
2*	156.2213MHz	-76.63	-13.00	-63.63	PK	Ver
3*	312.6338MHz	-76.55	-13.00	-63.55	PK	Ver
4*	623.5188MHz	-65.80	-13.00	-52.80	PK	Ver
5*	687.5388MHz	-63.20	-13.00	-50.20	PK	Ver
6*	979.7513MHz	-60.22	-13.00	-47.22	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-19
Test Mode: WCDMA Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	60.9188MHz	-78.41	-13.00	-65.41	PK	Hor
2*	133.6688MHz	-77.46	-13.00	-64.46	PK	Hor
3*	156.5850MHz	-76.68	-13.00	-63.68	PK	Hor
4*	372.1675MHz	-76.01	-13.00	-63.01	PK	Hor
5*	674.2013MHz	-65.91	-13.00	-52.91	PK	Hor
6*	994.4225MHz	-60.69	-13.00	-47.69	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	30.2425MHz	-77.75	-13.00	-64.75	PK	Ver
2*	58.6150MHz	-77.90	-13.00	-64.90	PK	Ver
3*	164.3450MHz	-76.95	-13.00	-63.95	PK	Ver
4*	343.6738MHz	-76.21	-13.00	-63.21	PK	Ver
5*	687.5388MHz	-64.20	-13.00	-51.20	PK	Ver
6*	981.8125MHz	-60.83	-13.00	-47.83	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-19
Test Mode: WCDMA Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.6400MHz	-77.90	-13.00	-64.90	PK	Hor
2*	48.0663MHz	-77.74	-13.00	-64.74	PK	Hor
3*	61.5250MHz	-78.99	-13.00	-65.99	PK	Hor
4*	165.5575MHz	-75.58	-13.00	-62.58	PK	Hor
5*	465.6513MHz	-72.01	-13.00	-59.01	PK	Hor
6*	983.0250MHz	-59.52	-13.00	-46.52	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.7900MHz	-78.16	-13.00	-65.16	PK	Ver
2*	58.9788MHz	-78.63	-13.00	-65.63	PK	Ver
3*	149.3100MHz	-76.88	-13.00	-63.88	PK	Ver
4*	368.7725MHz	-75.86	-13.00	-62.86	PK	Ver
5*	822.4900MHz	-63.51	-13.00	-50.51	PK	Ver
6*	994.5438MHz	-60.48	-13.00	-47.48	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-19
Test Mode: WCDMA Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.7325MHz	-77.61	-13.00	-64.61	PK	Hor
2*	64.4350MHz	-79.10	-13.00	-66.10	PK	Hor
3*	140.3375MHz	-78.27	-13.00	-65.27	PK	Hor
4*	154.2813MHz	-77.30	-13.00	-64.30	PK	Hor
5*	396.1750MHz	-73.92	-13.00	-60.92	PK	Hor
6*	959.6238MHz	-60.53	-13.00	-47.53	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.7925MHz	-78.45	-13.00	-65.45	PK	Ver
2*	50.7338MHz	-78.32	-13.00	-65.32	PK	Ver
3*	150.1588MHz	-76.54	-13.00	-63.54	PK	Ver
4*	363.4375MHz	-74.56	-13.00	-61.56	PK	Ver
5*	676.8688MHz	-63.98	-13.00	-50.98	PK	Ver
6*	972.1125MHz	-60.41	-13.00	-47.41	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-19
Test Mode: WCDMA Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	58.3725MHz	-78.09	-13.00	-65.09	PK	Hor
2*	167.0125MHz	-76.39	-13.00	-63.39	PK	Hor
3*	274.9250MHz	-76.35	-13.00	-63.35	PK	Hor
4*	362.8313MHz	-74.49	-13.00	-61.49	PK	Hor
5*	645.3438MHz	-65.12	-13.00	-52.12	PK	Hor
6*	972.7188MHz	-60.23	-13.00	-47.23	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.9150MHz	-77.62	-13.00	-64.62	PK	Ver
2*	71.7100MHz	-78.24	-13.00	-65.24	PK	Ver
3*	299.6600MHz	-77.21	-13.00	-64.21	PK	Ver
4*	422.9713MHz	-73.53	-13.00	-60.53	PK	Ver
5*	687.5388MHz	-63.83	-13.00	-50.83	PK	Ver
6*	948.8325MHz	-60.50	-13.00	-47.50	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-19
Test Mode: WCDMA Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	53.6438MHz	-77.51	-13.00	-64.51	PK	Hor
2*	146.6425MHz	-77.97	-13.00	-64.97	PK	Hor
3*	168.8313MHz	-77.14	-13.00	-64.14	PK	Hor
4*	490.9925MHz	-73.07	-13.00	-60.07	PK	Hor
5*	554.0425MHz	-69.81	-13.00	-56.81	PK	Hor
6*	973.3250MHz	-60.15	-13.00	-47.15	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.7038MHz	-78.57	-13.00	-65.57	PK	Ver
2*	154.7663MHz	-76.21	-13.00	-63.21	PK	Ver
3*	322.6975MHz	-76.15	-13.00	-63.15	PK	Ver
4*	603.3913MHz	-67.39	-13.00	-54.39	PK	Ver
5*	687.4175MHz	-62.94	-13.00	-49.94	PK	Ver
6*	950.5300MHz	-62.15	-13.00	-49.15	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-19
Test Mode: WCDMA Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	55.8263MHz	-78.32	-13.00	-65.32	PK	Hor
2*	131.9713MHz	-79.27	-13.00	-66.27	PK	Hor
3*	164.7088MHz	-77.92	-13.00	-64.92	PK	Hor
4*	306.8138MHz	-76.62	-13.00	-63.62	PK	Hor
5*	600.6025MHz	-68.90	-13.00	-55.90	PK	Hor
6*	979.8725MHz	-60.53	-13.00	-47.53	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.1275MHz	-78.19	-13.00	-65.19	PK	Ver
2*	63.5863MHz	-79.23	-13.00	-66.23	PK	Ver
3*	169.3163MHz	-76.53	-13.00	-63.53	PK	Ver
4*	365.9838MHz	-75.20	-13.00	-62.20	PK	Ver
5*	611.8788MHz	-66.75	-13.00	-53.75	PK	Ver
6*	995.3925MHz	-60.47	-13.00	-47.47	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-19
Test Mode: WCDMA Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.4275MHz	-76.86	-13.00	-63.86	PK	Hor
2*	64.4350MHz	-77.89	-13.00	-64.89	PK	Hor
3*	152.4625MHz	-75.46	-13.00	-62.46	PK	Hor
4*	386.5963MHz	-74.51	-13.00	-61.51	PK	Hor
5*	573.9275MHz	-69.26	-13.00	-56.26	PK	Hor
6*	992.3613MHz	-59.64	-13.00	-46.64	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.1850MHz	-78.88	-13.00	-65.88	PK	Ver
2*	49.4000MHz	-77.72	-13.00	-64.72	PK	Ver
3*	131.1225MHz	-79.23	-13.00	-66.23	PK	Ver
4*	155.4938MHz	-76.87	-13.00	-63.87	PK	Ver
5*	492.3263MHz	-72.80	-13.00	-59.80	PK	Ver
6*	863.7150MHz	-62.91	-13.00	-49.91	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: WCDMA Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3804GHz	-55.59	-13.00	-42.59	PK	Hor
2*	3.1781GHz	-49.48	-13.00	-36.48	PK	Hor
3*	4.8505GHz	-47.78	-13.00	-34.78	PK	Hor
4*	6.1446GHz	-45.90	-13.00	-32.90	PK	Hor
5*	10.9259GHz	-40.74	-13.00	-27.74	PK	Hor
6*	17.9447GHz	-37.54	-13.00	-24.54	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4611GHz	-56.10	-13.00	-43.10	PK	Ver
2*	3.0081GHz	-50.19	-13.00	-37.19	PK	Ver
3*	4.8484GHz	-47.15	-13.00	-34.15	PK	Ver
4*	6.5909GHz	-44.44	-13.00	-31.44	PK	Ver
5*	10.8302GHz	-41.40	-13.00	-28.40	PK	Ver
6*	17.9511GHz	-36.25	-13.00	-23.25	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: WCDMA Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6757GHz	-55.19	-13.00	-42.19	PK	Hor
2*	2.2006GHz	-51.33	-13.00	-38.33	PK	Hor
3*	3.1292GHz	-49.69	-13.00	-36.69	PK	Hor
4*	4.7740GHz	-48.10	-13.00	-35.10	PK	Hor
5*	8.9220GHz	-41.70	-13.00	-28.70	PK	Hor
6*	16.4721GHz	-36.99	-13.00	-23.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3485GHz	-55.26	-13.00	-42.26	PK	Ver
2*	2.8381GHz	-49.86	-13.00	-36.86	PK	Ver
3*	4.8229GHz	-47.87	-13.00	-34.87	PK	Ver
4*	7.5896GHz	-44.27	-13.00	-31.27	PK	Ver
5*	10.8451GHz	-41.63	-13.00	-28.63	PK	Ver
6*	17.9405GHz	-37.28	-13.00	-24.28	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: WCDMA Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3272GHz	-54.86	-13.00	-41.86	PK	Hor
2*	2.9486GHz	-49.59	-13.00	-36.59	PK	Hor
3*	3.9134GHz	-49.73	-13.00	-36.73	PK	Hor
4*	6.1977GHz	-46.39	-13.00	-33.39	PK	Hor
5*	10.9471GHz	-40.13	-13.00	-27.13	PK	Hor
6*	16.3722GHz	-36.93	-13.00	-23.93	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3124GHz	-54.83	-13.00	-41.83	PK	Ver
2*	3.1399GHz	-49.76	-13.00	-36.76	PK	Ver
3*	4.8845GHz	-47.83	-13.00	-34.83	PK	Ver
4*	7.5875GHz	-42.88	-13.00	-29.88	PK	Ver
5*	10.8494GHz	-41.16	-13.00	-28.16	PK	Ver
6*	17.7004GHz	-37.60	-13.00	-24.60	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: WCDMA Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3960GHz	-55.41	-13.00	-42.41	PK	Hor
2*	3.0600GHz	-50.43	-13.00	-37.43	PK	Hor
3*	4.8060GHz	-48.12	-13.00	-35.12	PK	Hor
4*	5.7840GHz	-46.53	-13.00	-33.53	PK	Hor
5*	8.8100GHz	-41.57	-13.00	-28.57	PK	Hor
6*	16.9440GHz	-37.55	-13.00	-24.55	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4500GHz	-55.83	-13.00	-42.83	PK	Ver
2*	2.4860GHz	-49.54	-13.00	-36.54	PK	Ver
3*	4.7680GHz	-46.75	-13.00	-33.75	PK	Ver
4*	7.5940GHz	-43.14	-13.00	-30.14	PK	Ver
5*	10.9360GHz	-42.27	-13.00	-29.27	PK	Ver
6*	16.4720GHz	-38.08	-13.00	-25.08	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: WCDMA Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3800GHz	-55.36	-13.00	-42.36	PK	Hor
2*	1.8160GHz	-54.63	-13.00	-41.63	PK	Hor
3*	3.1260GHz	-49.52	-13.00	-36.52	PK	Hor
4*	4.7180GHz	-47.97	-13.00	-34.97	PK	Hor
5*	10.9280GHz	-41.96	-13.00	-28.96	PK	Hor
6*	16.3600GHz	-37.33	-13.00	-24.33	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7760GHz	-54.44	-13.00	-41.44	PK	Ver
2*	2.9460GHz	-49.89	-13.00	-36.89	PK	Ver
3*	4.7980GHz	-47.54	-13.00	-34.54	PK	Ver
4*	7.5720GHz	-43.58	-13.00	-30.58	PK	Ver
5*	10.9360GHz	-41.71	-13.00	-28.71	PK	Ver
6*	16.3700GHz	-35.87	-13.00	-22.87	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: WCDMA Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4340GHz	-55.69	-13.00	-42.69	PK	Hor
2*	2.5740GHz	-50.04	-13.00	-37.04	PK	Hor
3*	4.8020GHz	-47.66	-13.00	-34.66	PK	Hor
4*	7.5780GHz	-43.90	-13.00	-30.90	PK	Hor
5*	10.9520GHz	-41.01	-13.00	-28.01	PK	Hor
6*	16.3640GHz	-37.46	-13.00	-24.46	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3240GHz	-56.97	-13.00	-43.97	PK	Ver
2*	2.2040GHz	-51.94	-13.00	-38.94	PK	Ver
3*	3.0000GHz	-49.72	-13.00	-36.72	PK	Ver
4*	4.6380GHz	-47.86	-13.00	-34.86	PK	Ver
5*	9.3800GHz	-41.87	-13.00	-28.87	PK	Ver
6*	13.8680GHz	-37.50	-13.00	-24.50	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: WCDMA Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3980GHz	-54.19	-13.00	-41.19	PK	Hor
2*	2.2550GHz	-52.79	-13.00	-39.79	PK	Hor
3*	3.0820GHz	-48.72	-13.00	-35.72	PK	Hor
4*	4.7300GHz	-48.00	-13.00	-35.00	PK	Hor
5*	6.1830GHz	-46.25	-13.00	-33.25	PK	Hor
6*	8.9280GHz	-42.79	-13.00	-29.79	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2500GHz	-56.40	-13.00	-43.40	PK	Ver
2*	1.6680GHz	-55.38	-13.00	-42.38	PK	Ver
3*	2.2450GHz	-50.42	-13.00	-37.42	PK	Ver
4*	3.2200GHz	-50.02	-13.00	-37.02	PK	Ver
5*	4.7750GHz	-46.65	-13.00	-33.65	PK	Ver
6*	8.0730GHz	-41.99	-13.00	-28.99	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: WCDMA Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3920GHz	-54.59	-13.00	-41.59	PK	Hor
2*	1.9950GHz	-53.13	-13.00	-40.13	PK	Hor
3*	2.5000GHz	-49.77	-13.00	-36.77	PK	Hor
4*	3.2080GHz	-50.13	-13.00	-37.13	PK	Hor
5*	4.7900GHz	-46.56	-13.00	-33.56	PK	Hor
6*	8.9260GHz	-42.45	-13.00	-29.45	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4600GHz	-55.71	-13.00	-42.71	PK	Ver
2*	1.8820GHz	-53.81	-13.00	-40.81	PK	Ver
3*	2.2760GHz	-51.48	-13.00	-38.48	PK	Ver
4*	3.1760GHz	-49.00	-13.00	-36.00	PK	Ver
5*	4.7720GHz	-46.73	-13.00	-33.73	PK	Ver
6*	8.9180GHz	-42.10	-13.00	-29.10	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: WCDMA Band 5 Upper	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2980GHz	-55.29	-13.00	-42.29	PK	Hor
2*	2.0000GHz	-53.99	-13.00	-40.99	PK	Hor
3*	3.0140GHz	-49.48	-13.00	-36.48	PK	Hor
4*	4.8330GHz	-47.12	-13.00	-34.12	PK	Hor
5*	6.2620GHz	-47.27	-13.00	-34.27	PK	Hor
6*	8.9890GHz	-41.66	-13.00	-28.66	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3770GHz	-54.84	-13.00	-41.84	PK	Ver
2*	2.5400GHz	-49.45	-13.00	-36.45	PK	Ver
3*	3.2230GHz	-49.47	-13.00	-36.47	PK	Ver
4*	4.3570GHz	-46.91	-13.00	-33.91	PK	Ver
5*	6.6520GHz	-45.28	-13.00	-32.28	PK	Ver
6*	8.4870GHz	-42.95	-13.00	-29.95	PK	Ver

APPENDIX II- PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

※※※※END OF THE REPORT※※※※