




Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0



Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0



Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




RADIATED SPURIOUS EMISSION

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.6700MHz	-78.62	-13.00	-65.62	PK	Hor
2*	61.7675MHz	-78.91	-13.00	-65.91	PK	Hor
3*	147.8550MHz	-76.78	-13.00	-63.78	PK	Hor
4*	432.9138MHz	-73.92	-13.00	-60.92	PK	Hor
5*	672.0188MHz	-64.93	-13.00	-51.93	PK	Hor
6*	960.9575MHz	-61.92	-13.00	-48.92	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.5475MHz	-77.53	-13.00	-64.53	PK	Ver
2*	61.5250MHz	-79.31	-13.00	-66.31	PK	Ver
3*	153.7963MHz	-76.34	-13.00	-63.34	PK	Ver
4*	482.3838MHz	-73.00	-13.00	-60.00	PK	Ver
5*	687.5388MHz	-62.62	-13.00	-49.62	PK	Ver
6*	944.1038MHz	-60.39	-13.00	-47.39	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.8525MHz	-78.02	-13.00	-65.02	PK	Hor
2*	58.0088MHz	-78.59	-13.00	-65.59	PK	Hor
3*	148.9463MHz	-76.72	-13.00	-63.72	PK	Hor
4*	496.4488MHz	-72.46	-13.00	-59.46	PK	Hor
5*	674.9288MHz	-65.61	-13.00	-52.61	PK	Hor
6*	994.4225MHz	-61.09	-13.00	-48.09	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.5525MHz	-77.33	-13.00	-64.33	PK	Ver
2*	69.0425MHz	-80.90	-13.00	-67.90	PK	Ver
3*	156.9488MHz	-75.72	-13.00	-62.72	PK	Ver
4*	398.8425MHz	-74.51	-13.00	-61.51	PK	Ver
5*	760.6525MHz	-64.14	-13.00	-51.14	PK	Ver
6*	980.7213MHz	-59.86	-13.00	-46.86	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.9125MHz	-77.71	-13.00	-64.71	PK	Hor
2*	156.1000MHz	-77.13	-13.00	-64.13	PK	Hor
3*	306.9350MHz	-76.82	-13.00	-63.82	PK	Hor
4*	564.2275MHz	-69.83	-13.00	-56.83	PK	Hor
5*	683.1738MHz	-65.66	-13.00	-52.66	PK	Hor
6*	988.9663MHz	-60.49	-13.00	-47.49	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.3363MHz	-77.98	-13.00	-64.98	PK	Ver
2*	51.0975MHz	-78.62	-13.00	-65.62	PK	Ver
3*	169.1950MHz	-77.51	-13.00	-64.51	PK	Ver
4*	478.2613MHz	-72.38	-13.00	-59.38	PK	Ver
5*	687.4175MHz	-63.61	-13.00	-50.61	PK	Ver
6*	976.8413MHz	-60.16	-13.00	-47.16	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.1600MHz	-78.19	-13.00	-65.19	PK	Hor
2*	135.2450MHz	-79.05	-13.00	-66.05	PK	Hor
3*	165.5575MHz	-76.92	-13.00	-63.92	PK	Hor
4*	464.9238MHz	-73.58	-13.00	-60.58	PK	Hor
5*	690.8125MHz	-65.66	-13.00	-52.66	PK	Hor
6*	990.6638MHz	-60.86	-13.00	-47.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.6425MHz	-77.72	-13.00	-64.72	PK	Ver
2*	60.7975MHz	-78.78	-13.00	-65.78	PK	Ver
3*	150.0375MHz	-77.03	-13.00	-64.03	PK	Ver
4*	388.9000MHz	-74.38	-13.00	-61.38	PK	Ver
5*	687.6600MHz	-64.49	-13.00	-51.49	PK	Ver
6*	998.3025MHz	-59.98	-13.00	-46.98	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.5188MHz	-78.45	-13.00	-65.45	PK	Hor
2*	64.9200MHz	-78.75	-13.00	-65.75	PK	Hor
3*	150.7650MHz	-76.29	-13.00	-63.29	PK	Hor
4*	486.0213MHz	-72.24	-13.00	-59.24	PK	Hor
5*	679.1725MHz	-65.02	-13.00	-52.02	PK	Hor
6*	953.5613MHz	-61.02	-13.00	-48.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.3363MHz	-77.63	-13.00	-64.63	PK	Ver
2*	130.0313MHz	-78.23	-13.00	-65.23	PK	Ver
3*	179.2588MHz	-77.10	-13.00	-64.10	PK	Ver
4*	422.0013MHz	-73.65	-13.00	-60.65	PK	Ver
5*	687.5388MHz	-64.02	-13.00	-51.02	PK	Ver
6*	975.7500MHz	-60.45	-13.00	-47.45	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	30.7275MHz	-78.40	-13.00	-65.40	PK	Hor
2*	59.7063MHz	-78.42	-13.00	-65.42	PK	Hor
3*	150.4013MHz	-76.32	-13.00	-63.32	PK	Hor
4*	392.4163MHz	-74.55	-13.00	-61.55	PK	Hor
5*	793.8750MHz	-63.71	-13.00	-50.71	PK	Hor
6*	981.8125MHz	-59.46	-13.00	-46.46	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.1863MHz	-77.63	-13.00	-64.63	PK	Ver
2*	132.6988MHz	-79.67	-13.00	-66.67	PK	Ver
3*	179.3800MHz	-77.21	-13.00	-64.21	PK	Ver
4*	288.8688MHz	-76.58	-13.00	-63.58	PK	Ver
5*	565.3188MHz	-69.50	-13.00	-56.50	PK	Ver
6*	946.8925MHz	-60.85	-13.00	-47.85	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.4025MHz	-77.45	-13.00	-64.45	PK	Hor
2*	132.8200MHz	-78.53	-13.00	-65.53	PK	Hor
3*	161.6775MHz	-75.96	-13.00	-62.96	PK	Hor
4*	410.1188MHz	-73.97	-13.00	-60.97	PK	Hor
5*	631.5213MHz	-66.38	-13.00	-53.38	PK	Hor
6*	994.1800MHz	-61.39	-13.00	-48.39	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.6700MHz	-78.09	-13.00	-65.09	PK	Ver
2*	149.6738MHz	-77.31	-13.00	-64.31	PK	Ver
3*	168.9525MHz	-77.17	-13.00	-64.17	PK	Ver
4*	367.4388MHz	-75.09	-13.00	-62.09	PK	Ver
5*	687.5388MHz	-62.49	-13.00	-49.49	PK	Ver
6*	960.4725MHz	-60.75	-13.00	-47.75	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.7300MHz	-77.71	-13.00	-64.71	PK	Hor
2*	56.6750MHz	-78.63	-13.00	-65.63	PK	Hor
3*	150.0375MHz	-77.17	-13.00	-64.17	PK	Hor
4*	353.7375MHz	-74.90	-13.00	-61.90	PK	Hor
5*	617.8200MHz	-66.92	-13.00	-53.92	PK	Hor
6*	989.0875MHz	-60.16	-13.00	-47.16	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.2175MHz	-77.40	-13.00	-64.40	PK	Ver
2*	150.4013MHz	-75.94	-13.00	-62.94	PK	Ver
3*	277.9563MHz	-76.08	-13.00	-63.08	PK	Ver
4*	426.7300MHz	-73.46	-13.00	-60.46	PK	Ver
5*	687.4175MHz	-63.19	-13.00	-50.19	PK	Ver
6*	983.6313MHz	-59.98	-13.00	-46.98	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	54.3713MHz	-78.18	-13.00	-65.18	PK	Hor
2*	147.1275MHz	-77.02	-13.00	-64.02	PK	Hor
3*	302.0850MHz	-76.87	-13.00	-63.87	PK	Hor
4*	475.7150MHz	-73.48	-13.00	-60.48	PK	Hor
5*	661.2275MHz	-64.31	-13.00	-51.31	PK	Hor
6*	989.4513MHz	-60.53	-13.00	-47.53	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.5525MHz	-78.38	-13.00	-65.38	PK	Ver
2*	56.3113MHz	-78.43	-13.00	-65.43	PK	Ver
3*	154.7663MHz	-77.02	-13.00	-64.02	PK	Ver
4*	415.0900MHz	-72.98	-13.00	-59.98	PK	Ver
5*	687.5388MHz	-64.40	-13.00	-51.40	PK	Ver
6*	986.5413MHz	-60.61	-13.00	-47.61	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 7 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.0050MHz	-77.58	-13.00	-64.58	PK	Hor
2*	149.0675MHz	-75.90	-13.00	-62.90	PK	Hor
3*	339.7938MHz	-76.26	-13.00	-63.26	PK	Hor
4*	512.8175MHz	-71.83	-13.00	-58.83	PK	Hor
5*	658.5600MHz	-66.07	-13.00	-53.07	PK	Hor
6*	968.8388MHz	-60.32	-13.00	-47.32	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	30.4850MHz	-78.82	-13.00	-65.82	PK	Ver
2*	51.2188MHz	-78.32	-13.00	-65.32	PK	Ver
3*	162.0413MHz	-76.95	-13.00	-63.95	PK	Ver
4*	376.8963MHz	-74.07	-13.00	-61.07	PK	Ver
5*	687.4175MHz	-64.43	-13.00	-51.43	PK	Ver
6*	988.7238MHz	-59.93	-13.00	-46.93	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.4613MHz	-77.68	-13.00	-64.68	PK	Hor
2*	161.0713MHz	-77.40	-13.00	-64.40	PK	Hor
3*	263.5275MHz	-78.37	-13.00	-65.37	PK	Hor
4*	497.0550MHz	-72.38	-13.00	-59.38	PK	Hor
5*	663.5313MHz	-65.94	-13.00	-52.94	PK	Hor
6*	936.4650MHz	-61.30	-13.00	-48.30	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.8825MHz	-78.17	-13.00	-65.17	PK	Ver
2*	57.4025MHz	-78.26	-13.00	-65.26	PK	Ver
3*	150.1588MHz	-76.55	-13.00	-63.55	PK	Ver
4*	413.7563MHz	-73.92	-13.00	-60.92	PK	Ver
5*	687.5388MHz	-64.03	-13.00	-51.03	PK	Ver
6*	978.2963MHz	-60.48	-13.00	-47.48	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 7 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.9750MHz	-77.55	-13.00	-64.55	PK	Hor
2*	176.8338MHz	-77.54	-13.00	-64.54	PK	Hor
3*	369.2575MHz	-74.13	-13.00	-61.13	PK	Hor
4*	533.0663MHz	-71.78	-13.00	-58.78	PK	Hor
5*	650.1938MHz	-64.44	-13.00	-51.44	PK	Hor
6*	974.6588MHz	-60.92	-13.00	-47.92	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.8825MHz	-77.34	-13.00	-64.34	PK	Ver
2*	134.2750MHz	-78.35	-13.00	-65.35	PK	Ver
3*	163.0113MHz	-76.99	-13.00	-63.99	PK	Ver
4*	398.9638MHz	-74.09	-13.00	-61.09	PK	Ver
5*	687.4175MHz	-62.61	-13.00	-49.61	PK	Ver
6*	973.2038MHz	-60.96	-13.00	-47.96	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.8838MHz	-78.68	-13.00	-65.68	PK	Hor
2*	54.1288MHz	-78.39	-13.00	-65.39	PK	Hor
3*	151.4925MHz	-76.54	-13.00	-63.54	PK	Hor
4*	448.5550MHz	-72.54	-13.00	-59.54	PK	Hor
5*	738.8275MHz	-64.74	-13.00	-51.74	PK	Hor
6*	980.3575MHz	-61.00	-13.00	-48.00	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.0638MHz	-78.14	-13.00	-65.14	PK	Ver
2*	62.3738MHz	-78.07	-13.00	-65.07	PK	Ver
3*	157.4338MHz	-76.78	-13.00	-63.78	PK	Ver
4*	395.9325MHz	-73.44	-13.00	-60.44	PK	Ver
5*	687.4175MHz	-64.76	-13.00	-51.76	PK	Ver
6*	975.9925MHz	-60.31	-13.00	-47.31	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.1888MHz	-78.35	-13.00	-65.35	PK	Hor
2*	151.0075MHz	-76.41	-13.00	-63.41	PK	Hor
3*	284.9888MHz	-78.02	-13.00	-65.02	PK	Hor
4*	471.9563MHz	-72.47	-13.00	-59.47	PK	Hor
5*	734.3413MHz	-65.10	-13.00	-52.10	PK	Hor
6*	987.5113MHz	-60.78	-13.00	-47.78	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.0063MHz	-77.66	-13.00	-64.66	PK	Ver
2*	64.7988MHz	-79.22	-13.00	-66.22	PK	Ver
3*	158.8888MHz	-76.54	-13.00	-63.54	PK	Ver
4*	469.0463MHz	-72.32	-13.00	-59.32	PK	Ver
5*	687.4175MHz	-63.95	-13.00	-50.95	PK	Ver
6*	994.4225MHz	-60.08	-13.00	-47.08	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.8238MHz	-77.84	-13.00	-64.84	PK	Hor
2*	149.5525MHz	-76.58	-13.00	-63.58	PK	Hor
3*	475.3513MHz	-71.70	-13.00	-58.70	PK	Hor
4*	627.8838MHz	-67.35	-13.00	-54.35	PK	Hor
5*	825.8850MHz	-61.76	-13.00	-48.76	PK	Hor
6*	980.8425MHz	-61.04	-13.00	-48.04	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.9125MHz	-77.67	-13.00	-64.67	PK	Ver
2*	66.9813MHz	-78.80	-13.00	-65.80	PK	Ver
3*	154.0388MHz	-76.74	-13.00	-63.74	PK	Ver
4*	387.3238MHz	-73.24	-13.00	-60.24	PK	Ver
5*	687.5388MHz	-64.43	-13.00	-51.43	PK	Ver
6*	986.6625MHz	-60.53	-13.00	-47.53	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 13 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	68.4363MHz	-77.17	-13.00	-64.17	PK	Hor
2*	158.0400MHz	-76.82	-13.00	-63.82	PK	Hor
3*	333.2463MHz	-75.87	-13.00	-62.87	PK	Hor
4*	463.4688MHz	-73.26	-13.00	-60.26	PK	Hor
5*	697.8450MHz	-65.45	-13.00	-52.45	PK	Hor
6*	970.2938MHz	-60.62	-13.00	-47.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.5813MHz	-78.53	-13.00	-65.53	PK	Ver
2*	63.1013MHz	-77.72	-13.00	-64.72	PK	Ver
3*	163.0113MHz	-76.54	-13.00	-63.54	PK	Ver
4*	441.4013MHz	-74.44	-13.00	-61.44	PK	Ver
5*	687.5388MHz	-65.38	-13.00	-52.38	PK	Ver
6*	970.1725MHz	-60.81	-13.00	-47.81	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	65.0413MHz	-77.32	-13.00	-64.32	PK	Hor
2*	150.6438MHz	-76.80	-13.00	-63.80	PK	Hor
3*	276.3800MHz	-76.54	-13.00	-63.54	PK	Hor
4*	538.7650MHz	-71.16	-13.00	-58.16	PK	Hor
5*	802.3625MHz	-63.61	-13.00	-50.61	PK	Hor
6*	989.8150MHz	-60.12	-13.00	-47.12	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.0363MHz	-78.55	-13.00	-65.55	PK	Ver
2*	83.4713MHz	-80.77	-13.00	-67.77	PK	Ver
3*	168.3463MHz	-77.00	-13.00	-64.00	PK	Ver
4*	410.1188MHz	-74.20	-13.00	-61.20	PK	Ver
5*	687.5388MHz	-64.09	-13.00	-51.09	PK	Ver
6*	993.3313MHz	-59.51	-13.00	-46.51	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 13 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.1250MHz	-77.10	-13.00	-64.10	PK	Hor
2*	152.8263MHz	-76.70	-13.00	-63.70	PK	Hor
3*	169.5588MHz	-76.64	-13.00	-63.64	PK	Hor
4*	476.6850MHz	-72.74	-13.00	-59.74	PK	Hor
5*	683.0525MHz	-64.97	-13.00	-51.97	PK	Hor
6*	985.6925MHz	-60.14	-13.00	-47.14	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.1838MHz	-78.53	-13.00	-65.53	PK	Ver
2*	49.6425MHz	-78.21	-13.00	-65.21	PK	Ver
3*	148.4613MHz	-77.05	-13.00	-64.05	PK	Ver
4*	382.3525MHz	-74.87	-13.00	-61.87	PK	Ver
5*	692.6313MHz	-65.44	-13.00	-52.44	PK	Ver
6*	973.8100MHz	-60.95	-13.00	-47.95	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 17 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.5525MHz	-78.43	-13.00	-65.43	PK	Hor
2*	65.8900MHz	-78.51	-13.00	-65.51	PK	Hor
3*	151.8563MHz	-76.26	-13.00	-63.26	PK	Hor
4*	341.4913MHz	-74.63	-13.00	-61.63	PK	Hor
5*	702.2100MHz	-66.06	-13.00	-53.06	PK	Hor
6*	995.2713MHz	-59.83	-13.00	-46.83	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	58.6150MHz	-77.90	-13.00	-64.90	PK	Ver
2*	147.6125MHz	-76.64	-13.00	-63.64	PK	Ver
3*	312.1488MHz	-75.49	-13.00	-62.49	PK	Ver
4*	405.0263MHz	-73.82	-13.00	-60.82	PK	Ver
5*	749.3763MHz	-64.94	-13.00	-51.94	PK	Ver
6*	988.2388MHz	-60.37	-13.00	-47.37	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.2150MHz	-77.71	-13.00	-64.71	PK	Hor
2*	60.5550MHz	-78.38	-13.00	-65.38	PK	Hor
3*	150.2800MHz	-76.51	-13.00	-63.51	PK	Hor
4*	497.5400MHz	-71.80	-13.00	-58.80	PK	Hor
5*	716.3963MHz	-65.09	-13.00	-52.09	PK	Hor
6*	990.4213MHz	-60.98	-13.00	-47.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.1238MHz	-78.24	-13.00	-65.24	PK	Ver
2*	49.5213MHz	-77.67	-13.00	-64.67	PK	Ver
3*	152.4625MHz	-77.03	-13.00	-64.03	PK	Ver
4*	376.5325MHz	-75.34	-13.00	-62.34	PK	Ver
5*	687.5388MHz	-64.08	-13.00	-51.08	PK	Ver
6*	981.6913MHz	-59.40	-13.00	-46.40	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 17 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.2188MHz	-78.22	-13.00	-65.22	PK	Hor
2*	124.6963MHz	-80.39	-13.00	-67.39	PK	Hor
3*	162.0413MHz	-76.35	-13.00	-63.35	PK	Hor
4*	400.7825MHz	-73.91	-13.00	-60.91	PK	Hor
5*	779.9313MHz	-64.50	-13.00	-51.50	PK	Hor
6*	996.6050MHz	-61.38	-13.00	-48.38	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.1263MHz	-77.71	-13.00	-64.71	PK	Ver
2*	157.9188MHz	-75.39	-13.00	-62.39	PK	Ver
3*	292.1425MHz	-76.86	-13.00	-63.86	PK	Ver
4*	432.9138MHz	-72.80	-13.00	-59.80	PK	Ver
5*	704.9988MHz	-64.16	-13.00	-51.16	PK	Ver
6*	980.8425MHz	-60.47	-13.00	-47.47	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.9450MHz	-77.28	-13.00	-64.28	PK	Hor
2*	61.5250MHz	-78.81	-13.00	-65.81	PK	Hor
3*	153.1900MHz	-76.34	-13.00	-63.34	PK	Hor
4*	450.6163MHz	-73.86	-13.00	-60.86	PK	Hor
5*	761.9863MHz	-64.44	-13.00	-51.44	PK	Hor
6*	979.7513MHz	-60.68	-13.00	-47.68	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	36.0625MHz	-78.17	-13.00	-65.17	PK	Ver
2*	66.1325MHz	-79.05	-13.00	-66.05	PK	Ver
3*	150.1588MHz	-76.84	-13.00	-63.84	PK	Ver
4*	482.0200MHz	-72.43	-13.00	-59.43	PK	Ver
5*	687.5388MHz	-63.85	-13.00	-50.85	PK	Ver
6*	989.6938MHz	-60.21	-13.00	-47.21	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.0050MHz	-77.36	-13.00	-64.36	PK	Hor
2*	59.3425MHz	-78.12	-13.00	-65.12	PK	Hor
3*	143.0050MHz	-76.35	-13.00	-63.35	PK	Hor
4*	415.5750MHz	-75.12	-13.00	-62.12	PK	Hor
5*	606.0588MHz	-65.10	-13.00	-52.10	PK	Hor
6*	943.6188MHz	-61.01	-13.00	-48.01	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	55.9475MHz	-78.65	-13.00	-65.65	PK	Ver
2*	161.1925MHz	-77.56	-13.00	-64.56	PK	Ver
3*	322.5763MHz	-76.85	-13.00	-63.85	PK	Ver
4*	474.6238MHz	-72.66	-13.00	-59.66	PK	Ver
5*	762.8350MHz	-63.38	-13.00	-50.38	PK	Ver
6*	947.8625MHz	-61.26	-13.00	-48.26	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.7663MHz	-78.90	-13.00	-65.90	PK	Hor
2*	161.7988MHz	-75.89	-13.00	-62.89	PK	Hor
3*	240.6113MHz	-78.10	-13.00	-65.10	PK	Hor
4*	447.5850MHz	-72.72	-13.00	-59.72	PK	Hor
5*	706.0900MHz	-65.05	-13.00	-52.05	PK	Hor
6*	988.2388MHz	-60.67	-13.00	-47.67	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.1238MHz	-78.09	-13.00	-65.09	PK	Ver
2*	54.1288MHz	-77.93	-13.00	-64.93	PK	Ver
3*	154.4025MHz	-77.74	-13.00	-64.74	PK	Ver
4*	165.3150MHz	-75.98	-13.00	-62.98	PK	Ver
5*	687.4175MHz	-63.87	-13.00	-50.87	PK	Ver
6*	945.6800MHz	-60.55	-13.00	-47.55	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.3663MHz	-78.18	-13.00	-65.18	PK	Hor
2*	134.0325MHz	-78.14	-13.00	-65.14	PK	Hor
3*	151.3713MHz	-76.53	-13.00	-63.53	PK	Hor
4*	479.5950MHz	-72.93	-13.00	-59.93	PK	Hor
5*	672.9888MHz	-64.78	-13.00	-51.78	PK	Hor
6*	945.6800MHz	-61.05	-13.00	-48.05	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	64.0713MHz	-77.21	-13.00	-64.21	PK	Ver
2*	155.9788MHz	-76.61	-13.00	-63.61	PK	Ver
3*	178.0463MHz	-77.08	-13.00	-64.08	PK	Ver
4*	529.5500MHz	-70.67	-13.00	-57.67	PK	Ver
5*	676.1413MHz	-65.58	-13.00	-52.58	PK	Ver
6*	976.8413MHz	-61.20	-13.00	-48.20	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	54.2500MHz	-77.63	-13.00	-64.63	PK	Hor
2*	131.1225MHz	-79.17	-13.00	-66.17	PK	Hor
3*	147.8550MHz	-76.83	-13.00	-63.83	PK	Hor
4*	386.7175MHz	-75.40	-13.00	-62.40	PK	Hor
5*	656.9838MHz	-65.83	-13.00	-52.83	PK	Hor
6*	964.1100MHz	-60.86	-13.00	-47.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.1250MHz	-77.72	-13.00	-64.72	PK	Ver
2*	150.6438MHz	-77.84	-13.00	-64.84	PK	Ver
3*	279.1688MHz	-77.36	-13.00	-64.36	PK	Ver
4*	480.6863MHz	-72.46	-13.00	-59.46	PK	Ver
5*	814.1238MHz	-63.92	-13.00	-50.92	PK	Ver
6*	971.8700MHz	-60.82	-13.00	-47.82	PK	Ver

Project: LGT23E077	Test Engineer: Xiangdong Ma
EUT: Smart LTE Terminal	Temperature: 26.7°C
M/N: M6L	Humidity: 49%RH
Test Voltage: DC 12V	Test Data: 2023-06-20
Test Mode: LTE Band 66 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.4300MHz	-78.03	-13.00	-65.03	PK	Hor
2*	162.8900MHz	-76.88	-13.00	-63.88	PK	Hor
3*	357.4963MHz	-75.82	-13.00	-62.82	PK	Hor
4*	546.4038MHz	-70.80	-13.00	-57.80	PK	Hor
5*	804.4238MHz	-62.42	-13.00	-49.42	PK	Hor
6*	951.8638MHz	-60.90	-13.00	-47.90	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.1575MHz	-77.26	-13.00	-64.26	PK	Ver
2*	63.8288MHz	-78.38	-13.00	-65.38	PK	Ver
3*	156.3425MHz	-77.44	-13.00	-64.44	PK	Ver
4*	444.6750MHz	-73.34	-13.00	-60.34	PK	Ver
5*	687.4175MHz	-64.00	-13.00	-51.00	PK	Ver
6*	917.3075MHz	-60.42	-13.00	-47.42	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5525GHz	-55.58	-13.00	-42.58	PK	Hor
2*	2.7892GHz	-49.94	-13.00	-36.94	PK	Hor
3*	4.7124GHz	-47.28	-13.00	-34.28	PK	Hor
4*	7.5854GHz	-43.36	-13.00	-30.36	PK	Hor
5*	11.3912GHz	-41.92	-13.00	-28.92	PK	Hor
6*	16.4551GHz	-37.46	-13.00	-24.46	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3655GHz	-55.45	-13.00	-42.45	PK	Ver
2*	1.9329GHz	-54.34	-13.00	-41.34	PK	Ver
3*	3.1356GHz	-49.34	-13.00	-36.34	PK	Ver
4*	4.6869GHz	-47.41	-13.00	-34.41	PK	Ver
5*	8.9199GHz	-41.40	-13.00	-28.40	PK	Ver
6*	17.9532GHz	-37.94	-13.00	-24.94	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4314GHz	-56.15	-13.00	-43.15	PK	Hor
2*	2.6957GHz	-50.46	-13.00	-37.46	PK	Hor
3*	4.3766GHz	-47.23	-13.00	-34.23	PK	Hor
4*	7.5917GHz	-44.45	-13.00	-31.45	PK	Hor
5*	10.8366GHz	-41.03	-13.00	-28.03	PK	Hor
6*	17.9384GHz	-37.32	-13.00	-24.32	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4377GHz	-56.25	-13.00	-43.25	PK	Ver
2*	2.1560GHz	-51.86	-13.00	-38.86	PK	Ver
3*	3.0294GHz	-50.00	-13.00	-37.00	PK	Ver
4*	4.8824GHz	-47.64	-13.00	-34.64	PK	Ver
5*	8.9390GHz	-42.72	-13.00	-29.72	PK	Ver
6*	17.7152GHz	-36.34	-13.00	-23.34	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5461GHz	-56.07	-13.00	-43.07	PK	Hor
2*	2.8254GHz	-48.92	-13.00	-35.92	PK	Hor
3*	4.7166GHz	-48.16	-13.00	-35.16	PK	Hor
4*	9.4724GHz	-41.01	-13.00	-28.01	PK	Hor
5*	14.7147GHz	-39.89	-13.00	-26.89	PK	Hor
6*	17.6069GHz	-37.48	-13.00	-24.48	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5419GHz	-55.89	-13.00	-42.89	PK	Ver
2*	3.2334GHz	-50.09	-13.00	-37.09	PK	Ver
3*	4.8250GHz	-46.92	-13.00	-33.92	PK	Ver
4*	8.1336GHz	-43.24	-13.00	-30.24	PK	Ver
5*	10.9535GHz	-42.04	-13.00	-29.04	PK	Ver
6*	17.8215GHz	-37.08	-13.00	-24.08	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2980GHz	-55.57	-13.00	-42.57	PK	Hor
2*	2.2600GHz	-51.51	-13.00	-38.51	PK	Hor
3*	3.2220GHz	-48.97	-13.00	-35.97	PK	Hor
4*	4.7280GHz	-47.46	-13.00	-34.46	PK	Hor
5*	9.0120GHz	-41.95	-13.00	-28.95	PK	Hor
6*	16.3820GHz	-38.12	-13.00	-25.12	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5040GHz	-55.99	-13.00	-42.99	PK	Ver
2*	3.1240GHz	-49.99	-13.00	-36.99	PK	Ver
3*	5.0200GHz	-47.51	-13.00	-34.51	PK	Ver
4*	7.5520GHz	-41.60	-13.00	-28.60	PK	Ver
5*	10.9480GHz	-42.01	-13.00	-29.01	PK	Ver
6*	16.9380GHz	-38.29	-13.00	-25.29	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4040GHz	-56.13	-13.00	-43.13	PK	Hor
2*	1.9560GHz	-53.56	-13.00	-40.56	PK	Hor
3*	3.1780GHz	-49.71	-13.00	-36.71	PK	Hor
4*	4.3600GHz	-47.58	-13.00	-34.58	PK	Hor
5*	9.4000GHz	-42.28	-13.00	-29.28	PK	Hor
6*	16.3760GHz	-35.99	-13.00	-22.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4740GHz	-55.89	-13.00	-42.89	PK	Ver
2*	2.8620GHz	-49.01	-13.00	-36.01	PK	Ver
3*	4.7180GHz	-48.70	-13.00	-35.70	PK	Ver
4*	9.0200GHz	-41.97	-13.00	-28.97	PK	Ver
5*	11.3880GHz	-41.65	-13.00	-28.65	PK	Ver
6*	16.3700GHz	-37.24	-13.00	-24.24	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3400GHz	-55.53	-13.00	-42.53	PK	Hor
2*	1.8760GHz	-53.59	-13.00	-40.59	PK	Hor
3*	2.9480GHz	-50.26	-13.00	-37.26	PK	Hor
4*	5.3560GHz	-48.07	-13.00	-35.07	PK	Hor
5*	8.9240GHz	-41.08	-13.00	-28.08	PK	Hor
6*	16.3700GHz	-37.87	-13.00	-24.87	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4360GHz	-55.44	-13.00	-42.44	PK	Ver
2*	3.1760GHz	-49.39	-13.00	-36.39	PK	Ver
3*	4.7060GHz	-47.58	-13.00	-34.58	PK	Ver
4*	7.5900GHz	-44.35	-13.00	-31.35	PK	Ver
5*	10.8340GHz	-39.11	-13.00	-26.11	PK	Ver
6*	14.3600GHz	-38.96	-13.00	-25.96	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3190GHz	-56.37	-13.00	-43.37	PK	Hor
2*	1.8930GHz	-54.70	-13.00	-41.70	PK	Hor
3*	2.2270GHz	-52.10	-13.00	-39.10	PK	Hor
4*	2.9090GHz	-49.46	-13.00	-36.46	PK	Hor
5*	4.8330GHz	-46.63	-13.00	-33.63	PK	Hor
6*	8.6940GHz	-42.91	-13.00	-29.91	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.1390GHz	-57.35	-13.00	-44.35	PK	Ver
2*	1.7170GHz	-54.35	-13.00	-41.35	PK	Ver
3*	2.5330GHz	-50.41	-13.00	-37.41	PK	Ver
4*	3.4320GHz	-49.44	-13.00	-36.44	PK	Ver
5*	4.7100GHz	-47.59	-13.00	-34.59	PK	Ver
6*	8.8720GHz	-42.30	-13.00	-29.30	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.8850GHz	-54.04	-13.00	-41.04	PK	Hor
2*	2.5340GHz	-49.89	-13.00	-36.89	PK	Hor
3*	3.2230GHz	-49.63	-13.00	-36.63	PK	Hor
4*	5.1890GHz	-47.98	-13.00	-34.98	PK	Hor
5*	6.5920GHz	-46.48	-13.00	-33.48	PK	Hor
6*	8.9380GHz	-42.19	-13.00	-29.19	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2920GHz	-55.13	-13.00	-42.13	PK	Ver
2*	1.7990GHz	-54.11	-13.00	-41.11	PK	Ver
3*	3.2540GHz	-49.73	-13.00	-36.73	PK	Ver
4*	5.0080GHz	-46.62	-13.00	-33.62	PK	Ver
5*	7.5900GHz	-44.12	-13.00	-31.12	PK	Ver
6*	8.9220GHz	-43.16	-13.00	-30.16	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3870GHz	-55.14	-13.00	-42.14	PK	Hor
2*	1.9740GHz	-54.03	-13.00	-41.03	PK	Hor
3*	2.5260GHz	-50.65	-13.00	-37.65	PK	Hor
4*	3.2700GHz	-49.50	-13.00	-36.50	PK	Hor
5*	4.7220GHz	-47.27	-13.00	-34.27	PK	Hor
6*	8.3470GHz	-42.09	-13.00	-29.09	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6650GHz	-54.22	-13.00	-41.22	PK	Ver
2*	2.5310GHz	-50.51	-13.00	-37.51	PK	Ver
3*	3.0590GHz	-49.96	-13.00	-36.96	PK	Ver
4*	4.7400GHz	-47.15	-13.00	-34.15	PK	Ver
5*	7.5750GHz	-43.69	-13.00	-30.69	PK	Ver
6*	8.9400GHz	-42.79	-13.00	-29.79	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 7 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4250GHz	-55.53	-13.00	-42.53	PK	Hor
2*	2.5427GHz	-49.39	-13.00	-36.39	PK	Hor
3*	4.8420GHz	-47.14	-13.00	-34.14	PK	Hor
4*	7.6491GHz	-44.38	-13.00	-31.38	PK	Hor
5*	10.9577GHz	-41.58	-13.00	-28.58	PK	Hor
6*	17.8364GHz	-37.38	-13.00	-24.38	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3974GHz	-55.97	-13.00	-42.97	PK	Ver
2*	2.4705GHz	-50.00	-13.00	-37.00	PK	Ver
3*	3.2270GHz	-49.32	-13.00	-36.32	PK	Ver
4*	6.1531GHz	-47.04	-13.00	-34.04	PK	Ver
5*	10.9131GHz	-42.22	-13.00	-29.22	PK	Ver
6*	17.8406GHz	-37.43	-13.00	-24.43	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3782GHz	-55.11	-13.00	-42.11	PK	Hor
2*	2.8211GHz	-49.45	-13.00	-36.45	PK	Hor
3*	5.2521GHz	-47.85	-13.00	-34.85	PK	Hor
4*	7.5854GHz	-43.46	-13.00	-30.46	PK	Hor
5*	10.9620GHz	-41.96	-13.00	-28.96	PK	Hor
6*	16.3744GHz	-37.81	-13.00	-24.81	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3379GHz	-55.61	-13.00	-42.61	PK	Ver
2*	2.7340GHz	-49.99	-13.00	-36.99	PK	Ver
3*	4.3766GHz	-47.50	-13.00	-34.50	PK	Ver
4*	6.7184GHz	-46.28	-13.00	-33.28	PK	Ver
5*	11.3891GHz	-41.23	-13.00	-28.23	PK	Ver
6*	17.8300GHz	-36.50	-13.00	-23.50	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 7 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4484GHz	-55.85	-13.00	-42.85	PK	Hor
2*	3.0187GHz	-49.55	-13.00	-36.55	PK	Hor
3*	4.8314GHz	-48.02	-13.00	-35.02	PK	Hor
4*	7.5790GHz	-44.06	-13.00	-31.06	PK	Hor
5*	10.9599GHz	-41.69	-13.00	-28.69	PK	Hor
6*	17.9405GHz	-37.67	-13.00	-24.67	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.6949GHz	-55.70	-13.00	-42.70	PK	Ver
2*	2.7765GHz	-50.15	-13.00	-37.15	PK	Ver
3*	4.5424GHz	-47.79	-13.00	-34.79	PK	Ver
4*	7.5939GHz	-44.12	-13.00	-31.12	PK	Ver
5*	11.3912GHz	-40.33	-13.00	-27.33	PK	Ver
6*	17.8215GHz	-37.60	-13.00	-24.60	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 12 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4590GHz	-54.25	-13.00	-41.25	PK	Hor
2*	1.7230GHz	-54.51	-13.00	-41.51	PK	Hor
3*	2.5915GHz	-50.29	-13.00	-37.29	PK	Hor
4*	2.9695GHz	-49.36	-13.00	-36.36	PK	Hor
5*	4.8377GHz	-46.46	-13.00	-33.46	PK	Hor
6*	6.1997GHz	-45.88	-13.00	-32.88	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4087GHz	-54.78	-13.00	-41.78	PK	Ver
2*	1.9217GHz	-54.63	-13.00	-41.63	PK	Ver
3*	2.4977GHz	-50.45	-13.00	-37.45	PK	Ver
4*	3.0932GHz	-49.43	-13.00	-36.43	PK	Ver
5*	4.6682GHz	-47.39	-13.00	-34.39	PK	Ver
6*	6.1877GHz	-46.50	-13.00	-33.50	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3555GHz	-55.30	-13.00	-42.30	PK	Hor
2*	1.6750GHz	-54.47	-13.00	-41.47	PK	Hor
3*	2.5150GHz	-50.49	-13.00	-37.49	PK	Hor
4*	3.0632GHz	-49.68	-13.00	-36.68	PK	Hor
5*	4.8362GHz	-47.23	-13.00	-34.23	PK	Hor
6*	6.6460GHz	-45.74	-13.00	-32.74	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4185GHz	-55.41	-13.00	-42.41	PK	Ver
2*	2.2780GHz	-51.43	-13.00	-38.43	PK	Ver
3*	2.7047GHz	-50.52	-13.00	-37.52	PK	Ver
4*	3.5297GHz	-50.10	-13.00	-37.10	PK	Ver
5*	4.7275GHz	-47.41	-13.00	-34.41	PK	Ver
6*	6.7202GHz	-45.52	-13.00	-32.52	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 12 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3277GHz	-55.49	-13.00	-42.49	PK	Hor
2*	1.9067GHz	-53.67	-13.00	-40.67	PK	Hor
3*	2.5525GHz	-50.71	-13.00	-37.71	PK	Hor
4*	3.0955GHz	-49.29	-13.00	-36.29	PK	Hor
5*	4.8835GHz	-47.56	-13.00	-34.56	PK	Hor
6*	6.6812GHz	-45.84	-13.00	-32.84	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4035GHz	-54.93	-13.00	-41.93	PK	Ver
2*	1.8700GHz	-54.04	-13.00	-41.04	PK	Ver
3*	2.4962GHz	-50.39	-13.00	-37.39	PK	Ver
4*	3.1652GHz	-47.18	-13.00	-34.18	PK	Ver
5*	4.8805GHz	-47.48	-13.00	-34.48	PK	Ver
6*	6.7247GHz	-46.49	-13.00	-33.49	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 13 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4327GHz	-55.75	-13.00	-42.75	PK	Hor
2*	1.7492GHz	-54.52	-13.00	-41.52	PK	Hor
3*	2.5015GHz	-50.60	-13.00	-37.60	PK	Hor
4*	3.0557GHz	-49.25	-13.00	-36.25	PK	Hor
5*	4.7387GHz	-46.40	-13.00	-33.40	PK	Hor
6*	6.6752GHz	-45.81	-13.00	-32.81	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3525GHz	-55.43	-13.00	-42.43	PK	Ver
2*	2.1760GHz	-52.11	-13.00	-39.11	PK	Ver
3*	2.7392GHz	-49.67	-13.00	-36.67	PK	Ver
4*	4.6675GHz	-46.46	-13.00	-33.46	PK	Ver
5*	6.1442GHz	-46.21	-13.00	-33.21	PK	Ver
6*	6.9257GHz	-45.44	-13.00	-32.44	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4312GHz	-54.89	-13.00	-41.89	PK	Hor
2*	1.7635GHz	-52.84	-13.00	-39.84	PK	Hor
3*	2.5705GHz	-50.33	-13.00	-37.33	PK	Hor
4*	3.1990GHz	-49.26	-13.00	-36.26	PK	Hor
5*	4.8475GHz	-46.86	-13.00	-33.86	PK	Hor
6*	6.5950GHz	-45.67	-13.00	-32.67	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4665GHz	-55.18	-13.00	-42.18	PK	Ver
2*	1.8070GHz	-54.55	-13.00	-41.55	PK	Ver
3*	2.5300GHz	-50.67	-13.00	-37.67	PK	Ver
4*	3.1667GHz	-49.77	-13.00	-36.77	PK	Ver
5*	4.9150GHz	-47.26	-13.00	-34.26	PK	Ver
6*	6.7232GHz	-45.94	-13.00	-32.94	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 13 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2415GHz	-56.50	-13.00	-43.50	PK	Hor
2*	1.4620GHz	-55.81	-13.00	-42.81	PK	Hor
3*	2.5337GHz	-50.36	-13.00	-37.36	PK	Hor
4*	3.0167GHz	-50.12	-13.00	-37.12	PK	Hor
5*	4.7657GHz	-46.26	-13.00	-33.26	PK	Hor
6*	6.6722GHz	-46.33	-13.00	-33.33	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3330GHz	-56.56	-13.00	-43.56	PK	Ver
2*	1.7320GHz	-53.71	-13.00	-40.71	PK	Ver
3*	2.5127GHz	-50.24	-13.00	-37.24	PK	Ver
4*	3.0910GHz	-49.64	-13.00	-36.64	PK	Ver
5*	4.8257GHz	-47.61	-13.00	-34.61	PK	Ver
6*	6.6542GHz	-45.78	-13.00	-32.78	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 17 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3810GHz	-55.70	-13.00	-42.70	PK	Hor
2*	1.9345GHz	-53.24	-13.00	-40.24	PK	Hor
3*	2.5817GHz	-50.75	-13.00	-37.75	PK	Hor
4*	3.3452GHz	-49.05	-13.00	-36.05	PK	Hor
5*	4.6907GHz	-47.30	-13.00	-34.30	PK	Hor
6*	6.6602GHz	-46.08	-13.00	-33.08	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3937GHz	-55.38	-13.00	-42.38	PK	Ver
2*	1.9157GHz	-53.57	-13.00	-40.57	PK	Ver
3*	2.6987GHz	-50.01	-13.00	-37.01	PK	Ver
4*	3.2357GHz	-49.26	-13.00	-36.26	PK	Ver
5*	4.7027GHz	-47.45	-13.00	-34.45	PK	Ver
6*	6.6362GHz	-45.80	-13.00	-32.80	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3255GHz	-55.89	-13.00	-42.89	PK	Hor
2*	1.7042GHz	-55.07	-13.00	-42.07	PK	Hor
3*	2.2727GHz	-50.76	-13.00	-37.76	PK	Hor
4*	3.2350GHz	-49.70	-13.00	-36.70	PK	Hor
5*	4.8392GHz	-47.45	-13.00	-34.45	PK	Hor
6*	6.7135GHz	-45.56	-13.00	-32.56	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4425GHz	-56.02	-13.00	-43.02	PK	Ver
2*	2.0455GHz	-52.31	-13.00	-39.31	PK	Ver
3*	2.4910GHz	-48.58	-13.00	-35.58	PK	Ver
4*	3.1112GHz	-49.69	-13.00	-36.69	PK	Ver
5*	4.7005GHz	-45.89	-13.00	-32.89	PK	Ver
6*	6.6565GHz	-45.76	-13.00	-32.76	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 17 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4087GHz	-54.91	-13.00	-41.91	PK	Hor
2*	1.7117GHz	-54.63	-13.00	-41.63	PK	Hor
3*	2.5112GHz	-50.10	-13.00	-37.10	PK	Hor
4*	3.1742GHz	-49.58	-13.00	-36.58	PK	Hor
5*	4.7200GHz	-46.24	-13.00	-33.24	PK	Hor
6*	6.6887GHz	-45.59	-13.00	-32.59	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3877GHz	-55.61	-13.00	-42.61	PK	Ver
2*	1.7545GHz	-54.20	-13.00	-41.20	PK	Ver
3*	2.5210GHz	-50.93	-13.00	-37.93	PK	Ver
4*	3.2470GHz	-48.80	-13.00	-35.80	PK	Ver
5*	4.7087GHz	-47.17	-13.00	-34.17	PK	Ver
6*	6.5905GHz	-45.77	-13.00	-32.77	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2996GHz	-56.04	-13.00	-43.04	PK	Hor
2*	3.1760GHz	-49.39	-13.00	-36.39	PK	Hor
3*	4.8144GHz	-47.54	-13.00	-34.54	PK	Hor
4*	7.5854GHz	-43.79	-13.00	-30.79	PK	Hor
5*	10.8239GHz	-41.98	-13.00	-28.98	PK	Hor
6*	17.8321GHz	-37.76	-13.00	-24.76	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.5801GHz	-55.99	-13.00	-42.99	PK	Ver
2*	3.0825GHz	-49.57	-13.00	-36.57	PK	Ver
3*	4.6592GHz	-47.51	-13.00	-34.51	PK	Ver
4*	7.5875GHz	-42.68	-13.00	-29.68	PK	Ver
5*	10.8260GHz	-41.85	-13.00	-28.85	PK	Ver
6*	16.3659GHz	-37.20	-13.00	-24.20	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.2529GHz	-56.97	-13.00	-43.97	PK	Hor
2*	1.6694GHz	-55.05	-13.00	-42.05	PK	Hor
3*	2.9954GHz	-50.21	-13.00	-37.21	PK	Hor
4*	4.8526GHz	-47.84	-13.00	-34.84	PK	Hor
5*	10.8430GHz	-41.34	-13.00	-28.34	PK	Hor
6*	17.7110GHz	-36.87	-13.00	-23.87	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3910GHz	-56.44	-13.00	-43.44	PK	Ver
2*	2.5321GHz	-50.01	-13.00	-37.01	PK	Ver
3*	4.6784GHz	-47.00	-13.00	-34.00	PK	Ver
4*	8.5990GHz	-42.76	-13.00	-29.76	PK	Ver
5*	10.8345GHz	-41.40	-13.00	-28.40	PK	Ver
6*	17.6111GHz	-37.76	-13.00	-24.76	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.7629GHz	-54.51	-13.00	-41.51	PK	Hor
2*	3.2759GHz	-50.33	-13.00	-37.33	PK	Hor
3*	4.8356GHz	-47.17	-13.00	-34.17	PK	Hor
4*	7.5939GHz	-44.20	-13.00	-31.20	PK	Hor
5*	10.8196GHz	-41.95	-13.00	-28.95	PK	Hor
6*	17.8279GHz	-36.55	-13.00	-23.55	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4250GHz	-56.07	-13.00	-43.07	PK	Ver
2*	3.0527GHz	-49.69	-13.00	-36.69	PK	Ver
3*	4.8930GHz	-48.37	-13.00	-35.37	PK	Ver
4*	7.5811GHz	-43.36	-13.00	-30.36	PK	Ver
5*	10.9577GHz	-41.63	-13.00	-28.63	PK	Ver
6*	16.4785GHz	-36.25	-13.00	-23.25	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 66 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3600GHz	-55.72	-13.00	-42.72	PK	Hor
2*	3.2140GHz	-49.66	-13.00	-36.66	PK	Hor
3*	4.8280GHz	-47.16	-13.00	-34.16	PK	Hor
4*	7.5760GHz	-43.48	-13.00	-30.48	PK	Hor
5*	10.8280GHz	-42.71	-13.00	-29.71	PK	Hor
6*	16.3680GHz	-37.38	-13.00	-24.38	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4720GHz	-55.88	-13.00	-42.88	PK	Ver
2*	2.5240GHz	-50.18	-13.00	-37.18	PK	Ver
3*	3.3220GHz	-49.91	-13.00	-36.91	PK	Ver
4*	4.9140GHz	-48.20	-13.00	-35.20	PK	Ver
5*	7.0220GHz	-44.26	-13.00	-31.26	PK	Ver
6*	10.9560GHz	-41.70	-13.00	-28.70	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3400GHz	-55.88	-13.00	-42.88	PK	Hor
2*	2.5480GHz	-49.83	-13.00	-36.83	PK	Hor
3*	5.2520GHz	-47.72	-13.00	-34.72	PK	Hor
4*	7.5820GHz	-43.81	-13.00	-30.81	PK	Hor
5*	10.8300GHz	-41.38	-13.00	-28.38	PK	Hor
6*	16.4780GHz	-38.06	-13.00	-25.06	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.3880GHz	-55.96	-13.00	-42.96	PK	Ver
2*	2.9580GHz	-49.62	-13.00	-36.62	PK	Ver
3*	4.8760GHz	-47.57	-13.00	-34.57	PK	Ver
4*	7.4640GHz	-44.51	-13.00	-31.51	PK	Ver
5*	9.3700GHz	-41.80	-13.00	-28.80	PK	Ver
6*	15.0420GHz	-38.64	-13.00	-25.64	PK	Ver

Project: LGT23E077	Test Engineer: Dylan.shi
EUT: Smart LTE Terminal	Temperature: 25.8°C
M/N: M6L	Humidity: 59%RH
Test Voltage: DC 12V	Test Data: 2023-06-18
Test Mode: LTE Band 66 Upper	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4420GHz	-56.18	-13.00	-43.18	PK	Hor
2*	2.2000GHz	-51.87	-13.00	-38.87	PK	Hor
3*	3.2180GHz	-50.47	-13.00	-37.47	PK	Hor
4*	4.6960GHz	-47.58	-13.00	-34.58	PK	Hor
5*	10.8380GHz	-41.41	-13.00	-28.41	PK	Hor
6*	16.3620GHz	-35.96	-13.00	-22.96	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.4320GHz	-55.74	-13.00	-42.74	PK	Ver
2*	1.7980GHz	-53.11	-13.00	-40.11	PK	Ver
3*	3.2520GHz	-48.91	-13.00	-35.91	PK	Ver
4*	4.8100GHz	-46.82	-13.00	-33.82	PK	Ver
5*	10.8340GHz	-41.63	-13.00	-28.63	PK	Ver
6*	16.4680GHz	-37.64	-13.00	-24.64	PK	Ver

*****END OF THE REPORT*****