





11n20







11n40




Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b																																																
CH01	 <p>1Pk Max</p> <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.41106 GHz</td> <td>4.46 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4 GHz</td> <td>-42.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.39 GHz</td> <td>-59.03 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.31 GHz</td> <td>-59.79 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td></td> <td>2.399113 GHz</td> <td>-39.77 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 AUG 2024 14:24:54</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.41106 GHz	4.46 dBm			M2	1			2.4 GHz	-42.73 dBm			M3	1			2.39 GHz	-59.03 dBm			M4	1			2.31 GHz	-59.79 dBm			M5	1			2.399113 GHz	-39.77 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.41106 GHz	4.46 dBm																																														
M2	1			2.4 GHz	-42.73 dBm																																														
M3	1			2.39 GHz	-59.03 dBm																																														
M4	1			2.31 GHz	-59.79 dBm																																														
M5	1			2.399113 GHz	-39.77 dBm																																														
CH11	 <p>1Pk Max</p> <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.462524 GHz</td> <td>4.79 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td></td> <td>2.4835 GHz</td> <td>-56.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td></td> <td>2.5 GHz</td> <td>-59.34 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td></td> <td>2.4845565 GHz</td> <td>-55.18 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 AUG 2024 14:29:49</p>			Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.462524 GHz	4.79 dBm			M2	1			2.4835 GHz	-56.77 dBm			M3	1			2.5 GHz	-59.34 dBm			M4	1			2.4845565 GHz	-55.18 dBm										
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																												
M1	1			2.462524 GHz	4.79 dBm																																														
M2	1			2.4835 GHz	-56.77 dBm																																														
M3	1			2.5 GHz	-59.34 dBm																																														
M4	1			2.4845565 GHz	-55.18 dBm																																														


Test Item:	Bandedge	Type:	802.11 g																																										
CH01	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>1PK Max</p> <p>M1[1] -3.39 dBm 2.419490 GHz M2[1] -39.76 dBm 2.400000 GHz</p> <p>D1 -23.390 dBm</p> <p>M3 M4 M5</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.41949 GHz</td> <td>-3.39 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4 GHz</td> <td>-39.76 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.39 GHz</td> <td>-51.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.31 GHz</td> <td>-59.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td>1</td> <td>2.3996 GHz</td> <td>-37.78 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 30.SEP.2024 10:20:12</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.41949 GHz	-3.39 dBm			M2	1	1	2.4 GHz	-39.76 dBm			M3	1	1	2.39 GHz	-51.10 dBm			M4	1	1	2.31 GHz	-59.74 dBm			M5	1	1	2.3996 GHz	-37.78 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.41949 GHz	-3.39 dBm																																									
M2	1	1	2.4 GHz	-39.76 dBm																																									
M3	1	1	2.39 GHz	-51.10 dBm																																									
M4	1	1	2.31 GHz	-59.74 dBm																																									
M5	1	1	2.3996 GHz	-37.78 dBm																																									
CH11	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>1PK Max</p> <p>M1[1] -0.59 dBm 2.4669700 GHz M2[1] -54.62 dBm 2.4835000 GHz</p> <p>D1 -20.690 dBm</p> <p>M3 M4</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.46697 GHz</td> <td>-0.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4835 GHz</td> <td>-54.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.5 GHz</td> <td>-59.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.4870609 GHz</td> <td>-50.94 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 30.SEP.2024 10:23:42</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.46697 GHz	-0.59 dBm			M2	1	1	2.4835 GHz	-54.62 dBm			M3	1	1	2.5 GHz	-59.81 dBm			M4	1	1	2.4870609 GHz	-50.94 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.46697 GHz	-0.59 dBm																																									
M2	1	1	2.4835 GHz	-54.62 dBm																																									
M3	1	1	2.5 GHz	-59.81 dBm																																									
M4	1	1	2.4870609 GHz	-50.94 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01		 <p>1PK Max</p> <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>M1[1] -0.63 dBm 2.419490 GHz M2[1] -36.99 dBm 2.400000 GHz M3[2] -50.59 dBm 2.39 GHz M4 -59.98 dBm 2.31 GHz M5 -37.80 dBm 2.397652 GHz</p> <p>D1 -20.630 dBm</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.41949 GHz</td> <td>-0.63 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4 GHz</td> <td>-36.99 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.39 GHz</td> <td>-50.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.31 GHz</td> <td>-59.98 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td>1</td> <td>2.397652 GHz</td> <td>-37.80 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 30.SEP.2024 10:25:42</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.41949 GHz	-0.63 dBm			M2	1	1	2.4 GHz	-36.99 dBm			M3	1	1	2.39 GHz	-50.59 dBm			M4	1	1	2.31 GHz	-59.98 dBm			M5	1	1	2.397652 GHz	-37.80 dBm			
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.41949 GHz	-0.63 dBm																																									
M2	1	1	2.4 GHz	-36.99 dBm																																									
M3	1	1	2.39 GHz	-50.59 dBm																																									
M4	1	1	2.31 GHz	-59.98 dBm																																									
M5	1	1	2.397652 GHz	-37.80 dBm																																									
CH11		 <p>1PK Max</p> <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>M1[1] -1.05 dBm 2.4694700 GHz M2[1] -50.62 dBm 2.4835000 GHz M3 -59.30 dBm 2.5 GHz M4 -49.81 dBm 2.4836522 GHz</p> <p>D1 -21.050 dBm</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.46947 GHz</td> <td>-1.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4835 GHz</td> <td>-50.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.5 GHz</td> <td>-59.30 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.4836522 GHz</td> <td>-49.81 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 30.SEP.2024 10:29:18</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.46947 GHz	-1.05 dBm			M2	1	1	2.4835 GHz	-50.62 dBm			M3	1	1	2.5 GHz	-59.30 dBm			M4	1	1	2.4836522 GHz	-49.81 dBm										
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.46947 GHz	-1.05 dBm																																									
M2	1	1	2.4835 GHz	-50.62 dBm																																									
M3	1	1	2.5 GHz	-59.30 dBm																																									
M4	1	1	2.4836522 GHz	-49.81 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT40)																																										
CH03	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 303.4 μs VBW 300 kHz Mode Auto FFT Count 263/300</p> <p>1PK Max</p> <p>M1[1] -2.61 dBm 2.427000 GHz M2[1] -42.47 dBm 2.427000 GHz M3 -48.21 dBm 2.39 GHz M4 -60.97 dBm 2.31 GHz M5 -38.01 dBm 2.396087 GHz</p> <p>D1 -22.610 dBm</p> <p>Start 2.31 GHz 691 pts Stop 2.442 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.427 GHz</td> <td>-2.61 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4 GHz</td> <td>-42.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.39 GHz</td> <td>-48.21 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.31 GHz</td> <td>-60.97 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td>1</td> <td>2.396087 GHz</td> <td>-38.01 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 30.SEP.2024 10:31:20</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.427 GHz	-2.61 dBm			M2	1	1	2.4 GHz	-42.47 dBm			M3	1	1	2.39 GHz	-48.21 dBm			M4	1	1	2.31 GHz	-60.97 dBm			M5	1	1	2.396087 GHz	-38.01 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.427 GHz	-2.61 dBm																																									
M2	1	1	2.4 GHz	-42.47 dBm																																									
M3	1	1	2.39 GHz	-48.21 dBm																																									
M4	1	1	2.31 GHz	-60.97 dBm																																									
M5	1	1	2.396087 GHz	-38.01 dBm																																									
CH09	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1PK Max</p> <p>M1[1] -4.75 dBm 2.464524 GHz M2[1] -49.05 dBm 2.4835000 GHz M3 -54.94 dBm 2.5 GHz M4 -45.40 dBm 2.4852174 GHz</p> <p>D1 -24.750 dBm</p> <p>Start 2.432 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.464524 GHz</td> <td>-4.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4835 GHz</td> <td>-49.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.5 GHz</td> <td>-54.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.4852174 GHz</td> <td>-45.40 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 30.SEP.2024 10:34:06</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.464524 GHz	-4.75 dBm			M2	1	1	2.4835 GHz	-49.05 dBm			M3	1	1	2.5 GHz	-54.94 dBm			M4	1	1	2.4852174 GHz	-45.40 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.464524 GHz	-4.75 dBm																																									
M2	1	1	2.4835 GHz	-49.05 dBm																																									
M3	1	1	2.5 GHz	-54.94 dBm																																									
M4	1	1	2.4852174 GHz	-45.40 dBm																																									


Test Item:	SE	Type:	802.11b
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

CH06
Reference level




Date: 22 AUG 2024 14:27:29

CH06
30MHz~1000MHz




Date: 22 AUG 2024 14:27:44

CH06
1GHz~26GHz




Date: 22 AUG 2024 14:28:00

CH11
Reference level




Date: 22 AUG 2024 14:29:55

CH11
30MHz~1000MHz






Date: 22 AUG 2024 14:40:10


CH11
1GHz~26GHz



Date: 22 AUG 2024 14:40:25


Test Item:	SE	Type:	802.11g
<p>CH01 Reference level</p>		 <p>Date: 30.SEP.2024 10:20:19</p>	
<p>CH01 30MHz~1000MHz</p>		 <p>Date: 30.SEP.2024 10:20:34</p>	
<p>CH01 1GHz~26GHz</p>		 <p>Date: 30.SEP.2024 10:20:50</p>	

CH06
Reference level




Date: 30 SEP 2024 10:22:03

CH06
30MHz~1000MHz




Date: 30 SEP 2024 10:22:18

CH06
1GHz~26GHz




Date: 30 SEP 2024 10:22:33


CH11
Reference level






CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	SE	Type:	802.11n(HT20)
<p>CH01 Reference level</p>		 <p>Date: 30.SEP.2024 10:25:48</p>	
<p>CH01 30MHz~1000MHz</p>		 <p>Date: 30.SEP.2024 10:26:03</p>	
<p>CH01 1GHz~26GHz</p>		 <p>Date: 30.SEP.2024 10:26:18</p>	


CH06
Reference level




CH06
30MHz~1000MHz



CH06
1GHz~26GHz




CH11
Reference level




Date: 30 SEP 2024 10:29:23

CH11
30MHz~1000MHz






Date: 30 SEP 2024 10:29:28


CH11
1GHz~26GHz



Date: 30 SEP 2024 10:29:54


Test Item:	SE	Type:	802.11n(HT40)
<p>CH03 Reference level</p>			
<p>CH03 30MHz~1000MHz</p>			
<p>CH03 1GHz~26GHz</p>			

CH06
Reference level




Date: 30 SEP 2024 10:33:06

CH06
30MHz~1000MHz




Date: 30 SEP 2024 10:33:21

CH06
1GHz~26GHz




Date: 30 SEP 2024 10:33:36


CH09
Reference level



CH09
30MHz~1000MHz



CH09
1GHz~26GHz



-----End of Report-----