







EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>EUT Housing and Board View 1</p>	 <p>This photograph shows the internal components of the EUT housing and board. A yellow measuring tape is placed vertically on the left and horizontally at the bottom for scale. The components include a circular metal housing, a printed circuit board (PCB) with various electronic components, and a white rectangular LED driver module connected by wires.</p>
<p>EUT Housing and Board View 2</p>	 <p>This photograph provides a close-up view of the LED driver module. A ruler is placed vertically on the left and horizontally at the bottom for scale. The module is a white rectangular component with several wires (red, black, and white) extending from it. The text on the module includes: "EUT Constant Current LED Driver 7 Watt driver", "Compliance IEC 60950-1", "Class 2", "Input: AC 100V-240V 50/60Hz", "Output: DC 1.2V-3.0V 100mA", "Power: 7W", "Model: WTX21X01000209W", "Factory: Shenzhen WTX21 Co., Ltd.", "Address: No. 1000001, F5-201, W. 301", "City: Shenzhen, China", "Phone: +86-755-2666-1111", "Fax: +86-755-2666-1112", "E-mail: sales@wtx21.com", "www.wtx21.com".</p>





<p>Solder Board-Component View 3</p>	 A photograph showing a yellow component on a blue textured surface. The component is rectangular with a central black area and two circular holes on either side. It is positioned above a black ruler with white markings. The ruler has two scales: one vertical on the left (0 to 100 mm) and one horizontal at the bottom (0 to 100 mm). The component is approximately 40 mm wide and 10 mm high.
<p>Solder Board-Component View 4</p>	 A photograph showing a green component on a blue textured surface. The component is rectangular with a central area containing several small components and two circular holes on either side. It is positioned above a black ruler with white markings. The ruler has two scales: one vertical on the left (0 to 100 mm) and one horizontal at the bottom (0 to 100 mm). The component is approximately 40 mm wide and 10 mm high.