


Report No.: SUHR/2022/1001105

Rev.: 01

Page: 69 of 348

802.11n20 Channel 52



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8650.5	38.94	-3.28	35.66	54.00	18.34	165	87	Horizontal				
2	8714.7083	48.74	-3.37	45.37	74.00	28.63	148	110	Horizontal				
3	10520.0000	34.71	0.37	35.08	54.00	18.92	197	154	Horizontal				
4	10520.0000	42.93	0.37	43.30	74.00	30.70	222	43	Horizontal				
5	15780.0000	40.92	5.12	46.04	74.00	27.96	234	43	Horizontal				
6	15780.0000	33.66	5.12	38.78	54.00	15.22	188	3	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 70 of 348

802.11n20 Channel 52



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7999.7917	51.22	-5.12	46.10	74.00	27.90	145	358	Vertical				
2	8039.5625	39.31	-4.79	34.52	54.00	19.48	277	311	Vertical				
3	10520.0000	35.90	0.37	36.27	54.00	17.73	196	350	Vertical				
4	10520.0000	43.10	0.37	43.47	74.00	30.53	235	133	Vertical				
5	15780.0000	42.81	5.12	47.93	74.00	26.07	188	133	Vertical				
6	15780.0000	34.77	5.12	39.89	54.00	14.11	270	222	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 71 of 348

802.11n20 Channel 60



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8676.8542	39.58	-3.36	36.22	54.00	17.78	148	358	Horizontal				
2	8707.5208	48.21	-3.40	44.81	74.00	29.19	196	185	Horizontal				
3	10600.0000	33.86	1.05	34.91	54.00	19.09	254	111	Horizontal				
4	10600.0000	41.52	1.05	42.57	74.00	31.43	172	4	Horizontal				
5	15900.0000	34.38	3.90	38.28	54.00	15.72	234	311	Horizontal				
6	15900.0000	42.74	3.90	46.64	74.00	27.36	156	87	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 72 of 348

802.11n20 Channel 60



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8421.9375	49.12	-4.09	45.03	74.00	28.97	184	66	Vertical				
2	8430.0833	39.54	-4.11	35.43	54.00	18.57	172	348	Vertical				
3	10600.0000	36.36	1.05	37.41	54.00	16.59	266	358	Vertical				
4	10600.0000	44.59	1.05	45.64	74.00	28.36	291	244	Vertical				
5	15900.0000	34.75	3.90	38.65	54.00	15.35	210	66	Vertical				
6	15900.0000	43.16	3.90	47.06	74.00	26.94	144	244	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 73 of 348

802.11n20 Channel 64



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8656.25	48.97	-3.30	45.67	74.00	28.33	158	43	Horizontal				
2	8660.0833	39.32	-3.31	36.01	54.00	17.99	148	200	Horizontal				
3	10640.0000	33.50	1.29	34.79	54.00	19.21	127	350	Horizontal				
4	10640.0000	41.50	1.29	42.79	74.00	31.21	238	133	Horizontal				
5	15960.0000	41.88	3.30	45.18	74.00	28.82	144	311	Horizontal				
6	15960.0000	33.68	3.30	36.98	54.00	17.02	299	265	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 74 of 348

802.11n20 Channel 64



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8405.1667	48.42	-4.05	44.37	74.00	29.63	184	22	Vertical				
2	8469.375	39.70	-4.19	35.51	54.00	18.49	172	110	Vertical				
3	10640.0000	34.69	1.29	35.98	54.00	18.02	268	22	Vertical				
4	10640.0000	45.11	1.29	46.40	74.00	27.60	194	22	Vertical				
5	15960.0000	43.80	3.30	47.10	74.00	26.90	235	67	Vertical				
6	15960.0000	34.67	3.30	37.97	54.00	16.03	210	331	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 75 of 348

802.11n20 Channel 100



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8646.1875	48.19	-3.27	44.92	74.00	29.08	125	358	Horizontal				
2	8680.2083	38.93	-3.37	35.56	54.00	18.44	184	184	Horizontal				
3	11000.0000	33.55	1.48	35.03	54.00	18.97	172	287	Horizontal				
4	11000.0000	41.07	1.48	42.55	74.00	31.45	233	311	Horizontal				
5	16500.0000	44.65	3.64	48.29	74.00	25.71	265	156	Horizontal				
6	16500.0000	36.24	3.64	39.88	54.00	14.12	299	358	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 76 of 348

802.11n20 Channel 100



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8654.3333	48.71	-3.29	45.42	74.00	28.58	186	25	Vertical				
2	8759.75	39.01	-3.21	35.80	54.00	18.20	254	109	Vertical				
3	11000.0000	35.73	1.48	37.21	54.00	16.79	194	357	Vertical				
4	11000.0000	43.00	1.48	44.48	74.00	29.52	172	348	Vertical				
5	16500.0000	43.36	3.64	47.00	74.00	27.00	266	48	Vertical				
6	16500.0000	36.19	3.64	39.83	54.00	14.17	157	263	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 77 of 348

802.11n20 Channel 104



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8606.4167	48.27	-3.16	45.11	74.00	28.89	184	254	Horizontal				
2	8674.9375	39.46	-3.35	36.11	54.00	17.89	172	22	Horizontal				
3	11040.0000	40.67	1.42	42.09	74.00	31.91	233	240	Horizontal				
4	11040.0000	33.15	1.42	34.57	54.00	19.43	266	307	Horizontal				
5	16560.0000	35.53	3.62	39.15	54.00	14.85	294	240	Horizontal				
6	16560.0000	44.54	3.62	48.16	74.00	25.84	155	357	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 78 of 348

802.11n20 Channel 104



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8861.3333	48.11	-2.88	45.23	74.00	28.77	187	288	Vertical				
2	9226.4583	37.86	-1.62	36.24	54.00	17.76	194	22	Vertical				
3	11040.0000	33.88	1.42	35.30	54.00	18.70	173	110	Vertical				
4	11040.0000	41.67	1.42	43.09	74.00	30.91	251	288	Vertical				
5	16560.0000	36.21	3.62	39.83	54.00	14.17	140	144	Vertical				
6	16560.0000	43.61	3.62	47.23	74.00	26.77	299	200	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 79 of 348

802.11n20 Channel 116



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8030.9375	48.41	-4.86	43.55	74.00	30.45	148	200	Horizontal				
2	8402.2917	39.96	-4.05	35.91	54.00	18.09	194	184	Horizontal				
3	11160.0000	33.65	2.05	35.70	54.00	18.30	235	255	Horizontal				
4	11160.0000	42.56	2.05	44.61	74.00	29.39	170	311	Horizontal				
5	16740.0000	45.75	3.54	49.29	74.00	24.71	140	4	Horizontal				
6	16740.0000	35.27	3.54	38.81	54.00	15.19	288	349	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 80 of 348

802.11n20 Channel 116



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8356.2917	48.75	-4.31	44.44	74.00	29.56	187	236	Vertical				
2	8404.6875	39.86	-4.05	35.81	54.00	18.19	149	212	Vertical				
3	11160.0000	34.92	2.05	36.97	54.00	17.03	233	67	Vertical				
4	11160.0000	42.69	2.05	44.74	74.00	29.26	238	45	Vertical				
5	16740.0000	43.20	3.54	46.74	74.00	27.26	201	326	Vertical				
6	16740.0000	35.48	3.54	39.02	54.00	14.98	105	302	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 81 of 348

802.11n20_Channel 120



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8425.2917	40.12	-4.10	36.02	54.00	17.98	168	148	Horizontal				
2	8653.8542	48.60	-3.29	45.31	74.00	28.69	147	4	Horizontal				
3	11200.0000	34.06	2.51	36.57	54.00	17.43	140	266	Horizontal				
4	11200.0000	42.06	2.51	44.57	74.00	29.43	192	66	Horizontal				
5	16800.0000	43.00	3.73	46.73	74.00	27.27	254	332	Horizontal				
6	16800.0000	35.12	3.73	38.85	54.00	15.15	135	255	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 82 of 348

802.11n20 Channel 120



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8405.6458	49.50	-4.05	45.45	74.00	28.55	168	88	Vertical				
2	8647.1458	39.11	-3.27	35.84	54.00	18.16	145	245	Vertical				
3	11200.0000	42.41	2.51	44.92	74.00	29.08	192	67	Vertical				
4	11200.0000	34.11	2.51	36.62	54.00	17.38	170	177	Vertical				
5	16800.0000	44.04	3.73	47.77	74.00	26.23	233	334	Vertical				
6	16800.0000	35.55	3.73	39.28	54.00	14.72	215	144	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 83 of 348

802.11n20 Channel 124



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8686.4375	39.60	-3.39	36.21	54.00	17.79	184	222	Horizontal				
2	8975.8542	47.50	-2.69	44.81	74.00	29.19	172	44	Horizontal				
3	11240.0000	33.29	2.26	35.55	54.00	18.45	126	111	Horizontal				
4	11240.0000	41.20	2.26	43.46	74.00	30.54	230	358	Horizontal				
5	16860.0000	42.79	4.14	46.93	74.00	27.07	154	177	Horizontal				
6	16860.0000	35.69	4.14	39.83	54.00	14.17	191	203	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 84 of 348

802.11n20_Channel 124



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8687.875	39.23	-3.39	35.84	54.00	18.16	184	334	Vertical				
2	8865.1667	48.80	-2.87	45.93	74.00	28.07	172	179	Vertical				
3	11240.0000	35.79	2.26	38.05	54.00	15.95	194	313	Vertical				
4	11240.0000	41.61	2.26	43.87	74.00	30.13	256	313	Vertical				
5	16860.0000	42.67	4.14	46.81	74.00	27.19	201	222	Vertical				
6	16860.0000	35.02	4.14	39.16	54.00	14.84	255	246	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 85 of 348

802.11n20_Channel 128



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8409	49.15	-4.06	45.09	74.00	28.91	235	186	Horizontal			
2	8644.2708	39.11	-3.27	35.84	54.00	18.16	294	359	Horizontal			
3	11280.0000	41.11	2.00	43.11	74.00	30.89	184	253	Horizontal			
4	11280.0000	33.13	2.00	35.13	54.00	18.87	175	98	Horizontal			
5	16920.0000	44.55	4.49	49.04	74.00	24.96	170	186	Horizontal			
6	16920.0000	35.05	4.49	39.54	54.00	14.46	210	342	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 86 of 348

802.11n20 Channel 128



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8698.8958	48.65	-3.42	45.23	74.00	28.77	284	220	Vertical				
2	8701.7708	39.74	-3.42	36.32	54.00	17.68	144	110	Vertical				
3	11280.0000	42.84	2.00	44.84	74.00	29.16	265	288	Vertical				
4	11280.0000	34.13	2.00	36.13	54.00	17.87	215	350	Vertical				
5	16920.0000	43.63	4.49	48.12	74.00	25.88	149	4	Vertical				
6	16920.0000	36.31	4.49	40.80	54.00	13.20	190	4	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 87 of 348

802.11n20_Channel 132



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8405.1667	39.82	-4.05	35.77	54.00	18.23	184	241	Horizontal				
2	9257.6042	47.10	-1.64	45.46	74.00	28.54	125	235	Horizontal				
3	11320.0000	40.81	1.82	42.63	74.00	31.37	178	102	Horizontal				
4	11320.0000	33.46	1.82	35.28	54.00	18.72	199	314	Horizontal				
5	16980.0000	34.84	4.72	39.56	54.00	14.44	146	258	Horizontal				
6	16980.0000	44.12	4.72	48.84	74.00	25.16	201	164	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 88 of 348

802.11n20 Channel 132



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8408.0417	40.05	-4.06	35.99	54.00	18.01	254	155	Vertical				
2	8430.0833	49.38	-4.11	45.27	74.00	28.73	296	88	Vertical				
3	11320.0000	41.59	1.82	43.41	74.00	30.59	142	267	Vertical				
4	11320.0000	33.98	1.82	35.80	54.00	18.20	173	67	Vertical				
5	16980.0000	34.77	4.72	39.49	54.00	14.51	201	43	Vertical				
6	16980.0000	44.39	4.72	49.11	74.00	24.89	233	110	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 89 of 348

802.11n20 Channel 136



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8316.5208	48.83	-4.56	44.27	74.00	29.73	184	221	Horizontal				
2	8405.6458	39.86	-4.05	35.81	54.00	18.19	255	43	Horizontal				
3	11360.0000	41.32	1.71	43.03	74.00	30.97	174	158	Horizontal				
4	11360.0000	33.21	1.71	34.92	54.00	19.08	284	133	Horizontal				
5	17040.0000	35.23	4.81	40.04	54.00	13.96	231	245	Horizontal				
6	17040.0000	43.09	4.81	47.90	74.00	26.10	201	358	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 90 of 348

802.11n20 Channel 136



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8869.9583	48.08	-2.86	45.22	74.00	28.78	269	357	Vertical			
2	9392.25	37.69	-1.45	36.24	54.00	17.76	142	331	Vertical			
3	11360.0000	41.58	1.71	43.29	74.00	30.71	233	357	Vertical			
4	11360.0000	33.39	1.71	35.10	54.00	18.90	188	310	Vertical			
5	17040.0000	34.54	4.81	39.35	54.00	14.65	205	86	Vertical			
6	17040.0000	43.01	4.81	47.82	74.00	26.18	160	348	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 91 of 348

802.11n20 Channel 140



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8405.6458	39.76	-4.05	35.71	54.00	18.29	266	267	Horizontal				
2	8654.8125	48.30	-3.30	45.00	74.00	29.00	142	4	Horizontal				
3	11400.0000	33.74	1.60	35.34	54.00	18.66	236	243	Horizontal				
4	11400.0000	41.39	1.60	42.99	74.00	31.01	175	110	Horizontal				
5	17100.0000	35.48	4.81	40.29	54.00	13.71	194	359	Horizontal				
6	17100.0000	43.69	4.81	48.50	74.00	25.50	170	184	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 92 of 348

802.11n20 Channel 140



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7959.0625	40.80	-5.42	35.38	54.00	18.62	148	198	Vertical				
2	8031.4167	49.21	-4.86	44.35	74.00	29.65	266	265	Vertical				
3	11400.0000	34.79	1.60	36.39	54.00	17.61	172	152	Vertical				
4	11400.0000	42.08	1.60	43.68	74.00	30.32	294	265	Vertical				
5	17100.0000	35.05	4.81	39.86	54.00	14.14	238	198	Vertical				
6	17100.0000	43.79	4.81	48.60	74.00	25.40	144	287	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 93 of 348

802.11n20 Channel 144



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8364.9167	40.40	-4.26	36.14	54.00	17.86	258	157	Horizontal				
2	8408.5208	49.31	-4.06	45.25	74.00	28.75	212	265	Horizontal				
3	11440.0000	33.73	1.96	35.69	54.00	18.31	277	314	Horizontal				
4	11440.0000	42.96	1.96	44.92	74.00	29.08	203	311	Horizontal				
5	17160.0000	43.96	4.22	48.18	74.00	25.82	289	301	Horizontal				
6	17160.0000	36.32	4.22	40.54	54.00	13.46	214	348	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 94 of 348

802.11n20 Channel 144



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7977.2708	51.56	-5.28	46.28	74.00	27.72	214	142	Vertical				
2	7977.75	40.35	-5.28	35.07	54.00	18.93	269	201	Vertical				
3	11440.0000	34.29	1.96	36.25	54.00	17.75	284	255	Vertical				
4	11440.0000	42.48	1.96	44.44	74.00	29.56	173	134	Vertical				
5	17160.0000	44.73	4.22	48.95	74.00	25.05	205	112	Vertical				
6	17160.0000	36.67	4.22	40.89	54.00	13.11	233	336	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 95 of 348

802.11n20 Channel 149



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8386.4792	40.06	-4.12	35.94	54.00	18.06	184	358	Horizontal				
2	8391.2708	50.29	-4.09	46.20	74.00	27.80	172	88	Horizontal				
3	11440.0000	42.00	1.96	43.96	74.00	30.04	182	358	Horizontal				
4	11440.0000	33.68	1.96	35.64	54.00	18.36	269	43	Horizontal				
5	17160.0000	44.29	4.22	48.51	74.00	25.49	235	350	Horizontal				
6	17160.0000	35.92	4.22	40.14	54.00	13.86	140	4	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 96 of 348

802.11n20 Channel 149



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8645.2292	48.86	-3.27	45.59	74.00	28.41	174	155	Vertical				
2	8801.4375	39.25	-3.06	36.19	54.00	17.81	195	289	Vertical				
3	11440.0000	33.57	1.96	35.53	54.00	18.47	166	310	Vertical				
4	11440.0000	42.98	1.96	44.94	74.00	29.06	238	23	Vertical				
5	17160.0000	44.12	4.22	48.34	74.00	25.66	148	66	Vertical				
6	17160.0000	36.22	4.22	40.44	54.00	13.56	201	198	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 97 of 348

802.11n20_Channel 157



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8232.6667	49.33	-4.94	44.39	74.00	29.61	148	87	Horizontal				
2	9151.2292	38.41	-1.87	36.54	54.00	17.46	159	130	Horizontal				
3	11570.0000	33.08	2.08	35.16	54.00	18.84	265	359	Horizontal				
4	11570.0000	42.05	2.08	44.13	74.00	29.87	245	263	Horizontal				
5	17355.0000	42.45	3.80	46.25	74.00	27.75	175	263	Horizontal				
6	17355.0000	34.16	3.80	37.96	54.00	16.04	231	152	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 98 of 348

802.11n20 Channel 157



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	8351.0208	49.46	-4.35	45.11	74.00	28.89	287	178	Vertical		
2	8401.8125	40.76	-4.04	36.72	54.00	17.28	149	312	Vertical		
3	11570.0000	40.94	2.08	43.02	74.00	30.98	235	288	Vertical		
4	11570.0000	34.27	2.08	36.35	54.00	17.65	170	288	Vertical		
5	17355.0000	41.86	3.80	45.66	74.00	28.34	144	67	Vertical		
6	17355.0000	33.90	3.80	37.70	54.00	16.30	222	351	Vertical		






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 99 of 348

802.11n20 Channel 165



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8655.7708	39.01	-3.30	35.71	54.00	18.29	172	14	Horizontal				
2	9023.7708	47.50	-2.54	44.96	74.00	29.04	155	26	Horizontal				
3	11650.0000	40.47	2.32	42.79	74.00	31.21	238	220	Horizontal				
4	11650.0000	33.19	2.32	35.51	54.00	18.49	194	174	Horizontal				
5	17475.0000	41.66	5.04	46.70	74.00	27.30	145	185	Horizontal				
6	17475.0000	34.15	5.04	39.19	54.00	14.81	201	132	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 100 of 348

802.11n20 Channel 165



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	8421.9375	40.33	-4.09	36.24	54.00	17.76	248	157	Vertical		
2	8700.8125	48.61	-3.42	45.19	74.00	28.81	268	311	Vertical		
3	11650.0000	41.68	2.32	44.00	74.00	30.00	144	200	Vertical		
4	11650.0000	33.55	2.32	35.87	54.00	18.13	172	359	Vertical		
5	17475.0000	34.25	5.04	39.29	54.00	14.71	198	45	Vertical		
6	17475.0000	42.77	5.04	47.81	74.00	26.19	217	45	Vertical		






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 101 of 348

802.11ac20 Channel 36



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8406.6042	49.75	-4.05	45.70	74.00	28.30	148	177	Horizontal				
2	8763.5833	39.77	-3.19	36.58	54.00	17.42	254	312	Horizontal				
3	10360.0000	35.55	0.03	35.58	54.00	18.42	196	360	Horizontal				
4	10360.0000	44.35	0.03	44.38	74.00	29.62	283	290	Horizontal				
5	15540.0000	41.96	3.71	45.67	74.00	28.33	170	110	Horizontal				
6	15540.0000	34.41	3.71	38.12	54.00	15.88	255	65	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 102 of 348

802.11ac20 Channel 36



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8401.8125	49.34	-4.04	45.30	74.00	28.70	142	222	Vertical			
2	8650.9792	39.48	-3.29	36.19	54.00	17.81	188	90	Vertical			
3	10360.0000	37.07	0.03	37.10	54.00	16.90	197	133	Vertical			
4	10360.0000	44.55	0.03	44.58	74.00	29.42	146	354	Vertical			
5	15540.0000	42.47	3.71	46.18	74.00	27.82	238	44	Vertical			
6	15540.0000	34.07	3.71	37.78	54.00	16.22	115	313	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 103 of 348

802.11ac20_Channel 40



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7418.5625	52.30	-6.38	45.92	74.00	28.08	148	358	Horizontal			
2	8410.9167	40.00	-4.06	35.94	54.00	18.06	195	198	Horizontal			
3	10400.0000	35.47	0.14	35.61	54.00	18.39	163	43	Horizontal			
4	10400.0000	43.05	0.14	43.19	74.00	30.81	235	334	Horizontal			
5	15600.0000	34.32	4.07	38.39	54.00	15.61	147	312	Horizontal			
6	15600.0000	42.51	4.07	46.58	74.00	27.42	201	88	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 104 of 348

802.11ac20 Channel 40



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	7848.375	40.58	-5.82	34.76	54.00	19.24	254	148	Vertical		
2	7992.125	50.82	-5.18	45.64	74.00	28.36	123	132	Vertical		
3	10400.0000	36.19	0.14	36.33	54.00	17.67	294	3	Vertical		
4	10400.0000	43.63	0.14	43.77	74.00	30.23	172	177	Vertical		
5	15600.0000	33.68	4.07	37.75	54.00	16.25	155	198	Vertical		
6	15600.0000	41.82	4.07	45.89	74.00	28.11	177	267	Vertical		






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 105 of 348

802.11ac20 Channel 44



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9258.5625	38.72	-1.64	37.08	54.00	16.92	148	322	Horizontal				
2	9331.875	47.98	-1.58	46.40	74.00	27.60	254	87	Horizontal				
3	10400.0000	34.87	0.14	35.01	54.00	18.99	172	22	Horizontal				
4	10400.0000	42.31	0.14	42.45	74.00	31.55	259	184	Horizontal				
5	15600.0000	41.97	4.07	46.04	74.00	27.96	142	255	Horizontal				
6	15600.0000	33.64	4.07	37.71	54.00	16.29	231	136	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 106 of 348

802.11ac20 Channel 44



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8349.1042	40.14	-4.36	35.78	54.00	18.22	140	154	Vertical				
2	8432.9583	49.42	-4.11	45.31	74.00	28.69	258	22	Vertical				
3	10400.0000	44.19	0.14	44.33	74.00	29.67	176	330	Vertical				
4	10400.0000	35.01	0.14	35.15	54.00	18.85	159	198	Vertical				
5	15600.0000	41.90	4.07	45.97	74.00	28.03	235	220	Vertical				
6	15600.0000	33.25	4.07	37.32	54.00	16.68	184	22	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 107 of 348

802.11ac20 Channel 48



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8400.375	49.12	-4.04	45.08	74.00	28.92	144	110	Horizontal			
2	8401.8125	40.17	-4.04	36.13	54.00	17.87	258	64	Horizontal			
3	10480.0000	43.49	0.19	43.68	74.00	30.32	186	358	Horizontal			
4	10480.0000	34.76	0.19	34.95	54.00	19.05	194	349	Horizontal			
5	15720.0000	41.91	5.08	46.99	74.00	27.01	234	245	Horizontal			
6	15720.0000	33.85	5.08	38.93	54.00	15.07	172	88	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 108 of 348

802.11ac20 Channel 48



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8404.6875	39.90	-4.05	35.85	54.00	18.15	172	200	Vertical			
2	8635.6458	49.22	-3.24	45.98	74.00	28.02	258	88	Vertical			
3	10480.0000	43.88	0.19	44.07	74.00	29.93	266	358	Vertical			
4	10480.0000	38.11	0.19	38.30	54.00	15.70	103	22	Vertical			
5	15720.0000	43.09	5.08	48.17	74.00	25.83	239	310	Vertical			
6	15720.0000	33.27	5.08	38.35	54.00	15.65	173	153	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 109 of 348

802.11ac20 Channel 52



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8337.125	40.27	-4.43	35.84	54.00	18.16	184	4	Horizontal				
2	8399.8958	49.34	-4.04	45.30	74.00	28.70	172	23	Horizontal				
3	10520.0000	35.02	0.37	35.39	54.00	18.61	166	351	Horizontal				
4	10520.0000	42.79	0.37	43.16	74.00	30.84	238	45	Horizontal				
5	15780.0000	42.55	5.12	47.67	74.00	26.33	144	222	Horizontal				
6	15780.0000	35.81	5.12	40.93	54.00	13.07	190	135	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 110 of 348

802.11ac20 Channel 52



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	7967.6875	51.85	-5.35	46.50	74.00	27.50	175	220	Vertical		
2	8022.7917	40.16	-4.93	35.23	54.00	18.77	255	332	Vertical		
3	10520.0000	44.35	0.37	44.72	74.00	29.28	245	359	Vertical		
4	10520.0000	37.08	0.37	37.45	54.00	16.55	296	148	Vertical		
5	15780.0000	43.90	5.12	49.02	74.00	24.98	132	130	Vertical		
6	15780.0000	34.34	5.12	39.46	54.00	14.54	287	66	Vertical		






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 111 of 348

802.11ac20 Channel 60



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8687.3958	49.31	-3.39	45.92	74.00	28.08	196	4	Horizontal				
2	9308.3958	38.48	-1.64	36.84	54.00	17.16	254	349	Horizontal				
3	10600.0000	42.05	1.05	43.10	74.00	30.90	176	359	Horizontal				
4	10600.0000	34.78	1.05	35.83	54.00	18.17	235	242	Horizontal				
5	15900.0000	35.20	3.90	39.10	54.00	14.90	144	4	Horizontal				
6	15900.0000	43.08	3.90	46.98	74.00	27.02	177	197	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 112 of 348

802.11ac20 Channel 60



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8957.6458	38.71	-2.71	36.00	54.00	18.00	175	267	Vertical			
2	9260.9583	47.92	-1.64	46.28	74.00	27.72	252	43	Vertical			
3	10600.0000	44.05	1.05	45.10	74.00	28.90	296	359	Vertical			
4	10600.0000	36.28	1.05	37.33	54.00	16.67	254	349	Vertical			
5	15900.0000	42.93	3.90	46.83	74.00	27.17	177	88	Vertical			
6	15900.0000	34.70	3.90	38.60	54.00	15.40	237	177	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 113 of 348

802.11ac20 Channel 64



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8329.9375	41.74	-4.48	37.26	54.00	16.74	145	43	Horizontal			
2	8788.9792	50.14	-3.10	47.04	74.00	26.96	254	4	Horizontal			
3	10598.3125	37.85	1.04	38.89	54.00	15.11	122	358	Horizontal			
4	10640.0000	44.55	1.29	45.84	74.00	28.16	299	176	Horizontal			
5	15960.0000	44.08	3.30	47.38	74.00	26.62	287	221	Horizontal			
6	15960.0000	35.12	3.30	38.42	54.00	15.58	212	256	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 114 of 348

802.11ac20 Channel 64



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8338.0833	41.54	-4.43	37.11	54.00	16.89	184	350	Vertical			
2	8707.5208	50.17	-3.40	46.77	74.00	27.23	256	65	Vertical			
3	10640.0000	47.84	1.29	49.13	74.00	24.87	194	25	Vertical			
4	10640.4792	40.09	1.29	41.38	54.00	12.62	172	36	Vertical			
5	15960.0000	35.21	3.30	38.51	54.00	15.49	238	221	Vertical			
6	15960.0000	44.20	3.30	47.50	74.00	26.50	111	145	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 115 of 348

802.11ac20 Channel 100



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8383.125	50.27	-4.15	46.12	74.00	27.88	186	109	Horizontal			
2	8816.2917	40.30	-3.01	37.29	54.00	16.71	255	358	Horizontal			
3	11000.0000	35.36	1.48	36.84	54.00	17.16	149	87	Horizontal			
4	11000.0000	43.07	1.48	44.55	74.00	29.45	167	20	Horizontal			
5	16500.0000	44.75	3.64	48.39	74.00	25.61	183	154	Horizontal			
6	16500.0000	36.79	3.64	40.43	54.00	13.57	201	358	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 116 of 348

802.11ac20_Channel 100



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8082.2083	48.97	-4.44	44.53	74.00	29.47	184	4	Vertical			
2	8327.5417	41.13	-4.49	36.64	54.00	17.36	265	335	Vertical			
3	11000.0000	37.39	1.48	38.87	54.00	15.13	172	4	Vertical			
4	11000.0000	44.67	1.48	46.15	74.00	27.85	194	154	Vertical			
5	16500.0000	45.11	3.64	48.75	74.00	25.25	235	23	Vertical			
6	16500.0000	37.27	3.64	40.91	54.00	13.09	222	266	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 117 of 348

802.11ac20 Channel 104



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8736.2708	49.53	-3.29	46.24	74.00	27.76	154	244	Horizontal				
2	8760.7083	40.02	-3.20	36.82	54.00	17.18	183	288	Horizontal				
3	11040.0000	34.85	1.42	36.27	54.00	17.73	295	155	Horizontal				
4	11040.0000	42.85	1.42	44.27	74.00	29.73	147	331	Horizontal				
5	16560.0000	36.94	3.62	40.56	54.00	13.44	263	65	Horizontal				
6	16560.0000	45.56	3.62	49.18	74.00	24.82	255	65	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 118 of 348

802.11ac20 Channel 104



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8746.3333	49.19	-3.26	45.93	74.00	28.07	288	155	Vertical				
2	8870.4375	39.91	-2.86	37.05	54.00	16.95	172	358	Vertical				
3	11040.0000	36.20	1.42	37.62	54.00	16.38	194	178	Vertical				
4	11040.0000	44.30	1.42	45.72	74.00	28.28	256	111	Vertical				
5	16560.0000	36.34	3.62	39.96	54.00	14.04	238	133	Vertical				
6	16560.0000	44.54	3.62	48.16	74.00	25.84	140	311	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 119 of 348

802.11ac20 Channel 120



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8640.9167	40.35	-3.26	37.09	54.00	16.91	184	0	Horizontal				
2	8771.25	49.05	-3.16	45.89	74.00	28.11	254	74	Horizontal				
3	11200.0000	34.69	2.51	37.20	54.00	16.80	199	227	Horizontal				
4	11200.0000	43.28	2.51	45.79	74.00	28.21	263	50	Horizontal				
5	16800.0000	36.04	3.73	39.77	54.00	14.23	175	317	Horizontal				
6	16800.0000	43.17	3.73	46.90	74.00	27.10	250	163	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 120 of 348

802.11ac20 Channel 120



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7972.9583	51.34	-5.32	46.02	74.00	27.98	189	162	Vertical				
2	7977.75	40.52	-5.28	35.24	54.00	18.76	284	50	Vertical				
3	11200.0000	43.97	2.51	46.48	74.00	27.52	263	272	Vertical				
4	11200.0000	35.89	2.51	38.40	54.00	15.60	172	12	Vertical				
5	16800.0000	35.74	3.73	39.47	54.00	14.53	255	183	Vertical				
6	16800.0000	44.84	3.73	48.57	74.00	25.43	140	250	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 121 of 348

802.11ac20 Channel 124



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8934.1667	39.07	-2.74	36.33	54.00	17.67	168	206	Horizontal				
2	9368.7708	48.06	-1.50	46.56	74.00	27.44	194	184	Horizontal				
3	11240.0000	35.93	2.26	38.19	54.00	15.81	235	155	Horizontal				
4	11240.0000	43.31	2.26	45.57	74.00	28.43	172	284	Horizontal				
5	16860.0000	35.84	4.14	39.98	54.00	14.02	140	105	Horizontal				
6	16860.0000	44.07	4.14	48.21	74.00	25.79	266	184	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 122 of 348

802.11ac20 Channel 124



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8330.4167	40.84	-4.47	36.37	54.00	17.63	164	164	Vertical			
2	8340.4792	50.26	-4.41	45.85	74.00	28.15	299	2	Vertical			
3	11240.0000	37.17	2.26	39.43	54.00	14.57	233	294	Vertical			
4	11240.0000	43.32	2.26	45.58	74.00	28.42	172	183	Vertical			
5	16860.0000	36.20	4.14	40.34	54.00	13.66	201	28	Vertical			
6	16860.0000	44.55	4.14	48.69	74.00	25.31	188	273	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 123 of 348

802.11ac20 Channel 128



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9254.25	39.06	-1.63	37.43	54.00	16.57	185	116	Horizontal				
2	9383.1458	47.79	-1.47	46.32	74.00	27.68	245	204	Horizontal				
3	11280.0000	35.04	2.00	37.04	54.00	16.96	196	251	Horizontal				
4	11280.0000	44.13	2.00	46.13	74.00	27.87	287	204	Horizontal				
5	16920.0000	35.46	4.49	39.95	54.00	14.05	135	2	Horizontal				
6	16920.0000	44.28	4.49	48.77	74.00	25.23	111	159	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 124 of 348

802.11ac20 Channel 128



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8401.3333	40.27	-4.04	36.23	54.00	17.77	187	10	Vertical			
2	8414.75	50.30	-4.07	46.23	74.00	27.77	195	340	Vertical			
3	11280.0000	35.22	2.00	37.22	54.00	16.78	142	252	Vertical			
4	11280.0000	42.86	2.00	44.86	74.00	29.14	233	140	Vertical			
5	16920.0000	35.66	4.49	40.15	54.00	13.85	261	294	Vertical			
6	16920.0000	44.03	4.49	48.52	74.00	25.48	188	0	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 125 of 348

802.11ac20 Channel 132



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8692.1875	40.02	-3.40	36.62	54.00	17.38	185	160	Horizontal				
2	8696.9792	49.14	-3.42	45.72	74.00	28.28	142	294	Horizontal				
3	11320.0000	41.68	1.82	43.50	74.00	30.50	255	338	Horizontal				
4	11320.0000	33.51	1.82	35.33	54.00	18.67	263	338	Horizontal				
5	16980.0000	35.72	4.72	40.44	54.00	13.56	194	3	Horizontal				
6	16980.0000	43.19	4.72	47.91	74.00	26.09	170	11	Horizontal				

