

4. APPENDIX D: MAXIMUM OUTPUT POWER

4.1 TEST RESULT CHANNEL POWER

| Test Mode | Antenna | Frequency [MHz] | Set Power | Channel Power [dBm] | Duty Cycle [%] | DC Factor [dBm] | Result [dBm] | Limit [dBm] | Gain [dBi] | EIRP [dBm] | Verdict |
|-----------|---------|-----------------|-----------|---------------------|----------------|-----------------|--------------|-------------|------------|------------|---------|
| 11A | Ant1 | 5180 | 13.5 | 12.07 | 98.57 | 0.06 | 12.13 | ≤23.98 | -0.20 | 11.93 | PASS |
| | | 5200 | 17 | 16.01 | 98.57 | 0.06 | 16.07 | ≤23.98 | -0.20 | 15.87 | PASS |
| | | 5240 | 17 | 16.03 | 98.10 | 0.08 | 16.11 | ≤23.98 | -0.20 | 15.91 | PASS |
| | | 5260 | 17 | 16.53 | 98.57 | 0.06 | 16.59 | ≤23.98 | -0.20 | 16.39 | PASS |
| | | 5280 | 17 | 16.71 | 98.57 | 0.06 | 16.77 | ≤23.98 | -0.20 | 16.57 | PASS |
| | | 5300 | 17 | 16.88 | 98.10 | 0.08 | 16.96 | ≤23.98 | -0.20 | 16.76 | PASS |
| | | 5320 | 14.5 | 14.91 | 98.10 | 0.08 | 14.99 | ≤23.98 | -0.20 | 14.79 | PASS |
| | | 5500 | 13 | 12.53 | 98.10 | 0.08 | 12.61 | ≤23.98 | -0.20 | 12.41 | PASS |
| | | 5520 | 17 | 16.09 | 98.10 | 0.08 | 16.17 | ≤23.98 | -0.20 | 15.97 | PASS |
| | | 5580 | 17 | 15.80 | 98.10 | 0.08 | 15.88 | ≤23.98 | -0.20 | 15.68 | PASS |
| | | 5680 | 16.5 | 13.91 | 98.10 | 0.08 | 13.99 | ≤23.98 | -0.20 | 13.79 | PASS |
| | | 5700 | 11 | 9.66 | 98.57 | 0.06 | 9.72 | ≤23.98 | -0.20 | 9.52 | PASS |
| | | 5720_ UNII-2C | 17 | 14.94 | 98.10 | 0.08 | 15.02 | ≤23.14 | -0.20 | 14.82 | PASS |
| | | 5720_ UNII-3 | 17 | 8.08 | 98.10 | 0.08 | 8.16 | ≤30.00 | -1.90 | 6.26 | PASS |
| | | 5745 | 17 | 15.86 | 98.10 | 0.08 | 15.94 | ≤30.00 | -1.90 | 14.04 | PASS |
| | | 5785 | 17 | 15.28 | 98.10 | 0.08 | 15.36 | ≤30.00 | -1.90 | 13.46 | PASS |
| | | 5825 | 17 | 15.52 | 98.10 | 0.08 | 15.60 | ≤30.00 | -1.90 | 13.60 | PASS |


| Test Mode | Antenna | Frequency [MHz] | Set Power | Channel Power [dBm] | Duty Cycle [%] | DC Factor [dBm] | Result [dBm] | Limit [dBm] | Gain [dBi] | EIRP [dBm] | Verdict |
|-----------|---------|-----------------|-----------|---------------------|----------------|-----------------|--------------|-------------|------------|------------|---------|
| 11N20SISO | Ant1 | 5180 | 13.5 | 11.89 | 98.47 | 0.07 | 11.96 | ≤23.98 | -0.20 | 11.76 | PASS |
| | | 5200 | 17 | 15.71 | 98.47 | 0.07 | 15.78 | ≤23.98 | -0.20 | 15.58 | PASS |
| | | 5240 | 17 | 15.97 | 97.96 | 0.09 | 16.06 | ≤23.98 | -0.20 | 15.86 | PASS |
| | | 5260 | 17 | 16.40 | 97.96 | 0.09 | 16.49 | ≤23.98 | -0.20 | 16.29 | PASS |
| | | 5280 | 17 | 16.61 | 98.47 | 0.07 | 16.68 | ≤23.98 | -0.20 | 16.48 | PASS |
| | | 5300 | 17 | 16.80 | 97.96 | 0.09 | 16.89 | ≤23.98 | -0.20 | 16.69 | PASS |
| | | 5320 | 14.5 | 14.74 | 98.47 | 0.07 | 14.81 | ≤23.98 | -0.20 | 14.61 | PASS |
| | | 5500 | 13 | 12.41 | 98.47 | 0.07 | 12.48 | ≤23.98 | -0.20 | 12.28 | PASS |
| | | 5520 | 17 | 15.95 | 97.97 | 0.09 | 16.04 | ≤23.98 | -0.20 | 15.84 | PASS |
| | | 5580 | 17 | 15.52 | 97.97 | 0.09 | 15.61 | ≤23.98 | -0.20 | 15.41 | PASS |
| | | 5680 | 16.5 | 14.21 | 98.47 | 0.07 | 14.28 | ≤23.98 | -0.20 | 14.08 | PASS |
| | | 5700 | 11 | 9.52 | 97.96 | 0.09 | 9.61 | ≤23.98 | -0.20 | 9.41 | PASS |
| | | 5720_UNII-2C | 17 | 14.71 | 97.96 | 0.09 | 14.80 | ≤23.15 | -0.20 | 14.60 | PASS |
| | | 5720_UNII-3 | 17 | 8.32 | 97.96 | 0.09 | 8.41 | ≤30.00 | -1.90 | 6.51 | PASS |
| | | 5745 | 17 | 15.70 | 98.47 | 0.07 | 15.77 | ≤30.00 | -1.90 | 13.87 | PASS |
| | | 5785 | 17 | 15.15 | 97.96 | 0.09 | 15.24 | ≤30.00 | -1.90 | 13.34 | PASS |
| 5825 | 17 | 15.40 | 97.97 | 0.09 | 15.49 | ≤30.00 | -1.90 | 13.59 | PASS | | |
| 11N40SISO | Ant1 | 5190 | 8.5 | 6.80 | 96.94 | 0.13 | 6.93 | ≤23.98 | -0.20 | 6.73 | PASS |
| | | 5230 | 16 | 15.48 | 96.94 | 0.13 | 15.61 | ≤23.98 | -0.20 | 15.41 | PASS |
| | | 5270 | 16 | 15.80 | 95.96 | 0.18 | 15.98 | ≤23.98 | -0.20 | 15.78 | PASS |
| | | 5310 | 9 | 8.43 | 96.94 | 0.13 | 8.56 | ≤23.98 | -0.20 | 8.36 | PASS |
| | | 5510 | 10.5 | 10.15 | 96.94 | 0.13 | 10.28 | ≤23.98 | -0.20 | 10.08 | PASS |
| | | 5550 | 16 | 15.12 | 96.94 | 0.13 | 15.25 | ≤23.98 | -0.20 | 15.05 | PASS |
| | | 5630 | 16 | 15.26 | 95.96 | 0.18 | 15.44 | ≤23.98 | -0.20 | 15.24 | PASS |
| | | 5670 | 14 | 12.41 | 95.96 | 0.18 | 12.59 | ≤23.98 | -0.20 | 12.39 | PASS |
| | | 5710_UNII-2C | 16 | 14.54 | 95.96 | 0.18 | 14.72 | ≤23.98 | -0.20 | 14.52 | PASS |
| | | 5710_UNII-3 | 16 | 3.75 | 95.96 | 0.18 | 3.93 | ≤30.00 | -1.90 | 2.03 | PASS |
| | | 5755 | 16 | 15.00 | 96.94 | 0.13 | 15.13 | ≤30.00 | -1.90 | 13.23 | PASS |
| 5795 | 16 | 14.59 | 96.94 | 0.13 | 14.72 | ≤30.00 | -1.90 | 12.82 | PASS | | |


| Test Mode | Antenna | Frequency [MHz] | Set Power | Channel Power [dBm] | Duty Cycle [%] | DC Factor [dBm] | Result [dBm] | Limit [dBm] | Gain [dBi] | EIRP [dBm] | Verdict |
|------------|---------|-----------------|-----------|---------------------|----------------|-----------------|--------------|-------------|------------|------------|---------|
| 11AC20SISO | Ant1 | 5180 | 13.5 | 11.94 | 97.97 | 0.09 | 12.03 | ≤23.98 | -0.20 | 11.83 | PASS |
| | | 5200 | 16.5 | 15.35 | 97.97 | 0.09 | 15.44 | ≤23.98 | -0.20 | 15.24 | PASS |
| | | 5240 | 16.5 | 15.49 | 98.48 | 0.07 | 15.56 | ≤23.98 | -0.20 | 15.36 | PASS |
| | | 5260 | 16.5 | 15.96 | 97.97 | 0.09 | 16.05 | ≤23.98 | -0.20 | 15.85 | PASS |
| | | 5280 | 16.5 | 16.07 | 97.97 | 0.09 | 16.16 | ≤23.98 | -0.20 | 15.96 | PASS |
| | | 5300 | 16.5 | 16.32 | 98.47 | 0.07 | 16.39 | ≤23.98 | -0.20 | 16.19 | PASS |
| | | 5320 | 14.5 | 14.66 | 98.47 | 0.07 | 14.73 | ≤23.98 | -0.20 | 14.53 | PASS |
| | | 5500 | 13 | 12.34 | 97.97 | 0.09 | 12.43 | ≤23.98 | -0.20 | 12.23 | PASS |
| | | 5520 | 16.5 | 15.49 | 97.97 | 0.09 | 15.58 | ≤23.98 | -0.20 | 15.38 | PASS |
| | | 5580 | 16.5 | 15.15 | 97.97 | 0.09 | 15.24 | ≤23.98 | -0.20 | 15.04 | PASS |
| | | 5680 | 16 | 13.69 | 97.97 | 0.09 | 13.78 | ≤23.98 | -0.20 | 13.58 | PASS |
| | | 5700 | 12 | 10.50 | 97.47 | 0.11 | 10.61 | ≤23.98 | -0.20 | 10.41 | PASS |
| | | 5720_UNII-2C | 16.5 | 14.21 | 97.97 | 0.09 | 14.30 | ≤23.13 | -0.20 | 14.10 | PASS |
| | | 5720_UNII-3 | 16.5 | 7.88 | 97.97 | 0.09 | 7.97 | ≤30.00 | -1.90 | 6.07 | PASS |
| | | 5745 | 16.5 | 15.28 | 97.97 | 0.09 | 15.37 | ≤30.00 | -1.90 | 13.47 | PASS |
| | | 5785 | 16.5 | 14.53 | 98.47 | 0.07 | 14.60 | ≤30.00 | -1.90 | 12.70 | PASS |
| | | 5825 | 16.5 | 14.98 | 97.98 | 0.09 | 15.07 | ≤30.00 | -1.90 | 13.17 | PASS |
| 11AC40SISO | Ant1 | 5190 | 8.5 | 6.80 | 96.97 | 0.13 | 6.93 | ≤23.98 | -0.20 | 6.73 | PASS |
| | | 5230 | 16 | 15.44 | 96.97 | 0.13 | 15.57 | ≤23.98 | -0.20 | 15.37 | PASS |
| | | 5270 | 16 | 15.84 | 96.97 | 0.13 | 15.97 | ≤23.98 | -0.20 | 15.77 | PASS |
| | | 5310 | 9 | 8.63 | 95.96 | 0.18 | 8.81 | ≤23.98 | -0.20 | 8.61 | PASS |
| | | 5510 | 10.5 | 10.16 | 95.96 | 0.18 | 10.34 | ≤23.98 | -0.20 | 10.14 | PASS |
| | | 5550 | 16 | 15.09 | 95.96 | 0.18 | 15.27 | ≤23.98 | -0.20 | 15.07 | PASS |
| | | 5630 | 16 | 15.28 | 95.96 | 0.18 | 15.46 | ≤23.98 | -0.20 | 15.26 | PASS |
| | | 5670 | 14 | 12.37 | 95.96 | 0.18 | 12.55 | ≤23.98 | -0.20 | 12.35 | PASS |
| | | 5710_UNII-2C | 16 | 14.51 | 95.96 | 0.18 | 14.69 | ≤23.98 | -0.20 | 14.49 | PASS |
| | | 5710_UNII-3 | 16 | 3.75 | 95.96 | 0.18 | 3.93 | ≤30.00 | -1.90 | 2.03 | PASS |
| | | 5755 | 16 | 15.02 | 95.96 | 0.18 | 15.20 | ≤30.00 | -1.90 | 13.10 | PASS |
| 5795 | 16 | 14.65 | 95.96 | 0.18 | 14.83 | ≤30.00 | -1.90 | 12.93 | PASS | | |


| Test Mode | Antenna | Frequency [MHz] | Set Power | Channel Power [dBm] | Duty Cycle [%] | DC Factor [dBm] | Result [dBm] | Limit [dBm] | Gain [dBi] | EIRP [dBm] | Verdict |
|------------|---------|-----------------|-----------|---------------------|----------------|-----------------|--------------|-------------|------------|------------|---------|
| 11AC80SISO | Ant1 | 5210 | 9 | 7.08 | 94.00 | 0.27 | 7.35 | ≤23.98 | -0.20 | 7.15 | PASS |
| | | 5290 | 9 | 8.07 | 92.00 | 0.36 | 8.43 | ≤23.98 | -0.20 | 8.23 | PASS |
| | | 5530 | 9 | 8.13 | 94.00 | 0.27 | 8.40 | ≤23.98 | -0.20 | 8.20 | PASS |
| | | 5610 | 15.5 | 14.34 | 94.00 | 0.27 | 14.61 | ≤23.98 | -0.20 | 14.41 | PASS |
| | | 5690_UNII-2C | 15.5 | 13.21 | 92.00 | 0.36 | 13.57 | ≤23.98 | -0.20 | 13.37 | PASS |
| | | 5690_UNII-3 | 15.5 | -0.56 | 92.00 | 0.36 | -0.20 | ≤30.00 | -1.90 | -2.1 | PASS |
| | | 5775 | 15.5 | 13.83 | 92.00 | 0.36 | 14.19 | ≤30.00 | -1.90 | 12.29 | PASS |


Note: The Duty Cycle Factor is compensated in the graph.

4.2 TEST GRAPHS













11A_Ant1_5825


-















11N20SISO_Ant1_5825


-
























11AC20SISO_Ant1_5825


-














5. APPENDIX E: POWER SPECTRAL DENSITY

5.1 TEST RESULT


| TestMode | Antenna | Frequency[MHz] | Result | Limit | Verdict |
|--------------|-----------------|----------------|-----------------|----------------|---------------|
| 11A | Ant1 | 5180 | 1.33dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5200 | 5.29 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5240 | 5.43 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5260 | 5.77 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5280 | 6.01 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5300 | 6.21 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5320 | 4.24 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5500 | 1.82 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5520 | 5.39 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5580 | 5.13 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5680 | 3.19 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5700 | -1.08 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5720_UNII-2C | 5.07 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5720_UNII-3 | 0.86 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5745 | 2.39dBm/500kHz | ≤30.00/500kHz | PASS |
| | | 5785 | 1.81 dBm/500kHz | ≤30.00/500kHz | PASS |
| | | 5825 | 2.08 dBm/500kHz | ≤30.00/500kHz | PASS |
| | | 11N20SISO | Ant1 | 5180 | 0.93 dBm/1MHz |
| 5200 | 4.8 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5240 | 5 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5260 | 5.41 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5280 | 5.57 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5300 | 5.86 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5320 | 3.69 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5500 | 1.36 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5520 | 4.97 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5580 | 4.69 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5680 | 3.23 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5700 | -1.54 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5720_UNII-2C | 4.65 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5720_UNII-3 | 0.42 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5745 | 1.9 dBm/500kHz | | | ≤30.00/500kHz | PASS |
| 5785 | 1.33 dBm/500kHz | | | ≤30.00/500kHz | PASS |
| 5825 | 1.59 dBm/500kHz | | | ≤30.00/500kHz | PASS |


| TestMode | Antenna | Frequency[MHz] | Result | Limit | Verdict |
|--------------|-----------------|----------------|------------------|----------------|---------------|
| 11N40SISO | Ant1 | 5190 | -7.22 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5230 | 1.35 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5270 | 1.86 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5310 | -5.45 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5510 | -3.96 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5550 | 1.08 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5630 | 1.39 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5670 | -1.77 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5710_UNII-2C | 1.03 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5710_UNII-3 | -3.54 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5755 | -1.81 dBm/500kHz | ≤30.00/500kHz | PASS |
| | | 5795 | -2.31 dBm/500kHz | ≤30.00/500kHz | PASS |
| | | 11AC20SISO | Ant1 | 5180 | 0.96 dBm/1MHz |
| 5200 | 4.36 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5240 | 4.43 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5260 | 5.01 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5280 | 5.03 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5300 | 5.39 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5320 | 3.74 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5500 | 1.35 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5520 | 4.52 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5580 | 4.14 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5680 | 2.68 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5700 | -0.57 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5720_UNII-2C | 4.09 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5720_UNII-3 | -0.15 dBm/1MHz | | | ≤11.00 dBm/MHz | PASS |
| 5745 | 1.43 dBm/500kHz | | | ≤30.00/500kHz | PASS |
| 5785 | 0.8 dBm/500kHz | | | ≤30.00/500kHz | PASS |
| 5825 | 1.19 dBm/500kHz | | | ≤30.00/500kHz | PASS |

| TestMode | Antenna | Frequency[MHz] | Result | Limit | Verdict |
|------------|---------|----------------|------------------|----------------|---------|
| 11AC40SISO | Ant1 | 5190 | -7.28 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5230 | 1.31 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5270 | 1.82 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5310 | -5.24 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5510 | -3.95 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5550 | 1.09 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5630 | 1.41 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5670 | -1.82 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5710_UNII-2C | 0.97 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5710_UNII-3 | -3.56 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5755 | -1.75 dBm/500kHz | ≤30.00/500kHz | PASS |
| | | 5795 | -2.27 dBm/500kHz | ≤30.00/500kHz | PASS |
| 11AC80SISO | Ant1 | 5210 | -9.4 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5290 | -8.61 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5530 | -8.56 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5610 | -2.64 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5690_UNII-2C | -3.43 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5690_UNII-3 | -7.44 dBm/1MHz | ≤11.00 dBm/MHz | PASS |
| | | 5775 | -5.92 dBm/500kHz | ≤30.00/500kHz | PASS |

Note: The Duty Cycle Factor is compensated in the graph.



5.2 TEST GRAPHS







11A_Ant1_5520


11A_Ant1_5580



11A_Ant1_5680


11A_Ant1_5700








11A_Ant1_5825


-











11N20SISO_Ant1_5825

-

