




11AC40SISO_Ant1_5795

-



-





6. APPENDIX F: BAND EDGE MEASUREMENTS

6.1 TEST RESULT B1/2/3


TestMode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-50.47	≤-27	PASS
		High	5300	-50.12	≤-27	PASS
			5320	-49.2	≤-27	PASS
		Low	5500	-48.46	≤-27	PASS
			5520	-50.04	≤-27	PASS
		High	5680	-50.32	≤-27	PASS
5700	-44.95		≤-27	PASS		
11N20SISO	Ant1	Low	5180	-50.84	≤-27	PASS
		High	5300	-49.25	≤-27	PASS
			5320	-49.47	≤-27	PASS
		Low	5500	-51.22	≤-27	PASS
			5520	-49.17	≤-27	PASS
		High	5680	-50.3	≤-27	PASS
5700	-52.08		≤-27	PASS		
11N40SISO	Ant1	Low	5190	-51.26	≤-27	PASS
		High	5310	-50.96	≤-27	PASS
		Low	5510	-49.29	≤-27	PASS
		High	5630	-51.31	≤-27	PASS
			5670	-47.78	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-50.52	≤-27	PASS
		High	5300	-47.14	≤-27	PASS
			5320	-48.62	≤-27	PASS
		Low	5500	-51.43	≤-27	PASS
			5520	-49.96	≤-27	PASS
		High	5680	-51	≤-27	PASS
5700	-51.73		≤-27	PASS		
11AC40SISO	Ant1	Low	5190	-50.43	≤-27	PASS
		High	5310	-50.86	≤-27	PASS
		Low	5510	-49.5	≤-27	PASS
		High	5630	-51.69	≤-27	PASS
			5670	-49.9	≤-27	PASS
11AC80SISO	Ant1	Low	5210	-50.12	≤-27	PASS
		High	5290	-48.91	≤-27	PASS
		Low	5530	-50.47	≤-27	PASS
		High	5610	-51.61	≤-27	PASS

6.2 TEST RESULT B4

TestMode	Antenna	ChName	Frequency [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-50.12	≤8.11	PASS
				5700~5720	-40.07	≤15.24	PASS
				5720~5725	-33.41	≤24.21	PASS
				5760~5650	-52.32	≤-27	PASS
		High	5825	5850~5855	-45.37	≤18.26	PASS
				5855~5875	-46.2	≤10.02	PASS
				5875~5925	-50.87	≤-21.56	PASS
5925~5935	-51.51	≤-27	PASS				
11N20SISO	Ant1	Low	5745	5650~5700	-49.58	≤1.98	PASS
				5700~5720	-40.12	≤15.43	PASS
				5720~5725	-32.49	≤26.30	PASS
				5760~5650	-52.69	≤-27	PASS
		High	5825	5850~5855	-44.79	≤16.41	PASS
				5855~5875	-46.65	≤14.97	PASS
				5875~5925	-49.77	≤-25.66	PASS
5925~5935	-52.92	≤-27	PASS				
11N40SISO	Ant1	Low	5755	5650~5700	-46.79	≤8.16	PASS
				5700~5720	-28.74	≤14.90	PASS
				5720~5725	-27.21	≤24.05	PASS
				5780~5650	-53.06	≤-27	PASS
		High	5795	5850~5855	-43.48	≤21.30	PASS
				5855~5875	-49.17	≤10.73	PASS
				5875~5925	-50.34	≤-20.45	PASS
5925~5935	-53.28	≤-27	PASS				
11AC20SISO	Ant1	Low	5745	5650~5700	-50.73	≤5.55	PASS
				5700~5720	-42.27	≤15.59	PASS
				5720~5725	-32.61	≤25.52	PASS
				5760~5650	-52.45	≤-27	PASS
		High	5825	5850~5855	-44.08	≤17.95	PASS
				5855~5875	-48.94	≤10.89	PASS
				5875~5925	-49.7	≤-26.86	PASS
5925~5935	-53.31	≤-27	PASS				



TestMode	Antenna	ChName	Frequency [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11AC40SISO	Ant1	Low	5755	5650~5700	-45.88	≤8.16	PASS
				5700~5720	-29.06	≤14.90	PASS
				5720~5725	-28.09	≤24.05	PASS
				5780~5650	-52.73	≤-27	PASS
		High	5795	5850~5855	-44.13	≤21.30	PASS
				5855~5875	-49.9	≤13.50	PASS
				5875~5925	-50.78	≤-26.80	PASS
				5925~5935	-53.07	≤-27	PASS
11AC80SISO	Ant1	Low	5775	5650~5700	-36.74	≤9.90	PASS
				5700~5720	-28.71	≤15.26	PASS
				5720~5725	-28.49	≤15.65	PASS
				5800~5650	-52.4	≤-27	PASS
		High	5775	5850~5855	-38.28	≤18.32	PASS
				5855~5875	-42.46	≤13.49	PASS
				5875~5925	-46.79	≤-26.54	PASS
				5925~5935	-53.24	≤-27	PASS

6.3 TEST GRAPHS B1/2/3





11A_Ant1_Low_5520


11A_Ant1_High_5680




11A_Ant1_High_5700













11N40SISO_Ant1_High_5670


-
















6.4 TEST GRAPHS B4














7. APPENDIX G: CONDUCTED SPURIOUS EMISSION

7.1 TEST RESULT

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5126.8	-42.89	≤-27	PASS
			5360~40000	39533	-39.28	≤-27	PASS
		5200	30~5140	5131.91	-42.2	≤-27	PASS
			5360~40000	39500.6	-39.12	≤-27	PASS
		5240	30~5140	540.73	-47.51	≤-27	PASS
			5360~40000	39575.7	-39.21	≤-27	PASS
		5260	30~5140	549.58	-47.17	≤-27	PASS
			5360~40000	39557.2	-37.52	≤-27	PASS
		5280	30~5140	539.36	-48.68	≤-27	PASS
			5360~40000	39648.4	-38.52	≤-27	PASS
		5300	30~5140	549.93	-47.36	≤-27	PASS
			5360~40000	39606.8	-38.72	≤-27	PASS
		5320	30~5140	552.14	-47.74	≤-27	PASS
			5360~40000	39589.5	-39.17	≤-27	PASS
		5500	30~5460	5450.86	-44.91	≤-27	PASS
			5735~40000	39560.9	-38.57	≤-27	PASS
		5520	30~5460	5456.83	-39.84	≤-27	PASS
			5735~40000	39570	-39.11	≤-27	PASS
		5580	30~5460	539.95	-49.06	≤-27	PASS
			5735~40000	39347.3	-38.82	≤-27	PASS
		5680	30~5460	545.02	-48.55	≤-27	PASS
			5735~40000	39659.1	-38.88	≤-27	PASS
		5700	30~5460	537.6	-48.75	≤-27	PASS
			5735~40000	39583.7	-38.81	≤-27	PASS
		5720	30~5460	547.91	-48.25	≤-27	PASS
			5925~40000	39681.4	-39.16	≤-27	PASS
		5745	30~5650	5636.04	-46.7	≤-27	PASS
			5925~40000	39226	-38.64	≤-27	PASS
		5785	30~5650	523.89	-47.74	≤-27	PASS
			5925~40000	39659.8	-38.53	≤-27	PASS
		5825	30~5650	550.86	-48.32	≤-27	PASS
			5925~40000	39350.9	-38.87	≤-27	PASS

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11N20SISO	Ant1	5180	30~5140	5138.21	-40.9	≤-27	PASS
			5360~40000	39664.6	-39.34	≤-27	PASS
		5200	30~5140	5138.21	-45.91	≤-27	PASS
			5360~40000	39452.1	-39.83	≤-27	PASS
		5240	30~5140	552.14	-47.93	≤-27	PASS
			5360~40000	39568.7	-38.72	≤-27	PASS
		5260	30~5140	2876.94	-48.52	≤-27	PASS
			5360~40000	39240.8	-38.76	≤-27	PASS
		5280	30~5140	524.89	-47.92	≤-27	PASS
			5360~40000	39636.9	-38.29	≤-27	PASS
		5300	30~5140	550.61	-48.51	≤-27	PASS
			5360~40000	39266.2	-39.38	≤-27	PASS
		5320	30~5140	550.78	-47.86	≤-27	PASS
			5360~40000	39304.3	-39.01	≤-27	PASS
		5500	30~5460	5452.49	-44.13	≤-27	PASS
			5735~40000	39621.4	-38.64	≤-27	PASS
		5520	30~5460	5442.35	-43.21	≤-27	PASS
			5735~40000	39637.4	-39.43	≤-27	PASS
		5580	30~5460	547.73	-48.53	≤-27	PASS
			5735~40000	39594	-38.74	≤-27	PASS
		5680	30~5460	547.73	-48.54	≤-27	PASS
			5735~40000	39681.9	-39.1	≤-27	PASS
		5700	30~5460	510.27	-47.95	≤-27	PASS
			5735~40000	39615.7	-38.54	≤-27	PASS
		5720	30~5460	564.2	-48.33	≤-27	PASS
			5925~40000	39540.6	-38.82	≤-27	PASS
		5745	30~5650	5630.61	-46.41	≤-27	PASS
			5925~40000	39480.4	-38.82	≤-27	PASS
		5785	30~5650	551.8	-47.59	≤-27	PASS
			5925~40000	39231.6	-39.17	≤-27	PASS
		5825	30~5650	539.81	-48.47	≤-27	PASS
			5925~40000	39319.1	-39.31	≤-27	PASS

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11N40SISO	Ant1	5190	30~5140	5131.91	-44.42	≤-27	PASS
			5360~40000	39669.2	-39.17	≤-27	PASS
		5230	30~5140	5138.55	-46.55	≤-27	PASS
			5360~40000	39624.2	-39.23	≤-27	PASS
		5270	30~5140	551.46	-48.37	≤-27	PASS
			5360~40000	39470.6	-38.67	≤-27	PASS
		5310	30~5140	537.15	-48.65	≤-27	PASS
			5360~40000	39300.9	-39.05	≤-27	PASS
		5510	30~5460	5455.2	-46.46	≤-27	PASS
			5735~40000	39588.3	-39.16	≤-27	PASS
		5550	30~5460	5459.91	-46.76	≤-27	PASS
			5735~40000	39656.8	-38.43	≤-27	PASS
		5630	30~5460	552.08	-47.84	≤-27	PASS
			5735~40000	39626	-38.52	≤-27	PASS
		5670	30~5460	549.72	-47.58	≤-27	PASS
			5735~40000	39747	-39.16	≤-27	PASS
		5710	30~5460	531.99	-47.49	≤-27	PASS
			5925~40000	39407.7	-39.01	≤-27	PASS
		5755	30~5650	5649.91	-47.05	≤-27	PASS
			5925~40000	39658.7	-38.51	≤-27	PASS
5795	30~5650	539.25	-47.92	≤-27	PASS		
	5925~40000	39714.3	-38.75	≤-27	PASS		

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AC20SISO	Ant1	5180	30~5140	5127.82	-42.35	≤-27	PASS
			5360~40000	39374.8	-39.19	≤-27	PASS
		5200	30~5140	5130.55	-44.68	≤-27	PASS
			5360~40000	39645	-39	≤-27	PASS
		5240	30~5140	556.91	-48.07	≤-27	PASS
			5360~40000	39224.7	-38.48	≤-27	PASS
		5260	30~5140	540.39	-48.55	≤-27	PASS
			5360~40000	39292.8	-39.1	≤-27	PASS
		5280	30~5140	548.9	-48.48	≤-27	PASS
			5360~40000	39579.1	-38.72	≤-27	PASS
		5300	30~5140	550.61	-49	≤-27	PASS
			5360~40000	39657.7	-39.12	≤-27	PASS
		5320	30~5140	654.68	-48.13	≤-27	PASS
			5360~40000	5361.7	-38.03	≤-27	PASS
		5500	30~5460	5446.7	-45.29	≤-27	PASS
			5735~40000	39388.4	-39.39	≤-27	PASS
		5520	30~5460	5456.83	-42.93	≤-27	PASS
			5735~40000	39613.4	-39.22	≤-27	PASS
		5580	30~5460	542.3	-48.52	≤-27	PASS
			5735~40000	39557.4	-38.6	≤-27	PASS
		5680	30~5460	539.95	-48.49	≤-27	PASS
			5735~40000	39201.1	-38.09	≤-27	PASS
		5700	30~5460	545.38	-48.35	≤-27	PASS
			5735~40000	39549.4	-38.69	≤-27	PASS
		5720	30~5460	486.01	-48.11	≤-27	PASS
			5925~40000	39550.8	-37.91	≤-27	PASS
		5745	30~5650	548.62	-46.57	≤-27	PASS
			5925~40000	39243	-39.18	≤-27	PASS
		5785	30~5650	698.1	-48.16	≤-27	PASS
			5925~40000	39688.2	-39.58	≤-27	PASS
		5825	30~5650	530.82	-47.99	≤-27	PASS
			5925~40000	39189.6	-39.6	≤-27	PASS

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AC40SISO	Ant1	5190	30~5140	5131.91	-42.1	≤-27	PASS
			5360~40000	39605.7	-39.01	≤-27	PASS
		5230	30~5140	5135.32	-47.52	≤-27	PASS
			5360~40000	39672.7	-39.16	≤-27	PASS
		5270	30~5140	634.41	-48.54	≤-27	PASS
			5360~40000	39389.8	-39.18	≤-27	PASS
		5310	30~5140	566.28	-47.86	≤-27	PASS
			5360~40000	39223.5	-39.19	≤-27	PASS
		5510	30~5460	5459.19	-46.24	≤-27	PASS
			5735~40000	39632.8	-39.08	≤-27	PASS
		5550	30~5460	5459.73	-46.77	≤-27	PASS
			5735~40000	39653.4	-39	≤-27	PASS
		5630	30~5460	573.43	-48.78	≤-27	PASS
			5735~40000	39582.6	-39.01	≤-27	PASS
		5670	30~5460	535.97	-47.93	≤-27	PASS
			5735~40000	39676.2	-38.26	≤-27	PASS
		5710	30~5460	532.35	-48.16	≤-27	PASS
			5925~40000	39659.8	-38.55	≤-27	PASS
		5755	30~5650	5649.16	-47.7	≤-27	PASS
			5925~40000	39494	-38.86	≤-27	PASS
5795	30~5650	552.36	-47.45	≤-27	PASS		
	5925~40000	39655.3	-38.75	≤-27	PASS		
11AC80SISO	Ant1	5210	30~5140	5137.7	-46.46	≤-27	PASS
			5360~40000	39543.3	-39.36	≤-27	PASS
		5290	30~5140	727.58	-48.57	≤-27	PASS
			5360~40000	39280.1	-38.73	≤-27	PASS
		5530	30~5460	5459	-43.03	≤-27	PASS
			5735~40000	39630.5	-39.16	≤-27	PASS
		5610	30~5460	777.05	-48.06	≤-27	PASS
			5735~40000	39408.9	-38.27	≤-27	PASS
		5690	30~5460	544.48	-47.3	≤-27	PASS
			5925~40000	39244.1	-38.79	≤-27	PASS
5775	30~5650	568.1	-48.33	≤-27	PASS		
	5925~40000	39320.2	-39.41	≤-27	PASS		

7.2 TEST GRAPHS

