


Report No.: SUHR/2022/1001105

Rev.: 01

Page: 126 of 348

802.11ac20 Channel 132



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8664.3958	39.69	-3.32	36.37	54.00	17.63	178	294	Vertical				
2	8704.6458	48.97	-3.41	45.56	74.00	28.44	154	182	Vertical				
3	11320.0000	41.85	1.82	43.67	74.00	30.33	196	160	Vertical				
4	11320.0000	34.85	1.82	36.67	54.00	17.33	233	294	Vertical				
5	16980.0000	43.50	4.72	48.22	74.00	25.78	206	1	Vertical				
6	16980.0000	35.25	4.72	39.97	54.00	14.03	199	356	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 127 of 348

802.11ac20 Channel 136



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8390.3125	48.70	-4.10	44.60	74.00	29.40	148	74	Horizontal				
2	8675.4167	39.70	-3.35	36.35	54.00	17.65	259	207	Horizontal				
3	11360.0000	42.77	1.71	44.48	74.00	29.52	236	140	Horizontal				
4	11360.0000	33.92	1.71	35.63	54.00	18.37	159	298	Horizontal				
5	17040.0000	35.50	4.81	40.31	54.00	13.69	284	185	Horizontal				
6	17040.0000	42.93	4.81	47.74	74.00	26.26	179	164	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 128 of 348

802.11ac20 Channel 136



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8420.9792	49.45	-4.09	45.36	74.00	28.64	189	206	Vertical				
2	8640.4375	39.40	-3.26	36.14	54.00	17.86	257	182	Vertical				
3	11360.0000	42.22	1.71	43.93	74.00	30.07	233	29	Vertical				
4	11360.0000	34.01	1.71	35.72	54.00	18.28	140	177	Vertical				
5	17040.0000	35.36	4.81	40.17	54.00	13.83	268	145	Vertical				
6	17040.0000	43.70	4.81	48.51	74.00	25.49	194	314	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 129 of 348

802.11ac20 Channel 140



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8602.1042	39.21	-3.15	36.06	54.00	17.94	184	26	Horizontal				
2	8765.9792	49.04	-3.18	45.86	74.00	28.14	172	272	Horizontal				
3	11400.0000	40.77	1.60	42.37	74.00	31.63	235	288	Horizontal				
4	11400.0000	33.58	1.60	35.18	54.00	18.82	164	250	Horizontal				
5	17100.0000	42.24	4.81	47.05	74.00	26.95	188	207	Horizontal				
6	17100.0000	34.91	4.81	39.72	54.00	14.28	197	14	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 130 of 348

802.11ac20_Channel 140



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8344.3125	49.34	-4.39	44.95	74.00	29.05	175	256	Vertical				
2	8403.7292	39.69	-4.05	35.64	54.00	18.36	184	36	Vertical				
3	11400.0000	42.02	1.60	43.62	74.00	30.38	162	148	Vertical				
4	11400.0000	34.60	1.60	36.20	54.00	17.80	195	318	Vertical				
5	17100.0000	43.35	4.81	48.16	74.00	25.84	147	59	Vertical				
6	17100.0000	35.27	4.81	40.08	54.00	13.92	130	71	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 131 of 348

802.11ac20_Channel 144



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8411.875	49.41	-4.07	45.34	74.00	28.66	158	48	Horizontal				
2	8643.7917	39.03	-3.26	35.77	54.00	18.23	142	205	Horizontal				
3	11440.0000	41.83	1.96	43.79	74.00	30.21	172	183	Horizontal				
4	11440.0000	33.67	1.96	35.63	54.00	18.37	165	47	Horizontal				
5	17160.0000	45.06	4.22	49.28	74.00	24.72	173	94	Horizontal				
6	17160.0000	35.05	4.22	39.27	54.00	14.73	194	160	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 132 of 348

802.11ac20_Channel 144



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8411.875	39.91	-4.07	35.84	54.00	18.16	128	45	Vertical				
2	8890.5625	48.32	-2.80	45.52	74.00	28.48	194	272	Vertical				
3	11440.0000	41.56	1.96	43.52	74.00	30.48	233	250	Vertical				
4	11440.0000	34.60	1.96	36.56	54.00	17.44	172	160	Vertical				
5	17160.0000	44.63	4.22	48.85	74.00	25.15	201	1	Vertical				
6	17160.0000	36.14	4.22	40.36	54.00	13.64	234	228	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 133 of 348

802.11ac20 Channel 149



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8636.6042	48.95	-3.24	45.71	74.00	28.29	155	15	Horizontal				
2	8761.6667	39.25	-3.20	36.05	54.00	17.95	148	28	Horizontal				
3	11490.0000	41.56	2.40	43.96	74.00	30.04	182	2	Horizontal				
4	11490.0000	33.83	2.40	36.23	54.00	17.77	197	49	Horizontal				
5	17235.0000	44.82	3.70	48.52	74.00	25.48	231	116	Horizontal				
6	17235.0000	35.40	3.70	39.10	54.00	14.90	228	265	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 134 of 348

802.11ac20 Channel 149



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8588.2083	48.74	-3.27	45.47	74.00	28.53	194	101	Vertical				
2	8686.4375	39.49	-3.39	36.10	54.00	17.90	175	15	Vertical				
3	11490.0000	42.01	2.40	44.41	74.00	29.59	269	303	Vertical				
4	11490.0000	33.24	2.40	35.64	54.00	18.36	133	236	Vertical				
5	17235.0000	42.99	3.70	46.69	74.00	27.31	140	4	Vertical				
6	17235.0000	34.83	3.70	38.53	54.00	15.47	287	188	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 135 of 348

802.11ac20 Channel 157



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8426.25	40.13	-4.10	36.03	54.00	17.97	144	145	Horizontal				
2	8582.4583	48.66	-3.34	45.32	74.00	28.68	187	138	Horizontal				
3	11570.0000	32.12	2.08	34.20	54.00	19.80	122	181	Horizontal				
4	11570.0000	41.03	2.08	43.11	74.00	30.89	230	316	Horizontal				
5	17355.0000	43.06	3.80	46.86	74.00	27.14	258	92	Horizontal				
6	17355.0000	34.33	3.80	38.13	54.00	15.87	194	205	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 136 of 348

802.11ac20 Channel 157



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8756.3958	39.32	-3.22	36.10	54.00	17.90	177	116	Vertical				
2	9268.625	47.68	-1.64	46.04	74.00	27.96	148	25	Vertical				
3	11570.0000	32.53	2.08	34.61	54.00	19.39	192	270	Vertical				
4	11570.0000	40.74	2.08	42.82	74.00	31.18	143	205	Vertical				
5	17355.0000	42.73	3.80	46.53	74.00	27.47	251	294	Vertical				
6	17355.0000	33.64	3.80	37.44	54.00	16.56	180	92	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 137 of 348

802.11ac20_Channel 165



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8639.4792	39.03	-3.25	35.78	54.00	18.22	174	54	Horizontal				
2	8687.3958	48.83	-3.39	45.44	74.00	28.56	185	72	Horizontal				
3	11650.0000	39.87	2.32	42.19	74.00	31.81	148	138	Horizontal				
4	11650.0000	32.96	2.32	35.28	54.00	18.72	165	158	Horizontal				
5	17475.0000	40.92	5.04	45.96	74.00	28.04	192	266	Horizontal				
6	17475.0000	33.90	5.04	38.94	54.00	15.06	170	344	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 138 of 348

802.11ac20 Channel 165



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7974.875	50.37	-5.30	45.07	74.00	28.93	162	10	Vertical				
2	7990.6875	40.10	-5.19	34.91	54.00	19.09	254	148	Vertical				
3	11650.0000	41.38	2.32	43.70	74.00	30.30	208	310	Vertical				
4	11650.0000	32.03	2.32	34.35	54.00	19.65	103	233	Vertical				
5	17475.0000	43.02	5.04	48.06	74.00	25.94	173	228	Vertical				
6	17475.0000	33.91	5.04	38.95	54.00	15.05	291	117	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 139 of 348

802.11n40 Channel 38



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8551.3125	48.28	-3.69	44.59	74.00	29.41	184	182	Horizontal				
2	8657.6875	39.14	-3.30	35.84	54.00	18.16	265	26	Horizontal				
3	10380.0000	42.63	0.09	42.72	74.00	31.28	174	154	Horizontal				
4	10380.0000	34.68	0.09	34.77	54.00	19.23	184	88	Horizontal				
5	15570.0000	41.52	3.89	45.41	74.00	28.59	211	248	Horizontal				
6	15570.0000	33.36	3.89	37.25	54.00	16.75	238	2	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 140 of 348

802.11n40 Channel 38



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8234.5833	39.46	-4.93	34.53	54.00	19.47	189	273	Vertical				
2	8650.9792	48.16	-3.29	44.87	74.00	29.13	147	116	Vertical				
3	10380.0000	35.56	0.09	35.65	54.00	18.35	231	117	Vertical				
4	10380.0000	44.42	0.09	44.51	74.00	29.49	266	162	Vertical				
5	15570.0000	32.85	3.89	36.74	54.00	17.26	158	162	Vertical				
6	15570.0000	41.21	3.89	45.10	74.00	28.90	270	138	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 141 of 348

802.11n40 Channel 46



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9268.1458	38.93	-1.64	37.29	54.00	16.71	187	47	Horizontal				
2	9275.8125	47.35	-1.64	45.71	74.00	28.29	194	136	Horizontal				
3	10460.0000	43.21	0.18	43.39	74.00	30.61	146	8	Horizontal				
4	10460.0000	34.91	0.18	35.09	54.00	18.91	125	272	Horizontal				
5	15690.0000	42.12	4.97	47.09	74.00	26.91	233	160	Horizontal				
6	15690.0000	33.83	4.97	38.80	54.00	15.20	164	293	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 142 of 348

802.11n40_Channel 46



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8246.0833	50.22	-4.88	45.34	74.00	28.66	184	181	Vertical				
2	8414.75	40.20	-4.07	36.13	54.00	17.87	172	184	Vertical				
3	10460.0000	36.88	0.18	37.06	54.00	16.94	255	125	Vertical				
4	10460.0000	43.34	0.18	43.52	74.00	30.48	164	266	Vertical				
5	15690.0000	42.97	4.97	47.94	74.00	26.06	199	91	Vertical				
6	15690.0000	33.87	4.97	38.84	54.00	15.16	235	94	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 143 of 348

802.11n40 Channel 54



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8937.5208	48.59	-2.73	45.86	74.00	28.14	128	147	Horizontal				
2	8938.4792	39.03	-2.73	36.30	54.00	17.70	164	317	Horizontal				
3	10540.0000	43.90	0.54	44.44	74.00	29.56	142	9	Horizontal				
4	10540.0000	34.93	0.54	35.47	54.00	18.53	175	270	Horizontal				
5	15810.0000	43.58	5.01	48.59	74.00	25.41	233	93	Horizontal				
6	15810.0000	34.91	5.01	39.92	54.00	14.08	160	181	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 144 of 348

802.11n40 Channel 54



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7978.2292	50.72	-5.28	45.44	74.00	28.56	129	227	Vertical				
2	8318.9167	40.46	-4.55	35.91	54.00	18.09	174	148	Vertical				
3	10540.0000	38.33	0.54	38.87	54.00	15.13	185	9	Vertical				
4	10540.0000	43.66	0.54	44.20	74.00	29.80	234	1	Vertical				
5	15810.0000	42.54	5.01	47.55	74.00	26.45	188	116	Vertical				
6	15810.0000	34.90	5.01	39.91	54.00	14.09	109	139	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 145 of 348

802.11n40 Channel 62



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8409	49.07	-4.06	45.01	74.00	28.99	148	273	Horizontal				
2	8673.5	39.10	-3.35	35.75	54.00	18.25	196	188	Horizontal				
3	10620.0000	43.55	1.17	44.72	74.00	29.28	133	138	Horizontal				
4	10620.0000	35.21	1.17	36.38	54.00	17.62	254	183	Horizontal				
5	15930.0000	42.55	3.60	46.15	74.00	27.85	177	45	Horizontal				
6	15930.0000	35.01	3.60	38.61	54.00	15.39	180	116	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 146 of 348

802.11n40 Channel 62



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8345.2708	49.47	-4.38	45.09	74.00	28.91	145	48	Vertical				
2	8413.7917	40.07	-4.07	36.00	54.00	18.00	185	272	Vertical				
3	10620.0000	43.48	1.17	44.65	74.00	29.35	166	356	Vertical				
4	10620.0000	37.78	1.17	38.95	54.00	15.05	215	266	Vertical				
5	15930.0000	43.14	3.60	46.74	74.00	27.26	194	206	Vertical				
6	15930.0000	34.71	3.60	38.31	54.00	15.69	172	139	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction for or frozery or falsification of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) \$3071443,

or email: CM_Doccheck@sgs.com Sudni Mk. BFWH, N. (Inshire) mod. Sudnu inkastial Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的0号厂房南部 邮第: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUHR/2022/1001105

Rev.: 01

Page: 147 of 348

802.11n40 Channel 102



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8343.8333	40.68	-4.39	36.29	54.00	17.71	184	71	Horizontal				
2	8360.6042	49.35	-4.29	45.06	74.00	28.94	172	316	Horizontal				
3	11020.0000	41.38	1.45	42.83	74.00	31.17	235	95	Horizontal				
4	11020.0000	34.52	1.45	35.97	54.00	18.03	195	337	Horizontal				
5	16530.0000	44.73	3.63	48.36	74.00	25.64	174	58	Horizontal				
6	16530.0000	36.45	3.63	40.08	54.00	13.92	266	2	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 148 of 348

802.11n40 Channel 102



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8350.5417	40.69	-4.35	36.34	54.00	17.66	158	115	Vertical				
2	8466.5	49.86	-4.19	45.67	74.00	28.33	194	249	Vertical				
3	11020.0000	35.20	1.45	36.65	54.00	17.35	172	10	Vertical				
4	11020.0000	42.69	1.45	44.14	74.00	29.86	233	182	Vertical				
5	16530.0000	45.19	3.63	48.82	74.00	25.18	266	337	Vertical				
6	16530.0000	36.30	3.63	39.93	54.00	14.07	144	92	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 149 of 348

802.11n40 Channel 110



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8436.7917	49.58	-4.12	45.46	74.00	28.54	115	294	Horizontal				
2	8755.9167	39.71	-3.22	36.49	54.00	17.51	164	227	Horizontal				
3	11100.0000	34.09	1.34	35.43	54.00	18.57	198	28	Horizontal				
4	11100.0000	42.72	1.34	44.06	74.00	29.94	175	144	Horizontal				
5	16650.0000	44.44	3.51	47.95	74.00	26.05	123	188	Horizontal				
6	16650.0000	36.25	3.51	39.76	54.00	14.24	210	249	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 150 of 348

802.11n40 Channel 110



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8410.4375	40.04	-4.06	35.98	54.00	18.02	144	157	Vertical				
2	8424.8125	49.90	-4.09	45.81	74.00	28.19	187	46	Vertical				
3	11100.0000	42.62	1.34	43.96	74.00	30.04	123	26	Vertical				
4	11100.0000	35.22	1.34	36.56	54.00	17.44	192	59	Vertical				
5	16650.0000	43.89	3.51	47.40	74.00	26.60	263	70	Vertical				
6	16650.0000	35.99	3.51	39.50	54.00	14.50	240	356	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 151 of 348

802.11n40 Channel 118



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8660.0833	49.50	-3.31	46.19	74.00	27.81	157	147	Horizontal				
2	9317.5	38.15	-1.62	36.53	54.00	17.47	184	338	Horizontal				
3	11180.0000	44.45	2.28	46.73	74.00	27.27	284	29	Horizontal				
4	11180.0000	34.71	2.28	36.99	54.00	17.01	195	26	Horizontal				
5	16770.0000	44.05	3.64	47.69	74.00	26.31	235	17	Horizontal				
6	16770.0000	35.77	3.64	39.41	54.00	14.59	144	233	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 152 of 348

802.11n40 Channel 118



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8936.0833	39.23	-2.73	36.50	54.00	17.50	187	140	Vertical				
2	9218.3125	47.41	-1.62	45.79	74.00	28.21	145	48	Vertical				
3	11180.0000	43.41	2.28	45.69	74.00	28.31	126	30	Vertical				
4	11180.0000	34.83	2.28	37.11	54.00	16.89	198	97	Vertical				
5	16770.0000	43.88	3.64	47.52	74.00	26.48	280	340	Vertical				
6	16770.0000	36.76	3.64	40.40	54.00	13.60	188	297	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 153 of 348

802.11n40 Channel 126



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8337.6042	49.79	-4.43	45.36	74.00	28.64	194	318	Horizontal				
2	8626.0625	39.14	-3.21	35.93	54.00	18.07	172	338	Horizontal				
3	11340.0000	33.91	1.77	35.68	54.00	18.32	233	116	Horizontal				
4	11340.0000	41.35	1.77	43.12	74.00	30.88	166	184	Horizontal				
5	17010.0000	44.35	4.80	49.15	74.00	24.85	105	95	Horizontal				
6	17010.0000	35.75	4.80	40.55	54.00	13.45	177	183	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 154 of 348

802.11n40 Channel 126



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6999.2917	52.96	-6.92	46.04	74.00	27.96	179	251	Vertical				
2	7386.9375	41.50	-6.36	35.14	54.00	18.86	184	12	Vertical				
3	11340.0000	42.10	1.77	43.87	74.00	30.13	204	12	Vertical				
4	11340.0000	33.29	1.77	35.06	54.00	18.94	166	140	Vertical				
5	17010.0000	44.74	4.80	49.54	74.00	24.46	183	186	Vertical				
6	17010.0000	35.64	4.80	40.44	54.00	13.56	266	49	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 155 of 348

802.11n40 Channel 134



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8797.125	48.96	-3.07	45.89	74.00	28.11	155	184	Horizontal				
2	8976.3333	38.88	-2.69	36.19	54.00	17.81	142	293	Horizontal				
3	11340.0000	33.39	1.77	35.16	54.00	18.84	236	272	Horizontal				
4	11340.0000	41.35	1.77	43.12	74.00	30.88	299	356	Horizontal				
5	17010.0000	46.13	4.80	50.93	74.00	23.07	175	183	Horizontal				
6	17010.0000	35.94	4.80	40.74	54.00	13.26	215	10	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 156 of 348

802.11n40 Channel 134



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8391.75	49.65	-4.09	45.56	74.00	28.44	175	10	Vertical				
2	8412.3542	40.75	-4.07	36.68	54.00	17.32	142	317	Vertical				
3	11340.0000	42.20	1.77	43.97	74.00	30.03	194	250	Vertical				
4	11340.0000	34.08	1.77	35.85	54.00	18.15	266	147	Vertical				
5	17010.0000	44.22	4.80	49.02	74.00	24.98	170	288	Vertical				
6	17010.0000	35.46	4.80	40.26	54.00	13.74	233	28	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 157 of 348

802.11n40 Channel 142



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8642.8333	49.20	-3.26	45.94	74.00	28.06	165	144	Horizontal				
2	8794.25	39.60	-3.08	36.52	54.00	17.48	174	284	Horizontal				
3	11420.0000	33.87	1.78	35.65	54.00	18.35	194	138	Horizontal				
4	11420.0000	41.61	1.78	43.39	74.00	30.61	182	183	Horizontal				
5	17130.0000	43.37	4.52	47.89	74.00	26.11	203	207	Horizontal				
6	17130.0000	35.94	4.52	40.46	54.00	13.54	166	10	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 158 of 348

802.11n40 Channel 142



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8409	40.17	-4.06	36.11	54.00	17.89	155	270	Vertical				
2	8645.2292	48.31	-3.27	45.04	74.00	28.96	184	73	Vertical				
3	11420.0000	42.12	1.78	43.90	74.00	30.10	234	163	Vertical				
4	11420.0000	34.51	1.78	36.29	54.00	17.71	196	316	Vertical				
5	17130.0000	43.12	4.52	47.64	74.00	26.36	175	357	Vertical				
6	17130.0000	35.31	4.52	39.83	54.00	14.17	105	206	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 159 of 348

802.11n40 Channel 151



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8405.1667	40.97	-4.05	36.92	54.00	17.08	128	1	Horizontal				
2	9381.7083	47.43	-1.47	45.96	74.00	28.04	265	160	Horizontal				
3	11510.0000	33.33	2.43	35.76	54.00	18.24	147	139	Horizontal				
4	11510.0000	41.06	2.43	43.49	74.00	30.51	266	274	Horizontal				
5	17265.0000	41.99	3.58	45.57	74.00	28.43	194	228	Horizontal				
6	17265.0000	35.19	3.58	38.77	54.00	15.23	207	72	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 160 of 348

802.11n40 Channel 151



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9264.7917	47.16	-1.64	45.52	74.00	28.48	184	294	Vertical				
2	9334.75	37.80	-1.58	36.22	54.00	17.78	126	273	Vertical				
3	11510.0000	40.97	2.43	43.40	74.00	30.60	177	57	Vertical				
4	11510.0000	33.21	2.43	35.64	54.00	18.36	238	71	Vertical				
5	17265.0000	42.89	3.58	46.47	74.00	27.53	205	28	Vertical				
6	17265.0000	35.04	3.58	38.62	54.00	15.38	144	273	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 161 of 348

802.11n40 Channel 159



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8939.9167	39.55	-2.73	36.82	54.00	17.18	175	71	Horizontal				
2	9271.0208	47.01	-1.64	45.37	74.00	28.63	194	47	Horizontal				
3	11590.0000	34.39	1.97	36.36	54.00	17.64	172	116	Horizontal				
4	11590.0000	41.86	1.97	43.83	74.00	30.17	235	316	Horizontal				
5	17385.0000	43.20	4.00	47.20	74.00	26.80	140	251	Horizontal				
6	17385.0000	34.61	4.00	38.61	54.00	15.39	188	206	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 162 of 348

802.11n40 Channel 159



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	8467.9375	40.51	-4.19	36.32	54.00	17.68	177	90	Vertical		
2	8823	48.23	-2.99	45.24	74.00	28.76	145	135	Vertical		
3	11590.0000	34.10	1.97	36.07	54.00	17.93	201	356	Vertical		
4	11590.0000	42.39	1.97	44.36	74.00	29.64	295	8	Vertical		
5	17385.0000	33.80	4.00	37.80	54.00	16.20	199	57	Vertical		
6	17385.0000	43.57	4.00	47.57	74.00	26.43	224	36	Vertical		






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 163 of 348

802.11ac40 Channel 38



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8404.6875	40.55	-4.05	36.50	54.00	17.50	128	48	Horizontal				
2	8662.4792	48.56	-3.32	45.24	74.00	28.76	169	16	Horizontal				
3	10380.0000	44.41	0.09	44.50	74.00	29.50	172	357	Horizontal				
4	10380.0000	34.94	0.09	35.03	54.00	18.97	194	163	Horizontal				
5	15570.0000	42.87	3.89	46.76	74.00	27.24	251	214	Horizontal				
6	15570.0000	33.86	3.89	37.75	54.00	16.25	222	206	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 164 of 348

802.11ac40 Channel 38



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7979.1875	52.52	-5.27	47.25	74.00	26.75	125	48	Vertical				
2	7992.125	40.17	-5.18	34.99	54.00	19.01	235	52	Vertical				
3	10380.0000	36.12	0.09	36.21	54.00	17.79	264	177	Vertical				
4	10380.0000	43.73	0.09	43.82	74.00	30.18	271	357	Vertical				
5	15570.0000	42.67	3.89	46.56	74.00	27.44	210	273	Vertical				
6	15570.0000	34.02	3.89	37.91	54.00	16.09	158	29	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 165 of 348

802.11ac40 Channel 46



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9329.4792	39.96	-1.59	38.37	54.00	15.63	194	1	Horizontal				
2	9403.2708	48.12	-1.43	46.69	74.00	27.31	178	319	Horizontal				
3	10460.0000	35.74	0.18	35.92	54.00	18.08	145	74	Horizontal				
4	10460.0000	43.63	0.18	43.81	74.00	30.19	266	30	Horizontal				
5	15690.0000	43.02	4.97	47.99	74.00	26.01	234	252	Horizontal				
6	15690.0000	34.88	4.97	39.85	54.00	14.15	170	98	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 166 of 348

802.11ac40 Channel 46



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8409.4792	41.31	-4.06	37.25	54.00	16.75	148	94	Vertical				
2	8978.7292	49.09	-2.69	46.40	74.00	27.60	195	58	Vertical				
3	10460.0000	37.92	0.18	38.10	54.00	15.90	254	356	Vertical				
4	10460.0000	45.85	0.18	46.03	74.00	27.97	163	10	Vertical				
5	15690.0000	44.08	4.97	49.05	74.00	24.95	277	115	Vertical				
6	15690.0000	36.05	4.97	41.02	54.00	12.98	185	270	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 167 of 348

802.11ac40 Channel 54



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9267.6667	48.34	-1.64	46.70	74.00	27.30	184	138	Horizontal				
2	9330.9167	39.77	-1.59	38.18	54.00	15.82	265	50	Horizontal				
3	10540.0000	43.07	0.54	43.61	74.00	30.39	255	48	Horizontal				
4	10540.0000	35.67	0.54	36.21	54.00	17.79	174	228	Horizontal				
5	15810.0000	45.31	5.01	50.32	74.00	23.68	188	357	Horizontal				
6	15810.0000	35.59	5.01	40.60	54.00	13.40	231	155	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 168 of 348

802.11ac40 Channel 54



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9261.4375	48.79	-1.64	47.15	74.00	26.85	154	58	Vertical				
2	9329.4792	39.33	-1.59	37.74	54.00	16.26	196	17	Vertical				
3	10540.0000	39.47	0.54	40.01	54.00	13.99	258	1	Vertical				
4	10540.0000	45.86	0.54	46.40	74.00	27.60	147	266	Vertical				
5	15810.0000	44.27	5.01	49.28	74.00	24.72	159	22	Vertical				
6	15810.0000	35.62	5.01	40.63	54.00	13.37	238	312	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 169 of 348

802.11ac40 Channel 62



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8347.6667	50.93	-4.37	46.56	74.00	27.44	147	11	Horizontal				
2	9266.2292	39.05	-1.64	37.41	54.00	16.59	184	58	Horizontal				
3	10620.0000	35.21	1.17	36.38	54.00	17.62	197	272	Horizontal				
4	10620.0000	43.54	1.17	44.71	74.00	29.29	124	249	Horizontal				
5	15930.0000	42.88	3.60	46.48	74.00	27.52	162	49	Horizontal				
6	15930.0000	35.26	3.60	38.86	54.00	15.14	235	184	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 170 of 348

802.11ac40 Channel 62



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7441.0833	41.87	-6.48	35.39	54.00	18.61	188	59	Vertical				
2	7624.6042	51.97	-6.35	45.62	74.00	28.38	236	48	Vertical				
3	10620.0000	44.80	1.17	45.97	74.00	28.03	201	357	Vertical				
4	10620.0000	38.54	1.17	39.71	54.00	14.29	238	144	Vertical				
5	15930.0000	35.40	3.60	39.00	54.00	15.00	170	25	Vertical				
6	15930.0000	43.64	3.60	47.24	74.00	26.76	190	3	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 171 of 348

802.11ac40 Channel 102



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8636.6042	50.06	-3.24	46.82	74.00	27.18	122	50	Horizontal				
2	8913.0833	39.51	-2.76	36.75	54.00	17.25	269	17	Horizontal				
3	11020.0000	34.84	1.45	36.29	54.00	17.71	194	10	Horizontal				
4	11020.0000	42.57	1.45	44.02	74.00	29.98	158	163	Horizontal				
5	16530.0000	45.05	3.63	48.68	74.00	25.32	209	72	Horizontal				
6	16530.0000	37.11	3.63	40.74	54.00	13.26	188	139	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 172 of 348

802.11ac40 Channel 102



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9292.5833	48.65	-1.65	47.00	74.00	27.00	194	319	Vertical				
2	9324.6875	38.82	-1.60	37.22	54.00	16.78	255	98	Vertical				
3	11020.0000	35.84	1.45	37.29	54.00	16.71	233	1	Vertical				
4	11020.0000	44.88	1.45	46.33	74.00	27.67	268	12	Vertical				
5	16530.0000	45.73	3.63	49.36	74.00	24.64	148	120	Vertical				
6	16530.0000	36.65	3.63	40.28	54.00	13.72	190	57	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 173 of 348

802.11ac40 Channel 110



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7995.9583	49.46	-5.15	44.31	74.00	29.69	158	28	Horizontal				
2	8782.75	39.89	-3.12	36.77	54.00	17.23	149	72	Horizontal				
3	11100.0000	42.04	1.34	43.38	74.00	30.62	166	317	Horizontal				
4	11100.0000	34.52	1.34	35.86	54.00	18.14	172	160	Horizontal				
5	16650.0000	44.52	3.51	48.03	74.00	25.97	194	206	Horizontal				
6	16650.0000	36.10	3.51	39.61	54.00	14.39	207	117	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 174 of 348

802.11ac40 Channel 110



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8293.0417	40.74	-4.69	36.05	54.00	17.95	266	356	Vertical			
2	8397.0208	49.11	-4.06	45.05	74.00	28.95	254	117	Vertical			
3	11100.0000	34.56	1.34	35.90	54.00	18.10	194	2	Vertical			
4	11100.0000	43.90	1.34	45.24	74.00	28.76	178	28	Vertical			
5	16650.0000	44.41	3.51	47.92	74.00	26.08	155	160	Vertical			
6	16650.0000	36.65	3.51	40.16	54.00	13.84	184	117	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 175 of 348

802.11ac40 Channel 118



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9259.0417	38.28	-1.64	36.64	54.00	17.36	245	154	Horizontal			
2	9553.25	46.96	-1.10	45.86	74.00	28.14	184	88	Horizontal			
3	11180.0000	34.23	2.28	36.51	54.00	17.49	194	19	Horizontal			
4	11180.0000	43.81	2.28	46.09	74.00	27.91	266	26	Horizontal			
5	16770.0000	43.21	3.64	46.85	74.00	27.15	173	244	Horizontal			
6	16770.0000	34.65	3.64	38.29	54.00	15.71	205	175	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 176 of 348

802.11ac40 Channel 118



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	9269.5833	48.92	-1.64	47.28	74.00	26.72	175	183	Vertical		
2	9331.3958	38.63	-1.58	37.05	54.00	16.95	144	117	Vertical		
3	11180.0000	43.58	2.28	45.86	74.00	28.14	195	93	Vertical		
4	11180.0000	35.57	2.28	37.85	54.00	16.15	166	93	Vertical		
5	16770.0000	43.28	3.64	46.92	74.00	27.08	254	250	Vertical		
6	16770.0000	35.30	3.64	38.94	54.00	15.06	183	357	Vertical		






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 177 of 348

802.11ac40 Channel 126



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8353.4167	40.60	-4.33	36.27	54.00	17.73	148	116	Horizontal			
2	8386.4792	49.27	-4.12	45.15	74.00	28.85	197	183	Horizontal			
3	11340.0000	33.41	1.77	35.18	54.00	18.82	147	78	Horizontal			
4	11340.0000	42.38	1.77	44.15	74.00	29.85	251	228	Horizontal			
5	17010.0000	44.12	4.80	48.92	74.00	25.08	235	95	Horizontal			
6	17010.0000	36.13	4.80	40.93	54.00	13.07	260	318	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 178 of 348

802.11ac40_Channel 126



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9276.7708	47.34	-1.64	45.70	74.00	28.30	178	257	Vertical			
2	9282.5208	38.36	-1.65	36.71	54.00	17.29	194	155	Vertical			
3	11340.0000	43.03	1.77	44.80	74.00	29.20	165	304	Vertical			
4	11340.0000	33.54	1.77	35.31	54.00	18.69	173	280	Vertical			
5	17010.0000	44.16	4.80	48.96	74.00	25.04	140	58	Vertical			
6	17010.0000	35.56	4.80	40.36	54.00	13.64	125	147	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 179 of 348

802.11ac40 Channel 134



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8394.625	49.01	-4.07	44.94	74.00	29.06	148	340	Horizontal			
2	8403.7292	40.52	-4.05	36.47	54.00	17.53	195	1	Horizontal			
3	11340.0000	42.06	1.77	43.83	74.00	30.17	266	11	Horizontal			
4	11340.0000	33.77	1.77	35.54	54.00	18.46	172	28	Horizontal			
5	17010.0000	45.29	4.80	50.09	74.00	23.91	254	184	Horizontal			
6	17010.0000	36.19	4.80	40.99	54.00	13.01	199	58	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 180 of 348

802.11ac40 Channel 134



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7973.4375	51.27	-5.31	45.96	74.00	28.04	289	206	Vertical			
2	8411.875	39.95	-4.07	35.88	54.00	18.12	175	318	Vertical			
3	11340.0000	43.58	1.77	45.35	74.00	28.65	239	95	Vertical			
4	11340.0000	33.79	1.77	35.56	54.00	18.44	146	140	Vertical			
5	17010.0000	43.66	4.80	48.46	74.00	25.54	218	273	Vertical			
6	17010.0000	35.14	4.80	39.94	54.00	14.06	207	183	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 181 of 348

802.11ac40_Channel 142



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8389.8333	49.33	-4.10	45.23	74.00	28.77	188	72	Horizontal			
2	8399.8958	39.86	-4.04	35.82	54.00	18.18	194	2	Horizontal			
3	11420.0000	42.74	1.78	44.52	74.00	29.48	233	338	Horizontal			
4	11420.0000	33.65	1.78	35.43	54.00	18.57	172	205	Horizontal			
5	17130.0000	42.93	4.52	47.45	74.00	26.55	264	227	Horizontal			
6	17130.0000	35.07	4.52	39.59	54.00	14.41	144	184	Horizontal			

