


Report No.: SUHR/2022/1001105

Rev.: 01

Page: 182 of 348

#### 802.11ac40\_Channel 142



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8642.8333	39.43	-3.26	36.17	54.00	17.83	188	316	Vertical			
2	8810.0625	48.84	-3.03	45.81	74.00	28.19	194	294	Vertical			
3	11420.0000	41.80	1.78	43.58	74.00	30.42	266	49	Vertical			
4	11420.0000	33.90	1.78	35.68	54.00	18.32	172	71	Vertical			
5	17130.0000	43.51	4.52	48.03	74.00	25.97	234	273	Vertical			
6	17130.0000	35.43	4.52	39.95	54.00	14.05	155	356	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 183 of 348

#### 802.11ac40 Channel 151



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8668.7083	39.34	-3.34	36.00	54.00	18.00	194	10	Horizontal				
2	8856.0625	48.36	-2.90	45.46	74.00	28.54	100	162	Horizontal				
3	11510.0000	32.92	2.43	35.35	54.00	18.65	266	183	Horizontal				
4	11510.0000	41.08	2.43	43.51	74.00	30.49	238	187	Horizontal				
5	17265.0000	42.62	3.58	46.20	74.00	27.80	148	207	Horizontal				
6	17265.0000	35.12	3.58	38.70	54.00	15.30	190	155	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 184 of 348

#### 802.11ac40\_Channel 151



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8402.2917	40.05	-4.05	36.00	54.00	18.00	184	72	Vertical				
2	8767.4167	48.45	-3.18	45.27	74.00	28.73	195	357	Vertical				
3	11510.0000	33.12	2.43	35.55	54.00	18.45	172	319	Vertical				
4	11510.0000	42.62	2.43	45.05	74.00	28.95	233	168	Vertical				
5	17265.0000	42.52	3.58	46.10	74.00	27.90	164	251	Vertical				
6	17265.0000	34.88	3.58	38.46	54.00	15.54	188	230	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 185 of 348

#### 802.11ac40 Channel 159



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8641.3958	39.34	-3.26	36.08	54.00	17.92	184	11	Horizontal				
2	8720.4583	48.90	-3.35	45.55	74.00	28.45	159	73	Horizontal				
3	11590.0000	42.67	1.97	44.64	74.00	29.36	183	1	Horizontal				
4	11590.0000	33.43	1.97	35.40	54.00	18.60	256	140	Horizontal				
5	17385.0000	41.81	4.00	45.81	74.00	28.19	177	251	Horizontal				
6	17385.0000	33.90	4.00	37.90	54.00	16.10	233	340	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 186 of 348

#### 802.11ac40 Channel 159



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8610.25	39.40	-3.17	36.23	54.00	17.77	248	357	Vertical			
2	8816.7708	49.08	-3.01	46.07	74.00	27.93	194	162	Vertical			
3	11590.0000	41.16	1.97	43.13	74.00	30.87	233	28	Vertical			
4	11590.0000	33.31	1.97	35.28	54.00	18.72	176	140	Vertical			
5	17385.0000	42.10	4.00	46.10	74.00	27.90	155	140	Vertical			
6	17385.0000	33.92	4.00	37.92	54.00	16.08	270	273	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 187 of 348

#### 802.11ac80 Channel 42



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8406.125	49.27	-4.05	45.22	74.00	28.78	184	184	Horizontal				
2	9004.125	38.34	-2.65	35.69	54.00	18.31	175	25	Horizontal				
3	10420.0000	42.60	0.15	42.75	74.00	31.25	192	183	Horizontal				
4	10420.0000	34.51	0.15	34.66	54.00	19.34	166	188	Horizontal				
5	15630.0000	41.37	4.37	45.74	74.00	28.26	234	338	Horizontal				
6	15630.0000	33.50	4.37	37.87	54.00	16.13	255	294	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 188 of 348

#### 802.11ac80 Channel 42



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8679.7292	48.87	-3.37	45.50	74.00	28.50	175	72	Vertical			
2	8930.8125	38.72	-2.74	35.98	54.00	18.02	194	207	Vertical			
3	10420.0000	43.21	0.15	43.36	74.00	30.64	166	26	Vertical			
4	10420.0000	35.11	0.15	35.26	54.00	18.74	182	188	Vertical			
5	15630.0000	41.64	4.37	46.01	74.00	27.99	244	162	Vertical			
6	15630.0000	33.60	4.37	37.97	54.00	16.03	130	138	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 189 of 348

#### 802.11ac80 Channel 58



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7808.6042	40.14	-5.80	34.34	54.00	19.66	228	338	Horizontal				
2	8032.8542	49.03	-4.85	44.18	74.00	29.82	145	139	Horizontal				
3	10580.0000	33.22	0.88	34.10	54.00	19.90	215	183	Horizontal				
4	10580.0000	41.96	0.88	42.84	74.00	31.16	266	293	Horizontal				
5	15870.0000	44.22	4.27	48.49	74.00	25.51	188	26	Horizontal				
6	15870.0000	34.85	4.27	39.12	54.00	14.88	172	228	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 190 of 348

#### 802.11ac80 Channel 58



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8394.1458	48.89	-4.08	44.81	74.00	29.19	188	50	Vertical				
2	8404.6875	39.63	-4.05	35.58	54.00	18.42	175	117	Vertical				
3	10580.0000	43.42	0.88	44.30	74.00	29.70	235	48	Vertical				
4	10580.0000	35.72	0.88	36.60	54.00	17.40	188	357	Vertical				
5	15870.0000	34.95	4.27	39.22	54.00	14.78	190	29	Vertical				
6	15870.0000	42.32	4.27	46.59	74.00	27.41	175	272	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 191 of 348

#### 802.11ac80 Channel 106



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8392.2292	49.17	-4.09	45.08	74.00	28.92	144	2	Horizontal				
2	8408.5208	40.16	-4.06	36.10	54.00	17.90	285	293	Horizontal				
3	11060.0000	42.01	1.40	43.41	74.00	30.59	237	71	Horizontal				
4	11060.0000	33.35	1.40	34.75	54.00	19.25	196	48	Horizontal				
5	16590.0000	45.05	3.61	48.66	74.00	25.34	180	9	Horizontal				
6	16590.0000	36.36	3.61	39.97	54.00	14.03	159	249	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 192 of 348

#### 802.11ac80\_Channel 106



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8400.8542	40.18	-4.04	36.14	54.00	17.86	184	158	Vertical			
2	8415.7083	49.65	-4.07	45.58	74.00	28.42	179	266	Vertical			
3	11060.0000	41.36	1.40	42.76	74.00	31.24	122	186	Vertical			
4	11060.0000	34.10	1.40	35.50	54.00	18.50	254	17	Vertical			
5	16590.0000	44.44	3.61	48.05	74.00	25.95	238	76	Vertical			
6	16590.0000	35.95	3.61	39.56	54.00	14.44	190	186	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 193 of 348

#### 802.11ac80 Channel 122



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8931.2917	39.09	-2.74	36.35	54.00	17.65	174	58	Horizontal				
2	9263.3542	47.89	-1.64	46.25	74.00	27.75	236	204	Horizontal				
3	11220.0000	42.28	2.38	44.66	74.00	29.34	170	144	Horizontal				
4	11220.0000	33.51	2.38	35.89	54.00	18.11	194	272	Horizontal				
5	16830.0000	43.93	3.93	47.86	74.00	26.14	255	250	Horizontal				
6	16830.0000	35.57	3.93	39.50	54.00	14.50	188	138	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 194 of 348

#### 802.11ac80 Channel 122



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8387.9167	49.35	-4.12	45.23	74.00	28.77	184	11	Vertical				
2	8700.8125	40.07	-3.42	36.65	54.00	17.35	255	184	Vertical				
3	11220.0000	42.82	2.38	45.20	74.00	28.80	164	294	Vertical				
4	11220.0000	35.76	2.38	38.14	54.00	15.86	195	316	Vertical				
5	16830.0000	36.21	3.93	40.14	54.00	13.86	284	162	Vertical				
6	16830.0000	42.70	3.93	46.63	74.00	27.37	133	316	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 195 of 348

#### 802.11ac80 Channel 138



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	8647.625	39.40	-3.28	36.12	54.00	17.88	169	24	Horizontal					
2	9257.125	47.44	-1.64	45.80	74.00	28.20	184	248	Horizontal					
3	11380.0000	40.87	1.66	42.53	74.00	31.47	233	9	Horizontal					
4	11380.0000	32.61	1.66	34.27	54.00	19.73	172	188	Horizontal					
5	17070.0000	43.71	4.81	48.52	74.00	25.48	166	356	Horizontal					
6	17070.0000	34.69	4.81	39.50	54.00	14.50	140	70	Horizontal					






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 196 of 348

#### 802.11ac80 Channel 138



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8405.6458	49.36	-4.05	45.31	74.00	28.69	122	188	Vertical				
2	8420.5	40.09	-4.09	36.00	54.00	18.00	235	26	Vertical				
3	11380.0000	33.82	1.66	35.48	54.00	18.52	199	318	Vertical				
4	11380.0000	41.52	1.66	43.18	74.00	30.82	175	273	Vertical				
5	17070.0000	43.04	4.81	47.85	74.00	26.15	166	273	Vertical				
6	17070.0000	34.73	4.81	39.54	54.00	14.46	201	10	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 197 of 348

#### 802.11ac80 Channel 155



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8403.25	49.65	-4.05	45.60	74.00	28.40	175	183	Horizontal				
2	8932.25	39.04	-2.74	36.30	54.00	17.70	142	155	Horizontal				
3	11550.0000	41.54	2.20	43.74	74.00	30.26	265	95	Horizontal				
4	11550.0000	32.15	2.20	34.35	54.00	19.65	199	187	Horizontal				
5	17325.0000	42.40	3.62	46.02	74.00	27.98	188	2	Horizontal				
6	17325.0000	34.29	3.62	37.91	54.00	16.09	105	227	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 198 of 348

#### 802.11ac80 Channel 155



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	8316.5208	40.55	-4.56	35.99	54.00	18.01	147	227	Vertical					
2	9375	47.25	-1.49	45.76	74.00	28.24	185	182	Vertical					
3	11550.0000	41.12	2.20	43.32	74.00	30.68	208	10	Vertical					
4	11550.0000	33.32	2.20	35.52	54.00	18.48	299	166	Vertical					
5	17325.0000	42.76	3.62	46.38	74.00	27.62	142	72	Vertical					
6	17325.0000	34.44	3.62	38.06	54.00	15.94	193	1	Vertical					






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 199 of 348

# Restricted bands around fundamental frequency 802.11a Channel 36



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5116	44.95	12.53	57.48	74.00	16.52	125	295	Horizontal				
2	5120.4	29.85	12.55	42.40	54.00	11.60	125	295	Horizontal				
3	5149.1667	51.18	12.63	63.81	74.00	10.19	125	295	Horizontal				
4	5149.6	32.34	12.64	44.98	54.00	9.02	125	295	Horizontal				
5	5180.0000	92.89	12.73	105.62	-	•	125	295	Horizontal				
6	5180.0000	84.60	12.73	97.33	-	-	125	295	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 200 of 348

#### 802.11a Channel 36



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5123.1	42.13	12.56	54.69	74.00	19.31	269	251	Vertical				
2	5128.3333	28.33	12.57	40.90	54.00	13.10	269	251	Vertical				
3	5149.4	29.59	12.64	42.23	54.00	11.77	269	251	Vertical				
4	5149.5667	47.54	12.64	60.18	74.00	13.82	269	251	Vertical				
5	5180.0000	90.63	12.73	103.36	-	•	269	251	Vertical				
6	5180.0000	82.71	12.73	95.44	-	-	269	251	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 201 of 348

#### 802.11a Channel 40



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5148	29.89	12.63	42.52	54.00	11.48	155	283	Horizontal				
2	5148.32	45.29	12.63	57.92	74.00	16.08	155	283	Horizontal				
3	5200.0000	94.77	12.79	107.56	-	-	155	283	Horizontal				
4	5200.0000	86.99	12.79	99.78	-	-	155	283	Horizontal				
5	5351.21	28.31	12.69	41.00	54.00	13.00	155	283	Horizontal				
6	5354.2375	39.71	12.68	52.39	74.00	21.61	155	283	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 202 of 348

#### 802.11a Channel 40



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5147.4667	29.14	12.63	41.77	54.00	12.23	189	251	Vertical				
2	5149.0667	44.64	12.63	57.27	74.00	16.73	189	251	Vertical				
3	5200.0000	85.93	12.79	98.72	-	•	189	251	Vertical				
4	5200.0000	93.51	12.79	106.30	-	•	189	251	Vertical				
5	5355.9175	28.26	12.68	40.94	54.00	13.06	189	251	Vertical				
6	5362.8475	39.13	12.65	51.78	74.00	22.22	189	251	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 203 of 348

#### 802.11a Channel 60



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5141.4	39.59	12.61	52.20	74.00	21.80	148	230	Horizontal				
2	5148	27.06	12.63	39.69	54.00	14.31	148	230	Horizontal				
3	5300.0000	92.67	12.87	105.54	-	-	148	230	Horizontal				
4	5300.0000	84.91	12.87	97.78	-	-	148	230	Horizontal				
5	5354.5375	29.79	12.68	42.47	54.00	11.53	148	230	Horizontal				
6	5354.7	44.04	12.68	56.72	74.00	17.28	148	230	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 204 of 348

#### 802.11a Channel 60



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5146.8667	27.06	12.63	39.69	54.00	14.31	258	66	Vertical				
2	5147.8667	38.74	12.63	51.37	74.00	22.63	258	66	Vertical				
3	5300.0000	83.16	12.87	96.03	-	•	258	66	Vertical				
4	5300.0000	90.54	12.87	103.41	-	-	258	66	Vertical				
5	5353.725	42.16	12.69	54.85	74.00	19.15	258	66	Vertical				
6	5359.7625	29.40	12.66	42.06	54.00	11.94	258	66	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 205 of 348

#### 802.11a Channel 64



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5320.0000	90.36	12.80	103.16	-	-	148	282	Horizontal				
2	5320.0000	82.84	12.80	95.64	-	-	148	282	Horizontal				
3	5350.6	31.66	12.70	44.36	54.00	9.64	148	282	Horizontal				
4	5351.5667	48.44	12.69	61.13	74.00	12.87	148	282	Horizontal				
5	5371	29.25	12.63	41.88	54.00	12.12	148	282	Horizontal				
6	5372.8	43.76	12.62	56.38	74.00	17.62	148	282	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 206 of 348

#### 802.11a Channel 64



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5320.0000	90.14	12.80	102.94	-	-	265	251	Vertical				
2	5320.0000	82.55	12.80	95.35	-	•	265	251	Vertical				
3	5350.2333	30.09	12.70	42.79	54.00	11.21	265	251	Vertical				
4	5351.2333	46.09	12.69	58.78	74.00	15.22	265	251	Vertical				
5	5357.3333	28.70	12.67	41.37	54.00	12.63	265	251	Vertical				
6	5366.4667	41.83	12.64	54.47	74.00	19.53	265	251	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 207 of 348

#### 802.11a Channel 100



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5447.44	44.33	12.64	56.97	74.00	17.03	288	110	Horizontal				
2	5456.5	29.11	12.67	41.78	54.00	12.22	288	110	Horizontal				
3	5457.94	46.26	12.67	58.93	74.00	15.07	288	110	Horizontal				
4	5467.96	48.72	12.69	61.41	68.30	6.89	288	110	Horizontal				
5	5500.0000	81.04	12.77	93.81	-	•	288	110	Horizontal				
6	5500.0000	88.52	12.77	101.29	-	-	288	110	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 208 of 348

#### 802.11a Channel 100



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5445.7	41.38	12.64	54.02	74.00	19.98	268	75	Vertical				
2	5456.14	28.05	12.66	40.71	54.00	13.29	268	75	Vertical				
3	5456.26	42.53	12.67	55.20	74.00	18.80	268	75	Vertical				
4	5469.1	45.59	12.70	58.29	68.30	10.01	268	75	Vertical				
5	5500.0000	78.82	12.77	91.59	-	•	268	75	Vertical				
6	5500.0000	86.09	12.77	98.86	-	-	268	75	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 209 of 348

#### 802.11a Channel 104



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5456.6417	28.71	12.67	41.38	54.00	12.62	154	99	Horizontal				
2	5458.54	43.30	12.67	55.97	74.00	18.03	154	99	Horizontal				
3	5469.8183	45.62	12.70	58.32	68.30	9.98	154	99	Horizontal				
4	5520.0000	85.35	12.87	98.22	-	-	154	99	Horizontal				
5	5520.0000	93.08	12.87	105.95	-	-	154	99	Horizontal				
6	5730.03	39.44	13.95	53.39	68.30	14.91	154	99	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 210 of 348

#### 802.11a Channel 104



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5455.86	39.36	12.66	52.02	74.00	21.98	284	120	Vertical				
2	5457.7583	28.01	12.67	40.68	54.00	13.32	284	120	Vertical				
3	5465.3517	42.15	12.69	54.84	68.30	13.46	284	120	Vertical				
4	5520.0000	83.59	12.87	96.46	-	-	284	120	Vertical				
5	5520.0000	91.17	12.87	104.04	-	•	284	120	Vertical				
6	5730.62	39.02	13.95	52.97	68.30	15.33	284	120	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 211 of 348

#### 802.11a Channel 120



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5454.4083	38.52	12.66	51.18	74.00	22.82	254	99	Horizontal				
2	5455.9717	27.07	12.66	39.73	54.00	14.27	254	99	Horizontal				
3	5465.3517	38.73	12.69	51.42	68.30	16.88	254	99	Horizontal				
4	5600.0000	93.77	13.29	107.06	-	-	254	99	Horizontal				
5	5600.0000	86.70	13.29	99.99	-	-	254	99	Horizontal				
6	5727.33	39.70	13.94	53.64	68.30	14.66	254	99	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 212 of 348

#### 802.11a Channel 120



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5453.2917	27.01	12.66	39.67	54.00	14.33	159	264	Vertical			
2	5457.2	38.78	12.67	51.45	74.00	22.55	159	264	Vertical			
3	5462.4483	38.25	12.68	50.93	68.30	17.37	159	264	Vertical			
4	5600.0000	91.88	13.29	105.17	-	-	159	264	Vertical			
5	5600.0000	84.38	13.29	97.67	-	1	159	264	Vertical			
6	5728.49	38.95	13.94	52.89	68.30	15.41	159	264	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 213 of 348

#### 802.11a Channel 124



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5454.185	38.70	12.66	51.36	74.00	22.64	180	184	Horizontal			
2	5454.52	26.99	12.66	39.65	54.00	14.35	180	184	Horizontal			
3	5466.8033	38.85	12.69	51.54	68.30	16.76	180	184	Horizontal			
4	5620.0000	86.56	13.42	99.98	-	-	180	184	Horizontal			
5	5620.0000	94.05	13.42	107.47	-	1	180	184	Horizontal			
6	5728.68	39.08	13.95	53.03	68.30	15.27	180	184	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 214 of 348

#### 802.11a\_Channel 124



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5454.185	39.12	12.66	51.78	74.00	22.22	122	286	Vertical			
2	5456.9767	26.94	12.67	39.61	54.00	14.39	122	286	Vertical			
3	5466.1333	38.23	12.69	50.92	68.30	17.38	122	286	Vertical			
4	5620.0000	84.28	13.42	97.70	-	-	122	286	Vertical			
5	5620.0000	91.80	13.42	105.22	-	-	122	286	Vertical			
6	5727.36	39.79	13.94	53.73	68.30	14.57	122	286	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 215 of 348

#### 802.11a Channel 128



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5455.9717	27.20	12.66	39.86	54.00	14.14	248	108	Horizontal			
2	5456.7533	38.83	12.67	51.50	74.00	22.50	248	108	Horizontal			
3	5462.225	38.80	12.68	51.48	68.30	16.82	248	108	Horizontal			
4	5640.0000	86.28	13.54	99.82	-	-	248	108	Horizontal			
5	5640.0000	94.33	13.54	107.87	-	1	248	108	Horizontal			
6	5730.72	40.62	13.95	54.57	68.30	13.73	248	108	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 216 of 348

#### 802.11a Channel 128



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5453.18	26.93	12.66	39.59	54.00	14.41	289	123	Vertical			
2	5454.6317	39.00	12.66	51.66	74.00	22.34	289	123	Vertical			
3	5464.7933	38.76	12.69	51.45	68.30	16.85	289	123	Vertical			
4	5640.0000	83.53	13.54	97.07	-	-	289	123	Vertical			
5	5640.0000	91.05	13.54	104.59	-	-	289	123	Vertical			
6	5728.61	40.70	13.95	54.65	68.30	13.65	289	123	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 217 of 348

#### 802.11a Channel 132



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5455.86	38.84	12.66	51.50	74.00	22.50	214	230	Horizontal			
2	5455.86	27.13	12.66	39.79	54.00	14.21	214	230	Horizontal			
3	5464.4583	38.55	12.68	51.23	68.30	17.07	214	230	Horizontal			
4	5660.0000	85.63	13.67	99.30	-	-	214	230	Horizontal			
5	5660.0000	93.49	13.67	107.16	-	1	214	230	Horizontal			
6	5727.34	44.99	13.94	58.93	68.30	9.37	214	230	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 218 of 348

#### 802.11a Channel 132



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5455.4133	26.94	12.66	39.60	54.00	14.40	248	219	Vertical				
2	5456.53	38.41	12.67	51.08	74.00	22.92	248	219	Vertical				
3	5464.0117	38.73	12.68	51.41	68.30	16.89	248	219	Vertical				
4	5660.0000	83.21	13.67	96.88	-	-	248	219	Vertical				
5	5660.0000	91.39	13.67	105.06	-	-	248	219	Vertical				
6	5728.26	41.93	13.94	55.87	68.30	12.43	248	219	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 219 of 348

#### 802.11a Channel 136



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5452.2867	38.94	12.66	51.60	74.00	22.40	155	251	Horizontal				
2	5454.0733	27.12	12.66	39.78	54.00	14.22	155	251	Horizontal				
3	5466.8033	38.49	12.69	51.18	68.30	17.12	155	251	Horizontal				
4	5680.0000	85.55	13.79	99.34	-	-	155	251	Horizontal				
5	5680.0000	93.48	13.79	107.27	-	-	155	251	Horizontal				
6	5730.44	46.71	13.95	60.66	68.30	7.64	155	251	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 220 of 348

#### 802.11a Channel 136



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5454.185	27.03	12.66	39.69	54.00	14.31	233	102	Vertical				
2	5456.195	39.76	12.66	52.42	74.00	21.58	233	102	Vertical				
3	5463.0067	38.58	12.68	51.26	68.30	17.04	233	102	Vertical				
4	5680.0000	92.19	13.79	105.98	-	•	233	102	Vertical				
5	5680.0000	84.10	13.79	97.89	-	•	233	102	Vertical				
6	5730.43	45.09	13.95	59.04	68.30	9.26	233	102	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 221 of 348

### 802.11a\_Channel 140



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5700.0000	88.35	13.92	102.27	-	-	126	282	Horizontal				
2	5726.35	50.65	13.94	64.59	74.00	9.41	126	282	Horizontal				
3	5730.8	49.85	13.95	63.80	74.00	10.20	126	282	Horizontal				
4	5733.2	49.22	13.95	63.17	74.00	10.83	126	282	Horizontal				
5	5740.25	46.60	13.96	60.56	74.00	13.44	126	282	Horizontal				
6	5753.2	45.31	13.97	59.28	74.00	14.72	126	282	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 222 of 348

#### 802.11a Channel 140



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5700.0000	86.54	13.92	100.46	-	-	241	251	Vertical				
2	5726.15	48.56	13.94	62.50	74.00	11.50	241	261	Vertical				
3	5734.25	47.73	13.95	61.68	74.00	12.32	241	261	Vertical				
4	5744.3	43.49	13.96	57.45	74.00	16.55	241	261	Vertical				
5	5758.85	41.03	13.98	55.01	74.00	18.99	241	261	Vertical				
6	5772.75	39.04	13.99	53.03	74.00	20.97	241	261	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 223 of 348

#### 802.11a\_Channel 144



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5466.3	38.41	12.69	51.10	74.00	22.90	128	212	Horizontal				
2	5720.0000	93.75	13.94	107.69	-	-	128	212	Horizontal				
3	5858.52	39.29	14.16	53.45	68.30	14.85	128	212	Horizontal				
4	5879.58	39.57	14.21	53.78	68.30	14.52	128	212	Horizontal				
5	5921.88	39.70	14.32	54.02	68.30	14.28	128	212	Horizontal				
6	5979.12	39.26	14.47	53.73	68.30	14.57	128	212	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 224 of 348

#### 802.11a\_Channel 144



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5465.04	38.61	12.69	51.30	74.00	22.70	213	255	Vertical				
2	5720.0000	91.65	13.94	105.59	-	-	213	255	Vertical				
3	5854.56	38.94	14.15	53.09	68.30	15.21	213	255	Vertical				
4	5892.9	39.30	14.24	53.54	68.30	14.76	213	255	Vertical				
5	5928	39.20	14.34	53.54	68.30	14.76	213	255	Vertical				
6	5969.94	39.14	14.45	53.59	68.30	14.71	213	255	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 225 of 348

#### 802.11a Channel 149



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5637.675	39.39	13.53	52.92	68.30	15.38	147	285	Horizontal				
2	5690	48.30	13.85	62.15	97.93	35.78	147	285	Horizontal				
3	5715.675	53.20	13.93	67.13	109.69	42.56	147	285	Horizontal				
4	5723.3125	58.66	13.94	72.60	118.45	45.85	147	285	Horizontal				
5	5745.0000	93.06	13.96	107.02	-	-	147	285	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 226 of 348

#### 802.11a Channel 149



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5643.525	38.57	13.56	52.13	68.30	16.17	154	252	Vertical				
2	5679.275	43.94	13.79	57.73	90.00	32.27	154	252	Vertical				
3	5710.3125	49.95	13.93	63.88	108.19	44.31	154	252	Vertical				
4	5724.45	59.09	13.94	73.03	121.05	48.02	154	252	Vertical				
5	5745.0000	92.31	13.96	106.27	-	-	154	252	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 227 of 348

#### 802.11a Channel 165



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5825.0000	91.80	14.08	105.88	-	-	154	285	Horizontal				
2	5850.3875	51.73	14.14	65.87	121.42	55.55	154	285	Horizontal				
3	5857.5375	50.69	14.16	64.85	110.19	45.34	154	285	Horizontal				
4	5883.2125	44.36	14.22	58.58	99.20	40.62	154	285	Horizontal				
5	5939.7625	39.27	14.37	53.64	68.30	14.66	154	285	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 228 of 348

#### 802.11a Channel 165



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5825.0000	89.56	14.08	103.64	-	-	184	263	Vertical				
2	5854.125	48.99	14.15	63.14	112.89	49.75	184	263	Vertical				
3	5859.325	47.56	14.16	61.72	109.69	47.97	184	263	Vertical				
4	5877.2	42.52	14.21	56.73	103.67	46.94	184	263	Vertical				
5	5940.0875	39.06	14.37	53.43	68.30	14.87	184	263	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 229 of 348

#### 802.11n20\_Channel 36



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5134.4333	29.25	12.59	41.84	54.00	12.16	263	140	Horizontal			
2	5141.8667	49.22	12.61	61.83	74.00	12.17	263	140	Horizontal			
3	5149.4667	31.54	12.64	44.18	54.00	9.82	263	140	Horizontal			
4	5149.7	49.21	12.64	61.85	74.00	12.15	263	140	Horizontal			
5	5180.0000	82.19	12.73	94.92	-	-	263	140	Horizontal			
6	5180.0000	91.37	12.73	104.10	-	-	263	140	Horizontal			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 230 of 348

#### 802.11n20 Channel 36



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5128.4	27.73	12.57	40.30	54.00	13.70	154	65	Vertical				
2	5140.1667	44.55	12.61	57.16	74.00	16.84	154	65	Vertical				
3	5149.5	45.64	12.64	58.28	74.00	15.72	154	65	Vertical				
4	5149.6333	29.90	12.64	42.54	54.00	11.46	154	65	Vertical				
5	5180.0000	78.64	12.73	91.37	-	•	154	65	Vertical				
6	5180.0000	87.71	12.73	100.44	-	-	154	65	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 231 of 348

#### 802.11n20 Channel 40



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5144.8	44.01	12.62	56.63	74.00	17.37	258	112	Horizontal				
2	5149.3867	29.72	12.64	42.36	54.00	11.64	258	112	Horizontal				
3	5200.0000	84.85	12.79	97.64	-	-	258	112	Horizontal				
4	5200.0000	94.19	12.79	106.98	-	-	258	112	Horizontal				
5	5351.2625	27.85	12.69	40.54	54.00	13.46	258	112	Horizontal				
6	5354.4825	39.26	12.68	51.94	74.00	22.06	258	112	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 232 of 348

#### 802.11n20 Channel 40



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5142.6133	42.39	12.61	55.00	74.00	19.00	248	148	Vertical				
2	5144.8	28.21	12.62	40.83	54.00	13.17	248	148	Vertical				
3	5200.0000	92.11	12.79	104.90	-	•	248	148	Vertical				
4	5200.0000	82.85	12.79	95.64	-	-	248	148	Vertical				
5	5356.81	27.96	12.67	40.63	54.00	13.37	248	148	Vertical				
6	5360.275	38.75	12.66	51.41	74.00	22.59	248	148	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 233 of 348

#### 802.11n20 Channel 60



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5147.8	38.43	12.63	51.06	74.00	22.94	284	145	Horizontal				
2	5148.8667	26.86	12.63	39.49	54.00	14.51	284	145	Horizontal				
3	5300.0000	84.76	12.87	97.63	-	-	284	145	Horizontal				
4	5300.0000	91.89	12.87	104.76	-	-	284	145	Horizontal				
5	5352.9875	42.49	12.69	55.18	74.00	18.82	284	145	Horizontal				
6	5353.0875	29.26	12.69	41.95	54.00	12.05	284	145	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 234 of 348

#### 802.11n20 Channel 60



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5146.1333	26.87	12.63	39.50	54.00	14.50	244	68	Vertical				
2	5149.4	39.72	12.64	52.36	74.00	21.64	244	68	Vertical				
3	5300.0000	81.62	12.87	94.49	-	-	244	68	Vertical				
4	5300.0000	90.50	12.87	103.37	-	-	244	68	Vertical				
5	5351.1	28.63	12.69	41.32	54.00	12.68	244	68	Vertical				
6	5352.4	40.84	12.69	53.53	74.00	20.47	244	68	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 235 of 348

#### 802.11n20 Channel 64



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5320.0000	89.33	12.80	102.13	-	-	284	140	Horizontal				
2	5320.0000	81.08	12.80	93.88	-	-	284	140	Horizontal				
3	5351.0667	31.04	12.69	43.73	54.00	10.27	284	140	Horizontal				
4	5351.7667	47.36	12.69	60.05	74.00	13.95	284	140	Horizontal				
5	5358.8333	45.63	12.67	58.30	74.00	15.70	284	140	Horizontal				
6	5361.0667	29.14	12.66	41.80	54.00	12.20	284	140	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 236 of 348

#### 802.11n20 Channel 64



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5320.0000	87.67	12.80	100.47	-	-	241	55	Vertical				
2	5320.0000	78.91	12.80	91.71	-	-	241	55	Vertical				
3	5350.7333	29.55	12.70	42.25	54.00	11.75	241	55	Vertical				
4	5351.4	45.63	12.69	58.32	74.00	15.68	241	55	Vertical				
5	5358.1	44.16	12.67	56.83	74.00	17.17	241	55	Vertical				
6	5363.2333	28.05	12.65	40.70	54.00	13.30	241	55	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 237 of 348

#### 802.11n20 Channel 100



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5443.66	43.02	12.63	55.65	74.00	18.35	256	141	Horizontal				
2	5457.64	28.52	12.67	41.19	54.00	12.81	256	141	Horizontal				
3	5458.78	45.41	12.67	58.08	74.00	15.92	256	141	Horizontal				
4	5465.86	47.55	12.69	60.24	68.30	8.06	256	141	Horizontal				
5	5500.0000	88.13	12.77	100.90	-	•	256	141	Horizontal				
6	5500.0000	80.27	12.77	93.04	-	-	256	141	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 238 of 348

#### 802.11n20 Channel 100



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5445.04	40.63	12.64	53.27	74.00	20.73	140	63	Vertical				
2	5454.46	27.63	12.66	40.29	54.00	13.71	140	63	Vertical				
3	5457.64	43.27	12.67	55.94	74.00	18.06	140	63	Vertical				
4	5466.94	43.08	12.69	55.77	68.30	12.53	140	63	Vertical				
5	5500.0000	76.54	12.77	89.31	-	-	140	63	Vertical				
6	5500.0000	84.59	12.77	97.36	-	-	140	63	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 239 of 348

#### 802.11n20 Channel 104



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5454.855	42.04	12.66	54.70	74.00	19.30	146	132	Horizontal				
2	5457.3117	28.22	12.67	40.89	54.00	13.11	146	132	Horizontal				
3	5465.3517	43.84	12.69	56.53	68.30	11.77	146	132	Horizontal				
4	5520.0000	83.19	12.87	96.06	-	-	146	132	Horizontal				
5	5520.0000	93.02	12.87	105.89	-	-	146	132	Horizontal				
6	5730.21	38.68	13.95	52.63	68.30	15.67	146	132	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 240 of 348

#### 802.11n20 Channel 104



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5452.7333	39.45	12.66	52.11	74.00	21.89	283	67	Vertical				
2	5455.7483	27.24	12.66	39.90	54.00	14.10	283	67	Vertical				
3	5463.9	40.29	12.68	52.97	68.30	15.33	283	67	Vertical				
4	5520.0000	80.77	12.87	93.64	-	-	283	67	Vertical				
5	5520.0000	90.22	12.87	103.09	-	•	283	67	Vertical				
6	5732.1	39.66	13.95	53.61	68.30	14.69	283	67	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 241 of 348

#### 802.11n20\_Channel 120



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5450.9467	27.10	12.65	39.75	54.00	14.25	280	219	Horizontal				
2	5454.6317	38.96	12.66	51.62	74.00	22.38	280	219	Horizontal				
3	5466.0217	38.79	12.69	51.48	68.30	16.82	280	219	Horizontal				
4	5600.0000	84.85	13.29	98.14	-	-	280	219	Horizontal				
5	5600.0000	94.83	13.29	108.12	-	-	280	219	Horizontal				
6	5727.87	39.59	13.94	53.53	68.30	14.77	280	219	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 242 of 348

#### 802.11n20 Channel 120



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	5452.0633	27.08	12.65	39.73	54.00	14.27	210	144	Vertical		
2	5454.6317	38.36	12.66	51.02	74.00	22.98	210	144	Vertical		
3	5461.7783	38.24	12.68	50.92	68.30	17.38	210	144	Vertical		
4	5600.0000	82.42	13.29	95.71	-	-	210	144	Vertical		
5	5600.0000	90.80	13.29	104.09	-	•	210	144	Vertical		
6	5730.17	39.23	13.95	53.18	68.30	15.12	210	144	Vertical		






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 243 of 348

#### 802.11n20\_Channel 124



Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	5452.845	26.97	12.66	39.63	54.00	14.37	144	337	Horizontal		
2	5457.87	38.45	12.67	51.12	74.00	22.88	144	337	Horizontal		
3	5466.3567	38.49	12.69	51.18	68.30	17.12	144	337	Horizontal		
4	5620.0000	94.00	13.42	107.42	-	-	144	337	Horizontal		
5	5620.0000	85.13	13.42	98.55	-	•	144	337	Horizontal		
6	5732.63	39.45	13.95	53.40	68.30	14.90	144	337	Horizontal		

