


Report No.: SUHR/2022/1001105

Rev.: 01

Page: 244 of 348

802.11n20_Channel 124



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	5452.845	38.47	12.66	51.13	74.00	22.87	219	176	Vertical					
2	5454.4083	26.94	12.66	39.60	54.00	14.40	219	176	Vertical					
3	5467.4733	38.94	12.69	51.63	68.30	16.67	219	176	Vertical					
4	5620.0000	89.86	13.42	103.28	-	•	219	176	Vertical					
5	5620.0000	82.12	13.42	95.54	-	•	219	176	Vertical					
6	5726.62	38.94	13.94	52.88	68.30	15.42	219	176	Vertical					






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 245 of 348

802.11n20 Channel 128



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5455.0783	26.96	12.66	39.62	54.00	14.38	291	177	Horizontal				
2	5456.0833	38.81	12.66	51.47	74.00	22.53	291	177	Horizontal				
3	5465.0167	38.59	12.69	51.28	68.30	17.02	291	177	Horizontal				
4	5640.0000	85.14	13.54	98.68	-	•	291	177	Horizontal				
5	5640.0000	93.36	13.54	106.90	-	•	291	177	Horizontal				
6	5727.85	40.96	13.94	54.90	68.30	13.40	291	177	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 246 of 348

802.11n20 Channel 128



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5455.525	27.06	12.66	39.72	54.00	14.28	284	294	Vertical				
2	5455.6367	38.41	12.66	51.07	74.00	22.93	284	294	Vertical				
3	5462.0017	38.59	12.68	51.27	68.30	17.03	284	294	Vertical				
4	5640.0000	82.42	13.54	95.96	-	-	284	294	Vertical				
5	5640.0000	92.59	13.54	106.13	-	-	284	294	Vertical				
6	5733.18	39.75	13.95	53.70	68.30	14.60	284	294	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 247 of 348

802.11n20_Channel 132



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5455.9717	38.37	12.66	51.03	74.00	22.97	189	178	Horizontal				
2	5457.9817	26.93	12.67	39.60	54.00	14.40	189	178	Horizontal				
3	5466.915	38.22	12.69	50.91	68.30	17.39	189	178	Horizontal				
4	5660.0000	84.57	13.67	98.24	-	-	189	178	Horizontal				
5	5660.0000	93.81	13.67	107.48	-	-	189	178	Horizontal				
6	5726.76	43.94	13.94	57.88	68.30	10.42	189	178	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 248 of 348

802.11n20 Channel 132



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	5455.4133	38.65	12.66	51.31	74.00	22.69	237	58	Vertical					
2	5455.7483	26.95	12.66	39.61	54.00	14.39	237	58	Vertical					
3	5463.3417	38.26	12.68	50.94	68.30	17.36	237	58	Vertical					
4	5660.0000	82.60	13.67	96.27	-	•	237	58	Vertical					
5	5660.0000	91.27	13.67	104.94	-	•	237	58	Vertical					
6	5726.99	42.23	13.94	56.17	68.30	12.13	237	58	Vertical					






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 249 of 348

802.11n20 Channel 136



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5453.4033	26.93	12.66	39.59	54.00	14.41	128	306	Horizontal				
2	5455.4133	38.93	12.66	51.59	74.00	22.41	128	306	Horizontal				
3	5468.0317	38.64	12.69	51.33	68.30	16.97	128	306	Horizontal				
4	5680.0000	93.15	13.79	106.94	-	-	128	306	Horizontal				
5	5680.0000	85.22	13.79	99.01	-	-	128	306	Horizontal				
6	5725.99	46.77	13.94	60.71	68.30	7.59	128	306	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 250 of 348

802.11n20_Channel 136



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5452.3983	27.11	12.66	39.77	54.00	14.23	239	240	Vertical				
2	5453.515	38.59	12.66	51.25	74.00	22.75	239	240	Vertical				
3	5463.6767	38.71	12.68	51.39	68.30	16.91	239	240	Vertical				
4	5680.0000	93.15	13.79	106.94	-	-	239	240	Vertical				
5	5680.0000	82.65	13.79	96.44	-	•	239	240	Vertical				
6	5727.03	44.40	13.94	58.34	68.30	9.96	239	240	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 251 of 348

802.11n20 Channel 140



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5700.0000	86.85	13.92	100.77	-	-	214	143	Horizontal				
2	5725.35	50.45	13.94	64.39	74.00	9.61	214	143	Horizontal				
3	5729.45	48.60	13.95	62.55	74.00	11.45	214	143	Horizontal				
4	5734.85	47.20	13.95	61.15	74.00	12.85	214	143	Horizontal				
5	5744.25	44.55	13.96	58.51	74.00	15.49	214	143	Horizontal				
6	5757.1	43.05	13.97	57.02	74.00	16.98	214	143	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 252 of 348

802.11n20 Channel 140



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5700.0000	84.80	13.92	98.72	-	-	266	76	Vertical				
2	5725.65	47.80	13.94	61.74	74.00	12.26	266	76	Vertical				
3	5729.8	46.94	13.95	60.89	74.00	13.11	266	76	Vertical				
4	5734.5	45.34	13.95	59.29	74.00	14.71	266	76	Vertical				
5	5739.2	44.58	13.96	58.54	74.00	15.46	266	76	Vertical				
6	5758.65	40.19	13.98	54.17	74.00	19.83	266	76	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 253 of 348

802.11n20 Channel 144



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5465.4	38.02	12.69	50.71	74.00	23.29	206	108	Horizontal				
2	5720.0000	93.26	13.94	107.20	-	-	206	108	Horizontal				
3	5861.04	38.76	14.17	52.93	68.30	15.37	206	108	Horizontal				
4	5872.56	39.28	14.19	53.47	68.30	14.83	206	108	Horizontal				
5	5931.06	39.36	14.34	53.70	68.30	14.60	206	108	Horizontal				
6	5983.62	38.59	14.49	53.08	68.30	15.22	206	108	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 254 of 348

802.11n20 Channel 144



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5468.1	38.34	12.69	51.03	74.00	22.97	219	299	Vertical				
2	5720.0000	92.77	13.94	106.71	-	-	219	299	Vertical				
3	5857.8	39.01	14.16	53.17	68.30	15.13	219	299	Vertical				
4	5879.76	39.67	14.21	53.88	68.30	14.42	219	299	Vertical				
5	5922.42	38.78	14.32	53.10	68.30	15.20	219	299	Vertical				
6	5980.74	39.42	14.48	53.90	68.30	14.40	219	299	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 255 of 348

802.11n20 Channel 149



Final	Data List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5647.5875	40.14	13.59	53.73	68.30	14.57	257	141	Horizontal
2	5692.1125	46.92	13.87	60.79	99.48	38.69	257	141	Horizontal
3	5716.1625	53.13	13.93	67.06	109.83	42.77	257	141	Horizontal
4	5723.3125	60.60	13.94	74.54	118.45	43.91	257	141	Horizontal
5	5745.0000	92.41	13.96	106.37	-	-	257	141	Horizontal






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 256 of 348

802.11n20 Channel 149



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5646.125	39.65	13.58	53.23	68.30	15.07	196	75	Vertical				
2	5691.95	46.73	13.86	60.59	99.36	38.77	196	75	Vertical				
3	5716.325	51.45	13.93	65.38	109.87	44.49	196	75	Vertical				
4	5723.3125	58.36	13.94	72.30	118.45	46.15	196	75	Vertical				
5	5745.0000	90.81	13.96	104.77	-	-	196	75	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 257 of 348

802.11n20 Channel 165



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5825.0000	91.54	14.08	105.62	-	-	247	215	Horizontal				
2	5850.0625	50.00	14.14	64.14	122.16	58.02	247	215	Horizontal				
3	5859.1625	47.36	14.16	61.52	109.73	48.21	247	215	Horizontal				
4	5878.3375	44.00	14.21	58.21	102.82	44.61	247	215	Horizontal				
5	5930.6625	38.70	14.34	53.04	68.30	15.26	247	215	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 258 of 348

802.11n20 Channel 165



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5825.0000	89.96	14.08	104.04	-	-	289	75	Vertical				
2	5852.3375	49.30	14.15	63.45	116.97	53.52	289	75	Vertical				
3	5858.675	47.04	14.16	61.20	109.87	48.67	289	75	Vertical				
4	5876.55	42.39	14.20	56.59	104.15	47.56	289	75	Vertical				
5	5926.7625	39.14	14.33	53.47	68.30	14.83	289	75	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 259 of 348

802.11ac20 Channel 36



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5135.6667	28.98	12.59	41.57	54.00	12.43	123	114	Horizontal				
2	5139.5333	47.00	12.61	59.61	74.00	14.39	123	114	Horizontal				
3	5148.6	48.63	12.63	61.26	74.00	12.74	123	114	Horizontal				
4	5149.0667	30.79	12.63	43.42	54.00	10.58	123	114	Horizontal				
5	5180.0000	81.14	12.73	93.87	-	•	123	114	Horizontal				
6	5180.0000	91.08	12.73	103.81	-	-	123	114	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 260 of 348

802.11ac20 Channel 36



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5138.9333	44.54	12.60	57.14	74.00	16.86	253	75	Vertical				
2	5140.3333	29.16	12.61	41.77	54.00	12.23	253	75	Vertical				
3	5148.6	47.59	12.63	60.22	74.00	13.78	253	75	Vertical				
4	5149.6667	30.49	12.64	43.13	54.00	10.87	253	75	Vertical				
5	5180.0000	79.18	12.73	91.91	-	-	253	75	Vertical				
6	5180.0000	87.25	12.73	99.98	-	-	253	75	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.ags, and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-en/Document.ags.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) \$3071443,

or email: CN_Doccheck@sgs_com John d/Na. Fiyek, th. Flunsheng Road, Suchou Indastell Park, Suchou Area, China (Jángsa) Plk Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUHR/2022/1001105

Rev.: 01

Page: 261 of 348

802.11ac20_Channel 40



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	5146.6667	43.82	12.63	56.45	74.00	17.55	184	211	Horizontal					
2	5147.5733	28.82	12.63	41.45	54.00	12.55	184	211	Horizontal					
3	5200.0000	94.15	12.79	106.94	-	-	184	211	Horizontal					
4	5200.0000	84.95	12.79	97.74	-	-	184	211	Horizontal					
5	5350.755	39.47	12.69	52.16	74.00	21.84	184	211	Horizontal					
6	5358.945	27.96	12.67	40.63	54.00	13.37	184	211	Horizontal					






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 262 of 348

802.11ac20 Channel 40



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5145.2267	41.94	12.62	54.56	74.00	19.44	128	72	Vertical				
2	5145.8133	28.22	12.62	40.84	54.00	13.16	128	72	Vertical				
3	5200.0000	82.00	12.79	94.79	-	-	128	72	Vertical				
4	5200.0000	90.86	12.79	103.65	-	-	128	72	Vertical				
5	5353.1525	27.87	12.69	40.56	54.00	13.44	128	72	Vertical				
6	5362.55	38.42	12.66	51.08	74.00	22.92	128	72	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 263 of 348

802.11ac20 Channel 60



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5143.5333	26.85	12.62	39.47	54.00	14.53	145	94	Horizontal				
2	5144.9333	39.35	12.62	51.97	74.00	22.03	145	94	Horizontal				
3	5300.0000	83.14	12.87	96.01	-	-	145	94	Horizontal				
4	5300.0000	91.64	12.87	104.51	-	-	145	94	Horizontal				
5	5353	29.48	12.69	42.17	54.00	11.83	145	94	Horizontal				
6	5358.0875	43.07	12.67	55.74	74.00	18.26	145	94	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 264 of 348

802.11ac20 Channel 60



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5138.3333	26.86	12.60	39.46	54.00	14.54	105	357	Vertical				
2	5147.6667	39.02	12.63	51.65	74.00	22.35	105	357	Vertical				
3	5300.0000	81.55	12.87	94.42	-	-	105	357	Vertical				
4	5300.0000	89.41	12.87	102.28	-	-	105	357	Vertical				
5	5350.3375	40.86	12.70	53.56	74.00	20.44	105	357	Vertical				
6	5354.95	28.75	12.68	41.43	54.00	12.57	105	357	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 265 of 348

802.11ac20 Channel 64



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5320.0000	91.08	12.80	103.88	-	-	154	112	Horizontal				
2	5320.0000	82.17	12.80	94.97	-	-	154	112	Horizontal				
3	5351.1667	30.89	12.69	43.58	54.00	10.42	154	112	Horizontal				
4	5352.5333	46.58	12.69	59.27	74.00	14.73	154	112	Horizontal				
5	5355.8333	29.41	12.68	42.09	54.00	11.91	154	112	Horizontal				
6	5358.9	45.56	12.67	58.23	74.00	15.77	154	112	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 266 of 348

802.11ac20 Channel 64



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5320.0000	87.22	12.80	100.02	-	-	256	75	Vertical				
2	5320.0000	79.08	12.80	91.88	-	-	256	75	Vertical				
3	5350.7667	30.00	12.69	42.69	54.00	11.31	256	75	Vertical				
4	5353.0667	45.16	12.69	57.85	74.00	16.15	256	75	Vertical				
5	5355.0333	46.09	12.68	58.77	74.00	15.23	256	75	Vertical				
6	5357.1	28.69	12.67	41.36	54.00	12.64	256	75	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 267 of 348

802.11ac20 Channel 100



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	5444.56	44.66	12.64	57.30	74.00	16.70	119	139	Horizontal					
2	5457.76	28.52	12.67	41.19	54.00	12.81	119	139	Horizontal					
3	5458.66	45.84	12.67	58.51	74.00	15.49	119	139	Horizontal					
4	5468.92	48.27	12.70	60.97	68.30	7.33	119	139	Horizontal					
5	5500.0000	88.50	12.77	101.27	-	-	119	139	Horizontal					
6	5500.0000	81.04	12.77	93.81	-	-	119	139	Horizontal					






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 268 of 348

802.11ac20 Channel 100



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5444.68	43.04	12.64	55.68	74.00	18.32	244	66	Vertical				
2	5454.7	27.80	12.66	40.46	54.00	13.54	244	66	Vertical				
3	5457.46	41.79	12.67	54.46	74.00	19.54	244	66	Vertical				
4	5465.26	44.79	12.69	57.48	68.30	10.82	244	66	Vertical				
5	5500.0000	77.52	12.77	90.29	-	•	244	66	Vertical				
6	5500.0000	86.45	12.77	99.22	-	-	244	66	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 269 of 348

802.11ac20 Channel 104



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5456.53	43.73	12.67	56.40	74.00	17.60	131	142	Horizontal				
2	5457.7583	29.08	12.67	41.75	54.00	12.25	131	142	Horizontal				
3	5466.245	45.41	12.69	58.10	68.30	10.20	131	142	Horizontal				
4	5520.0000	84.19	12.87	97.06	-	-	131	142	Horizontal				
5	5520.0000	93.88	12.87	106.75	-	-	131	142	Horizontal				
6	5734.44	39.62	13.95	53.57	68.30	14.73	131	142	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 270 of 348

802.11ac20 Channel 104



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5456.53	27.52	12.67	40.19	54.00	13.81	248	67	Vertical				
2	5457.535	39.70	12.67	52.37	74.00	21.63	248	67	Vertical				
3	5466.8033	42.12	12.69	54.81	68.30	13.49	248	67	Vertical				
4	5520.0000	81.34	12.87	94.21	-	-	248	67	Vertical				
5	5520.0000	88.64	12.87	101.51	-	•	248	67	Vertical				
6	5736.8	38.75	13.95	52.70	68.30	15.60	248	67	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 271 of 348

802.11ac20 Channel 120



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5456.3067	38.77	12.67	51.44	74.00	22.56	119	227	Horizontal				
2	5457.535	27.06	12.67	39.73	54.00	14.27	119	227	Horizontal				
3	5462.56	38.75	12.68	51.43	68.30	16.87	119	227	Horizontal				
4	5600.0000	85.78	13.29	99.07	-	-	119	227	Horizontal				
5	5600.0000	94.52	13.29	107.81	-	•	119	227	Horizontal				
6	5729.49	39.64	13.95	53.59	68.30	14.71	119	227	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 272 of 348

802.11ac20 Channel 120



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5453.85	39.13	12.66	51.79	74.00	22.21	135	132	Vertical				
2	5457.0883	27.06	12.67	39.73	54.00	14.27	135	132	Vertical				
3	5465.6867	38.46	12.69	51.15	68.30	17.15	135	132	Vertical				
4	5600.0000	82.90	13.29	96.19	-	-	135	132	Vertical				
5	5600.0000	92.39	13.29	105.68	-	•	135	132	Vertical				
6	5734.69	39.62	13.95	53.57	68.30	14.73	135	132	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 273 of 348

802.11ac20 Channel 124



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5453.7383	26.94	12.66	39.60	54.00	14.40	178	108	Horizontal				
2	5455.6367	39.30	12.66	51.96	74.00	22.04	178	108	Horizontal				
3	5461.89	39.71	12.68	52.39	68.30	15.91	178	108	Horizontal				
4	5620.0000	86.08	13.42	99.50	-	-	178	108	Horizontal				
5	5620.0000	94.28	13.42	107.70	-	•	178	108	Horizontal				
6	5732.55	39.61	13.95	53.56	68.30	14.74	178	108	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 274 of 348

802.11ac20_Channel 124



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5452.0633	26.99	12.65	39.64	54.00	14.36	263	66	Vertical				
2	5453.2917	38.63	12.66	51.29	74.00	22.71	263	66	Vertical				
3	5463.4533	39.56	12.68	52.24	68.30	16.06	263	66	Vertical				
4	5620.0000	90.65	13.42	104.07	-	-	263	66	Vertical				
5	5620.0000	82.98	13.42	96.40	-	•	263	66	Vertical				
6	5725.69	40.03	13.94	53.97	68.30	14.33	263	66	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 275 of 348

802.11ac20 Channel 128



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5439.5567	39.24	12.62	51.86	74.00	22.14	170	325	Horizontal				
2	5452.51	26.95	12.66	39.61	54.00	14.39	170	325	Horizontal				
3	5462.4483	39.55	12.68	52.23	68.30	16.07	170	325	Horizontal				
4	5640.0000	85.63	13.54	99.17	-	•	170	325	Horizontal				
5	5640.0000	95.23	13.54	108.77	-	•	170	325	Horizontal				
6	5738.92	42.07	13.96	56.03	68.30	12.27	170	325	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 276 of 348

802.11ac20 Channel 128



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5434.755	39.11	12.61	51.72	74.00	22.28	246	86	Vertical				
2	5456.6417	26.90	12.67	39.57	54.00	14.43	246	86	Vertical				
3	5463.565	39.01	12.68	51.69	68.30	16.61	246	86	Vertical				
4	5640.0000	90.58	13.54	104.12	-	-	246	86	Vertical				
5	5640.0000	82.72	13.54	96.26	-	•	246	86	Vertical				
6	5726.63	40.50	13.94	54.44	68.30	13.86	246	86	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 277 of 348

802.11ac20_Channel 132



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5453.0683	26.93	12.66	39.59	54.00	14.41	153	292	Horizontal				
2	5453.515	38.67	12.66	51.33	74.00	22.67	153	292	Horizontal				
3	5467.4733	38.30	12.69	50.99	68.30	17.31	153	292	Horizontal				
4	5660.0000	85.65	13.67	99.32	-	-	153	292	Horizontal				
5	5660.0000	93.81	13.67	107.48	-	-	153	292	Horizontal				
6	5730.65	44.84	13.95	58.79	68.30	9.51	153	292	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 278 of 348

802.11ac20 Channel 132



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	5452.2867	38.62	12.66	51.28	74.00	22.72	221	110	Vertical					
2	5452.6217	26.91	12.66	39.57	54.00	14.43	221	110	Vertical					
3	5462.3367	38.73	12.68	51.41	68.30	16.89	221	110	Vertical					
4	5660.0000	82.34	13.67	96.01	-	•	221	110	Vertical					
5	5660.0000	91.48	13.67	105.15	-	•	221	110	Vertical					
6	5729.04	43.13	13.95	57.08	68.30	11.22	221	110	Vertical					






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 279 of 348

802.11ac20 Channel 136



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5453.2917	38.93	12.66	51.59	74.00	22.41	129	218	Horizontal				
2	5454.4083	27.01	12.66	39.67	54.00	14.33	129	218	Horizontal				
3	5468.3667	38.63	12.69	51.32	68.30	16.98	129	218	Horizontal				
4	5680.0000	85.22	13.79	99.01	-	•	129	218	Horizontal				
5	5680.0000	93.22	13.79	107.01	-	•	129	218	Horizontal				
6	5731.82	48.63	13.95	62.58	68.30	5.72	129	218	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 280 of 348

802.11ac20_Channel 136



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5452.845	39.01	12.66	51.67	74.00	22.33	142	330	Vertical				
2	5454.4083	26.99	12.66	39.65	54.00	14.35	142	330	Vertical				
3	5469.26	38.90	12.70	51.60	68.30	16.70	142	330	Vertical				
4	5680.0000	83.38	13.79	97.17	-	-	142	330	Vertical				
5	5680.0000	91.05	13.79	104.84	-	•	142	330	Vertical				
6	5734.19	46.99	13.95	60.94	68.30	7.36	142	330	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 281 of 348

802.11ac20 Channel 140



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5700.0000	90.86	13.92	104.78	-	-	251	117	Horizontal				
2	5725.5	50.99	13.94	64.93	74.00	9.07	251	117	Horizontal				
3	5728.85	49.79	13.95	63.74	74.00	10.26	251	117	Horizontal				
4	5733.2	48.24	13.95	62.19	74.00	11.81	251	117	Horizontal				
5	5740.25	46.62	13.96	60.58	74.00	13.42	251	117	Horizontal				
6	5744.4	45.99	13.96	59.95	74.00	14.05	251	117	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 282 of 348

802.11ac20 Channel 140



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5700.0000	89.24	13.92	103.16	-	-	158	70	Vertical				
2	5727.45	49.39	13.94	63.33	74.00	10.67	158	70	Vertical				
3	5732.3	47.19	13.95	61.14	74.00	12.86	158	70	Vertical				
4	5739.35	45.58	13.96	59.54	74.00	14.46	158	70	Vertical				
5	5740.55	45.12	13.96	59.08	74.00	14.92	158	70	Vertical				
6	5754.65	43.54	13.97	57.51	74.00	16.49	158	70	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 283 of 348

802.11ac20_Channel 144



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5468.82	38.31	12.70	51.01	74.00	22.99	116	275	Horizontal				
2	5720.0000	92.98	13.94	106.92	-	-	116	275	Horizontal				
3	5863.38	39.17	14.17	53.34	68.30	14.96	116	275	Horizontal				
4	5881.74	39.13	14.22	53.35	68.30	14.95	116	275	Horizontal				
5	5915.4	39.14	14.30	53.44	68.30	14.86	116	275	Horizontal				
6	5960.04	40.08	14.42	54.50	68.30	13.80	116	275	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 284 of 348

802.11ac20 Channel 144



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5463.96	37.87	12.68	50.55	74.00	23.45	149	339	Vertical				
2	5720.0000	92.59	13.94	106.53	-	-	149	339	Vertical				
3	5862.48	38.84	14.17	53.01	68.30	15.29	149	339	Vertical				
4	5896.32	38.92	14.25	53.17	68.30	15.13	149	339	Vertical				
5	5916.48	40.72	14.30	55.02	68.30	13.28	149	339	Vertical				
6	5955.9	40.47	14.41	54.88	68.30	13.42	149	339	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 285 of 348

802.11ac20 Channel 149



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5642.875	41.03	13.56	54.59	68.30	13.71	155	112	Horizontal				
2	5693.9	48.91	13.88	62.79	100.80	38.01	155	112	Horizontal				
3	5715.675	53.65	13.93	67.58	109.69	42.11	155	112	Horizontal				
4	5723.3125	60.50	13.94	74.44	118.45	44.01	155	112	Horizontal				
5	5745.0000	92.07	13.96	106.03	-	-	155	112	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 286 of 348

802.11ac20 Channel 149



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5642.0625	38.85	13.55	52.40	68.30	15.90	315	238	Vertical				
2	5687.5625	46.82	13.84	60.66	96.13	35.47	315	238	Vertical				
3	5714.7	50.24	13.93	64.17	109.42	45.25	315	238	Vertical				
4	5723.3125	59.39	13.94	73.33	118.45	45.12	315	238	Vertical				
5	5745.0000	90.07	13.96	104.03	-	-	315	238	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 287 of 348

802.11ac20 Channel 165



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5825.0000	92.58	14.08	106.66	-	-	148	122	Horizontal				
2	5852.825	49.98	14.15	64.13	115.86	51.73	148	122	Horizontal				
3	5863.0625	47.80	14.17	61.97	108.64	46.67	148	122	Horizontal				
4	5877.525	43.79	14.21	58.00	103.42	45.42	148	122	Horizontal				
5	5937.325	38.80	14.36	53.16	68.30	15.14	148	122	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 288 of 348

802.11ac20_Channel 165



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5825.0000	91.59	14.08	105.67	-	-	289	70	Vertical				
2	5851.85	49.74	14.14	63.88	118.08	54.20	289	70	Vertical				
3	5858.1875	47.40	14.16	61.56	110.01	48.45	289	70	Vertical				
4	5878.175	43.31	14.21	57.52	102.94	45.42	289	70	Vertical				
5	5937.1625	40.02	14.36	54.38	68.30	13.92	289	70	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 289 of 348

802.11n40 Channel 38



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5147.7867	45.05	12.63	57.68	74.00	16.32	157	118	Horizontal				
2	5149.0667	31.03	12.63	43.66	54.00	10.34	157	118	Horizontal				
3	5190.0000	81.15	12.76	93.91	-	•	157	118	Horizontal				
4	5190.0000	69.40	12.76	82.16	-	•	157	118	Horizontal				
5	5352.4	38.75	12.69	51.44	74.00	22.56	157	118	Horizontal				
6	5354.5175	28.26	12.68	40.94	54.00	13.06	157	118	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 290 of 348

802.11n40 Channel 38



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5149.5467	29.90	12.64	42.54	54.00	11.46	294	75	Vertical				
2	5149.92	44.57	12.64	57.21	74.00	16.79	294	75	Vertical				
3	5190.0000	66.45	12.76	79.21	-	•	294	75	Vertical				
4	5190.0000	77.12	12.76	89.88	-	-	294	75	Vertical				
5	5354.3425	38.49	12.68	51.17	74.00	22.83	294	75	Vertical				
6	5355.69	27.90	12.68	40.58	54.00	13.42	294	75	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 291 of 348

802.11n40 Channel 46



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	5148.16	30.21	12.63	42.84	54.00	11.16	211	120	Horizontal					
2	5148.48	41.84	12.63	54.47	74.00	19.53	211	120	Horizontal					
3	5230.0000	87.16	12.81	99.97	-	-	211	120	Horizontal					
4	5230.0000	76.49	12.81	89.30	-	-	211	120	Horizontal					
5	5352.085	38.97	12.69	51.66	74.00	22.34	211	120	Horizontal					
6	5358.07	27.97	12.67	40.64	54.00	13.36	211	120	Horizontal					






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 292 of 348

802.11n40 Channel 46



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5147.7867	39.99	12.63	52.62	74.00	21.38	262	77	Vertical				
2	5148.32	29.21	12.63	41.84	54.00	12.16	262	77	Vertical				
3	5230.0000	75.19	12.81	88.00	-	•	262	77	Vertical				
4	5230.0000	86.10	12.81	98.91	-	-	262	77	Vertical				
5	5354.9375	28.12	12.68	40.80	54.00	13.20	262	77	Vertical				
6	5361.6575	38.93	12.66	51.59	74.00	22.41	262	77	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 293 of 348

802.11n40 Channel 54



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	5140	38.95	12.61	51.56	74.00	22.44	148	128	Horizontal					
2	5148.5333	27.42	12.63	40.05	54.00	13.95	148	128	Horizontal					
3	5270.0000	86.44	12.84	99.28	-	-	148	128	Horizontal					
4	5270.0000	76.39	12.84	89.23	-	•	148	128	Horizontal					
5	5351.25	41.00	12.69	53.69	74.00	20.31	148	128	Horizontal					
6	5351.7125	29.95	12.69	42.64	54.00	11.36	148	128	Horizontal					






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 294 of 348

802.11n40 Channel 54



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5138.9333	38.74	12.60	51.34	74.00	22.66	274	151	Vertical				
2	5142	27.07	12.61	39.68	54.00	14.32	274	151	Vertical				
3	5270.0000	75.16	12.84	88.00	-	-	274	151	Vertical				
4	5270.0000	85.87	12.84	98.71	-	-	274	151	Vertical				
5	5351.175	28.90	12.69	41.59	54.00	12.41	274	151	Vertical				
6	5358.475	39.25	12.67	51.92	74.00	22.08	274	151	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 295 of 348

802.11n40 Channel 62



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5135.5333	26.96	12.59	39.55	54.00	14.45	118	249	Horizontal			
2	5140.6667	38.84	12.61	51.45	74.00	22.55	118	249	Horizontal			
3	5310.0000	79.83	12.83	92.66	-	-	118	249	Horizontal			
4	5310.0000	68.98	12.83	81.81	-	-	118	249	Horizontal			
5	5351.8125	30.84	12.69	43.53	54.00	10.47	118	249	Horizontal			
6	5352.1	43.97	12.69	56.66	74.00	17.34	118	249	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction for or frozery or falsification of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) \$3071443,

or email: CN_Doccheck(@isg.scom South of No. Flort No. 1, Russleng Road, Subrou Industrial Park, Suzhou Area, China (Jangsu) Piki Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮線: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUHR/2022/1001105

Rev.: 01

Page: 296 of 348

802.11n40 Channel 62



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5140.4	38.66	12.61	51.27	74.00	22.73	166	178	Vertical				
2	5148.1333	26.86	12.63	39.49	54.00	14.51	166	178	Vertical				
3	5310.0000	67.06	12.83	79.89	-	•	166	178	Vertical				
4	5310.0000	78.66	12.83	91.49	-	-	166	178	Vertical				
5	5350.8	40.53	12.69	53.22	74.00	20.78	166	178	Vertical				
6	5351.2375	29.08	12.69	41.77	54.00	12.23	166	178	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 297 of 348

802.11n40_Channel 102



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5451.7283	41.07	12.65	53.72	74.00	20.28	168	141	Horizontal				
2	5458.3167	29.01	12.67	41.68	54.00	12.32	168	141	Horizontal				
3	5467.6967	46.39	12.69	59.08	68.30	9.22	168	141	Horizontal				
4	5510.0000	82.51	12.82	95.33	-	-	168	141	Horizontal				
5	5510.0000	71.19	12.82	84.01	-	•	168	141	Horizontal				
6	5731.8	39.19	13.95	53.14	68.30	15.16	168	141	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 298 of 348

802.11n40 Channel 102



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5454.0733	27.39	12.66	40.05	54.00	13.95	147	75	Vertical				
2	5455.525	39.51	12.66	52.17	74.00	21.83	147	75	Vertical				
3	5468.8133	42.21	12.70	54.91	68.30	13.39	147	75	Vertical				
4	5510.0000	67.75	12.82	80.57	-	-	147	75	Vertical				
5	5510.0000	77.06	12.82	89.88	-	•	147	75	Vertical				
6	5729.7	39.15	13.95	53.10	68.30	15.20	147	75	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 299 of 348

802.11n40 Channel 110



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5455.4133	40.16	12.66	52.82	74.00	21.18	167	120	Horizontal				
2	5457.2	28.47	12.67	41.14	54.00	12.86	167	120	Horizontal				
3	5468.59	43.54	12.69	56.23	68.30	12.07	167	120	Horizontal				
4	5550.0000	87.40	13.03	100.43	-	-	167	120	Horizontal				
5	5550.0000	77.80	13.03	90.83	-	-	167	120	Horizontal				
6	5728.34	39.70	13.94	53.64	68.30	14.66	167	120	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 300 of 348

802.11n40 Channel 110



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	5453.7383	38.80	12.66	51.46	74.00	22.54	277	194	Vertical			
2	5455.4133	27.61	12.66	40.27	54.00	13.73	277	194	Vertical			
3	5468.7017	40.10	12.69	52.79	68.30	15.51	277	194	Vertical			
4	5550.0000	74.65	13.03	87.68	-	•	277	194	Vertical			
5	5550.0000	84.94	13.03	97.97	-	•	277	194	Vertical			
6	5727.67	39.17	13.94	53.11	68.30	15.19	277	194	Vertical			






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 301 of 348

802.11n40 Channel 118



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5453.515	38.87	12.66	51.53	74.00	22.47	145	302	Horizontal				
2	5453.6267	27.14	12.66	39.80	54.00	14.20	145	302	Horizontal				
3	5465.7983	39.35	12.69	52.04	68.30	16.26	145	302	Horizontal				
4	5590.0000	87.88	13.24	101.12	-	-	145	302	Horizontal				
5	5590.0000	78.06	13.24	91.30	-	•	145	302	Horizontal				
6	5730.88	39.92	13.95	53.87	68.30	14.43	145	302	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 302 of 348

802.11n40_Channel 118



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5451.505	27.06	12.65	39.71	54.00	14.29	177	66	Vertical				
2	5452.2867	38.82	12.66	51.48	74.00	22.52	177	66	Vertical				
3	5464.4583	39.41	12.68	52.09	68.30	16.21	177	66	Vertical				
4	5590.0000	75.08	13.24	88.32	-	-	177	66	Vertical				
5	5590.0000	85.38	13.24	98.62	-	•	177	66	Vertical				
6	5733.73	39.00	13.95	52.95	68.30	15.35	177	66	Vertical				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 303 of 348

802.11n40 Channel 126



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	5451.17	39.83	12.65	52.48	74.00	21.52	238	194	Horizontal				
2	5454.0733	26.99	12.66	39.65	54.00	14.35	238	194	Horizontal				
3	5462.6717	38.51	12.68	51.19	68.30	17.11	238	194	Horizontal				
4	5630.0000	89.68	13.48	103.16	-	•	238	194	Horizontal				
5	5630.0000	84.19	13.48	97.67	-	•	238	194	Horizontal				
6	5733.54	40.86	13.95	54.81	68.30	13.49	238	194	Horizontal				






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 304 of 348

802.11n40 Channel 126



Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5445.9217	39.36	12.64	52.00	74.00	22.00	217	355	Vertical
2	5450.6117	26.91	12.65	39.56	54.00	14.44	217	355	Vertical
3	5462.1133	39.03	12.68	51.71	68.30	16.59	217	355	Vertical
4	5630.0000	86.00	13.48	99.48	-	•	217	355	Vertical
5	5630.0000	81.04	13.48	94.52	-	•	217	355	Vertical
6	5726.1	40.23	13.94	54.17	68.30	14.13	217	355	Vertical






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 305 of 348

802.11n40 Channel 142



Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	5464.32	38.32	12.68	51.00	74.00	23.00	219	283	Horizontal	
2	5710.0000	87.95	13.93	101.88	-	-	219	283	Horizontal	
3	5854.2	38.70	14.15	52.85	68.30	15.45	219	283	Horizontal	
4	5869.5	39.06	14.19	53.25	68.30	15.05	219	283	Horizontal	
5	5915.4	39.17	14.30	53.47	68.30	14.83	219	283	Horizontal	
6	5970.3	38.89	14.45	53.34	68.30	14.96	219	283	Horizontal	






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 306 of 348

802.11n40_Channel 142



Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	5466.66	39.14	12.69	51.83	74.00	22.17	119	254	Vertical	
2	5710.0000	86.85	13.93	100.78	-	-	119	254	Vertical	
3	5858.52	38.81	14.16	52.97	68.30	15.33	119	254	Vertical	
4	5892.54	38.91	14.24	53.15	68.30	15.15	119	254	Vertical	
5	5940.06	39.07	14.37	53.44	68.30	14.86	119	254	Vertical	
6	5960.22	39.57	14.42	53.99	68.30	14.31	119	254	Vertical	






Report No.: SUHR/2022/1001105

Rev.: 01

Page: 307 of 348

802.11n40 Channel 151



Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5642.3875	39.99	13.55	53.54	68.30	14.76	187	104	Horizontal
2	5691.7875	47.30	13.86	61.16	99.25	38.09	187	104	Horizontal
3	5716.975	61.57	13.93	75.50	110.05	34.55	187	104	Horizontal
4	5721.525	62.73	13.94	76.67	114.38	37.71	187	104	Horizontal
5	5755.0000	85.79	13.97	99.76	-	-	187	104	Horizontal
6	5851.2	39.31	14.14	53.45	119.56	66.11	187	104	Horizontal
7	5864.3625	39.16	14.17	53.33	108.28	54.95	187	104	Horizontal
8	5897.025	38.96	14.25	53.21	88.96	35.75	187	104	Horizontal
9	5935.5375	38.59	14.36	52.95	68.30	15.35	187	104	Horizontal

