

Report No.: HR/2020/B000703

Page: 1 of 76

FCC TEST REPORT

Application No.: HR/2020/B0007

Applicant: Honor Device Co., Ltd.

Address of Applicant Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road,

Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's

Republic of China

Manufacturer: Honor Device Co., Ltd.

Address of Manufacturer Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road,

Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's

Republic of China

EUT Description: Smart Phone Model No.: CHL-LX1 Trade Mark: **HONOR**

FCC ID: 2AYGCCHL-LX1

Standards: 47 CFR FCC Part 2, Subpart J

47 CFR Part 15, Subpart C

Date of Receipt: 2020/12/9

Date of Test: 2020/12/9 to 2020/12/31

Date of Issue: 2021/2/22

Test Result: PASS *

Authorized Signature:

Derde yang

Derek Yang Wireless Laboratory Manager



In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Report No.: HR/2020/B000703

Page: 2 of 76

Version

Revision Record					
Version Chapter Date Modifier Rema		Remark			
01		2020-12-31		Original	
02		2021-2-22		Comment Revised	

Authorized for issue by:		
Tested By	Mike Uu	
	(Mike Hu) /Project Engineer	
Checked By	David Chen	
Oncored by	(David Chen) /Reviewer	





Report No.: HR/2020/B000703

Page: 3 of 76

2 **Test Summary**

Test Item	Test Requirement	Test Method	Test Result	Result
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013	Clause 4.2	PASS
Conducted Output Power	15.247 (b)(3)	ANSI C63.10 2013	Clause 4.3	PASS
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10 2013	Clause 4.4	PASS
Power Spectral Density	15.247 (e)	ANSI C63.10 2013	Clause 4.5	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.6	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.7	PASS
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10 2013	Clause 4.8	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.205/15.209	ANSI C63.10 2013	Clause 4.9	PASS





Report No.: HR/2020/B000703

Page: 4 of 76

Contents

1	Vers	sion		2
2	Test	t Sumn	nary	3
3	Gen	eral In	formation	6
	3.1	De	tails of Client	6
	3.2	Te	st Locationst	6
	3.3	Te	st Facility	7
	3.4	Ge	eneral Description of EUT	8
	3.5	Te	st Environment	9
	3.6	De	scription of Support Units	9
4	Test	t result	s and Measurement Data	10
	4.1	An	tenna Requirement	10
	4.2	AC	Power Line Conducted Emissions	11
	4.3	Du	ty Cycle	16
		4.3.1	Test Results	16
		4.3.2	Test Plots	17
	4.4	Co	nducted Output Power	19
		4.4.1	Test Results	19
		4.4.2	Test Plots	20
	4.5	DT	S (6 dB) Bandwidth & 99% Occupied Bandwidth	24
		4.5.1	Test Results	24
		4.5.2	Test Plots	25
	4.6	Po	wer Spectral Density	31
		4.6.1	Test Results	31
		4.6.2	Test Plots	32
	4.7	Ва	nd-edge for RF Conducted Emissions	36
		4.7.1	Test Plots	37
	4.8	RF	Conducted Spurious Emissions	40
		4.8.1	Test Plots	41
	4.9	Ra	diated Spurious Emissions	45
		4.9.1	Radiated Emission below 1GHz	46
		4.9.2	Transmitter Emission above 1GHz	47
	4.10	0 Re	stricted bands around fundamental frequency	48





Report No.:	HR/2020/B000703
-------------	-----------------

Page:	5 of 76
-------	---------

	4.10.1 Test Plots	. 64
5	Measurement Uncertainty (95% confidence levels, k=2)	
6	Equipment List	73
7	Photographs - EUT Constructional Details	.76





Report No.: HR/2020/B000703

Page: 6 of 76

3 **General Information**

3.1 Details of Client

Applicant:	Honor Device Co., Ltd.		
Address of Applicant	Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's Republic of China		
Manufacturer:	Honor Device Co., Ltd.		
Address of Manufacturer	Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's Republic of China		

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address: No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China	
Post code:	518057





Report No.: HR/2020/B000703

7 of 76 Page:

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC -Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.





Report No.: HR/2020/B000703

8 of 76 Page:

3.4 General Description of EUT

EUT Description:	Smart Phone	
Model No.:	CHL-LX1	
Trade Mark:	HONOR	
Hardware Version:	HL3CHLM	
Software Version:	5.0.1.69(C900E12R1P2)	
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.	
Bluetooth version:	Bluetooth V5.1 LE	
Modulation Type:	GFSK	
Number of Channel:	40	
Sample Type:	□ Portable Device, □ Module	
Antenna Type:	☐ External, ☑ Integrated	
Antenna Gain:	-2.0dBi	
Power Supply	□ AC/DC Adapter; □ Battery □ PoE:; □ Other:	

Operation Frequency of each channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz





Report No.: HR/2020/B000703

9 of 76 Page:

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH19)	2440MHz
The Highest channel(CH39)	2480MHz

3.5 Test Environment

Operating Environment:			
Temperature:	25.0 °C		
Humidity:	50 % RH		
Atmospheric Pressure:	101.30 KPa		

3.6 Description of Support Units

The EUT has been tested independent unit.





Report No.: HR/2020/B000703

10 of 76 Page:

4 **Test results and Measurement Data**

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is -2.0dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention. To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2020/B000703

Page: 11 of 76

4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Sectio	n 15.207		
Test Method:	ANSI C63.10: 2013			
Test Frequency Range:	150kHz to 30MHz			
Limit:	Fraguency range (MHz)	Limit (d	BuV)	
	Frequency range (MHz)	Quasi-peak	Average	
	0.15-0.5	66 to 56*	56 to 46*	
	0.5-5	56	46	
	5-30	60	50	
	* Decreases with the log	arithm of the frequency.		
Test Procedure:	The mains terminal coroom.	listurbance voltage test was	conducted in a shielded	
	Impedance Stabilizat impedance. The position connected to a second plane in the same with multiple socket outlet single LISN provided. 3) The tabletop EUT was ground reference planglaced on the horizor. 4) The test was performed the EUT shall be 0. vertical ground reference plane. The unit under test and mounted on top of the the closest points of and associated equip. 5) In order to find the mand all of the interface.	ected to AC power source ion Network) which provides ower cables of all other und LISN 2, which was bonded way as the LISN 1 for the astrip was used to connect methe rating of the LISN was not as placed upon a non-metalline. And for floor-standing arrotal ground reference plane. The was placed upon a mon-metalline of the LISN 1 was placed upon a mon-metalline. And for floor-standing arrotal ground reference plane was bonded to a ground reference plane was bonded to a ground reference plane. The LISN 1 and the EUT. A soment was at least 0.8 m from aximum emission, the relative cables must be changed as an conducted measurement.	a $50\Omega/50\mu H + 5\Omega$ linear units of the EUT were to to the ground reference unit being measured. A nultiple power cables to a pot exceeded. It table 0.8m above the rangement, the EUT was been a present the first properties of the horizontal ground from the boundary of the erence plane for LISNs has distance was between all other units of the EUT in the LISN 2.	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rigas.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2020/B000703

Page: 12 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1643, **Totalogne in the content of the cont

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2020/B000703


Page: 13 of 76

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission

Live Line:



Test Graph

Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	ΑV Limit [dBμV]	AV Margin [dB]	Туре
1	0.1638	10.10	27.22	65.27	38.05	20.94	55.27	34.33	L
2	0.2644	10.10	22.44	61.29	38.85	15.27	51.29	36.02	L
3	0.8683	10.10	38.50	56.00	17.50	30.94	46.00	15.06	L
4	6.8650	10.10	38.48	60.00	21.52	29.82	50.00	20.18	L
5	14.5293	10.11	41.38	60.00	18.62	30.72	50.00	19.28	L
6	23.2066	10.11	51.78	60.00	8.22	41.34	50.00	8.66	L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1643, **Totalogne in the content of the cont

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: HR/2020/B000703

Page: 14 of 76





Test Graph

Suspe	Suspected List								
NO.	Freq.[MHz]	Level[dBµV]	Factor[dB]	Limit[dBμV]	Margin[dB]	Detector	Туре		
1	0.1590	35.17	10.10	65.52	30.35	PK	N		
2	0.2445	32.05	10.10	61.94	29.89	PK	N		
3	0.8205	33.07	10.10	56.00	22.93	PK	N		
4	6.7785	46.20	10.10	60.00	13.80	PK	N		
5	14.5455	47.48	10.11	60.00	12.52	PK	N		
6	23.1135	59.29	10.11	60.00	0.71	PK	N		

Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.1552	10.10	27.21	65.72	38.51	18.67	55.72	37.05	N
2	0.2396	10.10	27.82	62.11	34.29	16.20	52.11	35.91	N
3	0.8410	10.10	28.76	56.00	27.24	11.59	46.00	34.41	N
4	6.8207	10.10	38.25	60.00	21.75	30.15	50.00	19.85	N
5	14.5866	10.11	41.38	60.00	18.62	30.51	50.00	19.49	N
6	23.2908	10.11	50.95	60.00	9.05	40.58	50.00	9.42	N



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1643, **Totalogne in the content of the cont

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

www.sqsqroup.com.cn sgs.china@sgs.com



Report No.: HR/2020/B000703

Page: 15 of 76

Remarks:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1643, **To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1643, **To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1643, **To check the authenticity of testing inspection report & certificate,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2020/B000703

Page: 16 of 76

4.3 Duty Cycle

4.3.1 **Test Results**

Test Mode	TX Freq. [MHz]	Duty cycle [%]
BLE_1M	CH0, CH19, CH39	15.83
BLE_2M	CH0, CH19, CH39	8.75






Report No.: HR/2020/B000703

17 of 76 Page:

4.3.2 **Test Plots**

4.3.2.1

4.3.2.1.1 BLE_1M



Date: 28.DEC.2020 10:27:15






Report No.: HR/2020/B000703

18 of 76 Page:

4.3.2.1.2 BLE 2M



Date: 28.DEC.2020 10:05:31






Report No.: HR/2020/B000703

19 of 76 Page:

4.4 Conducted Output Power



4.4.1 **Test Results**

Measurement Data of Peak Power:

modeli oni oni bata ori caki owor.							
GFSK_1M mode							
Test Channel Peak Output Power (dBm) Limit (dBm) Result							
Lowest	6.81	30.00	Pass				
Middle	8.00	30.00	Pass				
Highest	7.39	30.00	Pass				

GFSK_2M mode							
Test Channel	Result						
Lowest	6.52	30.00	Pass				
Middle	8.00	30.00	Pass				
Highest	7.43	30.00	Pass				






Report No.: HR/2020/B000703

20 of 76 Page:

4.4.2 **Test Plots**

GFSK 1M_Lowest Channel 4.4.2.1



Date: 28.DEC.2020 09:35:16





Report No.: HR/2020/B000703

21 of 76 Page:





Date: 28.DEC.2020 09:40:20

4.4.2.3 **GFSK 1M_Highest Channel**



Date: 28.DEC.2020 09:40:42

4.4.2.4 **GFSK 2M_Lowest Channel**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2020/B000703

22 of 76 Page:



Date: 28 DEC 2020, 10:02:46

GFSK 2M Middle Channel 4.4.2.5



Date: 28.DEC.2020 09:59:50

4.4.2.6 **GFSK 2M_Highest Channel**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2020/B000703

23 of 76 Page:



Date: 28 DEC 2020, 09:58:35






Report No.: HR/2020/B000703

24 of 76 Page:

4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth



4.5.1 **Test Results**

Mode	Test Channel	99% Occupied Bandwidth (MHz)	6dB Emission Bandwidth (MHz)	Limit (kHz)	Result
GFSK_1M	Lowest	1.04	0.68	≥500	Pass
	Middle	1.05	0.68	≥500	Pass
	Highest	1.03	0.69	≥500	Pass

Mode	Test Channel	99% Occupied Bandwidth (MHz)	6dB Emission Bandwidth (MHz)	Limit (kHz)	Result
	Lowest	2.09	1.20	≥500	Pass
GFSK_2M	Middle	2.09	1.21	≥500	Pass
	Highest	2.09	1.22	≥500	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2020/B000703


25 of 76 Page:

Test Plots 4.5.2

GFSK 1M Lowest Channel 4.5.2.1



Date: 28.DEC.2020 09:36:46



Date: 28.DEC.2020 09:37:37

4.5.2.2 **GFSK 1M Middle Channel**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2020/B000703

26 of 76 Page:



Date: 28.DEC.2020 09:39:50



Date: 28.DEC.2020 09:39:31






Report No.: HR/2020/B000703

27 of 76 Page:





Date: 28.DEC.2020 09:51:20



Date: 28.DEC.2020 09:51:50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgety or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2020/B000703

28 of 76 Page:

GFSK 2M Lowest Channel 4.5.2.4



Date: 28.DEC.2020 10:01:53



Date: 28.DEC.2020 10:01:38







Report No.: HR/2020/B000703

29 of 76 Page:

GFSK 2M Middle Channel 4.5.2.5



Date: 28.DEC.2020 10:00:25



Date: 28.DEC.2020 10:00:52






Report No.: HR/2020/B000703

30 of 76 Page:

GFSK 2M Highest Channel 4.5.2.6



Date: 28.DEC.2020 09:58:04



Date: 28.DEC.2020 09:56:54






Report No.: HR/2020/B000703

31 of 76 Page:

4.6 Power Spectral Density



4.6.1 **Test Results**

Mode	Test Channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
	Lowest	-11.32	≤8.00	Pass
GFSK_1M	Middle	-10.13	≤8.00	Pass
_	Highest	-10.54	≤8.00	Pass

Mode	Test Channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
GFSK_2M	Lowest	-16.74	≤8.00	Pass
	Middle	-15.23	≤8.00	Pass
	Highest	-15.87	≤8.00	Pass





Report No.: HR/2020/B000703

Page: 32 of 76

4.6.2 Test Plots

4.6.2.1 GFSK 1M_Lowest Channel



Date: 28.DEC.2020 09:36:32






Report No.: HR/2020/B000703

33 of 76 Page:





Date: 28.DEC.2020 09:40:04

4.6.2.3 **GFSK 1M_Highest Channel**



Date: 28.DEC.2020 09:51:06

4.6.2.4 **GFSK 2M_Lowest Channel**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2020/B000703

34 of 76 Page:



Date: 28 DEC: 2020 10:02:11

GFSK 2M Middle Channel 4.6.2.5



Date: 28.DEC.2020 10:00:05

4.6.2.6 **GFSK 2M_Highest Channel**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2020/B000703

35 of 76 Page:



Date: 28 DEC 2020, 09:58:19





Report No.: HR/2020/B000703

36 of 76 Page:

4.7 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10: 2013 Section 11.13
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane
Instruments Used:	Refer to section 5.10 for details
Test Mode:	Transmitting with GFSK modulation.
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Test Results:	Pass






Report No.: HR/2020/B000703

Page: 37 of 76

4.7.1 Test Plots

4.7.1.1 GFSK 1M Lowest Channel



Date: 28.DEC.2020 09:38:13





Report No.: HR/2020/B000703


38 of 76 Page:

GFSK 1M Highest Channel 4.7.1.2



Date: 28.DEC.2020 09:52:39

4.7.1.3 **GFSK 2M_Lowest Channel**



Date: 28.DEC.2020 10:04:08

4.7.1.4 **GFSK 2M_Highest Channel**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2020/B000703

Page: 39 of 76



Date: 28.DEC.2020 09:57:44





Report No.: HR/2020/B000703

Page: 40 of 76

4.8 RF Conducted Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	ANSI C63.10: 2013 Section 11.11				
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane				
Instruments Used:	Refer to section 5.10 for details				
Test Mode:	Transmitting with GFSK modulation.				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Test Results:	Pass				






Report No.: HR/2020/B000703

41 of 76 Page:

4.8.1 **Test Plots**

GFSK 1M_Lowest Channel 4.8.1.1



Date: 7.DEC.2020 10:54:39






Report No.: HR/2020/B000703


42 of 76 Page:





Date: 7.DEC.2020 10:50:52

4.8.1.3 **GFSK 1M_Highest Channel**



Date: 7.DEC.2020 10:50:00

4.8.1.4 **GFSK 2M_Lowest Channel**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2020/B000703

43 of 76 Page:



Date: 7 DEC 2020 14:53:06

GFSK 2M Middle Channel 4.8.1.5



Date: 7.DEC.2020 14:52:11

4.8.1.6 **GFSK 2M_Highest Channel**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2020/B000703

44 of 76 Page:



Date: 7.DEC.2020 14:51:10

Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.





Report No.: HR/2020/B000703

Page: 45 of 76

4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section	n 15.209 and 15.20	05					
Test Method:	ANSI C63.10 :2013 Sect	ion 11.12						
Test Site:	Measurement Distance:	3m (Semi-Anechoi	ic Chamber)					
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark			
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak			
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average			
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak			
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average			
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
	30MHz-1GHz	Quasi-peak	120kHz	300kHz	Quasi-peak			
	Above 1CHz	Peak	1MHz	3MHz	Peak			
	Above 1GHz	Peak	1MHz	10Hz	Average			
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)			
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300			
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30			
	1.705MHz-30MHz	30	-	-	30			
	30MHz-88MHz	100	40.0	Quasi-peak	3			
	88MHz-216MHz	150	43.5	Quasi-peak	3			
	216MHz-960MHz	200	46.0	Quasi-peak	3			
	960MHz-1GHz	500	54.0	Quasi-peak	3			
	Above 1GHz	500	54.0	Average	3			
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.							






Report No.: HR/2020/B000703

46 of 76 Page:

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

Test Procedure:

- For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. Use the following spectrum analyzer settings:
 - Span shall wide enough to fully capture the emission being (1) measured:
 - (2)Set RBW=100 kHz for f < 1 GHz, RBW=1MHz for f>1GHz; VBW ≥ RBW; Sweep = auto;
 - Detector function = peak; Trace = max hold for peak
 - For average measurement: use duty cycle correction factor (3)method per 15.35(c).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8307 1443, **Attention:**To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)8307 1443, **Totalon:**



Report No.: HR/2020/B000703

Page: 47 of 76

1 agc. 47 0170
Duty cycle = On time/100 milliseconds
On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n
Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.
Average Emission Level = Peak Emission Level + 20*log(Duty cycle)
f. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
i. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
k. Repeat above procedures until all frequencies measured was complete.
Transportition with CECK madelation
Transmitting with GFSK modulation. Charge + Transmitting mode.
Transmitting with GFSK modulation.
Pretest the EUT at Charge + Transmitting mode,
For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Refer to section 5.10 for details
Pass






Report No.: HR/2020/B000703

Page: 48 of 76

4.9.1 **Radiated Emission below 1GHz Charge + Transmitting** 4.9.1.1

Test Graph



Suspected List

Suspe	cted List						
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.5973	17.40	40.00	22.60	200	238	Horizontal
2	54.2549	16.32	40.00	23.68	200	132	Horizontal
3	183.0966	27.92	43.50	15.58	100	264	Horizontal
4	299.9080	26.14	46.00	19.86	100	105	Horizontal
5	562.0544	30.10	46.00	15.90	200	329	Horizontal
6	824.9770	29.57	46.00	16.43	100	249	Horizontal

Final Data List






Report No.: HR/2020/B000703

Page: 49 of 76

Test Graph



Suspected List

Guspee	dispected List											
Suspe	cted List											
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	36.9854	29.16	40.00	10.84	100	358	Vertical					
2	50.5681	23.41	40.00	16.59	100	352	Vertical					
3	180.1860	29.93	43.50	13.57	100	14	Vertical					
4	225.0090	26.43	46.00	19.57	100	288	Vertical					
5	562.0544	35.94	46.00	10.06	100	359	Vertical					
6	845.1570	29.89	46.00	16.11	100	73	Vertical					






Report No.: HR/2020/B000703

Page: 50 of 76

4.9.2 Transmitter Emission above 1GHz 4.9.2.1 BLE_1M_Channel 0

Test Graph



Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2990.49	56.21	10.58	74.00	17.79	150	282	Horizontal
2	2995.99	45.07	10.71	54.00	8.93	150	92	Horizontal
3	4804.00	41.51	-17.18	74.00	32.49	150	123	Horizontal
4	4804.00	30.99	-17.18	54.00	23.01	150	295	Horizontal
5	7206.00	45.96	-9.48	74.00	28.04	150	37	Horizontal
6	7206.00	35.18	-9.48	54.00	18.82	150	123	Horizontal

Final Data List






Report No.: HR/2020/B000703

Page: 51 of 76

4.9.2.2 BLE_1M_Channel 0

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2918.47	56.96	10.45	74.00	17.04	150	330	Vertical				
2	2986.99	45.23	10.59	54.00	8.77	150	304	Vertical				
3	4804.00	42.21	-17.18	74.00	31.79	150	100	Vertical				
4	4804.00	30.68	-17.18	54.00	23.32	150	203	Vertical				
5	7206.00	46.23	-9.48	74.00	27.77	150	83	Vertical				
6	7206.00	34.64	-9.48	54.00	19.36	150	323	Vertical				






Report No.: HR/2020/B000703

Page: 52 of 76

4.9.2.3 **BLE 1M Channel 19**

Test Graph



Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2925.48	56.61	10.66	74.00	17.39	150	32	Horizontal
2	2981.49	44.96	10.62	54.00	9.04	150	168	Horizontal
3	4880.00	41.54	-16.81	74.00	32.46	150	28	Horizontal
4	4880.00	30.22	-16.81	54.00	23.78	150	152	Horizontal
5	7320.00	47.06	-9.28	74.00	26.94	150	135	Horizontal
6	7320.00	35.91	-9.28	54.00	18.09	150	115	Horizontal






Report No.: HR/2020/B000703

Page: 53 of 76

4.9.2.4 BLE_1M_Channel 19

Test Graph



Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2914.97	55.82	10.54	74.00	18.18	150	153	Vertical
2	2951.48	44.90	10.69	54.00	9.10	150	190	Vertical
3	4880.00	42.37	-16.81	74.00	31.63	150	168	Vertical
4	4880.00	30.80	-16.81	54.00	23.20	150	219	Vertical
5	7320.00	46.80	-9.28	74.00	27.20	150	236	Vertical
6	7320.00	35.87	-9.28	54.00	18.13	150	253	Vertical






Report No.: HR/2020/B000703

Page: 54 of 76

4.9.2.5 **BLE 1M Channel 39**

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2987.99	44.96	10.58	54.00	9.04	150	59	Horizontal				
2	3000.00	56.37	10.78	74.00	17.63	150	226	Horizontal				
3	4960.00	42.08	-16.28	74.00	31.92	150	312	Horizontal				
4	4960.00	31.05	-16.28	54.00	22.95	150	295	Horizontal				
5	7440.00	47.59	-8.83	74.00	26.41	150	158	Horizontal				
6	7440.00	37.11	-8.83	54.00	16.89	150	244	Horizontal				






Report No.: HR/2020/B000703

Page: 55 of 76

4.9.2.6 **BLE_1M_Channel 39**

Test Graph



Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2890.47	44.90	10.41	54.00	9.10	150	135	Vertical
2	2995.99	56.26	10.71	74.00	17.74	150	254	Vertical
3	4960.00	42.20	-16.28	74.00	31.80	150	357	Vertical
4	4960.00	31.15	-16.28	54.00	22.85	150	340	Vertical
5	7440.00	48.17	-8.83	74.00	25.83	150	99	Vertical
6	7440.00	37.26	-8.83	54.00	16.74	150	357	Vertical






Report No.: HR/2020/B000703

Page: 56 of 76

4.9.2.7 **BLE_2M_Channel 0**

Test Graph



Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2937.48	40.83	10.56	54.00	13.17	150	43	Horizontal
2	2948.48	52.06	10.66	74.00	21.94	150	158	Horizontal
3	4804.00	38.27	-17.18	74.00	35.73	150	209	Horizontal
4	4804.00	26.87	-17.18	54.00	27.13	150	19	Horizontal
5	7206.00	31.68	-9.48	54.00	22.32	150	243	Horizontal
6	7206.00	43.69	-9.48	74.00	30.31	150	36	Horizontal

Final Data List






Report No.: HR/2020/B000703

Page: 57 of 76

4.9.2.8 BLE 2M Channel 0

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2934.48	55.25	10.63	74.00	18.75	150	14	Vertical				
2	2996.49	44.34	10.72	54.00	9.66	150	304	Vertical				
3	4804.00	40.40	-17.18	74.00	33.60	150	359	Vertical				
4	4804.00	29.68	-17.18	54.00	24.32	150	359	Vertical				
5	7206.00	34.58	-9.48	54.00	19.42	150	152	Vertical				
6	7206.00	47.03	-9.48	74.00	26.97	150	186	Vertical				






Report No.: HR/2020/B000703

Page: 58 of 76

4.9.2.9 BLE 2M Channel 19

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2784.44	49.80	9.83	74.00	24.20	150	326	Horizontal				
2	2951.98	39.50	10.70	54.00	14.50	150	300	Horizontal				
3	4880.00	38.14	-16.81	74.00	35.86	150	34	Horizontal				
4	4880.00	26.25	-16.81	54.00	27.75	150	121	Horizontal				
5	7320.00	31.65	-9.28	54.00	22.35	150	52	Horizontal				
6	7320.00	41.45	-9.28	74.00	32.55	150	69	Horizontal				






Report No.: HR/2020/B000703

Page: 59 of 76

4.9.2.10 BLE 2M Channel 19

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2972.49	43.75	10.60	54.00	10.25	150	45	Vertical				
2	2980.49	55.12	10.63	74.00	18.88	150	149	Vertical				
3	4880.00	41.29	-16.81	74.00	32.71	150	66	Vertical				
4	4880.00	29.94	-16.81	54.00	24.06	150	83	Vertical				
5	7320.00	35.81	-9.28	54.00	18.19	150	272	Vertical				
6	7320.00	46.53	-9.28	74.00	27.47	150	169	Vertical				






Report No.: HR/2020/B000703

Page: 60 of 76

4.9.2.11 **BLE_2M_Channel 39**

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2985.99	51.77	10.60	74.00	22.23	150	105	Horizontal				
2	2999.49	40.63	10.77	54.00	13.37	150	225	Horizontal				
3	4960.00	38.97	-16.28	74.00	35.03	150	137	Horizontal				
4	4960.00	27.49	-16.28	54.00	26.51	150	311	Horizontal				
5	7440.00	33.13	-8.83	54.00	20.87	150	155	Horizontal				
6	7440.00	44.90	-8.83	74.00	29.10	150	346	Horizontal				

Final Data List






Report No.: HR/2020/B000703

61 of 76 Page:

BLE 2M Channel 39 4.9.2.12

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2904.47	55.77	10.40	74.00	18.23	150	93	Vertical				
2	2977.99	44.32	10.60	54.00	9.68	150	347	Vertical				
3	4960.00	43.66	-16.28	74.00	30.34	150	117	Vertical				
4	4960.00	31.02	-16.28	54.00	22.98	150	82	Vertical				
5	7440.00	36.96	-8.83	54.00	17.04	150	100	Vertical				
6	7440.00	47.72	-8.83	74.00	26.28	150	100	Vertical				

Final Data List

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
 - Final Test Level = Receiver Reading + Antenna Factor + Cable Factor Preamplifier Factor
- 2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All Modes have been tested, but only the worst case data displayed in this report.






Report No.: HR/2020/B000703

Page: 62 of 76

4.10Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 1	7 CFR Part 15C Section 15.209 and 15.205										
Test Method:	ANSI C63.10: 2013 Section	ANSI C63.10: 2013 Section 11.12										
Test Site:	Measurement Distance: 3n	Measurement Distance: 3m (Semi-Anechoic Chamber)										
Limit:	Frequency	Limit (dBuV/m)	Remark									
	30MHz-88MHz	40.0	Quasi-peak									
	88MHz-216MHz	43.5	Quasi-peak									
	216MHz-960MHz	46.0	Quasi-peak									
	960MHz-1GHz	54.0	Quasi-peak									
	Above 4011-	54.0	Average Value									
	Above IGHZ	Above 1GHz 74.0 Peak Value										
Test Setup:												






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz




Figure 3. Above 1 GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2020/B000703

Page: 63 of 76

	1 ago. 00 01 70
Test Procedure:	 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with GFSK modulation. Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.
	Pretest the EUT at Charge + Transmitting mode.
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass






Report No.: HR/2020/B000703

Page: 64 of 76

4.10.1 **Test Plots** 4.10.1.1 BLE_1M_Channel 0

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2363.72	48.70	8.04	74.00	25.30	150	184	Horizontal				
2	2369.72	34.07	8.09	54.00	19.93	150	230	Horizontal				
3	2390.00	33.71	7.98	54.00	20.29	150	327	Horizontal				
4	2390.00	45.98	7.98	74.00	28.02	150	327	Horizontal				
5	2402.00	98.38	8.06	0.00	-98.38	150	327	Horizontal				
6	2402.00	97.72	8.06	0.00	-97.72	150	323	Horizontal				

Final Data List






Report No.: HR/2020/B000703

Page: 65 of 76

4.10.1.2 BLE_1M_Channel 0

Test Graph



Suspected List

J	ouspected List												
	Suspected List												
	NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
ſ	1	2376.48	34.15	7.96	54.00	19.85	150	334	Vertical				
	2	2380.38	48.39	7.98	74.00	25.61	150	220	Vertical				
	3	2390.00	33.85	7.98	54.00	20.15	150	14	Vertical				
	4	2390.00	46.67	7.98	74.00	27.33	150	143	Vertical				
	5	2402.00	86.61	8.06	0.00	-86.61	150	213	Vertical				
	6	2402.00	85.67	8.06	0.00	-85.67	150	216	Vertical				






Report No.: HR/2020/B000703

Page: 66 of 76

4.10.1.3 **BLE 1M Channel 39**

Test Graph



Suspected List

ouspec	puspecteu List											
Suspected List												
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2480.00	100.94	8.54	0.00	-100.94	150	261	Horizontal				
2	2480.00	100.12	8.54	0.00	-100.12	150	257	Horizontal				
3	2483.50	46.00	8.50	74.00	28.00	150	239	Horizontal				
4	2483.50	35.00	8.50	54.00	19.00	150	261	Horizontal				
5	2492.04	47.75	8.61	74.00	26.25	150	341	Horizontal				
6	2492.64	33.32	8.60	54.00	20.68	150	139	Horizontal				

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgety or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2020/B000703

Page: 67 of 76

4.10.1.4 **BLE 1M Channel 39**

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2480.00	87.34	8.54	0.00	-87.34	150	212	Vertical				
2	2480.00	86.88	8.54	0.00	-86.88	150	212	Vertical				
3	2483.50	45.17	8.50	74.00	28.83	150	46	Vertical				
4	2483.50	32.90	8.50	54.00	21.10	150	262	Vertical				
5	2488.49	46.71	8.58	74.00	27.29	150	209	Vertical				
6	2489.34	33.22	8.60	54.00	20.78	150	12	Vertical				

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgety or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2020/B000703

Page: 68 of 76

4.10.1.5 BLE 2M Channel 0

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2369.57	44.37	8.09	74.00	29.63	100	185	Horizontal				
2	2376.40	31.74	7.96	54.00	22.26	200	14	Horizontal				
3	2390.00	31.65	7.98	54.00	22.35	200	182	Horizontal				
4	2390.00	42.89	7.98	74.00	31.11	200	118	Horizontal				
5	2402.00	99.61	8.06	0.00	-99.61	100	49	Horizontal				
6	2402.00	87.49	8.06	0.00	-87.49	100	98	Horizontal				

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgety or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2020/B000703

Page: 69 of 76

4.10.1.6 BLE_2M_Channel 0

Test Graph



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2374.98	32.21	7.94	54.00	21.79	300	342	Vertical	
2	2375.50	46.54	7.95	74.00	27.46	400	178	Vertical	
3	2390.00	32.11	7.98	54.00	21.89	400	170	Vertical	
4	2390.00	44.54	7.98	74.00	29.46	300	220	Vertical	
5	2402.00	97.94	8.06	0.00	-97.94	400	167	Vertical	
6	2402.00	84.54	8.06	0.00	-84.54	400	151	Vertical	

Final Data List






Report No.: HR/2020/B000703

Page: 70 of 76

4.10.1.7 BLE 2M Channel 39

Test Graph



Suspected List

Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2480.00	99.73	8.54	0.00	-99.73	150	65	Horizontal		
2	2480.00	87.55	8.54	0.00	-87.55	150	45	Horizontal		
3	2483.50	49.40	8.50	74.00	24.60	150	65	Horizontal		
4	2483.50	36.08	8.50	54.00	17.92	150	45	Horizontal		
5	2491.09	30.62	8.61	54.00	23.38	150	68	Horizontal		
6	2491.74	43.38	8.61	74.00	30.62	150	115	Horizontal		






Report No.: HR/2020/B000703

71 of 76 Page:

4.10.1.8 BLE 2M Channel 39

Test Graph



Suspected List

Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2480.00	88.85	8.54	0.00	-88.85	150	175	Vertical		
2	2480.00	75.11	8.54	0.00	-75.11	150	351	Vertical		
3	2483.50	43.86	8.50	74.00	30.14	150	332	Vertical		
4	2483.50	31.94	8.50	54.00	22.06	150	229	Vertical		
5	2489.79	32.13	8.62	54.00	21.87	150	52	Vertical		
6	2489.94	45.66	8.62	74.00	28.34	150	217	Vertical		

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.





Report No.: HR/2020/B000703

Page: 72 of 76

Measurement Uncertainty (95% confidence levels, k=2) 5

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.75dB
2	RF power density, conducted	±2.84dB
3	Spurious emissions, conducted	±0.75dB
4	Radiated Spurious emission test	±4.5dB (30MHz-1GHz)
4		±4.8dB (1GHz-25GHz)
5	Conduct emission test	±3.12 dB(9KHz- 30MHz)
6	Temperature test	±1°C
7	Humidity test	±3%
8	DC and low frequency voltages	±0.5%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2020/B000703

Page: 73 of 76

Equipment List

Conducted Emission								
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Duedate			
rest Equipment			inventory No	(yyyy-mm-dd)	(yyyy-mm-dd)			
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2020/5/10	2023/5/9			
LISN	Rohde & Schwarz	ENV216	SEM007-01	2020/7/14	2021/7/14			
LISN	ETS-LINDGREN	Feb-16	SEM007-02	2020/4/1	2021/3/31			
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM024-01	2020/6/12	2021/6/11			
2 Line ISN	Fischer Custom Communications Inc	FCC-TLISN-T2 02	EMC0122	2020/2/11	2021/2/10			
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2020/3/2	2021/3/1			

RF conducted test								
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Duedate			
rest Equipment	Wanutacturer		inventory No	(yyyy-mm-dd)	(yyyy-mm-dd)			
DC Power Supply	Agilent Technologie Inc	66311B	W009-09	2020/7/15	2021/7/15			
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2020/1/3	2021/1/2			
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11			
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A			
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/7/14	2021/7/14			
Temperature Chamber	GIANT FORCE	ICT-150-40-CP AR	W027-03	2020/10/27	2021/10/27			
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/14			





Report No.: HR/2020/B000703

Page: 74 of 76								
RE in Chamber								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date			
				(yyyy-mm-dd)	(yyyy-mm-dd)			
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12			
Measurement Software	AUDIX	e3V8.2014-6-2	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM026-01	2020/6/12	2021/6/11			
EXA Signal Analyzer (10Hz-26.5GHz)	Agilent Technologie Inc	N9010A	SEM004-09	2020/3/12	2021/3/11			
BiConiLog Antenna (26- 3000MHz)	ETS-Lindgren	3142C	SEM003-01	2020/6/27	2023/6/26			
Horn Antenna (0.8- 18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12			
Pre-amplifier(0.1-1.3GHz	HP	8447D	SEM005-02	2020/7/14	2021/7/14			
Low Noise Amplifier(100MHz- 18GHz)	Black Diamond Series	BDLNA-0118- 352810	SEM005-05	2020/9/3	2021/9/2			
Horn Antenna (15- 40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2020/10/17	2023/10/16			
Pre-amplifier(18-26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2020/3/2	2021/3/1			
Band filter	N/A	N/A	SEM023-01	N/A	N/A			
		RE in Chamb	er					
Toot Equipment	Manufacturer	N4 - 1 - 1 N1 -	Inventory No	Cal. date	Cal.Due date			
Test Equipment	Wanufacturer	Model No.	Inventory No.	(yyyy-mm-dd)	(yyyy-mm-dd)			
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2020/8/5	2023/8/4			
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM025-01	2020/6/12	2021/6/11			
MXE EMI Receiver (20Hz-8.4GHz)	Agilent Technologie	N9038A	SEM004-05	2020/7/14	2021/7/14			
BiConiLog Antenna (26 3000MHz)	ETS-LINDGREN	3142C	SEM003-01	2020/6/27	2023/6/26			
Pre-amplifier (0.1- 1.3GHz)	Agilent Technologie	8447D	SEM005-01	2020/3/2	2021/3/1			





Report No.: HR/2020/B000703

Page: 75 of 76

RE in Chamber								
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. Date (yyyy mm-dd)	Cal. Due date (yyyy-mm-dd)			
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2018/3/31	2021/3/30			
EMI Test Receiver (9k- 7GHz)	Rohde & Schwarz	ESR	SEM004-03	2020/3/2	2021/3/1			
Trilog-Broadband Antenna(25M-2GHz)	Schwarzbeck	VULB9168	SEM003-18	2020/3/15	2022/3/14			
Pre-amplifier (9k-1GHz)	Sonoma	310N	SEM005-03	2020/3/12	2021/3/11			
Loop Antenna (9kHz- 30MHz)	ETS-Lindgren	6502	SEM003-08	2020/8/22	2023/8/21			
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM029-01	2020/6/12	2021/6/11			





Report No.: HR/2020/B000703

Page: 76 of 76

7 **Photographs - EUT Constructional Details**

Refer to Appendix A - Photographs of Set-Up for HR/2020/B0007.

The End

