

> Report No.: HR/2020/B000706 Page: 1 of 22

TEST REPORT

Application No:	HR/2020/B0007
Applicant:	Honor Device Co., Ltd.
Address of Applicant	Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's Republic of China
Manufacturer:	Honor Device Co., Ltd.
Address of Manufacturer:	Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's Republic of China
EUT Description:	Smart Phone
Model No.:	CHL-LX1
Trade Mark:	HONOR
FCC ID:	2AYGCCHL-LX1
Standard(s) :	47 CFR Part 15, Subpart B
Date of Receipt:	2020/12/9
Date of Test:	2020/12/9 to 2020/12/31
Date of Issue:	2020/12/31
Test Result:	Pass*
* In the configuration tested th	a ELIT complied with the standards specified above

In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Derde young

Derek Yang Wireless Laboratory Manager

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sas.com 710086 www.sgsgroup.com.cn 1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, Xi'an, Shaanxi, China 邮编 710086 sgs.china@sgs.com

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层



Report No.: HR/2020/B000706 Page: 2 of 22

		Revision Record		
Version	Chapter	Date	Modifier	Remark
01		2020/12/31		Original

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the efficient of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

邮编 710086



Report No.: HR/2020/B000706 3 of 22 Page:

Test Summary

Emission Part				
Item	Standard	Method	Requirement	Result
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass
Radiated Emissions (30MHz-1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass
Radiated Emissions (above 1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower

Checked By

David Chen

David Chen Reviewer

Test By

forit

Daniel Wang Project Engineer

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China 邮编 710086 sqs.china@sgs.com

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)



Report No.: HR/2020/B000706 Page: 4 of 22

Contents

1 GENERAL INFORMATION	5
 1.1 DESCRIPTION OF SUPPORT UNITS. 1.2 TEST LOCATION 1.3 TEST FACILITY 1.4 DEVIATION FROM STANDARDS	7 7 7
2 EMISSION TEST RESULTS	8
 2.1 CONDUCTED EMISSIONS AT MAINS TERMINALS (150KHz-30MHz)	
3 EQUIPMENT LIST	20
4 MEASUREMENT UNCERTAINTY	21
5 PHOTOGRAPHS	22
5.1 Test Setup	
5.2 EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)	22

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China 邮编 710086



Report No.: HR/2020/B000706 Page: 5 of 22

1 General Information

Product Name:	Smart Phone		
Model No.(EUT):	CHL-LX1		
Trade Mark:	HONOR		
Hardware Version:	HL3CHLM		
Software Version:	5.0.1.69(C900E12R1P2)		
	Band	Tx (MHz)	Rx (MHz)
	GSM850	824~849	869~894
	GSM1900	1850~1910	1930~1990
	WCDMA Band II	1850~1910	1930~1990
	WCDMA Band V	824~849	869~894
Francisco Dandas	LTE Band 7	2500~2570	2620~2690
Frequency Bands:	Wi-Fi 2.4G	2400~2483.5	2400~2483.5
	Bluetooth	2400~2483.5	2400~2483.5
	Wi-Fi 5G	5150~5850	5150~5850
	NFC	13.56	
	FM	87~108	
	GNSS(GPS+Glonass + Beidou)	1599~1610	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

邮编 710086



.

SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.

> Report No.: HR/2020/B000706 Page: 6 of 22

Accessory:			
Adapter No.	Model No.	SN	Specification
4			Input:100V-240V 50/60Hz 0.5A
	HW-100400U01	1	output :5V/2A,9V/2A,10V/4A(MAX)
0		\ \	Input:100V-240V 50/60Hz 0.5A
2	HW-100400E01	1	output :5V/2A,9V/2A,10V/4A(MAX)
2		\ \	Input:100V-240V 50/60Hz 0.5A
3	3 HW-100400B01	1	output :5V/2A,9V/2A,10V/4A(MAX)
4	4 HW-100400A01	1	Input:100V-240V 50/60Hz 0.5A
4		١	output :5V/2A,9V/2A,10V/4A(MAX)
E LIN/ 1004001100		\	Input:100V-240V 50/60Hz 0.5A
5	5 HW-100400U02		output :5V/2A,9V/2A,10V/4A(MAX)
G			Input:100V-240V 50/60Hz 0.5A
0	6 HW-100400E02	λ	output :5V/2A,9V/2A,10V/4A(MAX)
7	HW-100400B02	١	Input:100V-240V 50/60Hz 0.5A
1			output :5V/2A,9V/2A,10V/4A(MAX)
0		١	Input:100V-240V 50/60Hz 0.5A
0	8 HW-100400A02		output :5V/2A,9V/2A,10V/4A(MAX)

Battery No.	Model No.	Manufacturer
1	HB446589EFW	Honor Device Co., Ltd. (Manufacturer: Sunwoda)
2	HB446589EFW	Honor Device Co., Ltd. (Manufacturer: Desay)
3	HB446589EFW	Honor Device Co., Ltd. (Manufacturer: SCUD)

Cable No.	USB-A to USB-C	Model No.	Manufacturer
1	USB Cable	WA0046	NingBo Broad Telecommunication Co., Ltd.
2	USB Cable	AU2-CHO006HF	Freeport Resources Enterprises Corp.
3	USB Cable	213-00989-0	MING JI ELECTRONICS CO., LTD.
4	USB Cable	L99UC138-CS-H	LUXSHARE PRECISION INDUSTRY CO., LTD.

Earphone No.	Model No.	Manufacturer
1	MEND1532B528A11	Jiangxi Lianchuang Hongsheng Electronic Co., LTD.
2	1293-3283-3.5mm-339	BOLUO COUNTY QUANCHENG ELECTRONIC CO., LTD.
3	EPAB542-2WH05-DH	FOXCONN INTERCONNECT TECHNOLOGY LIMITED

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China 邮编 710086

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)



Report No.: HR/2020/B000706 Page: 7 of 22

1.1 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Laptop	Lenovo	T430u	REF. No.SEA1800
Mouse	Lenovo	M-U0025-O	REF. No.:SEA2400
Router	NETGEAR	DGN2200	REF. No.SEA2200

1.2 Test Location

All tests were performed at:

Company:	SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.
Address:	1st Floor, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, Xi'an, Shaanxi, China
Post code:	710086

No tests were sub-contracted.

1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 4854.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

Test Site No. :	SG	S Xian Site No.	FCC Designation No.	
	CO01-XA	03CH01-XA	CN1271	

1.4 Deviation from Standards

1.5 Abnormalities from Standard Conditions

None

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)

sgs.china@sgs.com



Report No.: HR/2020/B000706 Page: 8 of 22

2 Emission Test Results

2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement: Test Method:	47 CFR Part 15, Subpart B ANSI C63.4:2014
Frequency Range:	150kHz to 30MHz
Limit:	
0.15M-0.5MHz	66dB(μV)-56dB(μV) quasi-peak, 56dB(μV)-46dB(μV) average
0.5M-5MHz	56dB(μV) quasi-peak, 46dB(μV) average
5M-30MHz	60dB(μV) quasi-peak, 50dB(μV) average
Detector:	Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

2.1.1 E.U.T. Operation

Operating Environment:

Temperature:	18.9 °C Humidity: 55.1 % RH Atmospheric Pressure: 1000 mbar
Pretest these modes to find the worst case:	 a: Transfer data between the EUT1(battery1) and the PC+USB cable1 b: Transfer data between the EUT1(battery1) and the PC+USB cable2 c: Transfer data between the EUT1(battery1) and the PC+USB cable3 d: Transfer data between the EUT1(battery1) and the PC+USB cable4 e: GSM 850 Idle+EUT1(battery1) +BT+2.4G WLAN + NFC +GPS Rx + playing MP4 (SD card) +earphone1 + Cable(worst)+adapter1 f: WCDMA Band V Idle+ EUT1(battery1) +BT+ 5G WLAN + NFC +GPS Rx + FM +earphone2 + Cable(worst)+adapter5
	g: LTE Band 7 Idle+ EUT1(battery1) + BT+ 2.4G WLAN + NFC +GPS Rx+ camera (Back) +earphone3 + Cable(worst)+adapter(worst) h: GSM1900 Idle+ EUT1(battery1) +BT+5G WLAN + NFC +GPS Rx+ camera (Front) +earphone3 + Cable(worst)+adapter(worst)
	i: GSM 850 Idle+EUT2(battery2) +BT+2.4G WLAN + NFC +GPS Rx + playing MP4 (SD card) +earphone1 + Cable(worst)+adapter1 j: GSM 850 Idle+EUT3(battery3) +BT+2.4G WLAN + NFC +GPS Rx + playing
	MP4 (SD card) +earphone1 + Cable(worst)+adapter1
The worst case for final test:	e: GSM 850 Idle+EUT1(battery1) +BT+2.4G WLAN + NFC +GPS Rx + playing MP4 (SD card) +earphone1 + Cable(worst)+adapter1

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

.....

邮编 710086



Report No.: HR/2020/B000706 Page: 9 of 22

2.1.2 Test Setup Procedures

1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.

- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.


4. The LISN provides 50 ohm coupling impedance for the measuring instrument.

5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.

6. Both sides of AC line were checked for maximum conducted interference.

7. The frequency range from 150 kHz to 30 MHz was searched.

8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerpt in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com 1/ E Unit D. Building 1 Kanghong Orange Technology Park No 137 Keyuan 3rd Road Fengdong New City 710086 www.sgsgroup.c

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China


中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)

sgs.china@sgs.com



Report No.: HR/2020/B000706 Page: 10 of 22



Test Graph

Final I	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.2167	10.10	34.35	62.94	28.59	10.13	52.94	42.81	L
2	0.2735	10.10	39.96	61.01	21.05	23.60	51.01	27.41	L
3	0.9100	10.10	44.07	56.00	11.93	33.63	46.00	12.37	L
4	6.8176	10.10	39.80	60.00	20.20	31.05	50.00	18.95	L
5	14.5651	10.11	41.89	60.00	18.11	30.92	50.00	19.08	L
6	23.1336	10.11	51.95	60.00	8.05	41.63	50.00	8.37	L

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China


中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the COC Crown (COC CA)

邮编 710086



Report No.: HR/2020/B000706 Page: 11 of 22



Test Graph

Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.1682	10.10	40.93	65.05	24.12	24.06	55.05	30.99	Ν
2	0.2298	10.10	41.77	62.46	20.69	25.96	52.46	26.50	Ν
3	2.0578	10.10	34.92	56.00	21.08	19.17	46.00	26.83	Ν
4	6.8351	10.10	39.33	60.00	20.67	30.62	50.00	19.38	Ν
5	14.4780	10.11	41.33	60.00	18.67	30.87	50.00	19.13	Ν
6	23.0743	10.11	51.08	60.00	8.92	40.89	50.00	9.11	Ν

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)

sgs.china@sgs.com



Report No.: HR/2020/B000706 Page: 12 of 22

2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement:	47 CFR Part 15, Subpart B
Test Method:	ANSI C63.4:2014
Frequency Range:	30MHz to 1GHz
Measurement Distance:	3m
Limit:	
30MHz -88MHz	40.0(dBµV/m) quasi-peak
88MHz-216MHz	43.5(dBµV/m) quasi-peak
216MHz-960MHz	46.0(dBµV/m) quasi-peak
960MHz-1000MHz	54.0(dBµV/m) quasi-peak
Detector:	Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz

2.1.4 E.U.T. Operation

Operating Environment:

Temperature:	25 °C Humidity: 66.5 % RH Atmospheric Pressure: 1010 mbar						
Pretest these	a: Transfer data between the EUT1(battery1) and the PC+USB cable1						
modes to find the worst case:	b: Transfer data between the EUT1(battery1) and the PC+USB cable2						
the worst case.	c: Transfer data between the EUT1(battery1) and the PC+USB cable3						
	d: Transfer data between the EUT1(battery1) and the PC+USB cable4						
	e: GSM 850 Idle+EUT1(battery1) +BT+2.4G WLAN + NFC +GPS Rx + playing MP4 (SD card) +earphone1 + Cable(worst)+adapter1						
	f: WCDMA Band V Idle+ EUT1(battery1) +BT+ 5G WLAN + NFC +GPS Rx+ FM +earphone2 + Cable(worst)+adapter5						
	g: LTE Band 7 Idle+ EUT1(battery1) + BT+ 2.4G WLAN + NFC +GPS Rx+ camera (Back) +earphone3 + Cable(worst)+adapter(worst)						
	h: GSM1900 Idle+ EUT1(battery1) +BT+5G WLAN + NFC +GPS Rx+ camera (Front) +earphone3 + Cable(worst)+adapter(worst)						
	i: GSM 850 Idle+EUT2(battery2) +BT+2.4G WLAN + NFC +GPS Rx + playing MP4 (SD card) +earphone1 + Cable(worst)+adapter1						
	j: GSM 850 Idle+EUT3(battery3) +BT+2.4G WLAN + NFC +GPS Rx + playing MP4 (SD card) +earphone1 + Cable(worst)+adapter1						

The worst case a: Transfer data between the EUT and the PC+USB cable1 for final test:

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents, subject to Terms and Conditions for and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)

sgs.china@sgs.com



Report No.: HR/2020/B000706 Page: 13 of 22

2.1.5 Test Setup Procedures

1. The EUT was placed in a semi Anechoic Chamber as show below

2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.


3. The table was rotated 360 degrees to determine the position of the highest radiation.

4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.

5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.

6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.

7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



2.1.6 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China


中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)

sgs.china@sgs.com



Report No.: HR/2020/B000706 Page: 14 of 22



Mode:a; Polarization:Horizontal

Suspected List

Suspe	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [ຶ]	Polarity	
1	47.2695	16.96	40.00	23.04	200	122	Horizontal	
2	131.8704	20.64	43.50	22.86	200	34	Horizontal	
3	266.5333	28.00	46.00	18.00	200	22	Horizontal	
4	562.0544	31.08	46.00	14.92	200	28	Horizontal	
5	800.1400	29.30	46.00	16.70	200	14	Horizontal	
6	985.6411	31.72	54.00	22.28	100	273	Horizontal	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the efficience of the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China


中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)

sgs.china@sgs.com



Report No.: HR/2020/B000706 Page: 15 of 22



Mode:a; Polarization:Vertical

Suspected List

Suspe	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	37.3735	21.11	40.00	18.89	100	350	Vertical	
2	50.3741	21.70	40.00	18.30	100	69	Vertical	
3	174.5589	25.04	43.50	18.46	200	346	Vertical	
4	296.4153	25.44	46.00	20.56	200	346	Vertical	
5	562.0544	30.75	46.00	15.25	100	321	Vertical	
6	800.1400	36.86	46.00	9.14	100	17	Vertical	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the efficient of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

邮编 710086



Report No.: HR/2020/B000706 Page: 16 of 22

2.3 Radiated Emissions (above 1GHz)

Test Requirement:	47 CFR Part 15, Subpart B
Test Method:	ANSI C63.4:2014
Frequency Range:	Above 1GHz
Measurement Distance:	3m
Limit:	
Above 1GHz	74(dBμV/m) peak, 54(dBμV/m) average
Detector:	Peak for pre-scan (1000kHz resolution bandwidth) 1000M to18000MHz

2.1.7 E.U.T. Operation

Operating Environment:

Temperature:	21.7 °C Humidity: 56.4 % RH Atmospheric Pressure: 1010 mbar
Pretest these	a: Transfer data between the EUT1(battery1) and the PC+USB cable1
modes to find the worst case:	b: Transfer data between the EUT1(battery1) and the PC+USB cable2
the worst case.	c: Transfer data between the EUT1(battery1) and the PC+USB cable3
	d: Transfer data between the EUT1(battery1) and the PC+USB cable4
	e: GSM 850 Idle+EUT1(battery1) +BT+2.4G WLAN + NFC +GPS Rx + playing MP4 (SD card) +earphone1 + Cable(worst)+adapter1
	f: WCDMA Band V Idle+ EUT1(battery1) +BT+ 5G WLAN + NFC +GPS Rx+ FM +earphone2 + Cable(worst)+adapter5
	g: LTE Band 7 Idle+ EUT1(battery1) + BT+ 2.4G WLAN + NFC +GPS Rx+ camera (Back) +earphone3 + Cable(worst)+adapter(worst)
	h: GSM1900 Idle+ EUT1(battery1) +BT+5G WLAN + NFC +GPS Rx+ camera (Front) +earphone3 + Cable(worst)+adapter(worst)
	i: GSM 850 Idle+EUT2(battery2) +BT+2.4G WLAN + NFC +GPS Rx + playing MP4 (SD card) +earphone1 + Cable(worst)+adapter1
	j: GSM 850 Idle+EUT3(battery3) +BT+2.4G WLAN + NFC +GPS Rx + playing MP4 (SD card) +earphone1 + Cable(worst)+adapter1
The worst case for final test:	e: GSM 850 Idle+EUT1(battery1) +BT+2.4G WLAN + NFC +GPS Rx + playing MP4 (SD card) +earphone1 + Cable(worst)+adapter1

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

sgs.china@sgs.com



Report No.: HR/2020/B000706 Page: 17 of 22

2.1.8 Test Setup Procedures

1. The EUT was placed in a full Anechoic Chamber as show below


2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.

3. The table was rotated 360 degrees to determine the position of the highest radiation.

4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.

5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.

6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.



2.1.9 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China


中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)

sgs.china@sgs.com



Report No.: HR/2020/B000706 Page: 18 of 22



Mode:e; Polarization:Horizontal

Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2371.968	41.23	74.00	32.77	100	301	Horizontal		
2	2774.038	28.67	54.00	25.33	100	20	Horizontal		
3	7806.290	49.92	74.00	24.08	200	276	Horizontal		
4	10716.83	43.09	54.00	10.91	100	193	Horizontal		
5	14724.78	56.76	74.00	17.24	100	42	Horizontal		
6	17376.91	44.18	54.00	9.82	200	59	Horizontal		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City,	/10086	www.sgsgroup.com.cn
Xi'an, Shaanxi, China		


中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)

sgs.china@sgs.com



Report No.: HR/2020/B000706 Page: 19 of 22



Mode:e; Polarization:Vertical

Suspected List

Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [۴]	Polarity
1	2342.217	28.27	54.00	25.73	200	80	Vertical
2	2366.018	38.12	74.00	35.88	200	338	Vertical
3	11024.55	53.91	74.00	20.09	200	145	Vertical
4	11289.76	43.86	54.00	10.14	200	16	Vertical
5	17384.56	54.46	74.00	19.54	100	150	Vertical
6	17506.12	44.50	54.00	9.50	100	194	Vertical

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)

sgs.china@sgs.com



Report No.: HR/2020/B000706 Page: 20 of 22

3 Equipment List

Chamber					
			Inventory	Cal. date	Cal.Due date
Test Equipment	Lest Fallinment Manufacturer Model No		Inventory No.	(yyyy-mm- dd)	(yyyy-mm-dd)
Semi-Anechoic Chamber	Brilliant-emc	966	XAW03-35-01	NCR	NCR
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2020/4/2	2021/4/2
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-02	2020/4/2	2021/4/2
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2020-09-11	2021-09-10
Receiving antenna	Rosenberger	VULB 9163	XAW01-09-01	2019/10/13	2021/10/12
Receiving antenna	Rosenberger	BBHA 9120D	XAW01-09-02	2019/10/13	2021/10/12
Receiving antenna	Rosenberger	BBHA 9170	XAW01-09-03	2019/10/13	2021/10/12
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR
Amplifier	Tonscend	TAP00903040	XAW01-41-01	2020/11/18	2021/11/18
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2020/11/18	2021/11/18
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2020/12/3	2021/12/3
Amplifier	Brilliant-emc	YX28980930	XAW01-41-06	2020/11/18	2021/11/18
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-19-02	2020/9/16	2021/9/15

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the efficience of the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

邮编 710086



Report No.: HR/2020/B000706 Page: 21 of 22

4 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Conduction Emission	± 3.4dB (150kHz to 30MHz)
2 Badiated Emission		± 4.8dB (30MHz-1GHz)
	Dedicted Excission	± 5.2dB (1GHz-6GHz)
2	2 Radiated Emission	± 5.5dB (6GHz-18GHz)
		± 5.02dB (18GHz-40GHz)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the efficience of the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

Member of the SGS Group(SGS SA)

sgs.china@sgs.com



Report No.: HR/2020/B000706 Page: 22 of 22

5 Photographs

5.1 Test Setup

Refer to Appendix A - Photographs of Set-Up for HR/2020/B0007.

5.2 EUT Constructional Details (EUT Photos) Refer to Photographs of EUT Constructional Details

- End of the Report -

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/ F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, 710086 www.sgsgroup.com.cn Xi'an, Shaanxi, China

中国·西安·沣东新城科源三路 137 号康鸿橙方科技园 1 号楼 D 单元一层

邮编 710086