







Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.22	0.15	2.37	11.00	Complies
116	5580	7.64	0.15	7.79	11.00	Complies
140	5700	0.97	0.15	1.12	11.00	Complies



Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.31	0.29	-3.02	11.00	Complies
110	5550	2.34	0.29	2.63	11.00	Complies
134	5670	3.90	0.29	4.19	11.00	Complies



Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-6.51	0.56	-5.95	11.00	Complies
122	5610	-3.02	0.56	-2.46	11.00	Complies

CH106



Date: 19,DEC,2020 13:57:40




CH122



Date: 19,DEC,2020 13:59:28



Test Mode UNII-3_TX AC (VHT20) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.70	0.15	6.85	30.00	Complies
157	5785	6.74	0.15	6.89	30.00	Complies
165	5825	6.55	0.15	6.70	30.00	Complies




Test Mode UNII-3_TX AC (VHT40) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.02	0.29	2.31	30.00	Complies
159	5795	1.82	0.29	2.11	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-5.16	0.56	-4.60	30.00	Complies



APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
4.45	5180.0000
3.87	5179.9896
3.6	5179.9888
	5179.9884
Maximum Deviation (MHz)	0.0116
Maximum Deviation (ppm)	2.2394

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
0	5180.0000
10	5179.9876
20	5179.9872
30	5179.9868
35	5179.9864
	5179.9860
Maximum Deviation (MHz)	0.0140
Maximum Deviation (ppm)	2.7027

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
4.45	5259.9860
3.87	5259.9856
3.6	5259.9856
Maximum Deviation (MHz)	0.0144
Maximum Deviation (ppm)	2.7376

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
0	5259.9856
10	5259.9852
20	5259.9852
30	5259.9852
35	5259.9848
Maximum Deviation (MHz)	0.0152
Maximum Deviation (ppm)	2.8897

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
4.45	5500.0000
3.87	5499.9840
3.6	5499.9832
	5499.9828
Maximum Deviation (MHz)	0.0172
Maximum Deviation (ppm)	3.1273

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
0	5500.0000
10	5499.9824
20	5499.9820
30	5499.9820
35	5499.9824
Maximum Deviation (MHz)	0.0180
Maximum Deviation (ppm)	3.2727

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
4.45	5744.9824
3.87	5744.9824
3.6	5744.9824
Maximum Deviation (MHz)	0.0176
Maximum Deviation (ppm)	3.0635

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
0	5744.9824
10	5744.9820
20	5744.9820
30	5744.9820
35	5744.9820
Maximum Deviation (MHz)	0.0180
Maximum Deviation (ppm)	3.1332

End of Test Report