


Test Mode TX Mode


Ant 0°



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	0.313	33.64	12.48	46.12	97.69	-51.57	AVG	
2	0.624	32.64	11.96	44.60	71.70	-27.10	QP	
3 *	2.249	35.71	11.18	46.89	69.54	-22.65	QP	

Test Mode	TX Mode
-----------	---------


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	0.018	42.33	13.84	56.17	122.50	-66.33	AVG	
2		0.038	29.47	12.73	42.20	115.92	-73.72	AVG	
3		0.135	19.67	12.73	32.40	105.01	-72.61	AVG	

Test Mode TX Mode

Ant 90°




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	0.400	29.64	12.26	41.90	95.57	-53.67	AVG	
2 *	1.043	27.89	11.77	39.66	67.24	-27.58	QP	
3	1.928	29.54	11.34	40.88	69.54	-28.66	QP	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1000MHZ)

Test Mode	GSM850_TX CH190_GSM_Main Antenna_with Accessories
-----------	---------------------------------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		55.2200	-65.93	-3.68	-69.61	-13.00	-56.61	peak	
2		163.3750	-67.27	-1.15	-68.42	-13.00	-55.42	peak	
3		295.2950	-68.03	-1.22	-69.25	-13.00	-56.25	peak	
4		434.4900	-67.52	1.95	-65.57	-13.00	-52.57	peak	
5		469.8950	-66.84	2.51	-64.33	-13.00	-51.33	peak	
6	*	608.6050	-66.85	4.83	-62.02	-13.00	-49.02	peak	

Test Mode GSM850_TX CH190_GSM_Main Antenna_with Accessories


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		40.6700	-68.84	-3.67	-72.51	-13.00	-59.51	peak	
2		159.9800	-68.63	-0.67	-69.30	-13.00	-56.30	peak	
3		285.5950	-67.66	-1.77	-69.43	-13.00	-56.43	peak	
4		394.7200	-68.06	0.87	-67.19	-13.00	-54.19	peak	
5		492.6900	-67.52	2.68	-64.84	-13.00	-51.84	peak	
6	*	615.8800	-67.33	5.00	-62.33	-13.00	-49.33	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna_with Accessories


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	79.4700	-62.78	1.99	-60.79	-13.00	-47.79	peak	
2		159.0100	-77.99	8.79	-69.20	-13.00	-56.20	peak	
3		258.9200	-79.36	7.24	-72.12	-13.00	-59.12	peak	
4		413.1500	-78.34	10.94	-67.40	-13.00	-54.40	peak	
5		546.0400	-77.60	12.75	-64.85	-13.00	-51.85	peak	
6		659.5300	-78.47	15.46	-63.01	-13.00	-50.01	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna_with Accessories


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		40.6700	-78.50	5.92	-72.58	-13.00	-59.58	peak	
2		159.9800	-76.41	8.92	-67.49	-13.00	-54.49	peak	
3		233.7000	-77.11	5.83	-71.28	-13.00	-58.28	peak	
4		286.0800	-77.29	7.84	-69.45	-13.00	-56.45	peak	
5		492.2050	-76.34	12.27	-64.07	-13.00	-51.07	peak	
6	*	576.5950	-77.29	13.56	-63.73	-13.00	-50.73	peak	

Test Mode GSM850_TX CH190_GSM_Main Antenna_without Accessories


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.6750	-57.36	-13.95	-71.31	-13.00	-58.31	peak	
2		128.9400	-61.23	-12.74	-73.97	-13.00	-60.97	peak	
3		179.3800	-59.81	-12.75	-72.56	-13.00	-59.56	peak	
4		224.9700	-63.87	-14.06	-77.93	-13.00	-64.93	peak	
5		351.5550	-58.92	-10.17	-69.09	-13.00	-56.09	peak	
6	*	799.6950	-65.06	-2.53	-67.59	-13.00	-54.59	peak	

Test Mode GSM850_TX CH190_GSM_Main Antenna_without Accessories


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		36.7900	-47.97	-14.29	-62.26	-13.00	-49.26	peak	
2		107.6000	-61.50	-14.39	-75.89	-13.00	-62.89	peak	
3		159.9800	-66.13	-10.67	-76.80	-13.00	-63.80	peak	
4		188.5950	-62.09	-13.91	-76.00	-13.00	-63.00	peak	
5		361.7400	-65.34	-9.92	-75.26	-13.00	-62.26	peak	
6	*	799.2100	-58.66	-2.54	-61.20	-13.00	-48.20	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna_without Accessories


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.675	-56.88	-13.95	-70.83	-13.00	-57.83	peak	
2		178.895	-58.59	-12.71	-71.30	-13.00	-58.30	peak	
3		361.740	-65.57	-9.92	-75.49	-13.00	-62.49	peak	
4		409.755	-63.03	-8.74	-71.77	-13.00	-58.77	peak	
5		607.150	-66.46	-5.19	-71.65	-13.00	-58.65	peak	
6	*	799.695	-65.02	-2.53	-67.55	-13.00	-54.55	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna_without Accessories


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		37.275	-49.14	-14.27	-63.41	-13.00	-50.41	peak	
2		107.600	-62.78	-14.39	-77.17	-13.00	-64.17	peak	
3		188.595	-61.28	-13.91	-75.19	-13.00	-62.19	peak	
4		224.970	-61.77	-14.06	-75.83	-13.00	-62.83	peak	
5		361.740	-65.91	-9.92	-75.83	-13.00	-62.83	peak	
6	*	799.695	-52.31	-2.53	-54.84	-13.00	-41.84	peak	

Test Mode | WCDMA Band V_TX CH4182_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	67.8300	-63.17	4.15	-59.02	-13.00	-46.02	peak	
2		161.4350	-78.31	8.71	-69.60	-13.00	-56.60	peak	
3		295.7800	-80.30	8.39	-71.91	-13.00	-58.91	peak	
4		373.3800	-79.72	9.94	-69.78	-13.00	-56.78	peak	
5		572.7150	-79.03	13.44	-65.59	-13.00	-52.59	peak	
6		666.8050	-78.38	15.56	-62.82	-13.00	-49.82	peak	

Test Mode WCDMA Band V_TX CH4182_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		89.6550	-69.16	3.80	-65.36	-13.00	-52.36	peak	
2		161.9200	-78.67	8.65	-70.02	-13.00	-57.02	peak	
3		288.5050	-79.79	8.00	-71.79	-13.00	-58.79	peak	
4		428.1850	-79.24	11.35	-67.89	-13.00	-54.89	peak	
5		556.7100	-78.45	12.98	-65.47	-13.00	-52.47	peak	
6	*	654.1950	-78.11	15.39	-62.72	-13.00	-49.72	peak	

Test Mode | WCDMA Band V_TX CH4182_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		55.2200	-76.27	5.91	-70.36	-13.00	-57.36	peak	
2		163.8600	-77.37	8.37	-69.00	-13.00	-56.00	peak	
3		294.3250	-77.97	8.31	-69.66	-13.00	-56.66	peak	
4		463.5900	-76.69	12.05	-64.64	-13.00	-51.64	peak	
5		563.9850	-77.17	13.19	-63.98	-13.00	-50.98	peak	
6	*	881.1750	-60.72	18.22	-42.50	-13.00	-29.50	peak	

Test Mode	WCDMA Band V_TX CH4182_Second Antenna
-----------	---------------------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		52.7950	-78.69	5.94	-72.75	-13.00	-59.75	peak	
2		162.4050	-77.11	8.58	-68.53	-13.00	-55.53	peak	
3		257.9500	-77.87	7.14	-70.73	-13.00	-57.73	peak	
4		401.9950	-76.71	10.64	-66.07	-13.00	-53.07	peak	
5		479.5950	-76.96	12.18	-64.78	-13.00	-51.78	peak	
6	*	614.4250	-77.42	14.55	-62.87	-13.00	-49.87	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		55.7050	-66.52	-3.73	-70.25	-13.00	-57.25	peak	
2		158.0400	-66.91	-0.93	-67.84	-13.00	-54.84	peak	
3		312.7550	-68.76	-0.80	-69.56	-13.00	-56.56	peak	
4		349.1300	-68.85	-0.21	-69.06	-13.00	-56.06	peak	
5		661.4700	-67.56	5.89	-61.67	-13.00	-48.67	peak	
6	*	881.6600	-56.77	8.63	-48.14	-13.00	-35.14	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		51.3400	-68.61	-3.64	-72.25	-13.00	-59.25	peak	
2		120.6950	-69.47	-2.74	-72.21	-13.00	-59.21	peak	
3		161.4350	-67.89	-0.88	-68.77	-13.00	-55.77	peak	
4		316.6350	-68.24	-0.74	-68.98	-13.00	-55.98	peak	
5		576.5950	-67.93	3.97	-63.96	-13.00	-50.96	peak	
6	*	881.6600	-49.46	8.63	-40.83	-13.00	-27.83	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		55.2200	-67.09	-3.68	-70.77	-13.00	-57.77	peak	
2		163.3750	-66.82	-1.15	-67.97	-13.00	-54.97	peak	
3		297.7200	-68.60	-1.11	-69.71	-13.00	-56.71	peak	
4		390.8400	-67.72	0.78	-66.94	-13.00	-53.94	peak	
5		669.7150	-66.98	6.01	-60.97	-13.00	-47.97	peak	
6	*	880.2050	-56.07	8.61	-47.46	-13.00	-34.46	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		53.2800	-69.08	-3.63	-72.71	-13.00	-59.71	peak	
2		158.0400	-68.09	-0.93	-69.02	-13.00	-56.02	peak	
3		303.0550	-68.74	-0.95	-69.69	-13.00	-56.69	peak	
4		641.5850	-67.09	5.55	-61.54	-13.00	-48.54	peak	
5		714.3350	-66.58	6.53	-60.05	-13.00	-47.05	peak	
6	*	879.7200	-48.84	8.61	-40.23	-13.00	-27.23	peak	

Test Mode LTE Band 5_TX CH20525_10M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.1900	-66.87	-3.81	-70.68	-13.00	-57.68	peak	
2		160.9500	-67.84	-0.80	-68.64	-13.00	-55.64	peak	
3		319.5450	-68.82	-0.69	-69.51	-13.00	-56.51	peak	
4		425.2750	-66.85	1.69	-65.16	-13.00	-52.16	peak	
5		496.5700	-67.22	2.71	-64.51	-13.00	-51.51	peak	
6	*	879.2350	-54.49	8.61	-45.88	-13.00	-32.88	peak	

Test Mode LTE Band 5_TX CH20525_10M_Main Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		44.5500	-68.04	-4.21	-72.25	-13.00	-59.25	peak	
2		160.4650	-68.18	-0.74	-68.92	-13.00	-55.92	peak	
3		256.9800	-68.27	-2.55	-70.82	-13.00	-57.82	peak	
4		392.2950	-67.63	0.82	-66.81	-13.00	-53.81	peak	
5		635.2800	-66.57	5.42	-61.15	-13.00	-48.15	peak	
6	*	878.7500	-48.04	8.59	-39.45	-13.00	-26.45	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		62.9800	-65.04	-4.72	-69.76	-13.00	-56.76	peak	
2		164.8300	-66.77	-1.34	-68.11	-13.00	-55.11	peak	
3		294.8100	-67.94	-1.26	-69.20	-13.00	-56.20	peak	
4		473.7750	-68.07	2.55	-65.52	-13.00	-52.52	peak	
5		733.7350	-67.21	6.66	-60.55	-13.00	-47.55	peak	
6	*	881.6600	-56.03	8.63	-47.40	-13.00	-34.40	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Second Antenna


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	51.8250	-67.46	-3.68	-71.14	-13.00	-58.14	peak	
2	161.4350	-67.30	-0.88	-68.18	-13.00	-55.18	peak	
3	308.3900	-68.42	-0.87	-69.29	-13.00	-56.29	peak	
4	633.8250	-67.09	5.38	-61.71	-13.00	-48.71	peak	
5	696.3900	-66.92	6.37	-60.55	-13.00	-47.55	peak	
6 *	881.6600	-48.55	8.63	-39.92	-13.00	-26.92	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		44.5500	-64.80	-4.21	-69.01	-13.00	-56.01	peak	
2		160.4650	-67.36	-0.74	-68.10	-13.00	-55.10	peak	
3		347.6750	-67.65	-0.25	-67.90	-13.00	-54.90	peak	
4		415.0900	-68.19	1.40	-66.79	-13.00	-53.79	peak	
5		529.5500	-67.70	3.01	-64.69	-13.00	-51.69	peak	
6	*	880.2050	-54.80	8.61	-46.19	-13.00	-33.19	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		46.0050	-67.54	-3.97	-71.51	-13.00	-58.51	peak	
2		163.8600	-66.97	-1.22	-68.19	-13.00	-55.19	peak	
3		252.6150	-67.85	-3.02	-70.87	-13.00	-57.87	peak	
4		402.9650	-68.30	1.07	-67.23	-13.00	-54.23	peak	
5		658.0750	-66.83	5.85	-60.98	-13.00	-47.98	peak	
6	*	880.6900	-48.68	8.61	-40.07	-13.00	-27.07	peak	

Test Mode LTE Band 5_TX CH20525_10M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.6750	-65.77	-3.95	-69.72	-13.00	-56.72	peak	
2		159.4950	-67.37	-0.74	-68.11	-13.00	-55.11	peak	
3		293.3550	-67.97	-1.32	-69.29	-13.00	-56.29	peak	
4		400.5400	-67.38	1.01	-66.37	-13.00	-53.37	peak	
5		518.3950	-67.77	2.90	-64.87	-13.00	-51.87	peak	
6	*	878.7500	-54.99	8.59	-46.40	-13.00	-33.40	peak	

Test Mode LTE Band 5_TX CH20525_10M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.1900	-68.26	-3.81	-72.07	-13.00	-59.07	peak	
2		158.5250	-67.16	-0.86	-68.02	-13.00	-55.02	peak	
3		256.0100	-67.53	-2.65	-70.18	-13.00	-57.18	peak	
4		306.4500	-68.31	-0.90	-69.21	-13.00	-56.21	peak	
5		474.2600	-67.62	2.54	-65.08	-13.00	-52.08	peak	
6	*	877.7800	-48.01	8.59	-39.42	-13.00	-26.42	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		72.1950	-60.48	-6.32	-66.80	-13.00	-53.80	peak	
2		130.3950	-64.50	-2.74	-67.24	-13.00	-54.24	peak	
3		158.5250	-68.04	-0.86	-68.90	-13.00	-55.90	peak	
4		346.2200	-67.73	-0.26	-67.99	-13.00	-54.99	peak	
5		630.4300	-66.85	5.31	-61.54	-13.00	-48.54	peak	
6	*	881.6600	-56.92	8.63	-48.29	-13.00	-35.29	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		72.1950	-60.48	-6.32	-66.80	-13.00	-53.80	peak	
2		130.3950	-64.50	-2.74	-67.24	-13.00	-54.24	peak	
3		163.3750	-66.73	-1.15	-67.88	-13.00	-54.88	peak	
4		284.6250	-67.02	-1.85	-68.87	-13.00	-55.87	peak	
5		635.2800	-66.84	5.42	-61.42	-13.00	-48.42	peak	
6	*	881.6600	-56.92	8.63	-48.29	-13.00	-35.29	peak	

Test Mode LTE Band 26_TX CH26915_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.6100	-65.51	-4.18	-69.69	-13.00	-56.69	peak	
2		162.8900	-66.46	-1.08	-67.54	-13.00	-54.54	peak	
3		299.6600	-68.46	-1.01	-69.47	-13.00	-56.47	peak	
4		475.7150	-67.44	2.56	-64.88	-13.00	-51.88	peak	
5		579.9900	-67.82	4.07	-63.75	-13.00	-50.75	peak	
6	*	660.5000	-66.72	5.88	-60.84	-13.00	-47.84	peak	

Test Mode LTE Band 26_TX CH26915_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		38.7300	-68.09	-3.97	-72.06	-13.00	-59.06	peak	
2		160.4650	-67.09	-0.74	-67.83	-13.00	-54.83	peak	
3		301.6000	-68.57	-0.97	-69.54	-13.00	-56.54	peak	
4		415.0900	-68.05	1.40	-66.65	-13.00	-53.65	peak	
5		494.1450	-67.53	2.69	-64.84	-13.00	-51.84	peak	
6	*	879.2350	-54.67	8.61	-46.06	-13.00	-33.06	peak	

Test Mode LTE Band 26_TX CH26915_15M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.5300	-54.62	-7.29	-61.91	-13.00	-48.91	peak	
2		162.4050	-65.94	-1.01	-66.95	-13.00	-53.95	peak	
3		302.5700	-68.61	-0.96	-69.57	-13.00	-56.57	peak	
4		487.3550	-67.47	2.64	-64.83	-13.00	-51.83	peak	
5		632.8550	-66.79	5.36	-61.43	-13.00	-48.43	peak	
6	*	881.1750	-54.79	8.63	-46.16	-13.00	-33.16	peak	

Test Mode LTE Band 26_TX CH26915_15M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		39.7000	-68.59	-3.57	-72.16	-13.00	-59.16	peak	
2		161.4350	-67.57	-0.88	-68.45	-13.00	-55.45	peak	
3		306.9350	-68.29	-0.89	-69.18	-13.00	-56.18	peak	
4		394.2350	-67.87	0.85	-67.02	-13.00	-54.02	peak	
5		527.1250	-68.07	2.98	-65.09	-13.00	-52.09	peak	
6	*	611.0300	-66.47	4.89	-61.58	-13.00	-48.58	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		58.1300	-65.48	-4.35	-69.83	-13.00	-56.83	peak	
2		157.0700	-66.95	-1.05	-68.00	-13.00	-55.00	peak	
3		295.2950	-67.75	-1.22	-68.97	-13.00	-55.97	peak	
4		567.3800	-66.97	3.70	-63.27	-13.00	-50.27	peak	
5		651.2850	-67.16	5.75	-61.41	-13.00	-48.41	peak	
6	*	881.6600	-49.22	8.63	-40.59	-13.00	-27.59	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		49.4000	-68.44	-3.65	-72.09	-13.00	-59.09	peak	
2		160.9500	-68.18	-0.80	-68.98	-13.00	-55.98	peak	
3		337.4900	-68.83	-0.40	-69.23	-13.00	-56.23	peak	
4		445.1600	-68.03	2.23	-65.80	-13.00	-52.80	peak	
5		651.2850	-67.16	5.75	-61.41	-13.00	-48.41	peak	
6	*	881.6600	-49.22	8.63	-40.59	-13.00	-27.59	peak	

Test Mode LTE Band 26_TX CH26915_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.6100	-66.17	-4.18	-70.35	-13.00	-57.35	peak	
2		162.4050	-67.37	-1.01	-68.38	-13.00	-55.38	peak	
3		288.5050	-68.00	-1.59	-69.59	-13.00	-56.59	peak	
4		377.7450	-68.12	0.46	-67.66	-13.00	-54.66	peak	
5		563.9850	-67.79	3.60	-64.19	-13.00	-51.19	peak	
6	*	645.9500	-67.06	5.65	-61.41	-13.00	-48.41	peak	

Test Mode LTE Band 26_TX CH26915_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.6750	-68.25	-3.95	-72.20	-13.00	-59.20	peak	
2		162.8900	-67.72	-1.08	-68.80	-13.00	-55.80	peak	
3		384.5350	-66.16	0.62	-65.54	-13.00	-52.54	peak	
4		567.3800	-67.05	3.70	-63.35	-13.00	-50.35	peak	
5		635.7650	-67.02	5.42	-61.60	-13.00	-48.60	peak	
6	*	880.2050	-48.64	8.61	-40.03	-13.00	-27.03	peak	

Test Mode LTE Band 26_TX CH26915_15M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		55.7050	-64.95	-3.73	-68.68	-13.00	-55.68	peak	
2		159.9800	-67.33	-0.67	-68.00	-13.00	-55.00	peak	
3		263.2850	-67.63	-2.35	-69.98	-13.00	-56.98	peak	
4		412.1800	-67.40	1.33	-66.07	-13.00	-53.07	peak	
5		648.3750	-66.74	5.69	-61.05	-13.00	-48.05	peak	
6	*	881.1750	-55.16	8.63	-46.53	-13.00	-33.53	peak	

Test Mode LTE Band 26_TX CH26915_15M_Second Antenna

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		51.8250	-68.04	-3.68	-71.72	-13.00	-58.72	peak	
2		160.4650	-67.53	-0.74	-68.27	-13.00	-55.27	peak	
3		306.9350	-68.23	-0.89	-69.12	-13.00	-56.12	peak	
4		400.5400	-67.68	1.01	-66.67	-13.00	-53.67	peak	
5		489.7800	-67.98	2.66	-65.32	-13.00	-52.32	peak	
6	*	649.8300	-65.47	5.73	-59.74	-13.00	-46.74	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1000MHZ)

Test Mode GSM850_TX CH190_GSM_Main Antenna_with Accessories


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17779.00	-57.29	20.63	-36.66	-13.00	-23.66	peak	

Test Mode	GSM850_TX CH190_GSM_Main Antenna_with Accessories
-----------	---------------------------------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17966.00	-57.14	20.65	-36.49	-13.00	-23.49	peak	

Test Mode GSM850_ TX CH190_GSM_Second Antenna_with Accessories


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17609.00	-67.95	32.35	-35.60	-13.00	-22.60	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna_with Accessories


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17694.00	-69.38	32.36	-37.02	-13.00	-24.02	peak	

Test Mode GSM850_TX CH190_GSM_Main Antenna_without Accessories


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1722.500	-50.60	-4.66	-55.26	-13.00	-42.26	peak	
2		2513.000	-50.35	-2.71	-53.06	-13.00	-40.06	peak	
3	*	4884.500	-47.68	4.62	-43.06	-13.00	-30.06	peak	

Test Mode GSM850_TX CH190_GSM_Main Antenna_without Accessories


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1714.000	-47.09	-4.73	-51.82	-13.00	-38.82	peak	
2	*	2513.000	-42.39	-2.71	-45.10	-13.00	-32.10	peak	

Test Mode GSM850_ TX CH190_GSM_Second Antenna_without Accessories


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1714.000	-47.71	-4.73	-52.44	-13.00	-39.44	peak	
2	*	2513.000	-47.62	-2.71	-50.33	-13.00	-37.33	peak	

Test Mode GSM850_TX CH190_GSM_Second Antenna_without Accessories


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1722.500	-48.53	-4.66	-53.19	-13.00	-40.19	peak	
2	*	2513.000	-44.12	-2.71	-46.83	-13.00	-33.83	peak	

Test Mode	WCDMA Band V_TX CH4182_Main Antenna
-----------	-------------------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17728.00	-68.50	32.36	-36.14	-13.00	-23.14	peak	

Test Mode	WCDMA Band V_TX CH4182_Main Antenna
-----------	-------------------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17694.00	-69.04	32.36	-36.68	-13.00	-23.68	peak	

Test Mode	WCDMA Band V_TX CH4182_Second Antenna
-----------	---------------------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17966.00	-69.73	32.39	-37.34	-13.00	-24.34	peak	

Test Mode	WCDMA Band V_TX CH4182_Second Antenna
-----------	---------------------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17847.00	-69.36	32.37	-36.99	-13.00	-23.99	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17881.00	-58.04	20.64	-37.40	-13.00	-24.40	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17932.00	-57.27	20.64	-36.63	-13.00	-23.63	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17983.00	-56.63	20.65	-35.98	-13.00	-22.98	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17983.00	-57.65	20.65	-37.00	-13.00	-24.00	peak	

Test Mode LTE Band 5_TX CH20525_10M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17898.00	-57.34	20.64	-36.70	-13.00	-23.70	peak	

Test Mode LTE Band 5_TX CH20525_10M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17864.00	-56.80	20.64	-36.16	-13.00	-23.16	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17983.00	-57.67	20.65	-37.02	-13.00	-24.02	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17966.00	-56.66	20.65	-36.01	-13.00	-23.01	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17830.00	-57.18	20.63	-36.55	-13.00	-23.55	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17762.00	-57.16	20.63	-36.53	-13.00	-23.53	peak	

Test Mode LTE Band 5_TX CH20525_10M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17898.00	-56.46	20.64	-35.82	-13.00	-22.82	peak	

Test Mode LTE Band 5_TX CH20525_10M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17898.00	-57.52	20.64	-36.88	-13.00	-23.88	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17592.00	-57.90	20.61	-37.29	-13.00	-24.29	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17864.00	-57.45	20.64	-36.81	-13.00	-23.81	peak	

Test Mode LTE Band 26_TX CH26915_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17694.00	-57.68	20.62	-37.06	-13.00	-24.06	peak	

Test Mode LTE Band 26_TX CH26915_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17966.00	-57.21	20.65	-36.56	-13.00	-23.56	peak	

Test Mode LTE Band 26_TX CH26915_15M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17932.00	-57.45	20.64	-36.81	-13.00	-23.81	peak	

Test Mode LTE Band 26_TX CH26915_15M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17898.00	-56.83	20.64	-36.19	-13.00	-23.19	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17779.00	-57.62	20.63	-36.99	-13.00	-23.99	peak	

Test Mode LTE Band 26_TX CH26915_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17915.00	-57.62	20.64	-36.98	-13.00	-23.98	peak	

Test Mode LTE Band 26_TX CH26915_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17711.00	-57.40	20.62	-36.78	-13.00	-23.78	peak	

Test Mode LTE Band 26_TX CH26915_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17456.00	-56.94	20.43	-36.51	-13.00	-23.51	peak	

Test Mode LTE Band 26_TX CH26915_15M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17847.00	-57.26	20.63	-36.63	-13.00	-23.63	peak	

Test Mode | LTE Band 26_TX CH26915_15M_Second Antenna


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17898.00	-57.46	20.64	-36.82	-13.00	-23.82	peak	

APPENDIX G - BAND EDGE

GSM850_GSM Spectrum Plot



GSM850_EDGE Spectrum Plot



WCDMA Band V_WCDMA Spectrum Plot



WCDMA Band V_HSDPA Spectrum Plot



WCDMA Band V_HSUPA Spectrum Plot



LTE Band 5_1.4M Spectrum Plot

1RB#0



1RB#5

Channel

20407

Channel

20643





6RB#0

Channel

20407

Channel

20643



LTE Band 5_3M Spectrum Plot

1RB#0



1RB#14

Channel

20415

Channel

20635




15RB#0

Channel

20415

Channel

20635



LTE Band 5_5M Spectrum Plot

1RB#0



1RB#24

Channel

20425

Channel

20625




25RB#0

Channel

20425

Channel

20625



LTE Band 5_10M Spectrum Plot

1RB#0



1RB#49

Channel

20450

Channel

20600





50RB#0

Channel

20450

Channel

20600



LTE Band 26_1.4M Spectrum Plot

1RB#0



1RB#5

Channel

26797

Channel

27033



6RB#0

Channel

26797

Channel

27033

