



Test Mode | LTE Band 4_TX CH20175_20M_Main Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	69.7700	-43.45	-15.85	-59.30	-13.00	-46.30	peak	
2		93.0500	-54.95	-15.45	-70.40	-13.00	-57.40	peak	
3		113.4200	-58.35	-13.72	-72.07	-13.00	-59.07	peak	
4		173.5600	-61.84	-12.33	-74.17	-13.00	-61.17	peak	
5		231.2750	-50.34	-13.82	-64.16	-13.00	-51.16	peak	
6		266.6800	-64.73	-12.50	-77.23	-13.00	-64.23	peak	


Test Mode	LTE Band 4_TX CH20175_20M_Main Antenna
-----------	--



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		54.7350	-62.14	-13.65	-75.79	-13.00	-62.79	peak	
2		161.4350	-65.09	-10.88	-75.97	-13.00	-62.97	peak	
3		205.5700	-67.80	-15.04	-82.84	-13.00	-69.84	peak	
4		375.3200	-69.73	-9.59	-79.32	-13.00	-66.32	peak	
5		600.3600	-68.91	-5.34	-74.25	-13.00	-61.25	peak	
6	*	660.0150	-69.47	-4.12	-73.59	-13.00	-60.59	peak	

Test Mode | LTE Band 7_TX CH21100_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		54.7350	-60.98	-13.65	-74.63	-25.00	-49.63	peak	
2	*	90.1400	-49.04	-15.71	-64.75	-25.00	-39.75	peak	
3		152.7050	-62.49	-11.62	-74.11	-25.00	-49.11	peak	
4		216.2400	-63.77	-14.62	-78.39	-25.00	-53.39	peak	
5		262.3150	-64.27	-12.32	-76.59	-25.00	-51.59	peak	
6		464.5600	-69.38	-7.52	-76.90	-25.00	-51.90	peak	

Test Mode | LTE Band 7_TX CH21100_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		58.1300	-65.67	-14.35	-80.02	-25.00	-55.02	peak	
2		160.4650	-63.76	-10.74	-74.50	-25.00	-49.50	peak	
3	*	265.2250	-51.71	-12.44	-64.15	-25.00	-39.15	peak	
4		300.1450	-70.03	-11.00	-81.03	-25.00	-56.03	peak	
5		453.8900	-69.85	-7.60	-77.45	-25.00	-52.45	peak	
6		683.2950	-69.27	-3.81	-73.08	-25.00	-48.08	peak	

Test Mode | LTE Band 7_TX CH21100_20M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		54.7350	-61.25	-13.65	-74.90	-25.00	-49.90	peak	
2	*	89.6550	-51.60	-15.79	-67.39	-25.00	-42.39	peak	
3		135.7300	-59.55	-12.63	-72.18	-25.00	-47.18	peak	
4		172.5900	-62.99	-12.27	-75.26	-25.00	-50.26	peak	
5		305.9650	-65.26	-10.90	-76.16	-25.00	-51.16	peak	
6		475.2300	-69.68	-7.45	-77.13	-25.00	-52.13	peak	

Test Mode | LTE Band 7_TX CH21100_20M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.5300	-63.72	-17.29	-81.01	-25.00	-56.01	peak	
2		144.4600	-61.57	-12.29	-73.86	-25.00	-48.86	peak	
3		160.9500	-65.16	-10.80	-75.96	-25.00	-50.96	peak	
4		329.2450	-66.59	-10.53	-77.12	-25.00	-52.12	peak	
5		399.5700	-68.82	-9.01	-77.83	-25.00	-52.83	peak	
6	*	647.8900	-68.70	-4.32	-73.02	-25.00	-48.02	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		70.2550	-57.33	-5.95	-63.28	-13.00	-50.28	peak	
2		132.8200	-64.54	-2.69	-67.23	-13.00	-54.23	peak	
3		159.9800	-67.78	-0.67	-68.45	-13.00	-55.45	peak	
4		295.7800	-68.37	-1.20	-69.57	-13.00	-56.57	peak	
5		466.0150	-67.74	2.48	-65.26	-13.00	-52.26	peak	
6	*	737.6150	-55.07	6.70	-48.37	-13.00	-35.37	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		51.8250	-68.73	-3.68	-72.41	-13.00	-59.41	peak	
2		131.3650	-68.34	-2.72	-71.06	-13.00	-58.06	peak	
3		160.9500	-68.04	-0.80	-68.84	-13.00	-55.84	peak	
4		520.3350	-67.53	2.92	-64.61	-13.00	-51.61	peak	
5		617.3350	-67.06	5.02	-62.04	-13.00	-49.04	peak	
6	*	737.6150	-49.01	6.70	-42.31	-13.00	-29.31	peak	

Test Mode: LTE Band 12_TX CH23095_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		85.2900	-59.56	-6.69	-66.25	-13.00	-53.25	peak	
2		161.4350	-67.43	-0.88	-68.31	-13.00	-55.31	peak	
3		308.8750	-68.04	-0.86	-68.90	-13.00	-55.90	peak	
4		390.8400	-67.31	0.78	-66.53	-13.00	-53.53	peak	
5		645.4650	-67.83	5.63	-62.20	-13.00	-49.20	peak	
6	*	737.6150	-54.10	6.70	-47.40	-13.00	-34.40	peak	

Test Mode: LTE Band 12_TX CH23095_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		50.8550	-68.21	-3.60	-71.81	-13.00	-58.81	peak	
2		118.7550	-68.16	-2.92	-71.08	-13.00	-58.08	peak	
3		159.9800	-68.26	-0.67	-68.93	-13.00	-55.93	peak	
4		236.6100	-67.35	-3.68	-71.03	-13.00	-58.03	peak	
5		272.5000	-67.52	-2.52	-70.04	-13.00	-57.04	peak	
6	*	472.8050	-67.90	2.53	-65.37	-13.00	-52.37	peak	

Test Mode: LTE Band 12_TX CH23095_10M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		53.2800	-66.00	-3.63	-69.63	-13.00	-56.63	peak	
2		157.5550	-67.14	-0.98	-68.12	-13.00	-55.12	peak	
3		295.7800	-68.95	-1.20	-70.15	-13.00	-57.15	peak	
4		384.5350	-68.26	0.62	-67.64	-13.00	-54.64	peak	
5		452.4350	-67.66	2.38	-65.28	-13.00	-52.28	peak	
6	*	552.3450	-68.00	3.26	-64.74	-13.00	-51.74	peak	

Test Mode: LTE Band 12_TX CH23095_10M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		64.4350	-67.67	-4.82	-72.49	-13.00	-59.49	peak	
2		159.9800	-67.98	-0.67	-68.65	-13.00	-55.65	peak	
3		291.9000	-67.78	-1.38	-69.16	-13.00	-56.16	peak	
4		428.6700	-68.27	1.77	-66.50	-13.00	-53.50	peak	
5		488.3250	-67.44	2.65	-64.79	-13.00	-51.79	peak	
6	*	612.9700	-67.15	4.93	-62.22	-13.00	-49.22	peak	

Test Mode | LTE Band 66_TX CH132272_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		72.1950	-63.92	-6.73	-70.65	-13.00	-57.65	peak	
2		100.8100	-70.06	-5.28	-75.34	-13.00	-62.34	peak	
3	*	134.7600	-64.53	-3.06	-67.59	-13.00	-54.59	peak	
4		160.9500	-74.75	-1.21	-75.96	-13.00	-62.96	peak	
5		224.9700	-70.91	-4.47	-75.38	-13.00	-62.38	peak	
6		296.2650	-72.99	-1.59	-74.58	-13.00	-61.58	peak	

Test Mode	LTE Band 66_TX CH132272_1.4M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		65.4050	-66.39	-5.36	-71.75	-13.00	-58.75	peak	
2		137.6700	-76.73	-3.01	-79.74	-13.00	-66.74	peak	
3		162.8900	-73.59	-1.49	-75.08	-13.00	-62.08	peak	
4		224.9700	-71.24	-4.47	-75.71	-13.00	-62.71	peak	
5		273.9550	-69.23	-2.86	-72.09	-13.00	-59.09	peak	
6	*	374.8350	-70.64	-0.01	-70.65	-13.00	-57.65	peak	

Test Mode	LTE Band 66_TX CH132272_5M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	66.3750	-60.98	-5.56	-66.54	-13.00	-53.54	peak	
2		132.3350	-68.19	-3.11	-71.30	-13.00	-58.30	peak	
3		175.0150	-73.31	-2.84	-76.15	-13.00	-63.15	peak	
4		250.1900	-66.55	-3.69	-70.24	-13.00	-57.24	peak	
5		321.9700	-75.71	-1.06	-76.77	-13.00	-63.77	peak	
6		443.7050	-80.43	1.77	-78.66	-13.00	-65.66	peak	

Test Mode	LTE Band 66_TX CH132272_5M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		57.6450	-75.47	-4.64	-80.11	-13.00	-67.11	peak	
2		165.8000	-73.96	-1.90	-75.86	-13.00	-62.86	peak	
3		325.8500	-80.09	-1.00	-81.09	-13.00	-68.09	peak	
4		450.4950	-79.38	1.95	-77.43	-13.00	-64.43	peak	
5		575.1400	-78.54	3.51	-75.03	-13.00	-62.03	peak	
6	*	641.5850	-79.26	5.14	-74.12	-13.00	-61.12	peak	

Test Mode	LTE Band 66_TX CH132272_20M_Main Antenna
-----------	--


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		53.2800	-71.00	-4.04	-75.04	-13.00	-62.04	peak	
2		100.8100	-71.70	-5.28	-76.98	-13.00	-63.98	peak	
3	*	127.4850	-58.62	-3.15	-61.77	-13.00	-48.77	peak	
4		171.6200	-74.15	-2.60	-76.75	-13.00	-63.75	peak	
5		272.9850	-74.54	-2.91	-77.45	-13.00	-64.45	peak	
6		327.3050	-78.81	-0.97	-79.78	-13.00	-66.78	peak	

Test Mode	LTE Band 66_TX CH132272_20M_Main Antenna
-----------	--


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.5300	-72.88	-7.70	-80.58	-13.00	-67.58	peak	
2		123.1200	-78.08	-3.15	-81.23	-13.00	-68.23	peak	
3		159.9800	-75.69	-1.08	-76.77	-13.00	-63.77	peak	
4		224.9700	-73.05	-4.47	-77.52	-13.00	-64.52	peak	
5		453.4050	-80.21	1.98	-78.23	-13.00	-65.23	peak	
6	*	623.1550	-78.14	4.74	-73.40	-13.00	-60.40	peak	

Test Mode | LTE Band 4_TX CH20175_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.1900	-59.82	-13.81	-73.63	-13.00	-60.63	peak	
2		100.8100	-60.77	-14.87	-75.64	-13.00	-62.64	peak	
3	*	159.0100	-55.10	-10.80	-65.90	-13.00	-52.90	peak	
4		299.1750	-70.00	-11.03	-81.03	-13.00	-68.03	peak	
5		478.6250	-68.84	-7.43	-76.27	-13.00	-63.27	peak	
6		675.5350	-68.77	-3.91	-72.68	-13.00	-59.68	peak	

Test Mode | LTE Band 4_TX CH20175_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		57.6450	-65.52	-14.23	-79.75	-13.00	-66.75	peak	
2		100.3250	-63.56	-14.90	-78.46	-13.00	-65.46	peak	
3		162.8900	-64.18	-11.08	-75.26	-13.00	-62.26	peak	
4		322.9400	-69.33	-10.63	-79.96	-13.00	-66.96	peak	
5		458.7400	-68.01	-7.57	-75.58	-13.00	-62.58	peak	
6	*	615.3950	-69.97	-5.01	-74.98	-13.00	-61.98	peak	

Test Mode	LTE Band 4_TX CH20175_5M_Second Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		55.2200	-60.72	-13.68	-74.40	-13.00	-61.40	peak	
2		100.8100	-61.08	-14.87	-75.95	-13.00	-62.95	peak	
3		175.0150	-63.13	-12.43	-75.56	-13.00	-62.56	peak	
4	*	224.9700	-57.97	-14.06	-72.03	-13.00	-59.03	peak	
5		300.1450	-66.80	-11.00	-77.80	-13.00	-64.80	peak	
6		409.7550	-65.81	-8.74	-74.55	-13.00	-61.55	peak	

Test Mode	LTE Band 4_TX CH20175_5M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		77.5300	-62.56	-17.29	-79.85	-13.00	-66.85	peak	
2		162.4050	-64.80	-11.01	-75.81	-13.00	-62.81	peak	
3		219.1500	-66.85	-14.33	-81.18	-13.00	-68.18	peak	
4		384.0500	-66.05	-9.38	-75.43	-13.00	-62.43	peak	
5	*	425.2750	-65.47	-8.31	-73.78	-13.00	-60.78	peak	
6		630.4300	-69.27	-4.69	-73.96	-13.00	-60.96	peak	

Test Mode	LTE Band 4_TX CH20175_20M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		57.6450	-57.58	-14.23	-71.81	-13.00	-58.81	peak	
2		100.8100	-60.51	-14.87	-75.38	-13.00	-62.38	peak	
3		174.5300	-62.95	-12.40	-75.35	-13.00	-62.35	peak	
4		300.1450	-66.41	-11.00	-77.41	-13.00	-64.41	peak	
5	*	313.7250	-60.62	-10.78	-71.40	-13.00	-58.40	peak	
6		466.0150	-69.56	-7.52	-77.08	-13.00	-64.08	peak	

Test Mode | LTE Band 4_TX CH20175_20M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.6750	-66.85	-13.95	-80.80	-13.00	-67.80	peak	
2		77.5300	-62.70	-17.29	-79.99	-13.00	-66.99	peak	
3		168.7100	-64.31	-11.90	-76.21	-13.00	-63.21	peak	
4		261.8300	-69.03	-12.30	-81.33	-13.00	-68.33	peak	
5		471.8350	-67.00	-7.47	-74.47	-13.00	-61.47	peak	
6	*	625.0950	-67.45	-4.81	-72.26	-13.00	-59.26	peak	

Test Mode	LTE Band 7_TX CH21100_5M_Second Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	56.1900	-60.25	-13.81	-74.06	-25.00	-49.06	peak	
2		71.7100	-58.97	-16.23	-75.20	-25.00	-50.20	peak	
3		100.8100	-59.79	-14.87	-74.66	-25.00	-49.66	peak	
4		171.1350	-63.37	-12.16	-75.53	-25.00	-50.53	peak	
5		242.4300	-65.75	-13.52	-79.27	-25.00	-54.27	peak	
6		299.1750	-66.22	-11.03	-77.25	-25.00	-52.25	peak	

Test Mode	LTE Band 7_TX CH21100_5M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		57.6450	-64.49	-14.23	-78.72	-25.00	-53.72	peak	
2		77.5300	-64.01	-17.29	-81.30	-25.00	-56.30	peak	
3		166.7700	-64.50	-11.63	-76.13	-25.00	-51.13	peak	
4		224.4850	-66.15	-14.08	-80.23	-25.00	-55.23	peak	
5		321.4850	-70.18	-10.66	-80.84	-25.00	-55.84	peak	
6	*	453.8900	-67.69	-7.60	-75.29	-25.00	-50.29	peak	

Test Mode | LTE Band 7_TX CH21100_20M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		55.7050	-60.71	-13.73	-74.44	-25.00	-49.44	peak	
2	*	85.2900	-55.52	-16.69	-72.21	-25.00	-47.21	peak	
3		100.8100	-60.99	-14.87	-75.86	-25.00	-50.86	peak	
4		121.1800	-65.30	-12.74	-78.04	-25.00	-53.04	peak	
5		175.9850	-62.95	-12.51	-75.46	-25.00	-50.46	peak	
6		554.7700	-69.02	-6.67	-75.69	-25.00	-50.69	peak	

Test Mode	LTE Band 7_TX CH21100_20M_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	55.7050	-58.33	-13.73	-72.06	-25.00	-47.06	peak	
2		121.6650	-68.35	-12.74	-81.09	-25.00	-56.09	peak	
3		161.9200	-64.86	-10.94	-75.80	-25.00	-50.80	peak	
4		325.3650	-66.35	-10.60	-76.95	-25.00	-51.95	peak	
5		464.5600	-68.05	-7.52	-75.57	-25.00	-50.57	peak	
6		666.3200	-69.60	-4.04	-73.64	-25.00	-48.64	peak	

Test Mode | LTE Band 12_TX CH23095_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		57.6450	-66.89	-4.23	-71.12	-13.00	-58.12	peak	
2		127.0000	-68.81	-2.75	-71.56	-13.00	-58.56	peak	
3		159.4950	-66.39	-0.74	-67.13	-13.00	-54.13	peak	
4		258.9200	-67.79	-2.35	-70.14	-13.00	-57.14	peak	
5		321.4850	-66.33	-0.66	-66.99	-13.00	-53.99	peak	
6	*	445.6450	-67.97	2.24	-65.73	-13.00	-52.73	peak	

Test Mode | LTE Band 12_TX CH23095_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		42.6100	-68.49	-4.18	-72.67	-13.00	-59.67	peak	
2		119.2400	-67.75	-2.85	-70.60	-13.00	-57.60	peak	
3		157.5550	-67.86	-0.98	-68.84	-13.00	-55.84	peak	
4		217.2100	-66.81	-4.51	-71.32	-13.00	-58.32	peak	
5		295.7800	-68.83	-1.20	-70.03	-13.00	-57.03	peak	
6	*	386.4750	-67.19	0.68	-66.51	-13.00	-53.51	peak	

Test Mode | LTE Band 12_TX CH23095_5M_Second Antenna


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	68.8000	-58.81	-5.65	-64.46	-13.00	-51.46	peak	
2	134.2750	-68.46	-2.67	-71.13	-13.00	-58.13	peak	
3	162.8900	-66.88	-1.08	-67.96	-13.00	-54.96	peak	
4	299.6600	-68.53	-1.01	-69.54	-13.00	-56.54	peak	
5	440.7950	-68.19	2.11	-66.08	-13.00	-53.08	peak	
6 *	565.4400	-67.59	3.64	-63.95	-13.00	-50.95	peak	

Test Mode | LTE Band 12_TX CH23095_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		39.7000	-68.01	-3.57	-71.58	-13.00	-58.58	peak	
2		165.3150	-67.19	-1.42	-68.61	-13.00	-55.61	peak	
3		246.7950	-67.08	-3.39	-70.47	-13.00	-57.47	peak	
4		369.5000	-68.51	0.26	-68.25	-13.00	-55.25	peak	
5		476.6850	-67.64	2.56	-65.08	-13.00	-52.08	peak	
6		525.1850	-67.85	2.96	-64.89	-13.00	-51.89	peak	
7	*	737.6150	-48.19	6.70	-41.49	-13.00	-28.49	peak	

Test Mode | LTE Band 12_TX CH23095_10M_Second Antenna


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	53.7650	-67.13	-3.60	-70.73	-13.00	-57.73	peak	
2	159.9800	-67.75	-0.67	-68.42	-13.00	-55.42	peak	
3	291.4150	-68.44	-1.41	-69.85	-13.00	-56.85	peak	
4	457.2850	-67.67	2.42	-65.25	-13.00	-52.25	peak	
5	519.8500	-68.26	2.92	-65.34	-13.00	-52.34	peak	
6	635.7650	-66.50	5.42	-61.08	-13.00	-48.08	peak	
7 *	740.0400	-53.81	6.72	-47.09	-13.00	-34.09	peak	

Test Mode | LTE Band 12_TX CH23095_10M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		58.6150	-67.99	-4.39	-72.38	-13.00	-59.38	peak	
2		162.8900	-67.38	-1.08	-68.46	-13.00	-55.46	peak	
3		305.9650	-68.40	-0.90	-69.30	-13.00	-56.30	peak	
4		595.5100	-67.96	4.52	-63.44	-13.00	-50.44	peak	
5	*	740.5250	-47.64	6.72	-40.92	-13.00	-27.92	peak	

Test Mode	LTE Band 66_TX CH132272_1.4M_Second Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		61.5250	-59.60	-14.61	-74.21	-13.00	-61.21	peak	
2	*	84.8050	-50.65	-16.81	-67.46	-13.00	-54.46	peak	
3		125.0600	-54.98	-12.74	-67.72	-13.00	-54.72	peak	
4		161.4350	-65.46	-10.88	-76.34	-13.00	-63.34	peak	
5		279.7750	-69.64	-12.17	-81.81	-13.00	-68.81	peak	
6		468.4400	-68.56	-7.50	-76.06	-13.00	-63.06	peak	

Test Mode | LTE Band 66_TX CH132272_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		57.6450	-66.40	-14.23	-80.63	-13.00	-67.63	peak	
2		77.5300	-63.89	-17.29	-81.18	-13.00	-68.18	peak	
3	*	159.4950	-64.67	-10.74	-75.41	-13.00	-62.41	peak	
4		259.4050	-69.97	-12.28	-82.25	-13.00	-69.25	peak	
5		336.0350	-69.49	-10.42	-79.91	-13.00	-66.91	peak	
6		433.0350	-68.06	-8.11	-76.17	-13.00	-63.17	peak	

Test Mode | LTE Band 66_TX CH132272_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.6750	-60.73	-13.95	-74.68	-13.00	-61.68	peak	
2		71.2250	-58.27	-16.13	-74.40	-13.00	-61.40	peak	
3		100.8100	-61.94	-14.87	-76.81	-13.00	-63.81	peak	
4		161.4350	-65.41	-10.88	-76.29	-13.00	-63.29	peak	
5		401.9950	-69.59	-8.95	-78.54	-13.00	-65.54	peak	
6	*	691.0550	-62.10	-3.70	-65.80	-13.00	-52.80	peak	

Test Mode | LTE Band 66_TX CH132272_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	83.8350	-55.41	-16.98	-72.39	-13.00	-59.39	peak	
2		160.4650	-64.99	-10.74	-75.73	-13.00	-62.73	peak	
3		182.2900	-62.33	-13.09	-75.42	-13.00	-62.42	peak	
4		324.3950	-63.67	-10.61	-74.28	-13.00	-61.28	peak	
5		375.3200	-62.94	-9.59	-72.53	-13.00	-59.53	peak	
6		425.7600	-64.92	-8.30	-73.22	-13.00	-60.22	peak	

Test Mode | LTE Band 66_TX CH132272_20M_Second Antenna


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	57.6450	-59.77	-14.23	-74.00	-13.00	-61.00	peak	
2 *	97.4150	-44.41	-15.10	-59.51	-13.00	-46.51	peak	
3	117.3000	-60.27	-13.14	-73.41	-13.00	-60.41	peak	
4	161.9200	-64.99	-10.94	-75.93	-13.00	-62.93	peak	
5	275.4100	-68.68	-12.37	-81.05	-13.00	-68.05	peak	
6	492.2050	-69.80	-7.32	-77.12	-13.00	-64.12	peak	

Test Mode	LTE Band 66_TX CH132272_20M_Second Antenna
-----------	--

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.5300	-63.09	-17.29	-80.38	-13.00	-67.38	peak	
2		116.3300	-67.40	-13.28	-80.68	-13.00	-67.68	peak	
3		164.3450	-64.11	-11.28	-75.39	-13.00	-62.39	peak	
4		453.8900	-67.01	-7.60	-74.61	-13.00	-61.61	peak	
5		566.8950	-69.63	-6.31	-75.94	-13.00	-62.94	peak	
6	*	668.2600	-69.15	-4.01	-73.16	-13.00	-60.16	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode | WCDMA Band IV_TX CH1413_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2133.000	-53.65	19.03	-34.62	-13.00	-21.62	peak	

Test Mode	WCDMA Band IV_TX CH1413_Main Antenna
-----------	--------------------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2132.000	-51.32	19.03	-32.29	-13.00	-19.29	peak	

Test Mode	WCDMA Band IV_TX CH1413_Main Antenna
-----------	--------------------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17790.00	-69.08	32.37	-36.71	-13.00	-23.71	peak	

Test Mode	WCDMA Band IV_TX CH1413_Main Antenna
-----------	--------------------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17790.00	-69.08	32.37	-36.71	-13.00	-23.71	peak	

Test Mode | WCDMA Band IV_TX CH1413_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2133.000	-54.35	19.03	-35.32	-13.00	-22.32	peak	

Test Mode	WCDMA Band IV_TX CH1413_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2134.000	-51.33	19.03	-32.30	-13.00	-19.30	peak	

Test Mode | WCDMA Band IV_TX CH1413_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17895.00	-68.80	32.38	-36.42	-13.00	-23.42	peak	

Test Mode	WCDMA Band IV_TX CH1413_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17865.00	-68.29	32.38	-35.91	-13.00	-22.91	peak	

Test Mode | LTE Band 4_TX CH20175_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	1999.000	-46.86	7.30	-39.56	-13.00	-26.56	peak	

Test Mode	LTE Band 4_TX CH20175_1.4M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2132.000	-45.19	7.29	-37.90	-13.00	-24.90	peak	

Test Mode	LTE Band 4_TX CH20175_1.4M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17730.00	-58.08	20.62	-37.46	-13.00	-24.46	peak	

Test Mode	LTE Band 4_TX CH20175_1.4M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17700.00	-57.62	20.62	-37.00	-13.00	-24.00	peak	

Test Mode | LTE Band 4_TX CH20175_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2132.000	-45.99	7.29	-38.70	-13.00	-25.70	peak	

Test Mode | LTE Band 4_TX CH20175_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2133.000	-42.78	7.29	-35.49	-13.00	-22.49	peak	

Test Mode | LTE Band 4_TX CH20175_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17850.00	-57.08	20.64	-36.44	-13.00	-23.44	peak	

Test Mode | LTE Band 4_TX CH20175_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17565.00	-57.53	20.61	-36.92	-13.00	-23.92	peak	

Test Mode | LTE Band 4_TX CH20175_20M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2131.000	-45.39	7.29	-38.10	-13.00	-25.10	peak	

Test Mode | LTE Band 4_TX CH20175_20M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2141.000	-42.81	7.29	-35.52	-13.00	-22.52	peak	

Test Mode | LTE Band 4_TX CH20175_20M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17700.00	-57.40	20.62	-36.78	-13.00	-23.78	peak	

Test Mode | LTE Band 4_TX CH20175_20M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17895.00	-57.25	20.64	-36.61	-13.00	-23.61	peak	


Test Mode | LTE Band 7_TX CH21100_5M_Main Antenna

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2657.000	-46.13	7.86	-38.27	-25.00	-13.27	peak	


Test Mode	LTE Band 7_TX CH21100_5M_Main Antenna
-----------	---------------------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2656.000	-42.29	7.85	-34.44	-25.00	-9.44	peak	

Test Mode | LTE Band 7_TX CH21100_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17955.00	-57.16	20.65	-36.51	-25.00	-11.51	peak	

Test Mode | LTE Band 7_TX CH21100_5M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17865.00	-56.88	20.64	-36.24	-25.00	-11.24	peak	

Test Mode | LTE Band 7_TX CH21100_20M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2656.000	-44.88	7.85	-37.03	-25.00	-12.03	peak	

Test Mode | LTE Band 7_TX CH21100_20M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2659.000	-42.97	7.86	-35.11	-25.00	-10.11	peak	

Test Mode | LTE Band 7_TX CH21100_20M_Main Antenna


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17850.00	-57.53	20.64	-36.89	-25.00	-11.89	peak	

Test Mode | LTE Band 7_TX CH21100_20M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17865.00	-57.43	20.64	-36.79	-25.00	-11.79	peak	

Test Mode	LTE Band 12_TX CH23095_1.4M_Main Antenna
-----------	--


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17473.00	-56.91	20.50	-36.41	-13.00	-23.41	peak	

Test Mode	LTE Band 12_TX CH23095_1.4M_Main Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17745.00	-56.26	20.62	-35.64	-13.00	-22.64	peak	

Test Mode | LTE Band 12_TX CH23095_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17966.00	-57.62	20.65	-36.97	-13.00	-23.97	peak	


Test Mode | LTE Band 12_TX CH23095_5M_Main Antenna

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17966.00	-57.32	20.65	-36.67	-13.00	-23.67	peak	


Test Mode	LTE Band 12_TX CH23095_10M_Main Antenna
-----------	---



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17813.00	-56.08	20.63	-35.45	-13.00	-22.45	peak	

Test Mode | LTE Band 12_TX CH23095_10M_Main Antenna


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	18000.00	-57.26	20.65	-36.61	-13.00	-23.61	peak	

Test Mode | LTE Band 66_TX CH132272_1.4M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2410.000	-59.32	18.99	-40.33	-13.00	-27.33	peak	

Test Mode | LTE Band 66_TX CH132272_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2145.000	-55.78	19.03	-36.75	-13.00	-23.75	peak	

Test Mode	LTE Band 66_TX CH132272_1.4M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17760.00	-69.63	32.37	-37.26	-13.00	-24.26	peak	

Test Mode | LTE Band 66_TX CH132272_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17760.00	-69.08	32.37	-36.71	-13.00	-23.71	peak	

Test Mode | LTE Band 66_TX CH132272_5M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2144.000	-59.09	19.03	-40.06	-13.00	-27.06	peak	

Test Mode	LTE Band 66_TX CH132272_5M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2144.000	-54.71	19.03	-35.68	-13.00	-22.68	peak	

Test Mode	LTE Band 66_TX CH132272_5M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17760.00	-69.38	32.37	-37.01	-13.00	-24.01	peak	

Test Mode	LTE Band 66_TX CH132272_5M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17910.00	-67.98	32.38	-35.60	-13.00	-22.60	peak	

Test Mode | LTE Band 66_TX CH132272_20M_Main Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2153.000	-57.15	19.03	-38.12	-13.00	-25.12	peak	

Test Mode | LTE Band 66_TX CH132272_20M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2143.000	-53.30	19.03	-34.27	-13.00	-21.27	peak	

Test Mode	LTE Band 66_TX CH132272_20M_Main Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17820.00	-69.48	32.37	-37.11	-13.00	-24.11	peak	

Test Mode | LTE Band 66_TX CH132272_20M_Main Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17970.00	-69.69	32.39	-37.30	-13.00	-24.30	peak	

Test Mode | LTE Band 4_TX CH20175_1.4M_Second Antenna


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2677.000	-47.25	7.92	-39.33	-13.00	-26.33	peak	

Test Mode | LTE Band 4_TX CH20175_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2132.000	-43.64	7.29	-36.35	-13.00	-23.35	peak	

Test Mode | LTE Band 4_TX CH20175_1.4M_Second Antenna


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17835.00	-55.97	20.63	-35.34	-13.00	-22.34	peak	

Test Mode | LTE Band 4_TX CH20175_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17985.00	-57.47	20.65	-36.82	-13.00	-23.82	peak	

Test Mode | LTE Band 4_TX CH20175_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2133.000	-45.26	7.29	-37.97	-13.00	-24.97	peak	

Test Mode | LTE Band 4_TX CH20175_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2133.000	-42.58	7.29	-35.29	-13.00	-22.29	peak	

Test Mode	LTE Band 4_TX CH20175_20M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2133.000	-45.26	7.29	-37.97	-13.00	-24.97	peak	

Test Mode | LTE Band 4_TX CH20175_20M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2133.000	-42.58	7.29	-35.29	-13.00	-22.29	peak	

Test Mode | LTE Band 7_TX CH21100_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2655.000	-46.09	7.83	-38.26	-25.00	-13.26	peak	

Test Mode | LTE Band 7_TX CH21100_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2657.000	-41.21	7.86	-33.35	-25.00	-8.35	peak	

Test Mode | LTE Band 7_TX CH21100_5M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17970.00	-57.25	20.65	-36.60	-25.00	-11.60	peak	

Test Mode	LTE Band 7_TX CH21100_5M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17925.00	-57.38	20.64	-36.74	-25.00	-11.74	peak	

Test Mode | LTE Band 7_TX CH21100_20M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2662.000	-45.74	7.87	-37.87	-25.00	-12.87	peak	

Test Mode | LTE Band 7_TX CH21100_20M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2652.000	-41.40	7.83	-33.57	-25.00	-8.57	peak	

Test Mode	LTE Band 7_TX CH21100_20M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17880.00	-56.81	20.64	-36.17	-25.00	-11.17	peak	


Test Mode	LTE Band 7_TX CH21100_20M_Second Antenna
-----------	--

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17880.00	-56.89	20.64	-36.25	-25.00	-11.25	peak	


Test Mode	LTE Band 12_TX CH23095_1.4M_Second Antenna
-----------	--



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17898.00	-57.97	20.64	-37.33	-13.00	-24.33	peak	

Test Mode	LTE Band 12_TX CH23095_1.4M_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17762.00	-57.16	20.63	-36.53	-13.00	-23.53	peak	

Test Mode	LTE Band 12_TX CH23095_5M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17864.00	-57.49	20.64	-36.85	-13.00	-23.85	peak	

Test Mode | LTE Band 12_TX CH23095_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17405.00	-57.44	20.23	-37.21	-13.00	-24.21	peak	

Test Mode	LTE Band 12_TX CH23095_10M_Second Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17303.00	-56.92	19.84	-37.08	-13.00	-24.08	peak	

Test Mode | LTE Band 12_TX CH23095_10M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17524.00	-57.37	20.60	-36.77	-13.00	-23.77	peak	

Test Mode | LTE Band 66_TX CH132272_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2313.000	-46.50	7.27	-39.23	-13.00	-26.23	peak	

Test Mode | LTE Band 66_TX CH132272_1.4M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2145.000	-43.92	7.29	-36.63	-13.00	-23.63	peak	

Test Mode | LTE Band 66_TX CH132272_1.4M_Second Antenna


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17880.00	-57.39	20.64	-36.75	-13.00	-23.75	peak	

Test Mode	LTE Band 66_TX CH132272_1.4M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17865.00	-56.82	20.64	-36.18	-13.00	-23.18	peak	

Test Mode	LTE Band 66_TX CH132272_5M_Second Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2144.000	-46.61	7.29	-39.32	-13.00	-26.32	peak	

Test Mode | LTE Band 66_TX CH132272_5M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2145.000	-42.08	7.29	-34.79	-13.00	-21.79	peak	

Test Mode	LTE Band 66_TX CH132272_5M_Second Antenna
-----------	---


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17640.00	-57.21	20.61	-36.60	-13.00	-23.60	peak	

Test Mode	LTE Band 66_TX CH132272_5M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17955.00	-56.98	20.65	-36.33	-13.00	-23.33	peak	

Test Mode	LTE Band 66_TX CH132272_20M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	2153.000	-45.16	7.29	-37.87	-13.00	-24.87	peak	

Test Mode | LTE Band 66_TX CH132272_20M_Second Antenna


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2141.000	-41.91	7.29	-34.62	-13.00	-21.62	peak	

Test Mode	LTE Band 66_TX CH132272_20M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17820.00	-56.81	20.63	-36.18	-13.00	-23.18	peak	




Test Mode	LTE Band 66_TX CH132272_20M_Second Antenna
-----------	--

Horizontal






No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	17970.00	-56.70	20.65	-36.05	-13.00	-23.05	peak	

APPENDIX G - BAND EDGE




LTE Band 4_1.4M Spectrum Plot








LTE Band 4_5M Spectrum Plot




25RB#0




LTE Band 4_10M Spectrum Plot




LTE Band 4_15M Spectrum Plot





LTE Band 4_20M Spectrum Plot




LTE Band 7_5M Spectrum Plot



LTE Band 7_10M Spectrum Plot



LTE Band 7_15M Spectrum Plot



LTE Band 7_20M Spectrum Plot

