Report No.: HEWM2202000026RG02 Rev.: 01 Page: 1 of 108

**TEST REPORT** 

Test Result :	PASS *
Date of Issue:	2022/3/10
Date of Test:	2022/2/13 to 2022/2/28 (for original report SUHR/2022/1001002) 2022/3/1 to 2022/3/8 (for new report HEWM2202000026RG02)
Date of Receipt:	2022/2/11
Standards:	47 CFR FCC Part 2, Subpart J 47 CFR Part 15, Subpart C
FCC ID:	2AYGCCMA-LX1
Trade Mark:	HONOR
Model No.:	CMA-LX1
EUT Description:	Smart Phone
Address of Manufacturer:	Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's Republic of China
Manufacturer:	Honor Device Co., Ltd.
Address of Applicant:	Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's Republic of China
Applicant:	Honor Device Co., Ltd.
Application No.:	HEWM2202000026RG

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

S

anta Sun

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service print overfaef, evailable on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format document overfaef, evailable on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format document activation of the limitation of lability. Indemnification of uncertainty at the time of its intervention only and within the limit activation on the limitation on the limitation of lability. Indemnification of uncertainty at the time of its intervention only and within the limits Client's instructions, if any The Company's sole responsibility is to its Client and this document does not excerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduc-except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or faisification of the company. Any appearance of this document is unlawfull and offenders may be prosecuted to the fullest actent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 101-100-0017 11 47

South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Pilot Free Trade Zone 215000. 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区消费路1号約6号厂房南部 邮编: 215000

1 (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com

Member of the SGS Group (SGS SA)

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 2 of 108

# 1 Version

Revision Record					
Version	Chapter	Date	Modifier	Remark	
01		2022/3/10		Original	

Prepared By	Weller Liu) / Engineer
Checked By	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accassible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior writen approval of the Company Aug unauthorized alteration, forgery or failsfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test ententied (or 30 days only.

South of Not (Not Rent, Not / Rundwards Rend, Studiou Industrial Park, Studiou Anne, China (Jangsu) Plot Free Trade Zore 215000. 中国 - 苏州 - 中国(江苏)自由取易试验区苏州片区苏州工业局区消费部1号约6号厂指南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chilna@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 3 of 108

# 2 Test Summary

SG

Test Item	Test Requirement	Test Method	Test Result	Result
Antenna Requirement	15.203/247(b)		Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10 (2013)	Clause 4.3	PASS
Maximum Output Power	15.247 (b)(1)	ANSI C63.10 (2013)	Clause 4.4	PASS
20dB Emission Bandwidth & 99% Occupied Bandwidth	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.5	PASS
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.6	PASS
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.7	PASS
Dwell Time	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.8	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.9	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.10	PASS
Radiated Spurious emissions	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.11	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.12	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions/Terms-a-Document.aspx Attention is drawn to the limitation of Hability, Indexmittation and Juriaddition issues defined therein. Any holder of this document is advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solar esponsibility is to its Client and this document cannot be reproduced except in fluid, without prior writen approval of the Company any unsubtorized alteration, forgery or fails/ficiation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) serve testing (or 30 days only.

South of Not Plant, No.1, Runshing Road, Studiou Industrial Park, Studiou Anne, China (Jangsu) Plot Free Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由股局试验区苏州片区苏州工业局区消费百号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chilna@sgs.com

Report No.: HEWM2202000026RG02 Rev.: 01 4 of 108 Page:

Remark:

This test report (Report No.: HEWM2202000026RG02 issued on 2022-03-10) is based on the original test report (Report No.: SUHR/2022/1001002 issued on 2022-03-04).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report radiated spurious emissions and Restricted bands around fundamental frequency were performed based on the worst case of the original report with report number SUHR/2022/1001002 issued on 2022-03-04 and other test data in this report are based on the previous report with report number SUHR/2022/1001002 issued on 2022-03-04.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service print overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions for and for electronic formed document subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions for Service print advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate periles to transaction from exercising all their rights and obligations under the transaction documents. This document coment cannot be reproduc-except in full, without prior written approval of this Company. Any unauthorized attention of the law. Unless otherwise stated th results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 101-101000071147

South of No. 6 Plant, No. 1, Runshma Road, Suphou Industrial Park, Suphou Arrie, China (Janosu) Pilot Free Trade Zone 215000 中國-苏州-中國(江苏)自由贸易试验区苏州片区苏州工业园区须胜路1号约6号厂房南部 邮编: 215000 t (86-512) 6299298() www.sgsgroup.com.cn sgs.china@sgs.com 1 (86-512) 62992980

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 5 of 108

# Contents

1	Versio	n	2
2	Test S	Summary	3
3	Gener	al Information	6
	3.1	Details of Client	6
	3.2	Test Location	6
	3.3	Test Facility	6
	3.4	General Description of EUT	7
	3.5	Test Environment	9
	3.6	Description of Support Units	9
4	Test r	esults and Measurement Data	10
	4.1	Antenna Requirement	10
	4.2	Other requirements Frequency Hopping Spread Spectrum System	11
	Норр	ing Sequence	11
	4	.2.1 Test Requirement:	11
	4	.2.2 Conclusion	11
	4.3	AC Power Line Conducted Emissions	13
	4.4	Maximum Output Power	17
	4.5	20dB Emission Bandwidth & 99% Occupied Bandwidth	18
	4.6	Carrier Frequencies Separationy	19
	4.7	Hopping Channel Number	20
	4.8	Dwell Time	21
	4.9	Band-edge for RF Conducted Emissions	22
	4.10	Spurious RF Conducted Emissions	23
	4.11	Radiated Spurious Emissions	24
	4.12	Restricted bands around fundamental frequency	27
5	Measu	urement Uncertainty (95% confidence levels, k=2)	29
6	Equip	ment List	30
7	Photo	graphs - EUT Constructional Details	32



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/an/Tarms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/an/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juriadiciton issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solid client and this document on and windicities and the ocument on and within the limits of transaction from exercising all their rights and obligations under the transaction document. This document be reproduced except in full, without prior writen approval of the Company Any unauthorized alteration, forgery or faisification or line content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Southur/No 19ant, No.1, Runsheing Road, Suchou Industrial Park, Suchou Anie, China (Jangsa), Plot Free Tinde Zore 215000 中国 - 苏州 - 中国(江苏)自由跟周斌指区苏州II 区苏州工业局区消费首号约6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.chilna@sgs.com

Report No.: HEWM2202000026RG02 Rev.: 01 6 of 108 Page:

#### **General Information** 3

### 3.1 Details of Client

Applicant:	Honor Device Co., Ltd.
Address of Applicant:	Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's Republic of China
Manufacturer:	Honor Device Co., Ltd.
Address of Manufacturer:	Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No. 8089, Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, Guangdong 518040, People's Republic of China

## 3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Weller Liu, King-p Li, Nature Shen, Tizzy Song

# 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

#### FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service print overleaf, available on request or accessible at http://www.asp.com/en/Tarms-and-Conditions(aspx and, for electronic format document subject to forms and Conditions for Electronic Documents at http://www.asp.com/en/Tarms-and-Conditions[Terms-and-Conditions] Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduc-except in full, without prior writen approval of this Company. Any unauthorized alteration, forgery or faisification of the company. Any unauthorized of the subject of the sole Unless otherwise stated th results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 101-101000071147

South of No. 6 Plant, No. 1, Runshma Road, Suphou Industrial Park, Suphou Arrie, China (Janosu) Pilot Free Trade Zone 215000 中國-苏州-中國(江苏)自由贸易试验区苏州片区苏州工业园区须胜路1号约6号厂房南部 邮编: 215000 t (86-512) 6299298() www.sgsgroup.com.cn sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Report No.: HEWM2202000026RG02 Rev.: 01 Page: 7 of 108

# 3.4 General Description of EUT

EUT Description:	Smart Phone		
Model No.:	CMA-LX1		
Trade Mark:	HONOR		
Hardware Version:	HL2CMAM		
Software Version:	4.2.0.32(C900E32R1P1)		
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78.		
Bluetooth version:	Bluetooth V5.0		
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)		
Modulation Type:	GFSK, π/4DQPSK, 8DPSK		
Number of Channel:	79		
Hopping Channel Type:	Adaptive Frequency Hopping systems		
Sample Type:	Portable Device, Module		
Antenna Type:	External, Integrated		
Antenna Gain*:	Provided by client		
	-2.2dBi(Ant9);		
RF Cable*:	⊠Provided by client		
	1dB		

Note: \*Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information, SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service print overfaef, evailable on request or accessible at http://www.ags.com/en/Terms.and-Conditions.aspx.and, for electronic format document accessible and the service print of the service print of the service print of the service print of the service print activation is dream to the limitation of lability. Indemnificient and units and considering the service print on the limitation only and within the limits activation is dream to the limitation on the service print of the service print on the service print on the service print of the service of the service of the service print and offenses the service print of the service print of the service of t 101-101-10100000711407

South of No. 6 Plant, No. 1, Runshma Road, Suphou Industrial Park, Suphou Arrie, China (Janosu) Pilot Free Trade Zone 215000 中國 - 苏州 - 中国(江苏)自由贸易战船区苏州片区苏州工业园区湖胜路1号约6号厂房南部 卸编: 215000 1 (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com 1 (86-512) 62992980

	Report No.: HEWM2202000026RG02 Rev.: 01					26RG02	
				Page	: 8 of 1	08	
		Opera	ation Frequen	cy of each ch	nannel		
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz
19	2421MHz	39	2441MHz	59	2461MHz		

Remark:

S

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH39)	2441MHz
The Highest channel(CH78)	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, stellable on request or accessible at http://www.sec.com/ent/arms-and-Conditions.aspx and, for electronic format documents, vubject to the service of the company subject of the service of the service of the service of the service printed subject to the imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereion reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not excerate particle to appearance of this document is unleaded of the Company. Any unauthorized alteration of the sourcent of the company is a result of the service of this document is instructioned in the service of the service of the document is a result and the service of this document is a subject of the service of the service of the document and service of the service of t

Southof No. 6 Part, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anne, China (Jangsu) Plot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由股系试验区济州片区济州工业服区消费路1号约6号厂推需都 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 9 of 108

## 3.5 Test Environment

Environment Parameter	101.0 kPa Selected Values During Tests			
Relative Humidity	44-46 % RH Ambient			
Value	ValueTemperature(°C)Voltage(V)			
NTNV	22~23	3.87		
LTNV	0	3.87		
HTNV	35	3.87		
Remark:				
NV: Normal Voltage				
NT: Normal Temperature				
LT: Low Extreme Test Temperature				
HT: High Extreme Test Temperatu	IT: High Extreme Test Temperature			

# 3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfast, available on request or accessible at http://www.ags.com/en/farms-and-Conditions.ago and, for electronic Documents at http://www.ags.com/en/farms-and-Conditions for electronic Documents at http://www.ags.com/en/farms-and-Conditions/farms-and-Conditions for a set document advised that information contained herein reflects the Company's findings at the time of its intervention notige and which is the form and for electronic Document as a dore and the set of the intervention contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized siteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of Nox 6 Pant, No. 1. Runsheng Road, Sushou Industrial Park, Sushou Anne, China (Annyau) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区调集路1号的6号厂提高部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 10 of 108

# 4 Test results and Measurement Data

### 4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated antenna and no consideration of replacement. The best case gain of the antenna is -2.2dBi(Ant9).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sas.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Tarms-and-Conditions/Terms-a-Document.aspx Attention is terms to the limitation of liability, Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of this Company be proseculed to the fullest attent of the face or the content or appearance of this document is inflawful and offenders may be proseculed to the fullest statent of the law. Unless otherwise stated the results shown in this test provide report reflection of the aspect of the document is a statent of the document is attention of sole or one appearance of this document is attention of the document is attention in the statent of the law. Unless otherwise stated the results shown in this test the otherwise (a label) to the sample (s) tested ad such aspect restand for 30 days only.

Southar/No.fPart.No.f.Rundening Rad, Suchau Industrial Park, Suchau Ame, China (Jangsu) Plat Fen Trade Zone 2,15000 1 (86–512) 62992980 www.sgsgiroup.com.cn 中国 - 苏州 - 中国 (江茶)自由国際試验区苏州ドロ芸術工业環区消費器/号約6号厂资表器 解集: 2,15000 1 (96–512) 62992980 sgs.chlna@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 11 of 108

# 4.2 Other requirements Frequency Hopping Spread Spectrum System

### **Hopping Sequence**

#### 4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

#### 4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.

> Number of shift register stages: 9

> Length of pseudo-random sequence: 29 -1 = 511 bits

> Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence


An example of Pseudorandom Frequency Hopping Sequence as follow:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlaaf, available on request or accessible at http://www.asc.com/enflatms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents as it http://www.asc.com/enflatms-and-Conditions.form-and-Condition.form-and-Conditio


Southurl/bit/Part.Nz.1.Rundwarg.Rod,Suchur.Industinit/Park.Suchur.Ams.China (Jangsu) Pbt Fen Tade Zone 215000 1 (86-512) 62992980 www.segsgrioup.com.cn 中国・苏州・中国(江苏)自由要易成型区苏州片区苏州工业器区洪教教15的6号厂房用器 邮编: 215000 1 (96-512) 62992980 sgs.chlina@sgs.com

# Report No.: HEWM2202000026RG02 Rev.: 01 Page: 12 of 108



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Each frequency used equally on the average by each transmitter.

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system.

Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Tarms-and-Conditions.aspx and, for electronic formet documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Tarms-and-Conditions.forms-and-Conditions-forms-and-Conditions-forms-and-Conditions-forms-and-Conditions-forms-and-Conditions-forms-and-Conditions-forms-and-Conditions-form-and-conditions-and-condition-and-con

Soumi/hb (Plant, hz. 1, Randhang Road, Suchou Industina Park, Studou Anne, Chine (Jangsa) Pbk Feer Teale Zone 215000 1 (86-512) 62992980 www.segsgrioup.com.cn 中国・苏州・中国(江苏)自由原局或能区苏州片区苏州工业局区消费首号的多厂资用事 単条 215000 1 (86-512) 62992980 sgs.ch/lna@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 13 of 108

## 4.3 AC Power Line Conducted Emissions

S

Test Requirement:	47 CFR Part 15C Section 15.207			
Test Method:	ANSI C63.10: 2013			
Test Frequency Range:	150kHz to 30MHz			
Limit:		Limit (d	BuV)	
	Frequency range (MHz)	Quasi-peak	Average	
	0.15-0.5	66 to 56*	56 to 46*	
	0.5-5	56	46	
	5-30	60	50	
	* Decreases with the log	arithm of the frequency.		
Test Procedure:	<ul> <li>5-30 60 50</li> <li>* Decreases with the logarithm of the frequency.</li> <li>1) The mains terminal disturbance voltage test was conducted in a shielded room.</li> <li>2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50µH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.</li> <li>3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.</li> <li>4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.</li> <li>5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to</li> </ul>			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's solid client and this document cannot be reproduced vacept in fill, without prior writen approval of the Company Any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 14 of 108





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ass.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to frame and Conditions for Electronic Documents at http://www.ass.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to frame and Conditions for Electronic Documents at http://www.ass.com/en/Tarms-and-Conditions.aspx and, for electronic Document, aspx Attention is drawn to the limitation of liability, Indemnification and junadiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's thatings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document, cannot be reproduced except in full, without prior writem approval of this Company any unsubhorized alteration. This document cannot be reproduced except in full, without prior writem approval of this Company be prosecuted to the fullest actent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such asymptics) are retained for 30 days only.

Southurl/bit/Part.Ro.1.RundwingRod,Suchur Madathal Park, Suchur, Ame, China (Jangsu) Plat Feer TradeZone 2,15000 t (88–512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由原原成型区苏州广区苏州工业局区清散器1号约6号厂资用部 邮编: 2,15000 t (88–512) 62992980 sgs.chlne@sgs.com

 Report No.:
 HEWM2202000026RG02


 Rev.:
 01

 Page:
 15 of 108

#### Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

#### Live Line:



Final	Final Data List								
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2040	10.82	34.69	63.45	28.76	20.48	53.45	32.97	PASS
2	0.2490	10.80	33.82	61.79	27.97	19.11	51.79	32.68	PASS
3	0.2985	10.64	32.31	60.28	27.97	18.68	50.28	31.60	PASS
4	0.7035	10.58	34.32	56.00	21.68	23.31	46.00	22.69	PASS
5	12.3855	10.58	31.97	60.00	28.03	24.06	50.00	25.94	PASS
6	17.4300	10.48	28.10	60.00	31.90	20.38	50.00	29.62	PASS

#### Remark:


- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.

A service of the serv	Unless otherwise agreed in writing, this document is issued by it overleaf, available on request or accessible at http://www.sas.com/ subject to Terms and Conditions for Electronic Documents at http: Attention is drawn to the limitation of liability. Indemnification and advised that Information contained hereon reflects the Company's Client's instructions, if any. The Company's sole responsibility is transaction from exercising all their rights and obligations under except in full, without prior writen approval of the Company by presarance of this document is unleaful and offenders may be pro- result shown in this test report refer only to the sample(s) tested and commit Reflection. This document as unleaful at the company. Any commit Reflection for advisor that and the company and the source of this document is unleaful at the company and the commit Reflection. The company and the company and the commit Reflection. The company and the company and the commit Reflection and the company and the company and the commit Reflection. This test report reference to the sample(s) tested and commit Reflection. The company and the company and the commit Reflection. The company and the company and the commit Reflection. The Reflection and the company and the company commits Reflection. The Reflection and the company and the reflection of the company and the reflection and the company and the reflection and commits Reflection. The Reflection and the company and the reflection and the reflection and the reflection and the reflection and the reflection and the reflection and the reflection and	an/Tarms-and-Con //www.sgs.com/en jurisdiction issues findings at the tim to its Client and the transaction do unauthorized alto secuted to the fulle d such sample(s) a	Iditions.aspx and, for electri // Terms-and-Conditions/Ter a defined therein. Any hold ne of its intervention only this document does not bis uncoursent does not ocuments. This document eration, forgery or falsific set extent of the law. Unles	onic format documents, rms-e-Document.aspx, der of this document is and within the limits of exonerate parties to a cannot be reproduced ation of the content or as otherwise stated the
		210000	1 (00 012) 0200200	-3

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 16 of 108



Final	Final Data List								
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1995	10.66	36.26	63.63	27.37	20.75	53.63	32.88	PASS
2	0.3030	10.76	34.50	60.16	25.66	19.15	50.16	31.01	PASS
3	0.3480	10.81	30.68	59.01	28.33	16.57	49.01	32.44	PASS
4	0.7305	10.81	31.40	56.00	24.60	15.82	46.00	30.18	PASS
5	13.4205	10.62	34.16	60.00	25.84	24.44	50.00	25.56	PASS
6	18.4875	10.46	32.46	60.00	27.54	20.23	50.00	29.77	PASS

Remark:


1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.



Report No.: HEWM2202000026RG02 Rev.: 01 17 of 108 Page:

### 4.4 Maximum Output Power





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service print overleaf, available on request or accessible at http://www.asp.com/en/Tarms-and-Conditions(aspx and, for electronic format document subject to forms and Conditions for Electronic Documents at http://www.asp.com/en/Tarms-and-Conditions[Terms-and-Conditions] Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduc-except in full, without prior writen approval of this Company. Any unauthorized alteration, forgery or faisification of the company. Any unauthorized of the subject of the sole Unless otherwise stated th results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 101-101000071147

South of No. 6 Plant, No. 1, Runshma Road, Suphou Industrial Park, Suphou Arrie, China (Janosu) Pilot Free Trade Zone 215000 中國-苏州-中國(江苏)自由贸易试验区苏州片区苏州工业园区须胜路1号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com

Member of the SGS Group (SGS SA)

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 18 of 108

### 4.5 20dB Emission Bandwidth & 99% Occupied Bandwidth

S

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)					
Test Method:	ANSI C63.10:2013 Section 6.9.2 and 6.9.3					
Test Setup:	PC					
Instruments Used:	Refer to section 6 for details					
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.					
Final Test Mode:	<ul> <li>Through Pre-scan, find the</li> <li>DH5 of data type is the worst case of GFSK modulation type,</li> <li>2-DH5 of data type is the worst case of π/4DQPSK modulation type,</li> <li>3-DH5 of data type is the worst case of 8DPSK modulation type.</li> </ul>					
Limit:	NA					
Test Results:	Pass					
The detailed test data see: A	ppendix					




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accassible at http://www.age.com/ent/atmas-and-Conditions.agpx and, for electronic format documents, subject to forms and Conditions for Electronic Documents at http://www.age.com/ent/atmas-and-Conditions.agpx and, for electronic Document, asys, Adontion is them to the limitation of labelity, indemne Cation and juriation issues defined therein. Any holder of this forement of Client's instructions, if any The Company's sole responsibility is to its Client and this document cannot be reproduced except in fluid, without prior writen approval of the Company, unsubtorized alteration. This document cannot be reproduced except in fluid, without prior writen approval of the Company, unsubtorized alteration of the avertise stated the results shown in this test report refer only to the subject to the fullest actent of the law. Unless otherwise stated the results and only the subject of 20 days only.

Southof No. 6 Pant, No. 1. Runsheng Road, Stuchou Industrial Park, Stuchou Anne, China (Jangsu) Plot Fee Tinde Zone 215000 中国 - 苏州 - 中国(江苏)自由股局试验区苏州片区苏州工业服区损跌路1号约6号厂推需都 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chilna@sgs.com

Report No.: HEWM2202000026RG02 Rev.: 01 19 of 108 Page:

### 4.6 Carrier Frequencies Separationy






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service print overleaf, available on request or accessible at http://www.asp.com/en/Tarms-and-Conditions(aspx and, for electronic format document subject to forms and Conditions for Electronic Documents at http://www.asp.com/en/Tarms-and-Conditions[Terms-and-Conditions] Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduc-except in full, without prior writen approval of this Company. Any unauthorized alteration, forgery or faisification of the company. Any unauthorized of the subject of the sole Unless otherwise stated th results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 101-101000071147

South of No. 6 Plant, No. 1, Runshma Road, Suphou Industrial Park, Suphou Arrie, China (Janosu) Pilot Free Trade Zone 215000 中國 - 苏州 - 中国(江苏)自由贸易战船区苏州片区苏州工业园区湖胜路1号约6号厂房南部 卸编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com

Member of the SGS Group (SGS SA)

> Report No.: HEWM2202000026RG02 Rev.: 01 20 of 108 Page:

# 4.7 Hopping Channel Number






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service Aniato overfeat, available on request or accessible at http://www.ass.com/an/Tarms-and-Conditions.aspx and, for electronic format documents, available on request or accessible at http://www.ass.com/an/Tarms-and-Conditions.aspx and, for electronic format documents, attention is drawn on the limitation of itebility, indemnification in the standard section of the standard of 101-101-10100000711407

South of No. 6 Plant, No. 1, Runshma Road, Suphou Industrial Park, Suphou Arrie, China (Janosu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区测策路1号的6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Report No.: HEWM2202000026RG02 Rev.: 01 21 of 108 Page:

### 4.8 Dwell Time





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeet, evailable on request or accessible at http://www.ass.com/ant/farms-and-Conditions.aspx and, for electronic format documents, accessible of the company of the company of the company and the company of the company 101-101-10100000711407

South of No. 6 Plant, No. 1, Runshma Road, Suphou Industrial Park, Suphou Arrie, China (Janosu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区测策路1号的6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com


Member of the SGS Group (SGS SA)

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 22 of 108

# 4.9 Band-edge for RF Conducted Emissions






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accassible at http://www.ag.com/en/Tarms-and-Conditions.aspx and, for electronic formst documents, subject to Terms and Conditions for Electronic Documents at http://www.ag.com/en/Tarms-and-Conditions/Terms-and-Conditions/T

South of Nox 6 Pant, No. 1. Runsheng Road, Suchou Industrial Park, Suchou Anne, China (Annyau) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区调集路1号的6号厂提高部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sqs.china@sgs.com

Report No.: HEWM2202000026RG02 Rev.: 01 23 of 108 Page:

### 4.10 Spurious RF Conducted Emissions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service print overleaf, available on request or accessible at http://www.asp.com/en/Tarms-and-Conditions(aspx and, for electronic format document subject to forms and Conditions for Electronic Documents at http://www.asp.com/en/Tarms-and-Conditions[Terms-and-Conditions] Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduc-except in full, without prior writen approval of this Company. Any unauthorized alteration, forgery or faisification of the company. Any unauthorized of the subject of the sole Unless otherwise stated th results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 100-100-100-0007 to 47

South of No. 6 Plant, No. 1, Runshma Road, Suphou Industrial Park, Suphou Arrie, China (Janosu) Pilot Free Trade Zone 215000 中國-苏州-中國(江苏)自由贸易试验区苏州片区苏州工业园区须胜路1号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com

Member of the SGS Group (SGS SA)

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01


 Page:
 24 of 108


# **4.11 Radiated Spurious Emissions**

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205							
Test Method:	ANSI C63.10 :2013 Section 11.12							
Test Site:	Measurement Distance: 3	m (Semi-Anechoic	Chamber)					
Limit:	Frequency Field strength Limit (microvolt/meter) (dBuV/m) Remark							
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300			
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30			
	1.705MHz-30MHz	30	-	-	30			
	30MHz-88MHz	100	40.0	Quasi-peak	3			
	88MHz-216MHz	150	43.5	Quasi-peak	3			
	216MHz-960MHz	200	46.0	Quasi-peak	3			
	960MHz-1GHz	500	54.0	Quasi-peak	3			
	Above 1GHz 500 54.0 Average 3							
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emissio level radiated by the device.							

Test Setup:

S





	Report No.: HEWM2202000026RG02
	Rev.: 01 Page: 25 of 108
	Test Receiver
	Figure 3. Above 1 GHz
Test Procedure:	<ul> <li>a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.</li> <li>b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters</li> </ul>
	above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
	c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be retested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
	<ul> <li>h. Test the EUT in the lowest channel, the middle channel ,the Highest channel.</li> <li>i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Y axis positioning which it is worse case.</li> </ul>
	<ul> <li>j. Repeat above procedures until all frequencies measured was complete.</li> <li>k. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported</li> </ul>
	I. The disturbance above 18GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
Test Configuration:	Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accassible at http://www.ags.com/en/Tarms-and-Conditions.agpX and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.agpX and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.agpX and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.agpX and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Dienal and This document cannot be reproduced axcept in fill, without prior writen approval of line Company, any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unlass otherwise stated the results shown in this fest report refer only to the sample(s) terretaine(or 30 days only.

Southor/No.6Part.Nz.1.Rurshmg Road, Suchou Industrial Park. Suchou Anne, China (Jangsu) Plot Free Tinde Zone 215000 中国 - 苏州 - 中国(江苏)自由取局试验区苏州片区苏州工业局区消费路1号约6号厂房寿都 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chlina@sgs.com

		Report No.: Rev.: Page:	HEWM2202000026RG02 01 26 of 108
	<ul> <li>Trace mode = max hold</li> <li>Peak Measurements Above 1000 MHz</li> <li>RBW = 1 MHz</li> <li>VBW ≥ 3 MHz</li> <li>Detector = Peak</li> <li>Sweep time = auto</li> <li>Trace mode = max hold</li> <li>Average Measurements Above 1000MI</li> <li>RBW = 1 MHz</li> <li>VBW = 10 Hz, when duty cycle is no</li> <li>VBW ≥ 1/T, when duty cycle is less the transmission duration over which the transmission duration du</li></ul>	Hz less than 98 percent ansmitter is on	where T is the minimum and is transmitting at its
Exploratory Test Mode:	Non-hopping transmitting mode with all data type Charge + Transmitting mode.	kind of modula	ation and all kind of
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation Pretest the EUT at Charge + Transmitt For below 1GHz part, through pre-scar Only the worst case is recorded in the r	ing mode , the worst cas	
Instruments Used:	Refer to section 6 for details		
Test Results:	Pass		
The detailed test data	a see: <b>Appendix</b>		



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions/Terms-a-Document.aspx Attention is drawn to the limitation of Hability, Indexmittation and Juriaddition issues defined therein. Any holder of this document is advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solar esponsibility is to its Client and this document cannot be reproduced except in fluid, without prior writen approval of the Company any unsubtorized alteration, forgery or fails/ficiation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) serve testing (or 30 days only.

Southof No. 6 Pant, No. 1. Runsheng Road, Stuchou Industrial Park, Stuchou Anne, China (Jangsu) Plot Fee Tinde Zone 215000 中国 - 苏州 - 中国(江苏)自由股局试验区苏州片区苏州工业服区损跌路1号约6号厂推需都 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.chlina@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 27 of 108

# 4.12Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205							
Test Method:	ANSI C63.10: 2013							
Test Site:	Measurement Distance: 3m	Measurement Distance: 3m (Semi-Anechoic Chamber)						
Limit:	Frequency Limit (dBuV/m) Remark							
	30MHz-88MHz	40.0	Quasi-peak					
	88MHz-216MHz 43.5		Quasi-peak					
	216MHz-960MHz	46.0	Quasi-peak					
	960MHz-1GHz	54.0	Quasi-peak					
	Above 1GHz	54.0	Average Value					
		74.0	Peak Value					

Test Setup:

MAD F

SG




	Figure 1. 30	OMHz to 1GHz	Figure 2. Above 1 GHz
Test Procedure:	a.	above the ground at	EUT was placed on the top of a rotating table 0.8 meters a 3 or 10 meter semi-anechoic camber. The table was b determine the position of the highest radiation.
	b.	meters above the gro	EUT was placed on the top of a rotating table 1.5 und at a 3 meter semi-anechoic camber. The table was o determine the position of the highest radiation.
	C.		or 10 meters away from the interference-receiving nounted on the top of a variable-height antenna tower.
	d.	to determine the max	varied from one meter to four meters above the ground kimum value of the field strength. Both horizontal and of the antenna are set to make the measurement.
	e.	then the antenna was	emission, the EUT was arranged to its worst case and s tuned to heights from 1 meter to 4 meters and the turned from 0 degrees to 360 degrees to find the
	f.	The test-receiver sys Bandwidth with Maxim	tem was set to Peak Detect Function and Specified num Hold Mode.
	g.	Place a marker at th	he end of the restricted band closest to the transmit

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditione of Service printed vortes f available an request or accessible at http://www.ags.com/enf.cmm.and-Conditions.aspy and for electronic forms tocuments, subject to Trans and the contrained terms and Conditions and Conditions for the content of the service of the content of t

Member of the SGS Group (SGS SA)

Report No.: HEWM2202000026RG02

Rev.: 01
Page: 28 of 108
frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel
h. Test the EUT in the lowest channel, the Highest channel
i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the Y axis positioning which it is worse case.
j. Repeat above procedures until all frequencies measured was complete.
Test Configuration:Measurements Below 1000MHz $\cdot$ RBW = 120 kHz $\cdot$ VBW = 300 kHz $\cdot$ Detector = Peak $\cdot$ Trace mode = max holdPeak Measurements Above 1000 MHz $\cdot$ RBW = 1 MHz $\cdot$ VBW $\geq$ 3 MHz $\cdot$ Detector = Peak $\cdot$ Sweep time = auto $\cdot$ Trace mode = max holdAverage Measurements Above 1000MHz $\cdot$ RBW = 1 MHz $\cdot$ VBW $\geq$ 1 MHz $\cdot$ Werage Measurements Above 1000MHz $\cdot$ RBW = 1 MHz $\cdot$ VBW $\geq$ 1/T, when duty cycle is no less than 98 percent. $\cdot$ VBW $\geq$ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its
maximum power control level for the tested mode of operation.
Exploratory Test Mode:Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.
Final Test Mode:       Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case.         Pretest the EUT at Charge + Transmitting mode,       Only the worst case is recorded in the report.
Instruments Used: Refer to section 6 for details
Test Results: Pass
The detailed test data see: Appendix



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on reguest or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.ferms-a-Document.aspx. Attention is drawn to the limitation of liability, indexmittation and juricidition issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior writen approval of the Company by prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are testined for 30 days only.

South of No. 6 Plant, No. 1, Runshma Road, Suchou Industrial Park, Suchou Ame, China (Jengeu) Pilot Free Trade Zone 215000 中國 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区浏集路1号约6号厂房南部 邮编: 215000

1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.china@sgs.com

Report No.: HEWM2202000026RG02 Rev.: 01 Page: 29 of 108

#### 5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty		
1	Total RF power, conducted	±0.54dB		
2	RF power density, conducted	±1.03dB		
3	Spurious emissions, conducted	±0.54dB		
4	Radio Frequency	±7.25 x 10 <sup>-8</sup>		
5	Duty Cycle	±0.37%		
6	Occupied Bandwidth	±7.25 x 10 <sup>-8</sup>		
7	Conduction Emission	± 2.9dB (150kHz to 30MHz)		
		± 3.13dB (9kHz - 30MHz)		
0	Dedicted Emission	± 4.8dB (30MHz - 1GHz)		
8	Radiated Emission	± 4.8dB (1GHz to 18GHz)		
		± 4.8dB (Above 18GHz)		



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.acs.com/an/farms-and-Conditions.aspx and, for electronic formed documents, advanted to Tense and Conditions for Electronic Comments at <u>http://www.acs.com/an/farms-and-Conditions\_aspx</u> and, for electronic formed documents, advanted to Tense and Conditions for Electronic Comments at <u>http://www.acs.com/an/farms-and-Conditions\_aspx</u> and, for electronic formed documents, advanted to the limitation of tability, indexemification and limitediction issues defined therein. Any Toder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solar esponsibility is to its Client and this document cannot be reproduced accept in full, without prior writen approval of the Company any unsubtorized alteration, forgery or faisification of the content or appearance of this document is unleavili and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test eating for 30 days only.

South of No. 6 Plant, No. 1, Runshma Road, Suchou Industrial Park, Suchou Ame, China (Jengeu) Pilot Free Trade Zone 215000 中國-苏州-中国(江苏)自由贸易试验区苏州片区苏州工业园区消费路1号的6号厂房南部 卸编: 215000

1 (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com 1 (86-512) 62992980

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 30 of 108

# 6 Equipment List

Tonscend Test System (for original report)								
E. Surad		Madel No		Cal. date	Cal.Due date			
Equipment	Manufacturer	Model No.	Inventory No.	(yyyy-mm- dd)	(yyyy-mm- dd)			
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/5/8	2024/5/7			
Temperature and	MingGao	TH101B	SUWI-01-01-07	2021/2/20	2022/2/19			
humidity meter	mingede			2022/2/19	2023/2/18			
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2021/5/28	2022/5/27			
DC Dowor Supply	HYELEC	HY3005B	SUWI-01-18-01	2021/2/20	2022/2/19			
DC Power Supply	IIIELEG	11130036		2022/2/19	2023/2/18			
Measurement Software	Tonscend	JS1120-3 Test System V 2.6.88.0336	SUWI-02-09-09	NCR	NCR			
Radio Communication Analyzer	StarPoint	SP9500E	SUWI-01-28-01	2021/9/28	2022/9/27			
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2021/5/28	2022/5/27			
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-05	2021/12/4	2022/12/3			
Power Meter	Anritsu	ML2495A	SUWI-01-31-01	2021/12/4	2022/12/3			
Pulse power Sensor	Anritsu	MA2411B	SUWI-01-32-01	2021/12/4	2022/12/3			

CE Test Equipment (for original report)								
Equipment	Manufacturer	Model No. Inventory No.		Cal Date	Cal Due Date			
Shielding Room	Brilliant-emc	N/A SUWI-04-03-01		2021/5/8	2024/5/7			
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-01	2021/2/20	2022/2/19			
			3000-01-19-01	2022/2/19	2023/2/18			
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-02	2021/2/20	2022/2/19			
				2022/2/19	2023/2/18			
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR			
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2021/2/20	2022/2/19			
			5000-01-10-01	2022/2/19	2023/2/18			
Temperature and	MingGao	TH101B	SUWI-01-01-06	2021/2/20	2022/2/19			
humidity meter	Junigodo			2022/2/19	2023/2/18			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents of <u>http://www.ags.com/en/Tarms-and-Conditions/Terms-a-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and juriadiciton issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document contained herein any the provide particle at the original state time of the intervention only and within the limits to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced exceept in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Southof No. 6 Pant, No. 1. Runsheng Road, Suchou Industrial Park, Suchou Anne, China (Jangsu) Plot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由股局试验区苏州片区苏州工业服区损跌路1号约6号厂提高部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chlna@sgs.com

	Re				Report No.: HEWM2202000026RG02 Rev.: 01 Page: 31 of 108				
RSE Test Equipment (for new report)									
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date				
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/5/8	2024/5/7				
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2022/2/16	2023/2/15				
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2021/5/28	2022/5/27				
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2022/2/16	2023/2/15				
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/5/16	2022/5/15				
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/5/16	2022/5/15				
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/5/14	2022/5/13				
Amplifier	blifier Tonscend		SUWI-01-14-01	2022/2/16	2023/2/15				
Amplifier	nplifier Tonscend		SUWI-01-14-02	2022/2/16	2023/2/15				
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2022/2/16	2023/2/15				
Active Loop Antenna	SCHWRZBECK MESS-ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/6/10	2022/6/9				
Measurement Software	Longcond		SUWI-02-09-04	NCR	NCR				



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions/Terms-and-Conditions/ Attention is drawn to the limitation of liability, indexing and unrediction issues defined therein. Any holder of this document is advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in fluid, without prior writen approval of the Company any unsubtroited alteration, forger or faitsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) served and such aspite(s) are retained for 30 days only.

Southof No. 6 Part, No. 1, Runsheng Rand, Stuchou Industrial Park, Stuchou Anne, China (Jangsu) Plot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由股系试验区苏州片区苏州工业服区消费路1号约6号厂推需都 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.chins@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 32 of 108

# 7 Photographs - EUT Constructional Details

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, svallable on regulator accessible at http://www.acs.com/en/farms-and-Conditions.asix and, for electronic format documents, available on regulator accessible at http://www.acs.com/en/farms-and-Conditions.asix and, for electronic format documents, attention is drawn to the limitation of the libility, indexemification and unrediction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solid responsibility is to its Client and this document cannot be reproduced accessing in their report vite approval of the Company and prosecuted to the fullest attention the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of Not Plant, No.1, Runshing Road, Studiou Industrial Park, Studiou Anne, China (Jangsu) Plot Free Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由股局试验区苏州片区苏州工业局区消费百号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chilna@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 33 of 108

# Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or socialistic at http://www.asp.com/en/Tarmi-and-Conditions.aspx and, for electronic format documents, attention is drawn to the limitation of tability, indexing a difficult on the second document as the second at the intervention only and within the limits of Client's instructions, if any the company's solid responsibility is to the Client and this document cannot be reproduced accept in (i), without provide their report and order of the company's thratings at the time of its intervention only and within the limits of client's instructions, if any. The Company's solid responsibility is to the Client and this document cannot be reproduced accept in (ii), without provide of the company and provadio the Company and unaversed alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest actent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Southof No. 6 Part, No. 1, Runsheng Rand, Stuchou Industrial Park, Stuchou Anne, China (Jangsu) Plot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由股系试验区苏州片区苏州工业服区消费路1号约6号厂推需都 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chilna@sgs.com

Member of the SGS Group (SGS SA)

Member of the SGS Group (S

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 34 of 108

# **20dB Emission Bandwidth**

**Test Result** 

TestMode	Antenna	Frequency[MHz]	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	0.95	2401.54	2402.48		
DH5	Ant9	2441	0.95	2440.54	2441.48		
		2480	0.95	2479.54	2480.48		
		2402	1.29	2401.37	2402.66		
2DH5	Ant9	2441	1.29	2440.37	2441.66		
		2480	1.29	2479.37	2480.66		
3DH5	Ant9	2402	1.29	2401.36	2402.65		
		2441	1.30	2440.36	2441.65		
		2480	1.30	2479.36	2480.65		




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions/Terms-a-Document.aspx Attention is drawn to the limitation of Hability, Indexmittation and Juriaddition issues defined therein. Any holder of this document is advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solar esponsibility is to its Client and this document cannot be reproduced except in fluid, without prior writen approval of the Company any unsubtorized alteration, forgery or fails/ficiation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) serve testing (or 30 days only.

South of Not (Not Rent, Not / Rundwards Rend, Studiou Industrial Park, Studiou Anne, China (Jangsu) Plot Free Trade Zore 215000. 中国 - 苏州 - 中国(江苏)自由取易试验区苏州片区苏州工业局区消费器1号约6号厂指南部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chilna@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 35 of 108




**Test Graphs** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agp/ and, for electronic formet documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.ags/ Attention is drawn to the limitation of liability, indemnification and juriadiciton issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company subject to lise defined therein. Any holder of this document is advised that information contained hereon reflects the Company subject to the fullent and this document only and within the limits of Client's instructions, if any. The Company's solid responsibility is to its Client and this document content particles to a transaction from exercising all their rights and obligations under the transaction document. Site document of each of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chlna@sgs.com




















Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accassible at http://www.ags.com/en/Tarms-and-Conditions.agbX and, for electronic Documenta as subject to forms and Conditions for Electronic Documents af http://www.ags.com/en/Tarms-and-Conditions.agbX and, for electronic Documenta, adontion is drewn to the limitation of leanity, indemnification and juriadiction issues defined therein. Any holder of this document and adontion is drewn to the limitation of leanity, indemnification and juriadiction issues defined therein. Any holder of this document of transaction from exercising all their rights and obligations under the transaction document. Shie document cannot be reproduced except in fluid, without prior writen approval of the Company Any unauthorized alteration. This document cannot be reproduced appearance of this document is unlewful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) restand and such asplic(s) are tested for 30 days only.

South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Pilot Free Trade Zone 215000. 中國 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区浏集路1号约6号厂房南部 邮编: 215000

1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chlna@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 40 of 108

#### Occupied Channel Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	0.852	2401.576	2402.429		
DH5	Ant9	2441	0.854	2440.575	2441.429		
		2480	0.854	2479.574	2480.428		
		2402	1.167	2401.417	2402.584		
2DH5	Ant9	2441	1.166	2440.416	2441.583		
		2480	1.167	2479.415	2480.582		
		2402	1.17	2401.420	2402.590		
3DH5	Ant9	2441	1.17	2440.419	2441.589		
		2480	1.172	2479.418	2480.589		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions/Terms-and-Conditions/ Attention is drawn to the limitation of liability, indeximitration and lurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solar esponsibility is to its Client and this document cannot be reproduced except in fluid, without prior writen approval of the Company any unsubtricted alteration, forger or faits/ficiation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) serve tample(s) are retained (or 30 days only.

South of Not Plant, No.1, Runshing Road, Studiou Industrial Park, Studiou Anne, China (Jangsu) Plot Free Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由股局试验区苏州片区苏州工业局区消费百号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chilna@sgs.com


Member of the SGS Group (SGS SA)

Member of the BGS Group (

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 41 of 108





**Test Graphs** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.acc.com/enflatme-and-Conditions.app and, for electronic format documents, subject to Termine on Conditions to Electronic Documents of http://www.acc.com/enflatme-and-Conditions.app and, for electronic format documents, attention is drawn to the limitation of liability, indemnification request and for electronic to mat document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's solid regulations and this document does not excernize particle to a transaction from exercising all their rights and obligations under the transaction documents. This document or appearance of this document is unlawful and offendors may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Southur/No.6Pant,Nz.1,Runsheng Road,Suchou Industrial Park, Suchou Anne, China (Alengsa) Pilot Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区调整路1号的6号厂提示部 邮集: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com

















Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accassible at http://www.age.com/ent/farms-and-Conditions.agox and, for electronic format documents, subject to ferms and Conditions for Electronic Documents at http://www.age.com/ent/farms-and-Conditions.agox and, for electronic Document, as Adontion is them to the limitation of lacitly, indemne Caton and juriadiation issues defined therein. Any holder of this document at Client's instructions, if any the Company's sole responsibility is to its Client and this document cannot be reproduced accept in juli, without prior writen approval of the Company, your expressed in a function of the sole and the coment or appearance of this document is unlewful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the subject of the fullest attent of the law. Unless otherwise stated the results above in the interport refer only to the subject of the fullest attent of the law. Unless otherwise stated the results above in the report refer only to the subject of refer to a document for 30 days only.

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

1 (86-512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 46 of 108

#### Maximum output power Test Result Peak

Test Mode	Antenna	Frequency[MHz]	Conducted Peak Powert[dBm]	Conducted Limit[dBm]	Verdict	
		2402	12.80	≤30.00	PASS	
DH5	Ant9	2441	13.40	≤30.00	PASS	
		2480	13.19	≤30.00	PASS	
	Ant9	2402	11.25	≤20.97	PASS	
2DH5		Ant9	2441	11.85	≤20.97	PASS
		2480	11.69	≤20.97	PASS	
		2402	11.56	≤20.97	PASS	
3DH5	Ant9	2441	11.91	≤20.97	PASS	
		2480	11.74	≤20.97	PASS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions/Terms-and-Conditions/ Attention is drawn to the limitation of liability, indeximitration and lurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solar esponsibility is to its Client and this document cannot be reproduced except in fluid, without prior writen approval of the Company any unsubtricted alteration, forger or faits/ficiation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) serve tample(s) are retained (or 30 days only.

South of Not Plant, No.1, Runshing Road, Studiou Industrial Park, Studiou Anne, China (Jangsu) Plot Free Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由股局试验区苏州片区苏州工业局区消费百号约6号厂房南部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chlna@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 47 of 108

#### Carrier frequency separation Test Result

TestMode	Antenna	Frequency[MHz]	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant9	Нор	1.142	≥0.950	PASS
2DH5	Ant9	Нор	1.010	≥0.860	PASS
3DH5	Ant9	Нор	1.002	≥0.867	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced avcent in fluid, without prior writen approval of the Company any unsubtorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) sets dand such aspite(s) are testined (or 30 days only.

South of Not Plant, No.1, Runshing Road, Studiou Industrial Park, Studiou Anne, China (Jangsu) Plot Free Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由股局试验区苏州片区苏州工业局区消费百号约6号厂房南部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chilna@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 48 of 108



#### **Test Graphs**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.acc.com/en/Terme-and-Conditions.appx and, for electronic format documents, subject to Terme or Conditions to Electronic Documents of http://www.acc.com/en/Terme-and-Conditions.appx and, for electronic format documents, attention is drawn to the limitation or liability, indemnification request and initialization request the document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's solid company's findings at the time of its intervention only and within the limits of transaction from exercising all their rights and obligations under the transaction documents. This document or appearance of this document is unlawful and offendors may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) set and such ample(s) are retained for 30 days only.

Southur/No.6Pant,Nz.1,Runsheng Road,Suchou Industrial Park, Suchou Anne, China (Alengsa) Pilot Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区调整路1号的6号厂提示部 邮集: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chilna@sgs.com





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions/Terms-a-Document.aspx Attention is drawn to the limitation of Hability, Indexmittation and Juriaddition issues defined therein. Any holder of this document is advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solar esponsibility is to its Client and this document cannot be reproduced except in fluid, without prior writen approval of the Company any unsubtorized alteration, forgery or fails/ficiation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) serve testing (or 30 days only.

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chilna@sgs.com

Report No.: HEWM2202000026RG02 Rev.: 01 Page: 50 of 108

#### Time of occupancy **Test Result**

TestMode	Antenna	Frequency[MHz]	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH1	Ant9	Нор	0.36	320	0.115	≤0.4	PASS
DH3	Ant9	Нор	1.62	160	0.259	≤0.4	PASS
DH5	Ant9	Нор	2.87	106.67	0.306	≤0.4	PASS
2DH1	Ant9	Нор	0.37	320	0.118	≤0.4	PASS
2DH3	Ant9	Нор	1.63	160	0.261	≤0.4	PASS
2DH5	Ant9	Нор	2.88	106.67	0.307	≤0.4	PASS
3DH1	Ant9	Нор	0.37	320	0.118	≤0.4	PASS
3DH3	Ant9	Нор	1.62	160	0.259	≤0.4	PASS
3DH5	Ant9	Нор	2.87	106.67	0.306	≤0.4	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accassible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior writen approval of the Company Aug unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test restanded for 30 days only.


South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Plot Free Trade Zone 215000 中國 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区浏集路1号约6号厂房南部 邮编: 215000

1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 51 of 108





**Test Graphs** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.agp/ and, for electronic formet documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.ags/ Attention is drawn to the limitation of liability, indemnification and juriadiciton issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company subject to lise defined therein. Any holder of this document is advised that information contained hereon reflects the Company subject to the fullent and this document only and within the limits of Client's instructions, if any. The Company's solid responsibility is to its Client and this document content particles to a transaction from exercising all their rights and obligations under the transaction document. Site document of each of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Southur/No.6Pant,Nz.1,Runsheng Road,Suchou Industrial Park, Suchou Anne, China (Alengsa) Pilot Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区调整路1号的6号厂提示部 邮集: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chilna@sgs.com


















Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, svallable on regulator accessible at http://www.acs.com/en/farms-and-Conditions.asix and, for electronic format documents, subject to Tense and Conditions for Electronic Dommenis at <u>International Conditions asix</u> and, for electronic format documents, Attention is drawn to the limitation of tability, international distributions issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solid responsibility is to its Client and this document cannot be reproduced accept in full, without prior writen approval of the Company by prosecuted to the fullest attent of the accument, and the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chilna@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 56 of 108

#### Number of hopping channels Test Result

TestMode	Antenna	Frequency[MHz]	Result[Num]	Limit[Num]	Verdict
DH5	Ant9	Нор	79	≥15	PASS
2DH5	Ant9	Нор	79	≥15	PASS
3DH5	Ant9	Нор	79	≥15	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced avcent in fluid, without prior writen approval of the Company any unsubtorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) sets dand such aspite(s) are testined (or 30 days only.

South of Not Plant, No.1, Runshing Road, Studiou Industrial Park, Studiou Anne, China (Jangsu) Plot Free Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由股局试验区苏州片区苏州工业局区消费百号约6号厂房南部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chilna@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 57 of 108

### DH5 Ant9 Hop ..... MultiView Spectrum Ref Level 20.00 dBm Offset 4.50 dB RBW 300 kHz Att 20 dB SWT 1.01 ms VBW 300 kHz Mode S 70. 48 2.4 GHz 1001 pt 8.35 MHz/ 2.483 5 GHz 10:08:10 17.02.2022 2DH5\_Ant9\_Hop -MultiView Spectrum Ref Level 20.00 dBm Offset 4.50 dB RBW 300 kHz Att 20 dB SWT 1.01 ms VBW 300 kHz Mode all war and a stand war and a stand and a stand mmmmm 2.4 GHz 1001 pt 8.35 MHz/ 2.4835 GHz 10:02:49 17.02.2022

#### **Test Graphs**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.acc.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Termice or Conditions of Electronic Documess of http://www.acc.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's solid client and this document on one and expression of the present of the company. Any unauthorized alteration, forgery or fasification of its content or appearance of this document is unlawful and offendors may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) ere retained for 30 days only.

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chilna@sgs.com



		Report No.: Rev.:	HEWM2202000026RG02 01
		Page:	58 of 108
	3DH5_Ant9_Ho	p	
			*
MultiView Spectrum			
Ref Level 20.00 dBm         Offset 4.50 dB = RBW 300 kH;           Att         20 dB         SWT         1.01 ms = VBW 300 kH;			
1 Frequency Sweep	e wow sweep		e 1 Pk View
10 dem Martin Martin Martin Martin	mmmmmmm	1 Manufalland and	monor
0 dam	a hi was the	A second second	
-10 dBm-			
-20 dBm-			
-20 08/1			
-30 dBm			1
-40 dBm-			
-50 dBm-			
			*
-60 dBm			
-70 dBm			
2.4 GHz 10	101 pts 8.3	5 MHz/	2.483 5 GHz
		Measuring	t 17.02.2022 09:48:23



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced avcent in fluid, without prior writen approval of the Company any unsubtorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) sets dand such aspite(s) are testined (or 30 days only.

South of No. 6 Plant, No. 1, Runshmag Road, Suzhou Industrial Park, Suzhou Ame, China (Jengsu) Pilot Free Trade Zone 215000 中國 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区浏集路1号约6号厂房南部 邮编: 215000

1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 59 of 108

### Band edge measurements

**Test Result** 

TestMode	Antenna	ChName	Frequency[MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
		Low	2402	11.41	-46.35	≤-8.59	PASS
		High	2480	11.75	-57.95	≤-8.25	PASS
DH5	Ant9	Low	Hop_2402	11.45	-64.14	≤-8.55	PASS
		High	Hop_2480	12.30	-61.7	≤-7.7	PASS
	Ant9	Low	2402	8.68	-52.96	≤-11.32	PASS
		High	2480	9.15	-58.08	≤-10.85	PASS
2DH5		Low	Hop_2402	7.09	-64.26	≤-12.91	PASS
		High	Hop_2480	9.28	-60.6	≤-10.72	PASS
	Ant9	Low	2402	7.90	-49.8	≤-12.1	PASS
3DH5		High	2480	8.80	-57.64	≤-11.2	PASS
		Low	Hop_2402	8.08	-64.99	≤-11.92	PASS
		High	Hop_2480	9.82	-62.22	≤-10.18	PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions/Terms-and-Conditions/ Attention is drawn to the limitation of liability, indeximitration and lurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solar esponsibility is to its Client and this document cannot be reproduced except in fluid, without prior writen approval of the Company any unsubtricted alteration, forger or faits/ficiation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) serve tample(s) are retained (or 30 days only.

South of Not Plant, No.1, Runshing Road, Studiou Industrial Park, Studiou Anne, China (Jangsu) Plot Free Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由股局试验区苏州片区苏州工业局区消费百号约6号厂房南部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chlna@sgs.com

 Report No.:
 HEWM2202000026RG02


 Rev.:
 01

 Page:
 60 of 108




**Test Graphs** 


























 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 66 of 108

#### Conducted Spurious Emission Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange	RefLevel	Result	Limit	Verdict	
Testimode	Antenna		[MHz]	[dBm]	[dBm]	[dBm]	Verdict	
			Reference	12.07	12.07		PASS	
		2402	30~1000	12.07	-57.23	≤-7.93	PASS	
			1000~26500	12.07	-49.13	≤-7.93	PASS	
			Reference	12.61	12.61		PASS	
DH5	Ant9	2441	30~1000	12.61	-57.46	≤-7.39	PASS	
			1000~26500	12.61	-46.46	≤-7.39	PASS	
			Reference	12.36	12.36		PASS	
		2480	30~1000	12.36	-57.65	≤-7.64	PASS	
			1000~26500	12.36	-51.98	≤-7.64	PASS	
	Ant9	2402	Reference	8.78	8.78		PASS	
			30~1000	8.78	-56.9	≤-11.22	PASS	
			1000~26500	8.78	-51.04	≤-11.22	PASS	
		Ant9 2441	Reference	9.45	9.45		PASS	
2DH5			30~1000	9.45	-57.85	≤-10.55	PASS	
			1000~26500	9.45	-51.02	≤-10.55	PASS	
			Reference	9.44	9.44		PASS	
			30~1000	9.44	-57.68	≤-10.56	PASS	
			1000~26500	9.44	-51.68	≤-10.56	PASS	
			Reference	8.77	8.77		PASS	
		2402	30~1000	8.77	-57.88	≤-11.23	PASS	
			1000~26500	8.77	-52.01	≤-11.23	PASS	
3DH5		Ant9 2441	Reference	9.44	9.44		PASS	
	Ant9		30~1000	9.44	-57.58	≤-10.56	PASS	
			1000~26500	9.44	-51.57	≤-10.56	PASS	
			Reference	9.46	9.46		PASS	
		2480	30~1000	9.46	-58	≤-10.54	PASS	
				1000~26500	9.46	-51.95	≤-10.54	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/an/Tarms-and-Conditions.agox and, for electronic formet documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/an/Terms-and-Conditions/Terms-a-Document.agox. Attention is drawn to the limitation of liability, indemniftration and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's solid client and this document on and within the limits of transaction from exercising all their rights and obligations under the transaction document. This document be reproduced except in full, without prior writen approval of the Company. Any uneuthorized alteration, forgery or faisification or the company appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ane, China (Jangsu) Plot Fiere Trade Zone 21,5000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业服区资数路与约6号厂房南部 邮编: 21,5000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chlna@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 67 of 108


#### DH5 Ant9 2402 0~Reference ..... MultiView Spectrum Ref Level 30.00 dBm Offset 4.50 dB = RBW 100 kHz Att 30 dB SWT 1.01 ms = VBW 300 kHz Mode S ount 10/10 M1[1] 12.07 dB 02 157 30 G CF 2.402 GH 1001 pts 150.0 kHz/ an 1.5 MHz 09-01-13 17 02 2022 DH5\_Ant9\_2402\_30~1000 MultiView Spectrum .... Ref Level 25.00 dBm Offset 4.50 dB RBW 100 kHz Att 25 dB SWT 9.7 ms VBW 300 kHz H1 -7.930 And Hand Hand R. Land Auth 30.0 MHz 2001 pts 97.0 MHz/ 1.0 GHz \*\* 09:01:19 17.02.2022

#### **Test Graphs**




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on regulator accessible at http://www.acc.com/en/Tame-and-Conditions.aspx and, for electronic formal documents, overleaf, available on regulator accessible at http://www.acc.com/en/Tame-and-Conditions.aspx and, for electronic formal documents, attention is drawn to the limitation of liability, intermitted on during distance and documents of the intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced accession from exercising all their rights and obligations under the transaction document. This document cannot be reproduced accession from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced accession in this test report refer only to the samp less and such aspite (s) are retained for 30 days only.


South if No. FPant, No. 1, Runshing Road, Suchou Industrial Park, Stuchou Ane, China (Jangsai) Plot Fire Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区通数数1号约6号厂房高部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chlna@sgs.com










Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.acs.com/an/farms-and-Conditions.aspx and, for electronic formed documents, attention is document as a construction of the initiation of the initiat 100F 1.112 are & Testing Paryoes South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Pilot Free Trade Zone 215000. 1 (86-512) 62992980 www.sasaroup.com.cn 中國-苏州-中国(江苏)自由贸易试验区苏州片区苏州工业园区消费路1号的6号厂房南部 卸编: 215000 1 (86-512) 62992980 sgs.china@sgs.com









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.acs.com/an/farms-and-Conditions.aspx and, for electronic formed documents, attention is document as a construction of the initiation of the initiat 100F 1.112 are & Testing Paryoes South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Pilot Free Trade Zone 215000. 1 (86-512) 62992980 www.sasaroup.com.cn 中國-苏州-中国(江苏)自由贸易试验区苏州片区苏州工业园区消费路1号的6号厂房南部 卸编: 215000 1 (86-512) 62992980 sgs.china@sgs.com













































Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions/Terms-and-Conditions/ Attention is drawn to the limitation of liability, indeximitration and lurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reliects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solar esponsibility is to its Client and this document cannot be reproduced except in fluid, without prior writen approval of the Company any unsubtricted alteration, forger or faits/ficiation of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) serve tample(s) are retained (or 30 days only.

Southur/No.6Pant,Nz.1,Runsheng Road,Suchou Industral Park, Suchou Anne, China (Alengsa) Pilot Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消费路1号的6号厂提示部 邮集: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chilna@sgs.com

Report No.: HEWM2202000026RG02 Rev.: 01 Page: 81 of 108

#### **Duty Cycle Test Result**

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
		2402	2.89	3.76	76.86	1.14
DH5	Ant9	2441	2.89	3.76	76.86	1.14
		2480	2.89	3.76	76.86	1.14
		2402	2.89	3.76	76.86	1.14
2DH5	Ant9	2441	2.89	3.75	77.07	1.13
		2480	2.89	3.75	77.07	1.13
		2402	2.89	3.75	77.07	1.13
3DH5	Ant9	2441	2.89	3.75	77.07	1.13
		2480	2.89	3.75	77.07	1.13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accassible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior writen approval of the Company Aug unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test restanded for 30 days only.


South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Plot Free Trade Zone 215000 中國 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区浏集路1号约6号厂房南部 邮编: 215000

1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 82 of 108



**Test Graphs** 




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.acc.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, subject to Termine on Conditions accessible at http://www.acc.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's solid responsibility is to its Client and this document cannot be reproduced vacces in from exercising all their rights and obligations under the transaction documents. This document or appearance of this document is unlawful and offendors may be prosecuted to the fullest axtent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test dark and as ample(s) are retained for 30 days only.


Southur/No.6Pant,Nz./.Runsheng Rand, Stuchou Industrial Park, Stuchou Anne, China (Jangsu) Plot Fee Tinde Zone 215000 中国 - 苏州 - 中国(江苏)自由股易试验区苏州片区苏州工业服区损胜路1号约6号厂推需都 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.chilna@sgs.com

Member of the SGS Group (SGS SA)


Member of the SGS Group (C




















Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, svallable on regulator accessible at http://www.acs.com/en/farms-and-Conditions.asix and, for electronic format documents, subject to Tense and Conditions for Electronic Dommenis at <u>http://www.acs.com/en/farms-and-Conditions.asix</u> and, for electronic format documents, Attention is drawn to the limitation of the limitation of the service print and the service print at advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solid responsibility is to its Client and this document cannot be reproduced accept in fluid, without prior writen approval of the Company by prosecuted to the fullest attention file actionation and the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South if No. FPant, No. 1, Runshing Road, Suchou Industrial Park, Stuchou Ane, China (Jangsai) Plot Fire Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区通数数1号约6号厂房高部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn 1 (86-512) 62992980 sgs.chilna@sgs.com

Mambas al like SOE Crown (SDE PA

 Report No.:
 HEWM2202000026RG02


 Rev.:
 01

 Page:
 87 of 108

#### **Radiated Spurious Emissions**

Radiated emission below 1GHz

Worst case Mode: GFSK \_LF




Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	41.64	40.23	-22.32	17.91	40.00	22.09	174	141	Horizontal					
2	76.8025	41.29	-26.14	15.15	40.00	24.85	236	322	Horizontal					
3	86.26	45.59	-26.75	18.84	40.00	21.16	288	151	Horizontal					
4	118.0275	38.33	-24.13	14.20	43.50	29.30	249	141	Horizontal					
5	178.41	45.12	-20.58	24.54	43.50	18.96	210	182	Horizontal					
6	350.585	37.29	-20.29	17.00	46.00	29.00	177	41	Horizontal					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfear, available on request or accessible at http://www.ags.com/an/Tarms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents of http://www.ags.com/an/Tarms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents of http://www.ags.com/an/Tarms-and-Conditions/Terms-Terms-and-Conditions/Terms-Terms-And-Conditions/Terms-Terms-And-Conditions/Terms-Terms-And-Conditions/Terms-Terms-And-Conditions/Terms-Terms-And-Conditions/Terms-Terms-And-Conditions/Terms-Terms-And-Conditions/Terms-Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Terms-And-Conditions/Te

South of Nox 6 Pant, No. 1. Runsheng Road, Sushou Industrial Park, Sushou Anne, China (Annyau) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区调集路1号的6号厂提高部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.ch/na@sgs.com



Final	Data List								
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	38.245	51.59	-22.51	29.08	40.00	10.92	133	350	Vertical
2	41.64	52.33	-22.32	30.01	40.00	9.99	199	1	Vertical
3	50.855	42.59	-22.69	19.90	40.00	20.10	142	79	Vertical
4	86.0175	43.29	-26.73	16.56	40.00	23.44	184	67	Vertical
5	90.625	41.89	-26.90	14.99	43.50	28.51	264	67	Vertical
6	178.6525	41.47	-20.57	20.90	43.50	22.60	231	158	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeef, available on request or accessible at http://www.ags.com/en/farms-and-Conditions.ago; and, for electronic Documents at http://www.ags.com/en/farms-and-Conditions for electronic Documents at http://www.ags.com/en/farms-and-Conditions/farms-and-Conditions and for electronic Document as advised that Information contained hereion reflects the Company's findings at the time of its intervention andy and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unautorized alteration, forgery or falsification of us content or appearance of this document is unlawful and offenders may be prosacuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 10 101-240 0007 1147

South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Pilot Free Trade Zone 215000. 中國 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区浏集路1号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com

Member of the SGS Group (SGS SA)


1 (86-512) 62992980

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 89 of 108

#### Transmitter emission above 1GHz 802.GFSK Channel 00




Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4804.0000	48.12	-13.21	34.91	74.00	39.09	142	283	Horizontal					
2	4804.0000	-	-	17.86	54.00	36.14	-	-	Horizontal					
3	7206.0000	46.48	-6.84	39.64	74.00	34.36	251	99	Horizontal					
4	7206.0000	-	-	22.59	54.00	31.41	-	-	Horizontal					
5	9608.0000	42.06	-1.22	40.84	74.00	33.16	233	32	Horizontal					
6	9608.0000	-	-	23.79	54.00	30.21	-	-	Horizontal					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/farme-and-Conditions.agx and, for electronic Documents at http://www.ags.com/en/farme-and-Conditions for electronic Documents at http://www.ags.com/en/farme-and-Conditions for electronic Documents at http://www.ags.com/en/farme-and-Conditions for factoronic Documents at http://www.ags.com/en/farme-and-Conditions for factoronic Documents at http://www.ags.com/en/farme-and-Conditions/farme-and-Con

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Report No.: HEWM2202000026RG02 Rev.: 01 Page: 90 of 108



#### 802.GFSK Channel 00

Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4804.0000	48.97	-13.21	35.76	74.00	38.24	148	81	Vertical					
2	4804.0000	-	-	18.71	54.00	35.29	-	-						
3	7206.0000	46.23	-6.84	39.39	74.00	34.61	194	148	Vertical					
4	7206.0000	-	-	22.34	54.00	31.66	-	-						
5	9608.0000	42.19	-1.22	40.97	74.00	33.03	172	166	Vertical					
6	9608.0000	-	-	23.92	54.00	30.08	-	-						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ass.com/en/farms-and-Conditions.aspx and, for electronic Documents at ubject to Terms and Conditions for Electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions* for electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. Any holder of this document is advised that Information contained hereon reflects the Company's Intings at the time of its intervention notify and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unsubtorized alteration, forgery or falsification of us content or appearance of this document is unleavily and offenders may be prosecuted to the fullest axtent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 10 101-240 0007 1147

South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Pilot Free Trade Zone 215000. 中國 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区浏集路1号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com


Member of the SGS Group (SGS SA)

1 (86-512) 62992980

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 91 of 108



#### **Final Data List** Frequency Reading Factor Level Limit Margin Height Angle NO. Polarity [MHz] [dBµV] [dB] [dBµV/m] [dBµV/m] [dB] [°] [cm] 1 4882.0000 49.40 -12.98 36.42 74.00 37.58 233 4 Horizontal 2 Horizontal 4882.0000 \_ \_ 19.37 54.00 34.63 -\_ 3 7323.0000 45.51 -7.14 74.00 281 Horizontal 38.37 35.63 152 4 54.00 Horizontal 7323.0000 \_ \_ 21.32 32.68 -\_ 5 Horizontal 9764.0000 38.13 -1.21 36.92 74.00 37.08 166 198 Horizontal 6 9764.0000 19.87 54.00 34.13 \_ \_



802.GFSK Channel 39

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfash, svallable on request or accessible at http://www.ags.com/en/Tarms-and-Conditions.aspx and, for electronic format documents, starting to the terms of the tervention on the term of the tervention of the documents advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to a classifier of the documents of the tervention on the tervention only and within the limits of classifier of the document is unaverteen reflects the Company's findings at the time of its intervention only and within the limits of classifier of the document is unaverteen reflects the Company. Any unavertee attention of company can be the reproduced avcept in full, without prior written approval of the Company. Any unavertee attention document is unaverteen terms at the terms of the fullest actent of the accument is a starting at the results and only and within the limits of appearance of this document is unavertuin and offenders may be prosecuted to the fullest axtent of the law Unless stard the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sqs.china@sgs.com

t (86-512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 92 of 108



#### 802.GFSK\_Channel 39


Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4882.0000	50.14	-12.98	37.16	74.00	36.84	144	200	Vertical					
2	4882.0000	-	-	20.11	54.00	33.89	-	-						
3	7323.0000	46.24	-7.14	39.10	74.00	34.90	125	152	Vertical					
4	7323.0000	-	-	22.05	54.00	31.95	-	-						
5	9764.0000	39.08	-1.21	37.87	74.00	36.13	206	67	Vertical					
6	9764.0000	-	-	20.82	54.00	33.18	-	-						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/farme-and-Conditions.agx and, for electronic Documents at http://www.ags.com/en/farme-and-Conditions for electronic Documents at http://www.ags.com/en/farme-and-Conditions for electronic Documents at http://www.ags.com/en/farme-and-Conditions for factoronic Documents at http://www.ags.com/en/farme-and-Conditions for factoronic Documents at http://www.ags.com/en/farme-and-Conditions/farme-and-Con

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Report No.: HEWM2202000026RG02 Rev.: 01 Page: 93 of 108



#### 802.GFSK Channel 78


Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4960.0000	49.84	-12.83	37.01	74.00	36.99	245	115	Horizontal					
2	4960.0000	-	-	19.96	54.00	34.04	-	-	Horizontal					
3	7440.0000	47.65	-6.83	40.82	74.00	33.18	197	268	Horizontal					
4	7440.0000	-	-	23.77	54.00	30.23	-	-	Horizontal					
5	9920.0000	38.88	-0.93	37.95	74.00	36.05	182	317	Horizontal					
6	9920.0000	-	-	20.90	54.00	33.10	-	-	Horizontal					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ass.com/en/farms-and-Conditions.aspx and, for electronic Documents at ubject to Terms and Conditions for Electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions* for electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. Any holder of this document is advised that Information contained hereon reflects the Company's Intings at the time of its intervention notify and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unsubtorized alteration, forgery or falsification of us content or appearance of this document is unleavily and offenders may be prosecuted to the fullest axtent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 101-101-1010000071047

South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Pilot Free Trade Zone 215000. 中國 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区浏集路1号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com 1 (86-512) 62992980

Report No.: HEWM2202000026RG02 Rev.: 01 94 of 108 Page:



#### **Final Data List** Frequency Reading Factor Level Limit Margin Height Angle NO. Polarity [MHz] [dBµV] [dB] [dBµV/m] [dBµV/m] [dB] [°] [cm] 1 4960.0000 50.32 -12.83 37.49 74.00 36.51 233 165 Vertical 2 4960.0000 \_ \_ 20.44 54.00 33.56 --7440.0000 3 46.55 74.00 34.28 114 Vertical -6.83 39.72 148 4 7440.0000 54.00 \_ \_ 22.67 31.33 -\_ 269 5 9920.0000 147 Vertical 39.55 -0.93 38.62 74.00 35.38 6 9920.0000 21.57 54.00 32.43 \_ \_ \_



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfash, available on request or accassible at http://www.ass.com/an/Tarms-and-Conditions.aspx and, for electronic format documents, started to a service printed to the term of the service of the term of the intervention only and within the limits of the term of term of the term of the term of term of the term of the term of term of the term of term 101-101-1010000071047

South of No. 6 Plant, No. 1, Runshma Road, Suphou Industrial Park, Suphou Arrie, China (Janosu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区测策路1号的6号厂房南部 邮编: 215000 t (86-512) 6299298() www.sgsgroup.com.cn sgs.china@sgs.com

1 (86-512) 62992980

Member of the SGS Group (SGS SA)

#### 802.GFSK Channel 78


 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 95 of 108

Test on the worst case: Radiated Spurious Emissions Radiated emission below 1GHz Worst case Mode: GFSK \_LF

S



Final	Final Data List													
NO.	Frequency	Reading	Factor	QP Value	QP Limit	QP Margin	Height	Angle	Polarity					
110.	[MHz]	[dBµV]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	1 Olamy					
1	35.8994	43.07	-17.36	25.71	40.00	14.29	106	4	Horizontal					
2	99.9967	34.65	-16.57	18.08	43.50	25.42	211	196.9	Horizontal					
3	144.0109	37.93	-19.91	18.02	43.50	25.48	268	55	Horizontal					
4	216.4819	31.16	-15.12	16.04	46.00	29.96	275	360	Horizontal					
5	530.5563	25.12	-7.43	17.69	46.00	28.31	218	125	Horizontal					
6	828.0729	24.88	-2.44	22.44	46.00	23.56	188	220.7	Horizontal					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlaaf, available on request or accessible at http://www.asp.com/en/Tarme-and-Conditions.aspx and, for electronic format documents, subject to Perms and Conditions for Electronic Documents at http://www.asp.com/en/Tarme-and-Conditions.aspx and, for electronic format documents, advised that Information contained hereson reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and fur document does not excertate parties to client's instructions, if any. The Company's sole responsibility is to its Client and fur document does not excertate parties to excert in full, without prior written approval of the Company. Any unauthorized alteration of the advised that to the resolute the terretor reflections are prosecuted to the fullest action of the coment is at the time of its accument of the advised that excert in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the coment is an appearance of this document is unlawfull and offenders may be prosecuted to the fullest actuent of the law. Unless otherwise stated the results shown in this test report refer only to the semple(s) tested and such sample(s) are retained for 30 days only.


South of Nox 6 Pant, No. 1. Runsheng Road, Suchou Industrial Park, Suchou Anne, China (Annyau) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区调集路1号的6号厂提高部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.ch/na@sgs.com



 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 96 of 108



Final	Final Data List													
NO.	Frequency	Reading	Factor	QP Value	QP Limit	QP Margin	Height	Angle	Polarity					
	[MHz]	[dBµV]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	1 olanty					
1	34.6955	37.72	-17.65	20.07	40.00	19.93	162	328.2	Vertical					
2	52.4800	32.10	-14.68	17.42	40.00	22.58	154	11.4	Vertical					
3	107.9971	33.56	-16.69	16.87	43.50	26.63	178	248.1	Vertical					
4	144.0276	34.61	-19.91	14.70	43.50	28.80	214	356.6	Vertical					
5	240.0663	28.43	-14.39	14.04	46.00	31.96	185	146.1	Vertical					
6	900.9189	24.79	-1.35	23.44	46.00	22.56	217	47.4	Vertical					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.aac.com/en/farme-and-Conditions.agy and, for electronic format documents, subject to Ferres and Conditions for Electronic Documents at Ille//www.seconden/farme-and-Conditions/ferres-adv.com/en/farmeadvised that Information contained hereon reflects the Company's findings at the time of its intervention numly and within the limit of Client's instructions, if any. The Company's sole responsibility is to its Client and their vention numly and within the limit of Client's instructions, if any. The Company's sole responsibility is to its Client and the document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawfull and offenders may be prosecuted to the fullest extent of the law. Unless stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of Nox 6 Pant, No. 1. Runsheng Road, Suchou Industrial Park, Suchou Anne, China (Annyau) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区调集路1号的6号厂提高部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com


 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 97 of 108

### Transmitter emission above 1GHz

#### **GFSK\_Channel 00**



Data	Data List														
	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle							
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity						
1	4804	51.18	-12.33	38.85	74.00	35.15	162	280	Horizontal						
2	4804	-	-	14.07	54.00	39.93	162	280	Horizontal						
3	7206	48.85	-5.91	42.94	74.00	31.06	188	341	Horizontal						
4	7206	-	-	18.16	54.00	35.84	188	341	Horizontal						
5	9608	42.77	0.49	43.26	74.00	30.74	164	0	Horizontal						
6	9608	-	-	18.48	54.00	35.52	164	0	Horizontal						




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.age.com/en/farme-and-Conditions.agy and, for electronic Documents at http://www.age.com/en/farme-and-Conditions for farms-and-Conditions or feature to the factoric Documents at http://www.age.com/en/farme-and-Conditions for farms-and-Conditions or farms-and-Conditions and the limite of the intervention and y and within the limite of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawfull and offenders may be prosecuted to the faillest axtent of the law. Unless stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of Nox 6 Pant, No. 1. Runsheng Road, Suchou Industrial Park, Suchou Anne, China (Annyau) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区调集路1号的6号厂提高部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 98 of 108



#### GFSK\_Channel 00

Data	List								
	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity
1	4804	50.38	-12.33	38.05	74.00	35.95	162	198	Vertical
2	4804	-	-	13.27	54.00	40.73	162	198	Vertical
3	7206	48.92	-5.91	43.01	74.00	30.99	175	74	Vertical
4	7206	-	-	18.23	54.00	35.77	175	74	Vertical
5	9608	43.72	0.49	44.21	74.00	29.79	264	340	Vertical
6	9608	-	-	19.43	54.00	34.57	264	340	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.aac.com/en/farme-and-Conditions.agy and, for electronic format documents, subject to Ferres and Conditions for Electronic Documents at Ille//www.seconden/farme-and-Conditions/ferres-adv.com/en/farmeadvised that Information contained hereon reflects the Company's findings at the time of its intervention numly and within the limit of Client's instructions, if any. The Company's sole responsibility is to its Client and their vention numly and within the limit of Client's instructions, if any. The Company's sole responsibility is to its Client and the document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawfull and offenders may be prosecuted to the fullest extent of the law. Unless stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 99 of 108



#### GFSK\_Channel 78

Data	Data List													
	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle						
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity					
1	4960	49.25	-12.41	36.84	74.00	37.16	162	217	Horizontal					
2	4960	-	-	12.06	54.00	41.94	162	217	Horizontal					
3	7440	46.35	-5.36	40.99	74.00	33.01	186	53	Horizontal					
4	7440	-	-	16.21	54.00	37.79	186	53	Horizontal					
5	9920	43.69	1.29	44.98	74.00	29.02	261	158	Horizontal					
6	9920	-	-	20.20	54.00	33.80	261	158	Horizontal					




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sac.com/en/latme-and-Conditions.agay and, for electronic formatideouments, subject to Terms and Conditions for Electronic Documents at http://www.sac.com/en/latme-and-Conditions.agay and, for electronic formatideouments, advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and his document does not exonerate parties to client's instructions, if any The Company's sole responsibility is to its Client and his document does not exonerate parties to client's instructions, if any The Company's sole responsibility is to its Client and his document does not exonerate parties to appearance of this document is unlawful and offenders may be prosecuted to the fullest attent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are testened for 30 days only.

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 100 of 108



GFSK_	Channel	78
-------	---------	----

Data	Data List												
	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Delevitu				
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity				
1	4960	49.58	-12.41	37.17	74.00	36.83	294	301	Vertical				
2	4960	-	-	12.39	54.00	41.61	294	301	Vertical				
3	7440	46.53	-5.36	41.17	74.00	32.83	186	0	Vertical				
4	7440	-	-	16.39	54.00	37.61	186	0	Vertical				
5	9920	45.14	1.29	46.43	74.00	27.57	362	217	Vertical				
6	9920	-	-	21.65	54.00	32.35	362	217	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accassible at http://www.age.com/ent/atmas-and-Conditions.agpx and, for electronic format documents, subject to forms and Conditions for Electronic Documents at http://www.age.com/ent/atmas-and-Conditions.agpx and, for electronic Document, asys, Adontion is them to the limitation of labelity, indemne Cation and juriation issues defined therein. Any holder of this forement of Client's instructions, if any The Company's sole responsibility is to its Client and this document cannot be reproduced except in fluid, without prior writen approval of the Company, unsubtorized alteration. This document cannot be reproduced except in fluid, without prior writen approval of the Company, unsubtorized alteration of the avertise stated the results shown in this test report refer only to the subject to the fullest actent of the law. Unless otherwise stated the results and only the subject of 20 days only.

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.china@sgs.com

Marker 110 - 000 Come /200


 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 101 of 108

### Restricted bands around fundamental frequency

#### GFSK\_Channel 00



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2342.8033	39.72	3.09	42.81	74.00	31.19	266	147	Horizontal				
2	2342.8033	-	-	25.76	54.00	28.24	-	-	Horizontal				
3	2386.7	39.63	3.07	42.70	74.00	31.30	266	147	Horizontal				
4	2386.7	-	-	25.65	54.00	28.35	-	-	Horizontal				
5	2402.0000	100.38	3.08	103.46	-	-	266	147	Horizontal				
6	2402.0000	-	-	86.41	-	-	-	-	Horizontal				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/farme-and-Conditions.agv and, for electronic format documents, subject to Ferres and Conditions for Electronic Documents at Inter/investore.com/en/farme-and-Conditions/ferres-adv.com/en/farme-and-Conditions/ferres-adv.com/en/farme-

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 102 of 108



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2361.3933	38.87	3.08	41.95	74.00	32.05	125	245	Vertical				
2	2361.3933	-	-	24.90	54.00	29.10	-	-	Vertical				
3	2389.17	39.07	3.07	42.14	74.00	31.86	125	245	Vertical				
4	2389.17	-	-	25.09	54.00	28.91	-	-	Vertical				
5	2402.0000	98.71	3.08	101.79	-	-	125	245	Vertical				
6	2402.0000	-	-	84.74	-	-	-	-	Vertical				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/farme-and-Conditions.agv and, for electronic Documents at subject to forms and Conditions for Electronic Documents at *Hito//www.ags.com/en/farme-and-Conditions/farme-and-Conditions/farme-and-Conditions*, and the subject to forms and Conditions for the electronic Document as an advised that Information contained hereon reflects the Company's findings at the time of its intervention nousy and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertate parties to atransaction from exercising all their rights and obligations under the transaction document. This document is under the transaction of this discusted accession of this content or appearance of this document is underwise and of the Company. Any uneuthorized alteration, forgery or falsification of the content or appearance of this document is underwised and the company. Any uneuthorized alteration, forgery or falsification of the content or appearance of this document is underwised and access and access and accession document for the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 103 of 108




Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2480.0000	97.05	3.57	100.62	-	-	147	182	Horizontal				
2	2480.0000	-	-	83.57	-	-	-	-	Horizontal				
3	2483.5000	42.97	3.60	46.57	74.00	27.43	147	182	Horizontal				
4	2483.5000	-	-	29.52	54.00	24.48	-	-	Horizontal				
5	2493.4075	39.98	3.66	43.64	74.00	30.36	147	182	Horizontal				
6	2493.4075	-	-	26.59	54.00	27.41	-	-	Horizontal				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.age.com/en/farme-and-Conditions.agy and, for electronic Documents at http://www.age.com/en/farme-and-Conditions for farms-and-Conditions or feature to the factoric Documents at http://www.age.com/en/farme-and-Conditions for farms-and-Conditions or farms-and-Conditions and the limite of the intervention and y and within the limite of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawfull and offenders may be prosecuted to the faillest axtent of the law. Unless stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Southof No. 6 Pant, Nr. 1, Runsheng Road, Suchou Industrial Park, Stuchou Anne, China (Annyas) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区损耗路1号的6号厂提示部 邮编: 215000 1 (86–512) 62992980 www.sgsgroup.com.cn 1 (86–512) 62992980 sgs.china@sgs.com

Report No.: HEWM2202000026RG02 Rev.: 01 Page: 104 of 108



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2480.0000	95.76	3.57	99.33	-	-	235	115	Vertical				
2	2480.0000	-	-	82.28	-	-	-	-	Vertical				
3	2483.5000	38.89	3.60	42.49	74.00	31.51	235	115	Vertical				
4	2483.5000	-	-	25.44	54.00	28.56	-	-	Vertical				
5	2491.105	40.15	3.64	43.79	74.00	30.21	235	115	Vertical				
6	2491.105	-	-	26.74	54.00	27.26	-	-	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ass.com/en/farms-and-Conditions.aspx and, for electronic Documents at ubject to Terms and Conditions for Electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions* for electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. Any holder of this document is advised that Information contained hereon reflects the Company's Intings at the time of its intervention notify and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unsubtorized alteration, forgery or falsification of us content or appearance of this document is unleavily and offenders may be prosecuted to the fullest axtent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 10 101-240 0007 1147

South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Pilot Free Trade Zone 215000. 中國 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区浏集路1号约6号厂房南部 邮编: 215000

1 (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com 1 (86-512) 62992980




Report No.: HEWM2202000026RG02 Rev.: 01 Page: 105 of 108

#### Test on the worst case:

#### **Restricted bands around fundamental frequency**

#### **GFSK\_Channel 00**



Data	List								
	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity
1	2335.1417	42.37	3.03	45.40	74.00	28.60	112	33	Horizontal
2	2335.1417	-	-	20.62	54.00	33.38	112	33	Horizontal
3	2372.8109	42.46	3.19	45.65	74.00	28.35	112	33	Horizontal
4	2372.8109	-	-	20.87	54.00	33.13	112	33	Horizontal
5	2402	99.01	3.31	102.32	-	-	112	33	Horizontal
6	2402	-	-	77.54	-	-	112	33	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ass.com/en/farms-and-Conditions.aspx and, for electronic Documents at ubject to Terms and Conditions for Electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions* for electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. Any holder of this document is advised that Information contained hereon reflects the Company's Intings at the time of its intervention notify and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unsubtorized alteration, forgery or falsification of us content or appearance of this document is unleavily and offenders may be prosecuted to the fullest axtent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 101-101-1010000071047

South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Pilot Free Trade Zone 215000. 中國-苏州-中国(江苏)自由贸易试验区苏州片区苏州工业园区消费路1号的6号厂房南部 卸编: 215000 1 (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com


Member of the SGS Group (SGS SA)

1 (86-512) 62992980

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 106 of 108



#### GFSK\_Channel 00

Data	List								
	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	<b>D I I I</b>
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity
1	2336.3121	41.75	3.03	44.78	74.00	29.22	362	154	Vertical
2	2336.3121	-	-	20.00	54.00	34.00	362	154	Vertical
3	2386.4221	41.90	3.24	45.14	74.00	28.86	362	154	Vertical
4	2386.4221	-	-	20.36	54.00	33.64	362	154	Vertical
5	2402	92.91	3.31	96.22	-	-	362	154	Vertical
6	2402	-	-	71.44	-	-	362	154	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlaar, available on request or accessible at http://www.ags.com/anTarms-and-Conditions.agb/and, for electronic format documents, subject to forms and Conditions for Electronic Documents at Introduction and puradication as application as application and puradication and puradication as applications and conditions for the pocument as and the conditions of the pocument as and the conditions of the pocument and puradication and puradication as and conditions for the pocument and the conditions for the pocument and the condition as the pocument and the conditions for the pocument and the condition and puradication and puradication and the document does not excerned a particle to a transaction from exercising all their rights and obligations under the transaction document. This document does not excerned a particle to a secont in figure and the document and offendors may be prosecuted to the fullest axtent of the law Unless otherwise stated the results shown in this test report refer only to the somple(s) set and and the document does you only a secont in the document is unleaver in any time (set and the document does and excerned to a sole accessing and the content, and the document does and the content, and the document does and the content or appearance of this document is unleaver in the company and the prosecuted to the fullest axtent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) test data such sample(s) are retained for 30 days only.

South of Nox 6 Pant, No. 1. Runsheng Road, Suchou Industrial Park, Suchou Anne, China (Annyau) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区调集路1号的6号厂提高部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 HEWM2202000026RG02

 Rev.:
 01

 Page:
 107 of 108



GFSK_	Channel	78
-------	---------	----


Data	Data List												
	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle					
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity				
1	2480	103.25	3.88	107.13	-	-	103	22	Horizontal				
2	2480	-	-	82.35	-	-	103	22	Horizontal				
3	2483.5	44.94	3.91	48.85	74.00	25.15	103	22	Horizontal				
4	2483.5	-	-	24.07	54.00	29.93	103	22	Horizontal				
5	2485.075	44.04	3.92	47.96	74.00	26.04	103	22	Horizontal				
6	2485.075	-	-	23.18	54.00	30.82	103	22	Horizontal				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlaar, available on request or accessible at http://www.ags.com/anTarms-and-Conditions.agb/ and, for electronic format documents, subject to forms and Conditions for Electronic Documents at Intp://www.ags.com/anTarms-and-Conditions.agb/ and, for electronic format documents, advention is down to the limitation of itability, indemnification and unfait document and conditions forms and Conditions for the pocument age advention is down to the limitation of itability, indemnification and unfait document and this document, and how the service of the pocument age of the service of the produced transaction from exercising all their rights and obligations under the transaction document. This document does not exorement or appearance of this document is unlawful and offenders may be prosecuted to the fullest avtent of the law. Unless otherwise stated the results shown in this test report refer only to the service and a subject is an experience for 30 days only.

South of Nox 6 Pant, No. 1. Runsheng Road, Suchou Industrial Park, Suchou Anne, China (Annyau) Pikit Fere Trade Zone 215000. 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业型区调集路1号的6号厂提高部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Report No.: HEWM2202000026RG02 Rev.: 01 Page: 108 of 108



GFSK_	Channel	78
-------	---------	----

Data	Data List												
	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle					
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	[cm]	[°]	Polarity				
1	2480	97.63	3.88	101.51	-	-	332	241	Vertical				
2	2480	-	-	76.73	-	-	332	241	Vertical				
3	2483.5	45.31	3.91	49.22	74.00	24.78	332	241	Vertical				
4	2483.5	-	-	24.44	54.00	29.56	332	241	Vertical				
5	2484.6549	42.96	3.92	46.88	74.00	27.12	332	241	Vertical				
6	2484.6549	-	-	22.10	54.00	31.90	332	241	Vertical				

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ass.com/en/farms-and-Conditions.aspx and, for electronic Documents at ubject to Terms and Conditions for Electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. For electronic Documents at *Inter/www.asg.commanTerms-and-Conditions* for electronic Documents at *Inter/www.asg.commanTerms-and-Conditions*. Any holder of this document is advised that Information contained hereon reflects the Company's Intings at the time of its intervention notify and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unsubtorized alteration, forgery or falsification of us content or appearance of this document is unleavily and offenders may be prosecuted to the fullest axtent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. 10 101-240 0007 1147

South of No. 6 Plant, No. 1, Runshing Road, Suchou Industrial Park, Suchou Ame, China (Jangsu) Pilot Free Trade Zone 215000. 中國 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区浏集路1号约6号厂房南部 邮编: 215000 1 (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com

Member of the SGS Group (SGS SA)

1 (86-512) 62992980