


Report No.: HEWM2202000026RG05

Rev.: 01

151 of 331 Page:



11ac80SISO_Ant11_5610





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980




Report No.: HEWM2202000026RG05

Rev.: 01

Page: 152 of 331



11ac80SISO Ant11 5690 UNII-3





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later eland such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ass.com

or email: CN_Doccheck@egg.com South of No. Fiver, No. Flushery Road, Subrou Indastell Park, Subrou Area, Chine (Jángsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州上区苏州工业国区周胜路1号的6号厂房南部 邮第 215000



Report No.: HEWM2202000026RG05

Rev.: 01

Page: 153 of 331





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com

or email: CN_Doccheck@sgs_com | 20nd r/Na. Fiyuk, Ni, Runshang Road, 20ndun Indastalei Park, Suchou Area, China (Jiangsi) PM Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业国区海胜数1号的6号厂房南部 鄭樂: 215000



Report No.: HEWM2202000026RG05

Rev.: 01

Page: 154 of 331

Duty Cycle Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11a	Ant11	5180	2.06	2.10	98.10		
11n20SISO	Ant11	5180	1.92	1.96	97.96		
11n40SISO	Ant11	5190	0.95	0.99	95.96		
11ac20SISO	Ant11	5180	1.93	1.97	97.97		
11ac40SISO	Ant11	5190	0.95	0.99	95.96		
11ac80SISO	Ant11	5210	0.46	0.50	92.00		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com



Report No.: HEWM2202000026RG05

Rev.: 01

Page: 155 of 331

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@ass.com


Gound Max Fibrat, Mo. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000



Report No.: HEWM2202000026RG05

Rev.: 01

Page: 156 of 331





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later eland such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ass.com

or email: CN_Doccheck@sgs.com South of No.6 Pleat, No.1, Runsheng Rose, Southon Marke Pleat, Suchou Area, Chine (Aiangsu) Plat Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州十区苏州工业园区沟胜路(号的6号) 房南部 単築: 215000



Report No.: HEWM2202000026RG05

Rev.: 01

Page: 157 of 331

11ac40SISO_Ant11_5190 1 . SGL Count 1/1 M1[1] 14.33 dBi Begin de marchine de la secono della secono de la secono de la secono de la secono de la secono della secono de la secono de la secono de la secono de la secono della secono de la secono de la secono de la secono de la secono della secono CF 5.19 GH 1001 pts 500.0 µs 08:49:18 23.02.2022 11ac80SISO_Ant11_5210 MultiView - Spectrum • F 5.21 GHz 1001 pts 500.0 μs/ 16:08:23 22.02.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later eland such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ass.com

or email: CN. Doccheck@sgs.com Soundriko Finku h. Tanshang Rook. Johno Indahari Park, Suchou Area, Chira (Jiangsi) Pik Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 鄭樂: 215000



Report No.: HEWM2202000026RG05


Rev.: 01

Page: 158 of 331

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: 5GWIFI_LF



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	42.61	34.62	-15.44	19.18	40.00	20.82	162	245	Horizontal			
2	82.1375	33.14	-20.35	12.79	40.00	27.21	261	263	Horizontal			
3	139.125	34.52	-19.58	14.94	43.50	28.56	152	205	Horizontal			
4	167.4975	37.65	-18.66	18.99	43.50	24.51	155	360	Horizontal			
5	240.2475	37.68	-14.37	23.31	46.00	22.69	241	78	Horizontal			
6	599.875	33.12	-5.55	27.57	46.00	18.43	185	98	Horizontal			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 159 of 331



٠	QΡ	Dete	cto

Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	43.095	40.02	-15.34	24.68	40.00	15.32	261	225	Vertical			
2	55.22	39.65	-15.26	24.39	40.00	15.61	152	350	Vertical			
3	66.1325	39.44	-17.95	21.49	40.00	18.51	186	19	Vertical			
4	244.1275	35.25	-14.26	20.99	46.00	25.01	241	3	Vertical			
5	662.44	30.26	-4.66	25.60	46.00	20.40	185	185	Vertical			
6	1000	31.26	-0.44	30.82	54.00	23.18	144	4	Vertical			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 160 of 331

Transmitter emission above 1GHz 802.11a_Channel 36



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8690.75	49.03	-0.96	48.07	74.00	25.93	169	358	Horizontal			
2	10360	43.14	2.47	45.61	74.00	28.39	145	28	Horizontal			
3	15540	40.71	4.49	45.20	74.00	28.80	214	360	Horizontal			
4	9294.9792	39.82	0.50	40.32	54.00	13.68	185	87	Horizontal			
5	10360	33.25	2.47	35.72	54.00	18.28	264	345	Horizontal			
6	15540	33.00	4.49	37.49	54.00	16.51	185	262	Horizontal			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 161 of 331

802.11a Channel 36



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9308.875	49.11	0.50	49.61	74.00	24.39	162	58	Vertical			
2	10360	42.70	2.47	45.17	74.00	28.83	196	88	Vertical			
3	15540	41.16	4.49	45.65	74.00	28.35	248	358	Vertical			
4	8794.25	39.64	-0.46	39.18	54.00	14.82	245	360	Vertical			
5	10360	33.71	2.47	36.18	54.00	17.82	161	292	Vertical			
6	15540	32.68	4.49	37.17	54.00	16.83	185	360	Vertical			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 162 of 331

802.11a Channel 40



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9315.5833	49.31	0.51	49.82	74.00	24.18	126	236	Horizontal			
2	10400	42.31	2.67	44.98	74.00	29.02	196	149	Horizontal			
3	15600	40.85	4.61	45.46	74.00	28.54	214	265	Horizontal			
4	9294.0208	40.07	0.50	40.57	54.00	13.43	185	236	Horizontal			
5	10400	34.01	2.67	36.68	54.00	17.32	214	265	Horizontal			
6	15600	31.92	4.61	36.53	54.00	17.47	185	118	Horizontal			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 163 of 331

802.11a Channel 40



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9230.2917	48.84	0.48	49.32	74.00	24.68	120	203	Vertical			
2	10400	41.59	2.67	44.26	74.00	29.74	214	57	Vertical			
3	15600	40.27	4.61	44.88	74.00	29.12	145	346	Vertical			
4	8731	39.47	-0.74	38.73	54.00	15.27	152	360	Vertical			
5	10400	33.41	2.67	36.08	54.00	17.92	185	264	Vertical			
6	15600	32.35	4.61	36.96	54.00	17.04	149	322	Vertical			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 164 of 331

802.11a Channel 44



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	7741.5208	50.67	-3.82	46.85	74.00	27.15	162	302	Horizontal			
2	10440	42.49	2.75	45.24	74.00	28.76	185	320	Horizontal			
3	15660	40.92	4.36	45.28	74.00	28.72	214	185	Horizontal			
4	8763.5833	39.25	-0.59	38.66	54.00	15.34	196	144	Horizontal			
5	10440	33.53	2.75	36.28	54.00	17.72	244	121	Horizontal			
6	15660	32.43	4.36	36.79	54.00	17.21	185	360	Horizontal			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 165 of 331

802.11a Channel 44



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	8777	48.72	-0.53	48.19	74.00	25.81	162	113	Vertical			
2	10440	41.56	2.75	44.31	74.00	29.69	185	348	Vertical			
3	15660	40.66	4.36	45.02	74.00	28.98	214	58	Vertical			
4	9289.7083	39.54	0.50	40.04	54.00	13.96	185	143	Vertical			
5	10440	34.80	2.75	37.55	54.00	16.45	217	203	Vertical			
6	15660	32.73	4.36	37.09	54.00	16.91	215	113	Vertical			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 166 of 331

802.11a Channel 48



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9312.2292	48.95	0.51	49.46	74.00	24.54	162	27	Horizontal			
2	10480	42.25	2.84	45.09	74.00	28.91	185	203	Horizontal			
3	15720	40.59	4.23	44.82	74.00	29.18	241	261	Horizontal			
4	9301.6875	39.71	0.50	40.21	54.00	13.79	196	360	Horizontal			
5	10480	34.57	2.84	37.41	54.00	16.59	218	114	Horizontal			
6	15720	32.60	4.23	36.83	54.00	17.17	211	3	Horizontal			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 167 of 331

802.11a Channel 48



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9306.9583	49.91	0.50	50.41	74.00	23.59	261	2	Vertical			
2	10480	44.06	2.84	46.90	74.00	27.10	196	261	Vertical			
3	15720	40.60	4.23	44.83	74.00	29.17	145	55	Vertical			
4	9305.0417	39.68	0.50	40.18	54.00	13.82	264	200	Vertical			
5	10480	33.92	2.84	36.76	54.00	17.24	185	346	Vertical			
6	15720	32.05	4.23	36.28	54.00	17.72	124	112	Vertical			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 168 of 331

802.11a Channel 52



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9293.0625	48.48	0.50	48.98	74.00	25.02	162	56	Horizontal				
2	10520	42.50	2.95	45.45	74.00	28.55	185	289	Horizontal				
3	15780	40.89	4.36	45.25	74.00	28.75	214	30	Horizontal				
4	9298.8125	40.16	0.50	40.66	54.00	13.34	196	358	Horizontal				
5	10520	34.49	2.95	37.44	54.00	16.56	244	84	Horizontal				
6	15780	32.87	4.36	37.23	54.00	16.77	185	3	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 169 of 331

802.11a Channel 52



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9270.0625	49.09	0.49	49.58	74.00	24.42	261	347	Vertical				
2	10520	41.75	2.95	44.70	74.00	29.30	196	205	Vertical				
3	15780	41.46	4.36	45.82	74.00	28.18	145	360	Vertical				
4	9295.9375	39.99	0.50	40.49	54.00	13.51	214	205	Vertical				
5	10520	34.96	2.95	37.91	54.00	16.09	284	147	Vertical				
6	15780	33.67	4.36	38.03	54.00	15.97	189	30	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 170 of 331

802.11a Channel 56



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9276.2917	49.45	0.49	49.94	74.00	24.06	261	318	Horizontal				
2	10560	41.52	3.08	44.60	74.00	29.40	196	358	Horizontal				
3	15840	42.25	4.47	46.72	74.00	27.28	231	260	Horizontal				
4	9296.8958	40.01	0.50	40.51	54.00	13.49	145	360	Horizontal				
5	10560	33.66	3.08	36.74	54.00	17.26	264	56	Horizontal				
6	15840	33.83	4.47	38.30	54.00	15.70	218	358	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 171 of 331

802.11a Channel 56



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9275.8125	49.17	0.49	49.66	74.00	24.34	169	286	Vertical				
2	10560	43.87	3.08	46.95	74.00	27.05	248	169	Vertical				
3	15840	42.97	4.47	47.44	74.00	26.56	264	141	Vertical				
4	9282.5208	39.66	0.49	40.15	54.00	13.85	185	141	Vertical				
5	10560	34.34	3.08	37.42	54.00	16.58	248	258	Vertical				
6	15840	33.26	4.47	37.73	54.00	16.27	164	258	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 172 of 331

802.11a Channel 60



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9241.3125	49.22	0.48	49.70	74.00	24.30	162	35	Horizontal				
2	10600	42.90	3.21	46.11	74.00	27.89	196	66	Horizontal				
3	15900	40.72	4.58	45.30	74.00	28.70	214	332	Horizontal				
4	9298.8125	39.90	0.50	40.40	54.00	13.60	185	95	Horizontal				
5	10600	35.37	3.21	38.58	54.00	15.42	264	12	Horizontal				
6	15900	33.34	4.58	37.92	54.00	16.08	269	1	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 173 of 331

802.11a Channel 60



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9225.5	50.27	0.48	50.75	74.00	23.25	162	96	Vertical				
2	10600	44.01	3.21	47.22	74.00	26.78	196	185	Vertical				
3	15900	40.53	4.58	45.11	74.00	28.89	185	156	Vertical				
4	9299.2917	40.08	0.50	40.58	54.00	13.42	241	2	Vertical				
5	10600	35.49	3.21	38.70	54.00	15.30	185	156	Vertical				
6	15900	32.57	4.58	37.15	54.00	16.85	215	0	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 174 of 331

802.11a Channel 64



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9312.2292	49.01	0.51	49.52	74.00	24.48	162	218	Horizontal				
2	10640	43.01	3.45	46.46	74.00	27.54	196	357	Horizontal				
3	15960	39.78	4.53	44.31	74.00	29.69	145	69	Horizontal				
4	9299.2917	40.18	0.50	40.68	54.00	13.32	215	2	Horizontal				
5	10640	34.71	3.45	38.16	54.00	15.84	185	303	Horizontal				
6	15960	32.34	4.53	36.87	54.00	17.13	145	276	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 175 of 331

802.11a Channel 64



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9288.2708	49.92	0.50	50.42	74.00	23.58	261	301	Vertical				
2	10640	42.67	3.45	46.12	74.00	27.88	186	151	Vertical				
3	15960	42.05	4.53	46.58	74.00	27.42	196	301	Vertical				
4	9304.0833	40.06	0.50	40.56	54.00	13.44	145	94	Vertical				
5	10640	35.16	3.45	38.61	54.00	15.39	244	151	Vertical				
6	15960	32.31	4.53	36.84	54.00	17.16	291	331	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 176 of 331

802.11a Channel 100



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9319.4167	48.57	0.51	49.08	74.00	24.92	162	213	Horizontal				
2	11000	42.89	4.29	47.18	74.00	26.82	195	96	Horizontal				
3	16500	40.58	5.91	46.49	74.00	27.51	185	125	Horizontal				
4	9276.7708	39.39	0.49	39.88	54.00	14.12	264	1	Horizontal				
5	11000	32.70	4.29	36.99	54.00	17.01	185	96	Horizontal				
6	16500	32.26	5.91	38.17	54.00	15.83	122	34	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 177 of 331

802.11a Channel 100



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9268.625	48.19	0.49	48.68	74.00	25.32	261	216	Vertical				
2	11000	41.36	4.29	45.65	74.00	28.35	164	216	Vertical				
3	16500	40.36	5.91	46.27	74.00	27.73	185	13	Vertical				
4	9294.9792	39.36	0.50	39.86	54.00	14.14	248	26	Vertical				
5	11000	32.72	4.29	37.01	54.00	16.99	169	216	Vertical				
6	16500	34.24	5.91	40.15	54.00	13.85	145	303	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 178 of 331

802.11a Channel 116



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9317.5	48.22	0.51	48.73	74.00	25.27	162	156	Horizontal				
2	11160	42.03	4.83	46.86	74.00	27.14	185	96	Horizontal				
3	16740	39.17	5.75	44.92	74.00	29.08	264	245	Horizontal				
4	9295.4583	39.37	0.50	39.87	54.00	14.13	196	39	Horizontal				
5	11160	33.57	4.83	38.40	54.00	15.60	248	272	Horizontal				
6	16740	30.30	5.75	36.05	54.00	17.95	258	2	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 179 of 331

802.11a Channel 116



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9248.0208	48.18	0.48	48.66	74.00	25.34	162	15	Vertical				
2	11160	42.11	4.83	46.94	74.00	27.06	196	66	Vertical				
3	16740	38.89	5.75	44.64	74.00	29.36	247	246	Vertical				
4	9314.625	39.46	0.51	39.97	54.00	14.03	264	100	Vertical				
5	11160	34.32	4.83	39.15	54.00	14.85	185	357	Vertical				
6	16740	31.04	5.75	36.79	54.00	17.21	124	96	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 180 of 331

802.11a Channel 140



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9293.5417	49.76	0.50	50.26	74.00	23.74	162	14	Horizontal			
2	11400	41.05	4.15	45.20	74.00	28.80	185	185	Horizontal			
3	17100	40.38	7.00	47.38	74.00	26.62	214	96	Horizontal			
4	9314.625	40.34	0.51	40.85	54.00	13.15	154	306	Horizontal			
5	11400	33.15	4.15	37.30	54.00	16.70	166	216	Horizontal			
6	17100	32.61	7.00	39.61	54.00	14.39	285	96	Horizontal			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 181 of 331

802.11a Channel 140



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9306.9583	48.78	0.50	49.28	74.00	24.72	296	14	Vertical			
2	11400	41.31	4.15	45.46	74.00	28.54	278	41	Vertical			
3	17100	41.29	7.00	48.29	74.00	25.71	265	70	Vertical			
4	9292.5833	40.39	0.50	40.89	54.00	13.11	151	217	Vertical			
5	11400	32.62	4.15	36.77	54.00	17.23	111	333	Vertical			
6	17100	31.90	7.00	38.90	54.00	15.10	152	357	Vertical			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 182 of 331

802.11a Channel 144



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9308.875	48.97	0.50	49.47	74.00	24.53	162	96	Horizontal			
2	11440	40.37	4.31	44.68	74.00	29.32	186	120	Horizontal			
3	17160	39.64	7.35	46.99	74.00	27.01	142	186	Horizontal			
4	9231.7292	39.74	0.48	40.22	54.00	13.78	264	332	Horizontal			
5	11440	33.04	4.31	37.35	54.00	16.65	154	2	Horizontal			
6	17160	31.76	7.35	39.11	54.00	14.89	196	125	Horizontal			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 183 of 331

802.11a Channel 144



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9306.4792	48.79	0.50	49.29	74.00	24.71	162	11	Vertical			
2	11440	40.20	4.31	44.51	74.00	29.49	196	156	Vertical			
3	17160	39.49	7.35	46.84	74.00	27.16	241	215	Vertical			
4	9266.2292	39.78	0.49	40.27	54.00	13.73	185	156	Vertical			
5	11440	33.70	4.31	38.01	54.00	15.99	264	14	Vertical			
6	17160	31.61	7.35	38.96	54.00	15.04	185	125	Vertical			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 184 of 331

802.11a Channel 149



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9278.2083	48.83	0.49	49.32	74.00	24.68	162	129	Horizontal			
2	11490	40.66	4.52	45.18	74.00	28.82	186	357	Horizontal			
3	17235	38.99	8.08	47.07	74.00	26.93	142	276	Horizontal			
4	9301.2083	39.45	0.50	39.95	54.00	14.05	185	218	Horizontal			
5	11490	32.33	4.52	36.85	54.00	17.15	265	157	Horizontal			
6	17235	30.61	8.08	38.69	54.00	15.31	211	99	Horizontal			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 185 of 331

802.11a Channel 149



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9359.6667	48.34	0.53	48.87	74.00	25.13	236	184	Vertical			
2	11490	40.61	4.52	45.13	74.00	28.87	142	98	Vertical			
3	17235	38.99	8.08	47.07	74.00	26.93	265	68	Vertical			
4	9308.875	39.27	0.50	39.77	54.00	14.23	145	302	Vertical			
5	11490	32.94	4.52	37.46	54.00	16.54	264	96	Vertical			
6	17235	30.43	8.08	38.51	54.00	15.49	251	145	Vertical			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 186 of 331

802.11a Channel 157



Data	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	9259.0417	48.75	0.49	49.24	74.00	24.76	169	99	Horizontal			
2	11570	40.18	3.94	44.12	74.00	29.88	214	96	Horizontal			
3	17355	37.61	8.68	46.29	74.00	27.71	152	40	Horizontal			
4	9228.375	39.37	0.48	39.85	54.00	14.15	162	357	Horizontal			
5	11570	31.88	3.94	35.82	54.00	18.18	155	126	Horizontal			
6	17355	30.48	8.68	39.16	54.00	14.84	184	222	Horizontal			






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 187 of 331

802.11a Channel 157



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9406.1458	48.64	0.56	49.20	74.00	24.80	196	4	Vertical				
2	11570	40.87	3.94	44.81	74.00	29.19	302	74	Vertical				
3	17355	37.44	8.68	46.12	74.00	27.88	151	357	Vertical				
4	9239.3958	39.71	0.48	40.19	54.00	13.81	186	188	Vertical				
5	11570	32.05	3.94	35.99	54.00	18.01	244	248	Vertical				
6	17355	29.95	8.68	38.63	54.00	15.37	185	46	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 188 of 331

802.11a Channel 165



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9298.3333	48.72	0.50	49.22	74.00	24.78	162	358	Horizontal				
2	11650	40.01	3.93	43.94	74.00	30.06	185	14	Horizontal				
3	17475	37.72	8.88	46.60	74.00	27.40	321	70	Horizontal				
4	9298.8125	39.91	0.50	40.41	54.00	13.59	145	99	Horizontal				
5	11650	32.51	3.93	36.44	54.00	17.56	264	358	Horizontal				
6	17475	30.35	8.88	39.23	54.00	14.77	155	63	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 189 of 331

802.11a Channel 165



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9325.6458	48.96	0.51	49.47	74.00	24.53	162	186	Vertical				
2	11650	39.58	3.93	43.51	74.00	30.49	185	303	Vertical				
3	17475	38.63	8.88	47.51	74.00	26.49	264	261	Vertical				
4	9319.4167	39.76	0.51	40.27	54.00	13.73	185	333	Vertical				
5	11650	33.10	3.93	37.03	54.00	16.97	214	63	Vertical				
6	17475	29.99	8.88	38.87	54.00	15.13	131	41	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 190 of 331

802.11ac20 Channel 36



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9358.2292	49.63	0.53	50.16	74.00	23.84	162	15	Horizontal				
2	10360	41.69	2.47	44.16	74.00	29.84	185	215	Horizontal				
3	15540	41.54	4.49	46.03	74.00	27.97	246	303	Horizontal				
4	9287.3125	39.91	0.50	40.41	54.00	13.59	297	127	Horizontal				
5	10360	33.25	2.47	35.72	54.00	18.28	264	127	Horizontal				
6	15540	32.88	4.49	37.37	54.00	16.63	185	272	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 191 of 331

802.11ac20 Channel 36



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8691.2292	49.90	-0.95	48.95	74.00	25.05	296	0	Vertical				
2	10360	41.88	2.47	44.35	74.00	29.65	248	303	Vertical				
3	15540	40.62	4.49	45.11	74.00	28.89	152	127	Vertical				
4	9313.1875	40.50	0.51	41.01	54.00	12.99	162	186	Vertical				
5	10360	32.81	2.47	35.28	54.00	18.72	102	303	Vertical				
6	15540	34.05	4.49	38.54	54.00	15.46	182	186	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 192 of 331

802.11ac20 Channel 40



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9294.0208	48.84	0.50	49.34	74.00	24.66	196	71	Horizontal				
2	10400	42.07	2.67	44.74	74.00	29.26	248	0	Horizontal				
3	15600	41.42	4.61	46.03	74.00	27.97	296	246	Horizontal				
4	9289.2292	40.02	0.50	40.52	54.00	13.48	125	187	Horizontal				
5	10400	33.51	2.67	36.18	54.00	17.82	261	187	Horizontal				
6	15600	32.25	4.61	36.86	54.00	17.14	185	102	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 193 of 331

802.11ac20 Channel 40



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9256.6458	49.46	0.49	49.95	74.00	24.05	261	304	Vertical				
2	10400	41.46	2.67	44.13	74.00	29.87	185	16	Vertical				
3	15600	39.80	4.61	44.41	74.00	29.59	264	16	Vertical				
4	9298.3333	39.85	0.50	40.35	54.00	13.65	196	74	Vertical				
5	10400	35.02	2.67	37.69	54.00	16.31	241	45	Vertical				
6	15600	32.80	4.61	37.41	54.00	16.59	294	190	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 194 of 331

802.11ac20 Channel 44



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9336.1875	49.24	0.52	49.76	74.00	24.24	261	357	Horizontal				
2	10440	42.11	2.75	44.86	74.00	29.14	185	191	Horizontal				
3	15660	41.72	4.36	46.08	74.00	27.92	145	160	Horizontal				
4	9326.125	39.83	0.51	40.34	54.00	13.66	264	247	Horizontal				
5	10440	34.03	2.75	36.78	54.00	17.22	185	45	Horizontal				
6	15660	33.41	4.36	37.77	54.00	16.23	211	247	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 195 of 331

802.11ac20 Channel 44



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9305.0417	49.36	0.50	49.86	74.00	24.14	261	99	Vertical				
2	10440	41.48	2.75	44.23	74.00	29.77	196	106	Vertical				
3	15660	40.62	4.36	44.98	74.00	29.02	214	3	Vertical				
4	9315.1042	39.86	0.51	40.37	54.00	13.63	152	357	Vertical				
5	10440	34.19	2.75	36.94	54.00	17.06	164	261	Vertical				
6	15660	33.85	4.36	38.21	54.00	15.79	213	185	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 196 of 331

802.11ac20 Channel 48



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9226.4583	49.00	0.48	49.48	74.00	24.52	296	157	Horizontal				
2	10480	43.19	2.84	46.03	74.00	27.97	248	357	Horizontal				
3	15720	40.65	4.23	44.88	74.00	29.12	254	70	Horizontal				
4	9313.1875	40.15	0.51	40.66	54.00	13.34	151	243	Horizontal				
5	10480	34.25	2.84	37.09	54.00	16.91	125	129	Horizontal				
6	15720	32.47	4.23	36.70	54.00	17.30	185	331	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 197 of 331

802.11ac20 Channel 48



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9307.9167	49.26	0.50	49.76	74.00	24.24	264	302	Vertical				
2	10480	43.90	2.84	46.74	74.00	27.26	184	186	Vertical				
3	15720	40.75	4.23	44.98	74.00	29.02	215	15	Vertical				
4	9316.0625	39.79	0.51	40.30	54.00	13.70	162	96	Vertical				
5	10480	34.74	2.84	37.58	54.00	16.42	175	41	Vertical				
6	15720	32.66	4.23	36.89	54.00	17.11	284	26	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 198 of 331

802.11ac20 Channel 52



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9271.9792	49.68	0.49	50.17	74.00	23.83	261	216	Horizontal				
2	10520	43.32	2.95	46.27	74.00	27.73	185	157	Horizontal				
3	15780	41.24	4.36	45.60	74.00	28.40	241	216	Horizontal				
4	9303.6042	39.90	0.50	40.40	54.00	13.60	185	261	Horizontal				
5	10520	33.98	2.95	36.93	54.00	17.07	294	111	Horizontal				
6	15780	34.29	4.36	38.65	54.00	15.35	152	121	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 199 of 331

802.11ac20 Channel 52



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	9231.25	49.12	0.48	49.60	74.00	24.40	261	39	Vertical	
2	10520	42.35	2.95	45.30	74.00	28.70	186	302	Vertical	
3	15780	41.94	4.36	46.30	74.00	27.70	142	39	Vertical	
4	9306	41.06	0.50	41.56	54.00	12.44	294	155	Vertical	
5	10520	34.10	2.95	37.05	54.00	16.95	187	14	Vertical	
6	15780	33.59	4.36	37.95	54.00	16.05	102	2	Vertical	





Report No.: HEWM2202000026RG05

Rev.: 01

Page: 200 of 331

802.11ac20 Channel 56



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	9290.1875	49.35	0.50	49.85	74.00	24.15	261	157	Horizontal	
2	10560	42.34	3.08	45.42	74.00	28.58	142	2	Horizontal	
3	15840	40.84	4.47	45.31	74.00	28.69	195	39	Horizontal	
4	9303.6042	39.65	0.50	40.15	54.00	13.85	186	127	Horizontal	
5	10560	34.21	3.08	37.29	54.00	16.71	241	96	Horizontal	
6	15840	34.32	4.47	38.79	54.00	15.21	188	157	Horizontal	

