


Report No.: HEWM2202000026RG05

Rev.: 01

Page: 201 of 331

#### 802.11ac20 Channel 56



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9246.5833	48.62	0.48	49.10	74.00	24.90	261	216	Vertical				
2	10560	42.72	3.08	45.80	74.00	28.20	142	126	Vertical				
3	15840	42.03	4.47	46.50	74.00	27.50	163	216	Vertical				
4	9294.0208	39.86	0.50	40.36	54.00	13.64	214	14	Vertical				
5	10560	34.36	3.08	37.44	54.00	16.56	155	126	Vertical				
6	15840	33.74	4.47	38.21	54.00	15.79	268	216	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 202 of 331

#### 802.11ac20\_Channel 60



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9275.8125	49.14	0.49	49.63	74.00	24.37	152	303	Horizontal				
2	10600	43.51	3.21	46.72	74.00	27.28	162	2	Horizontal				
3	15900	41.75	4.58	46.33	74.00	27.67	142	303	Horizontal				
4	9290.6667	39.65	0.50	40.15	54.00	13.85	264	357	Horizontal				
5	10600	34.80	3.21	38.01	54.00	15.99	185	303	Horizontal				
6	15900	32.64	4.58	37.22	54.00	16.78	264	218	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 203 of 331

#### 802.11ac20 Channel 60



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9307.4375	49.28	0.50	49.78	74.00	24.22	162	100	Vertical				
2	10600	43.17	3.21	46.38	74.00	27.62	146	357	Vertical				
3	15900	40.12	4.58	44.70	74.00	29.30	264	2	Vertical				
4	9303.6042	40.20	0.50	40.70	54.00	13.30	185	71	Vertical				
5	10600	35.63	3.21	38.84	54.00	15.16	294	213	Vertical				
6	15900	33.39	4.58	37.97	54.00	16.03	185	71	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 204 of 331

#### 802.11ac20 Channel 64



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9225.5	49.03	0.48	49.51	74.00	24.49	269	187	Horizontal				
2	10640	42.81	3.45	46.26	74.00	27.74	254	17	Horizontal				
3	15960	39.29	4.53	43.82	74.00	30.18	245	100	Horizontal				
4	9310.3125	39.77	0.51	40.28	54.00	13.72	265	273	Horizontal				
5	10640	35.52	3.45	38.97	54.00	15.03	185	331	Horizontal				
6	15960	32.07	4.53	36.60	54.00	17.40	121	331	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 205 of 331

#### 802.11ac20 Channel 64



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9301.2083	49.88	0.50	50.38	74.00	23.62	162	276	Vertical				
2	10640	42.87	3.45	46.32	74.00	27.68	185	304	Vertical				
3	15960	39.72	4.53	44.25	74.00	29.75	264	2	Vertical				
4	9301.2083	39.91	0.50	40.41	54.00	13.59	196	276	Vertical				
5	10640	34.96	3.45	38.41	54.00	15.59	245	133	Vertical				
6	15960	31.93	4.53	36.46	54.00	17.54	240	15	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 206 of 331

#### 802.11ac20\_Channel 100



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9172.3125	48.90	0.30	49.20	74.00	24.80	162	72	Horizontal				
2	11000	40.78	4.29	45.07	74.00	28.93	185	357	Horizontal				
3	16500	41.13	5.91	47.04	74.00	26.96	214	85	Horizontal				
4	9295.4583	39.46	0.50	39.96	54.00	14.04	165	72	Horizontal				
5	11000	32.72	4.29	37.01	54.00	16.99	142	218	Horizontal				
6	16500	32.82	5.91	38.73	54.00	15.27	111	190	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 207 of 331

#### 802.11ac20 Channel 100



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9329	48.97	0.51	49.48	74.00	24.52	261	261	Vertical				
2	11000	41.78	4.29	46.07	74.00	27.93	142	110	Vertical				
3	16500	42.08	5.91	47.99	74.00	26.01	186	13	Vertical				
4	9309.8333	40.05	0.50	40.55	54.00	13.45	264	357	Vertical				
5	11000	33.61	4.29	37.90	54.00	16.10	294	68	Vertical				
6	16500	32.57	5.91	38.48	54.00	15.52	182	13	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 208 of 331

#### 802.11ac20\_Channel 116



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9304.0833	49.12	0.50	49.62	74.00	24.38	269	302	Horizontal				
2	11160	42.96	4.83	47.79	74.00	26.21	278	185	Horizontal				
3	16740	38.94	5.75	44.69	74.00	29.31	294	126	Horizontal				
4	9274.8542	40.08	0.49	40.57	54.00	13.43	152	302	Horizontal				
5	11160	33.93	4.83	38.76	54.00	15.24	151	245	Horizontal				
6	16740	31.18	5.75	36.93	54.00	17.07	264	98	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 209 of 331

#### 802.11ac20 Channel 116



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9308.875	49.23	0.50	49.73	74.00	24.27	162	357	Vertical				
2	11160	41.60	4.83	46.43	74.00	27.57	154	152	Vertical				
3	16740	38.43	5.75	44.18	74.00	29.82	123	0	Vertical				
4	9313.1875	39.98	0.51	40.49	54.00	13.51	264	357	Vertical				
5	11160	34.12	4.83	38.95	54.00	15.05	284	66	Vertical				
6	16740	30.90	5.75	36.65	54.00	17.35	185	302	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 210 of 331

#### 802.11ac20\_Channel 140



ata L	ata List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9301.6875	48.53	0.50	49.03	74.00	24.97	269	96	Horizontal				
2	11400	40.64	4.15	44.79	74.00	29.21	265	188	Horizontal				
3	17100	40.42	7.00	47.42	74.00	26.58	185	158	Horizontal				
4	9301.6875	39.88	0.50	40.38	54.00	13.62	165	129	Horizontal				
5	11400	32.91	4.15	37.06	54.00	16.94	245	25	Horizontal				
6	17100	33.02	7.00	40.02	54.00	13.98	188	185	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 211 of 331

#### 802.11ac20\_Channel 140



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9318.4583	48.55	0.51	49.06	74.00	24.94	296	69	Vertical				
2	11400	41.51	4.15	45.66	74.00	28.34	214	216	Vertical				
3	17100	42.26	7.00	49.26	74.00	24.74	185	185	Vertical				
4	9301.6875	39.74	0.50	40.24	54.00	13.76	264	156	Vertical				
5	11400	34.15	4.15	38.30	54.00	15.70	185	0	Vertical				
6	17100	31.98	7.00	38.98	54.00	15.02	299	357	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 212 of 331

#### 802.11ac20 Channel 144



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9322.7708	48.16	0.51	48.67	74.00	25.33	269	247	Horizontal				
2	11440	43.01	4.31	47.32	74.00	26.68	286	16	Horizontal				
3	17160	39.70	7.35	47.05	74.00	26.95	245	0	Horizontal				
4	9327.0833	39.72	0.51	40.23	54.00	13.77	185	304	Horizontal				
5	11440	33.57	4.31	37.88	54.00	16.12	144	16	Horizontal				
6	17160	31.77	7.35	39.12	54.00	14.88	254	2	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 213 of 331

#### 802.11ac20\_Channel 144



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9294.5	48.97	0.50	49.47	74.00	24.53	265	42	Vertical				
2	11440	42.11	4.31	46.42	74.00	27.58	185	100	Vertical				
3	17160	39.90	7.35	47.25	74.00	26.75	142	2	Vertical				
4	9275.3333	39.62	0.49	40.11	54.00	13.89	165	357	Vertical				
5	11440	33.43	4.31	37.74	54.00	16.26	185	2	Vertical				
6	17160	31.68	7.35	39.03	54.00	14.97	241	244	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 214 of 331

#### 802.11ac20\_Channel 149



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9303.125	47.92	0.50	48.42	74.00	25.58	162	131	Horizontal				
2	11490	40.74	4.52	45.26	74.00	28.74	185	102	Horizontal				
3	17235	38.65	8.08	46.73	74.00	27.27	142	160	Horizontal				
4	9300.7292	39.82	0.50	40.32	54.00	13.68	264	188	Horizontal				
5	11490	32.77	4.52	37.29	54.00	16.71	196	216	Horizontal				
6	17235	31.04	8.08	39.12	54.00	14.88	274	274	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 215 of 331

#### 802.11ac20 Channel 149



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9308.875	49.23	0.50	49.73	74.00	24.27	261	158	Vertical				
2	11490	41.04	4.52	45.56	74.00	28.44	162	216	Vertical				
3	17235	39.58	8.08	47.66	74.00	26.34	196	3	Vertical				
4	9309.8333	40.21	0.50	40.71	54.00	13.29	241	216	Vertical				
5	11490	33.25	4.52	37.77	54.00	16.23	196	3	Vertical				
6	17235	30.75	8.08	38.83	54.00	15.17	218	130	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 216 of 331

#### 802.11ac20 Channel 157



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9340.0208	48.83	0.52	49.35	74.00	24.65	121	304	Horizontal				
2	11570	40.45	3.94	44.39	74.00	29.61	162	218	Horizontal				
3	17355	39.63	8.68	48.31	74.00	25.69	294	304	Horizontal				
4	9297.8542	39.57	0.50	40.07	54.00	13.93	264	187	Horizontal				
5	11570	31.92	3.94	35.86	54.00	18.14	284	14	Horizontal				
6	17355	30.48	8.68	39.16	54.00	14.84	185	100	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 217 of 331

#### 802.11ac20 Channel 157



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9292.5833	49.13	0.50	49.63	74.00	24.37	302	15	Vertical				
2	11570	40.60	3.94	44.54	74.00	29.46	165	274	Vertical				
3	17355	38.46	8.68	47.14	74.00	26.86	185	357	Vertical				
4	9316.0625	40.00	0.51	40.51	54.00	13.49	241	243	Vertical				
5	11570	32.79	3.94	36.73	54.00	17.27	186	15	Vertical				
6	17355	30.29	8.68	38.97	54.00	15.03	244	2	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 218 of 331

#### 802.11ac20\_Channel 165



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9203.9375	47.49	0.47	47.96	74.00	26.04	262	71	Horizontal				
2	11650	39.54	3.93	43.47	74.00	30.53	175	357	Horizontal				
3	17475	37.96	8.88	46.84	74.00	27.16	214	160	Horizontal				
4	9327.0833	39.59	0.51	40.10	54.00	13.90	242	333	Horizontal				
5	11650	32.53	3.93	36.46	54.00	17.54	294	0	Horizontal				
6	17475	29.98	8.88	38.86	54.00	15.14	185	131	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 219 of 331

#### 802.11ac20\_Channel 165



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9295.9375	48.81	0.50	49.31	74.00	24.69	162	2	Vertical				
2	11650	40.71	3.93	44.64	74.00	29.36	145	185	Vertical				
3	17475	38.26	8.88	47.14	74.00	26.86	261	68	Vertical				
4	9306	39.65	0.50	40.15	54.00	13.85	185	39	Vertical				
5	11650	32.69	3.93	36.62	54.00	17.38	264	125	Vertical				
6	17475	30.02	8.88	38.90	54.00	15.10	196	332	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 220 of 331

#### 802.11ac40 Channel 38



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9321.8125	48.70	0.51	49.21	74.00	24.79	152	130	Horizontal				
2	10380	43.40	2.57	45.97	74.00	28.03	196	72	Horizontal				
3	15570	40.39	4.55	44.94	74.00	29.06	245	15	Horizontal				
4	9288.2708	39.72	0.50	40.22	54.00	13.78	185	0	Horizontal				
5	10380	32.89	2.57	35.46	54.00	18.54	264	332	Horizontal				
6	15570	32.91	4.55	37.46	54.00	16.54	185	2	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 221 of 331

#### 802.11ac40 Channel 38



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9280.125	48.83	0.49	49.32	74.00	24.68	261	276	Vertical				
2	10380	41.60	2.57	44.17	74.00	29.83	142	187	Vertical				
3	15570	40.38	4.55	44.93	74.00	29.07	254	357	Vertical				
4	9332.8333	40.32	0.52	40.84	54.00	13.16	185	332	Vertical				
5	10380	33.73	2.57	36.30	54.00	17.70	265	98	Vertical				
6	15570	32.44	4.55	36.99	54.00	17.01	181	127	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 222 of 331

#### 802.11ac40 Channel 46



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9311.2708	48.89	0.51	49.40	74.00	24.60	261	215	Horizontal				
2	10460	41.89	2.80	44.69	74.00	29.31	186	333	Horizontal				
3	15690	40.04	4.23	44.27	74.00	29.73	241	71	Horizontal				
4	9314.625	40.19	0.51	40.70	54.00	13.30	185	0	Horizontal				
5	10460	34.24	2.80	37.04	54.00	16.96	248	71	Horizontal				
6	15690	33.45	4.23	37.68	54.00	16.32	249	71	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 223 of 331

#### 802.11ac40 Channel 46



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9280.125	49.09	0.49	49.58	74.00	24.42	163	15	Vertical				
2	10460	43.93	2.80	46.73	74.00	27.27	264	70	Vertical				
3	15690	40.99	4.23	45.22	74.00	28.78	185	15	Vertical				
4	9306.9583	39.57	0.50	40.07	54.00	13.93	249	243	Vertical				
5	10460	34.58	2.80	37.38	54.00	16.62	294	70	Vertical				
6	15690	32.77	4.23	37.00	54.00	17.00	152	127	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 224 of 331

#### 802.11ac40 Channel 54



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9296.8958	48.97	0.50	49.47	74.00	24.53	196	100	Horizontal				
2	10540	43.06	3.01	46.07	74.00	27.93	241	14	Horizontal				
3	15810	41.78	4.42	46.20	74.00	27.80	185	129	Horizontal				
4	9296.4167	40.00	0.50	40.50	54.00	13.50	264	155	Horizontal				
5	10540	34.57	3.01	37.58	54.00	16.42	142	14	Horizontal				
6	15810	33.23	4.42	37.65	54.00	16.35	248	100	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 225 of 331

#### 802.11ac40 Channel 54



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9283.9583	49.84	0.50	50.34	74.00	23.66	162	131	Vertical				
2	10540	42.13	3.01	45.14	74.00	28.86	186	43	Vertical				
3	15810	41.32	4.42	45.74	74.00	28.26	142	0	Vertical				
4	9309.3542	40.04	0.50	40.54	54.00	13.46	249	304	Vertical				
5	10540	33.96	3.01	36.97	54.00	17.03	218	43	Vertical				
6	15810	32.93	4.42	37.35	54.00	16.65	185	276	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 226 of 331

#### 802.11ac40 Channel 62



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9275.3333	48.61	0.49	49.10	74.00	24.90	152	3	Horizontal				
2	10620	42.88	3.33	46.21	74.00	27.79	163	218	Horizontal				
3	15930	41.52	4.55	46.07	74.00	27.93	264	132	Horizontal				
4	9283	39.52	0.49	40.01	54.00	13.99	185	96	Horizontal				
5	10620	34.48	3.33	37.81	54.00	16.19	264	125	Horizontal				
6	15930	32.42	4.55	36.97	54.00	17.03	196	145	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 227 of 331

#### 802.11ac40 Channel 62



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9339.0625	48.81	0.52	49.33	74.00	24.67	162	246	Vertical				
2	10620	43.98	3.33	47.31	74.00	26.69	145	357	Vertical				
3	15930	40.33	4.55	44.88	74.00	29.12	264	155	Vertical				
4	9240.8333	40.12	0.48	40.60	54.00	13.40	196	126	Vertical				
5	10620	34.63	3.33	37.96	54.00	16.04	248	98	Vertical				
6	15930	32.03	4.55	36.58	54.00	17.42	218	0	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 228 of 331

#### 802.11ac40\_Channel 102



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9357.2708	48.61	0.53	49.14	74.00	24.86	162	0	Horizontal				
2	11020	40.78	4.26	45.04	74.00	28.96	175	14	Horizontal				
3	16530	42.09	5.81	47.90	74.00	26.10	264	303	Horizontal				
4	9301.2083	39.53	0.50	40.03	54.00	13.97	185	40	Horizontal				
5	11020	34.09	4.26	38.35	54.00	15.65	294	357	Horizontal				
6	16530	32.08	5.81	37.89	54.00	16.11	157	14	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 229 of 331

#### 802.11ac40\_Channel 102



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8728.125	48.52	-0.75	47.77	74.00	26.23	162	68	Vertical				
2	11020	41.17	4.26	45.43	74.00	28.57	142	272	Vertical				
3	16530	41.76	5.81	47.57	74.00	26.43	121	302	Vertical				
4	9294.0208	39.67	0.50	40.17	54.00	13.83	185	14	Vertical				
5	11020	33.42	4.26	37.68	54.00	16.32	264	184	Vertical				
6	16530	32.51	5.81	38.32	54.00	15.68	186	357	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 230 of 331

#### 802.11ac40 Channel 110



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9290.6667	48.89	0.50	49.39	74.00	24.61	196	101	Horizontal				
2	11100	42.07	4.12	46.19	74.00	27.81	248	248	Horizontal				
3	16650	39.65	5.59	45.24	74.00	28.76	215	41	Horizontal				
4	9262.875	39.62	0.49	40.11	54.00	13.89	246	72	Horizontal				
5	11100	33.32	4.12	37.44	54.00	16.56	185	332	Horizontal				
6	16650	33.37	5.59	38.96	54.00	15.04	264	188	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 231 of 331

#### 802.11ac40 Channel 110



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9333.7917	48.46	0.52	48.98	74.00	25.02	261	99	Vertical				
2	11100	42.31	4.12	46.43	74.00	27.57	196	358	Vertical				
3	16650	41.44	5.59	47.03	74.00	26.97	214	14	Vertical				
4	9314.1458	39.81	0.51	40.32	54.00	13.68	284	69	Vertical				
5	11100	34.05	4.12	38.17	54.00	15.83	254	245	Vertical				
6	16650	32.25	5.59	37.84	54.00	16.16	185	216	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 232 of 331

#### 802.11ac40\_Channel 134



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9299.2917	48.26	0.50	48.76	74.00	25.24	162	210	Horizontal				
2	11340	41.24	3.92	45.16	74.00	28.84	185	329	Horizontal				
3	17010	40.48	6.70	47.18	74.00	26.82	214	152	Horizontal				
4	9305.0417	39.58	0.50	40.08	54.00	13.92	169	14	Horizontal				
5	11340	32.99	3.92	36.91	54.00	17.09	218	66	Horizontal				
6	17010	31.33	6.70	38.03	54.00	15.97	294	301	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 233 of 331

#### 802.11ac40 Channel 134



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9325.6458	47.92	0.51	48.43	74.00	25.57	261	357	Vertical				
2	11340	42.47	3.92	46.39	74.00	27.61	185	332	Vertical				
3	17010	41.03	6.70	47.73	74.00	26.27	264	39	Vertical				
4	9305.5208	39.69	0.50	40.19	54.00	13.81	196	39	Vertical				
5	11340	33.39	3.92	37.31	54.00	16.69	241	215	Vertical				
6	17010	31.64	6.70	38.34	54.00	15.66	211	301	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 234 of 331

#### 802.11ac40\_Channel 142



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9288.2708	48.52	0.50	49.02	74.00	24.98	152	218	Horizontal				
2	11420	40.24	4.23	44.47	74.00	29.53	142	99	Horizontal				
3	17130	38.64	7.18	45.82	74.00	28.18	169	332	Horizontal				
4	9262.3958	39.25	0.49	39.74	54.00	14.26	297	0	Horizontal				
5	11420	32.25	4.23	36.48	54.00	17.52	185	158	Horizontal				
6	17130	31.66	7.18	38.84	54.00	15.16	248	303	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 235 of 331

#### 802.11ac40 Channel 142



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9397.0417	47.93	0.55	48.48	74.00	25.52	261	120	Vertical				
2	11420	40.76	4.23	44.99	74.00	29.01	254	357	Vertical				
3	17130	40.47	7.18	47.65	74.00	26.35	196	100	Vertical				
4	9298.3333	39.13	0.50	39.63	54.00	14.37	241	115	Vertical				
5	11420	32.46	4.23	36.69	54.00	17.31	185	157	Vertical				
6	17130	31.78	7.18	38.96	54.00	15.04	215	357	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 236 of 331

#### 802.11ac40 Channel 151



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9317.5	48.89	0.51	49.40	74.00	24.60	152	65	Horizontal				
2	11510	40.72	4.47	45.19	74.00	28.81	163	63	Horizontal				
3	17265	36.71	8.50	45.21	74.00	28.79	185	98	Horizontal				
4	9317.9792	39.14	0.51	39.65	54.00	14.35	264	65	Horizontal				
5	11510	31.89	4.47	36.36	54.00	17.64	186	37	Horizontal				
6	17265	29.34	8.50	37.84	54.00	16.16	248	152	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 237 of 331

#### 802.11ac40\_Channel 151



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9316.5417	48.16	0.51	48.67	74.00	25.33	163	185	Vertical				
2	11510	41.09	4.47	45.56	74.00	28.44	294	37	Vertical				
3	17265	37.88	8.50	46.38	74.00	27.62	185	185	Vertical				
4	9261.9167	39.62	0.49	40.11	54.00	13.89	264	272	Vertical				
5	11510	32.38	4.47	36.85	54.00	17.15	185	272	Vertical				
6	17265	30.30	8.50	38.80	54.00	15.20	264	5	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 238 of 331

#### 802.11ac40\_Channel 159



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9258.0833	48.27	0.49	48.76	74.00	25.24	261	190	Horizontal				
2	11590	39.29	3.77	43.06	74.00	30.94	185	246	Horizontal				
3	17385	36.84	8.52	45.36	74.00	28.64	264	276	Horizontal				
4	9328.5208	39.22	0.51	39.73	54.00	14.27	196	332	Horizontal				
5	11590	31.74	3.77	35.51	54.00	18.49	245	276	Horizontal				
6	17385	30.00	8.52	38.52	54.00	15.48	148	96	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 239 of 331

#### 802.11ac40\_Channel 159



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9269.5833	48.66	0.49	49.15	74.00	24.85	261	102	Vertical				
2	11590	41.58	3.77	45.35	74.00	28.65	196	2	Vertical				
3	17385	38.58	8.52	47.10	74.00	26.90	264	69	Vertical				
4	9299.2917	39.37	0.50	39.87	54.00	14.13	301	357	Vertical				
5	11590	32.54	3.77	36.31	54.00	17.69	185	357	Vertical				
6	17385	29.90	8.52	38.42	54.00	15.58	241	93	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 240 of 331

#### 802.11ac80 Channel 42



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9305.0417	48.82	0.50	49.32	74.00	24.68	152	34	Horizontal				
2	10420	41.26	2.71	43.97	74.00	30.03	162	1	Horizontal				
3	15630	40.84	4.48	45.32	74.00	28.68	196	34	Horizontal				
4	9306.9583	39.46	0.50	39.96	54.00	14.04	214	242	Horizontal				
5	10420	33.45	2.71	36.16	54.00	17.84	185	11	Horizontal				
6	15630	32.69	4.48	37.17	54.00	16.83	218	329	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 241 of 331

#### 802.11ac80 Channel 42



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9298.3333	48.28	0.50	48.78	74.00	25.22	162	357	Vertical				
2	10420	41.06	2.71	43.77	74.00	30.23	185	41	Vertical				
3	15630	40.85	4.48	45.33	74.00	28.67	241	332	Vertical				
4	9307.9167	39.72	0.50	40.22	54.00	13.78	185	0	Vertical				
5	10420	32.77	2.71	35.48	54.00	18.52	264	188	Vertical				
6	15630	32.72	4.48	37.20	54.00	16.80	185	219	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 242 of 331

#### 802.11ac80 Channel 58



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9229.8125	49.00	0.48	49.48	74.00	24.52	162	162	Horizontal				
2	10580	43.20	3.14	46.34	74.00	27.66	145	357	Horizontal				
3	15870	41.65	4.53	46.18	74.00	27.82	264	80	Horizontal				
4	9299.2917	39.43	0.50	39.93	54.00	14.07	185	96	Horizontal				
5	10580	33.57	3.14	36.71	54.00	17.29	264	80	Horizontal				
6	15870	32.60	4.53	37.13	54.00	16.87	186	248	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 243 of 331

#### 802.11ac80 Channel 58



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9292.5833	49.08	0.50	49.58	74.00	24.42	296	193	Vertical				
2	10580	41.34	3.14	44.48	74.00	29.52	142	304	Vertical				
3	15870	41.48	4.53	46.01	74.00	27.99	284	0	Vertical				
4	9265.2708	39.76	0.49	40.25	54.00	13.75	152	14	Vertical				
5	10580	33.54	3.14	36.68	54.00	17.32	188	274	Vertical				
6	15870	33.93	4.53	38.46	54.00	15.54	218	332	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 244 of 331

#### 802.11ac80\_Channel 106



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9335.7083	49.03	0.52	49.55	74.00	24.45	162	129	Horizontal				
2	11060	42.24	4.19	46.43	74.00	27.57	185	100	Horizontal				
3	16590	40.51	5.62	46.13	74.00	27.87	162	188	Horizontal				
4	9302.6458	39.40	0.50	39.90	54.00	14.10	142	216	Horizontal				
5	11060	32.96	4.19	37.15	54.00	16.85	185	357	Horizontal				
6	16590	32.83	5.62	38.45	54.00	15.55	264	246	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 245 of 331

#### 802.11ac80 Channel 106



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9293.5417	48.37	0.50	48.87	74.00	25.13	162	304	Vertical				
2	11060	41.26	4.19	45.45	74.00	28.55	185	2	Vertical				
3	16590	42.24	5.62	47.86	74.00	26.14	162	126	Vertical				
4	9303.6042	39.70	0.50	40.20	54.00	13.80	196	357	Vertical				
5	11060	33.26	4.19	37.45	54.00	16.55	241	186	Vertical				
6	16590	31.97	5.62	37.59	54.00	16.41	185	186	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 246 of 331

#### 802.11ac80\_Channel 122



ata L	ata List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9247.5417	48.23	0.48	48.71	74.00	25.29	169	95	Horizontal				
2	11220	43.37	4.98	48.35	74.00	25.65	175	12	Horizontal				
3	16830	39.58	6.04	45.62	74.00	28.38	264	12	Horizontal				
4	9294.0208	39.65	0.50	40.15	54.00	13.85	185	245	Horizontal				
5	11220	33.65	4.98	38.63	54.00	15.37	264	95	Horizontal				
6	16830	31.53	6.04	37.57	54.00	16.43	182	187	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 247 of 331

#### 802.11ac80\_Channel 122



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9313.6667	48.99	0.51	49.50	74.00	24.50	162	0	Vertical				
2	11220	43.33	4.98	48.31	74.00	25.69	185	276	Vertical				
3	16830	39.23	6.04	45.27	74.00	28.73	264	157	Vertical				
4	9299.7708	39.93	0.50	40.43	54.00	13.57	196	157	Vertical				
5	11220	34.02	4.98	39.00	54.00	15.00	248	69	Vertical				
6	16830	31.25	6.04	37.29	54.00	16.71	254	14	Vertical				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 248 of 331

#### 802.11ac80\_Channel 138



Data	Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	9315.5833	48.66	0.51	49.17	74.00	24.83	261	219	Horizontal				
2	11380	41.32	4.08	45.40	74.00	28.60	185	261	Horizontal				
3	17070	40.05	6.90	46.95	74.00	27.05	264	305	Horizontal				
4	9293.5417	39.93	0.50	40.43	54.00	13.57	196	185	Horizontal				
5	11380	32.27	4.08	36.35	54.00	17.65	248	247	Horizontal				
6	17070	31.77	6.90	38.67	54.00	15.33	248	305	Horizontal				






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 249 of 331

#### 802.11ac80 Channel 138



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	9299.7708	48.40	0.50	48.90	74.00	25.10	269	71	Vertical	
2	11380	40.73	4.08	44.81	74.00	29.19	248	71	Vertical	
3	17070	40.53	6.90	47.43	74.00	26.57	265	2	Vertical	
4	9283	39.73	0.49	40.22	54.00	13.78	185	247	Vertical	
5	11380	32.88	4.08	36.96	54.00	17.04	244	100	Vertical	
6	17070	33.18	6.90	40.08	54.00	13.92	184	129	Vertical	






Report No.: HEWM2202000026RG05

Rev.: 01

Page: 250 of 331

#### 802.11ac80 Channel 155



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	9295.4583	49.02	0.50	49.52	74.00	24.48	162	96	Horizontal	
2	11550	40.67	4.12	44.79	74.00	29.21	175	157	Horizontal	
3	17325	37.22	8.84	46.06	74.00	27.94	164	22	Horizontal	
4	9279.6458	39.57	0.49	40.06	54.00	13.94	264	2	Horizontal	
5	11550	31.83	4.12	35.95	54.00	18.05	185	246	Horizontal	
6	17325	29.62	8.84	38.46	54.00	15.54	264	274	Horizontal	

