






6.2.2 PARTIAL RU FOR 11AX MODE














7. APPENDIX G: CONDUCTED SPURIOUS EMISSION

7.1 TEST RESULT

7.1.1 FULL RU FOR 11AX MODE

Test Mode	Antenna	Frequency [MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	30~1000	5.26	-60.77	≤-14.74	PASS
			1000~26500	5.26	-59.69	≤-14.74	PASS
	Ant2	2412	30~1000	5.59	-61.2	≤-14.41	PASS
			1000~26500	5.59	-58.74	≤-14.41	PASS
	Ant1	2437	30~1000	5.13	-60.92	≤-14.87	PASS
			1000~26500	5.13	-59.13	≤-14.87	PASS
	Ant2	2437	30~1000	5.06	-60.64	≤-14.94	PASS
			1000~26500	5.06	-59.67	≤-14.94	PASS
	Ant1	2462	30~1000	6.28	-61.29	≤-13.72	PASS
			1000~26500	6.28	-59.05	≤-13.72	PASS
	Ant2	2462	30~1000	6.29	-60.77	≤-13.71	PASS
			1000~26500	6.29	-59.29	≤-13.71	PASS
11G	Ant1	2412	30~1000	2.61	-61.49	≤-17.39	PASS
			1000~26500	2.61	-59.2	≤-17.39	PASS
	Ant2	2412	30~1000	2.58	-60.77	≤-17.42	PASS
			1000~26500	2.58	-59.43	≤-17.42	PASS
	Ant1	2417	30~1000	4.19	-60.48	≤-15.81	PASS
			1000~26500	4.19	-59.39	≤-15.81	PASS
	Ant2	2417	30~1000	3.97	-60.58	≤-16.03	PASS
			1000~26500	3.97	-58.86	≤-16.03	PASS
	Ant1	2422	30~1000	5.17	-60.23	≤-14.83	PASS
			1000~26500	5.17	-59.03	≤-14.83	PASS
	Ant2	2422	30~1000	4.91	-60.5	≤-15.09	PASS
			1000~26500	4.91	-59.2	≤-15.09	PASS
	Ant1	2437	30~1000	5.50	-60.69	≤-14.5	PASS
			1000~26500	5.50	-59.77	≤-14.5	PASS
	Ant2	2437	30~1000	5.30	-61.15	≤-14.7	PASS
			1000~26500	5.30	-59.81	≤-14.7	PASS
	Ant1	2452	30~1000	4.88	-60.78	≤-15.12	PASS
			1000~26500	4.88	-59.01	≤-15.12	PASS
	Ant2	2452	30~1000	5.55	-60.33	≤-14.45	PASS
			1000~26500	5.55	-59.32	≤-14.45	PASS
	Ant1	2457	30~1000	3.73	-60.81	≤-16.27	PASS
			1000~26500	3.73	-58.84	≤-16.27	PASS
	Ant2	2457	30~1000	4.09	-60.51	≤-15.91	PASS
			1000~26500	4.09	-59.72	≤-15.91	PASS
Ant1	2462	30~1000	3.15	-60.85	≤-16.85	PASS	
		1000~26500	3.15	-58.57	≤-16.85	PASS	
Ant2	2462	30~1000	3.57	-60.07	≤-16.43	PASS	
		1000~26500	3.57	-59.43	≤-16.43	PASS	

Test Mode	Antenna	Frequency [MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11N20SISO	Ant1	2412	30~1000	1.84	-60.61	≤-18.16	PASS
			1000~26500	1.84	-58.67	≤-18.16	PASS
	Ant2	2412	30~1000	0.97	-61.08	≤-19.03	PASS
			1000~26500	0.97	-59.39	≤-19.03	PASS
	Ant1	2417	30~1000	2.75	-60.61	≤-17.25	PASS
			1000~26500	2.75	-59.26	≤-17.25	PASS
	Ant2	2417	30~1000	2.65	-60.91	≤-17.35	PASS
			1000~26500	2.65	-59.73	≤-17.35	PASS
	Ant1	2422	30~1000	4.69	-61.33	≤-15.31	PASS
			1000~26500	4.69	-59.65	≤-15.31	PASS
	Ant2	2422	30~1000	4.31	-61.01	≤-15.69	PASS
			1000~26500	4.31	-59.45	≤-15.69	PASS
	Ant1	2437	30~1000	4.96	-61.04	≤-15.04	PASS
			1000~26500	4.96	-59.19	≤-15.04	PASS
	Ant2	2437	30~1000	4.53	-61.37	≤-15.47	PASS
			1000~26500	4.53	-58.94	≤-15.47	PASS
	Ant1	2452	30~1000	2.68	-60.26	≤-17.32	PASS
			1000~26500	2.68	-59.54	≤-17.32	PASS
	Ant2	2452	30~1000	2.87	-61.05	≤-17.13	PASS
			1000~26500	2.87	-58.71	≤-17.13	PASS
	Ant1	2457	30~1000	3.71	-60.94	≤-16.29	PASS
			1000~26500	3.71	-59.79	≤-16.29	PASS
	Ant2	2457	30~1000	4.59	-60.75	≤-15.41	PASS
			1000~26500	4.59	-59.01	≤-15.41	PASS
Ant1	2462	30~1000	1.79	-60.44	≤-18.21	PASS	
		1000~26500	1.79	-59.11	≤-18.21	PASS	
Ant2	2462	30~1000	2.27	-60.73	≤-17.73	PASS	
		1000~26500	2.27	-58.75	≤-17.73	PASS	
11N40SISO	Ant1	2422	30~1000	-1.18	-61.23	≤-21.18	PASS
			1000~26500	-1.18	-60.06	≤-21.18	PASS
	Ant2	2422	30~1000	-1.68	-60.59	≤-21.68	PASS
			1000~26500	-1.68	-59.53	≤-21.68	PASS
	Ant1	2427	30~1000	0.09	-60.37	≤-19.91	PASS
			1000~26500	0.09	-59.6	≤-19.91	PASS
	Ant2	2427	30~1000	-1.18	-60.39	≤-21.18	PASS
			1000~26500	-1.18	-59.15	≤-21.18	PASS
	Ant1	2437	30~1000	-0.49	-60.65	≤-20.49	PASS
			1000~26500	-0.49	-58.05	≤-20.49	PASS
	Ant2	2437	30~1000	0.05	-60.89	≤-19.95	PASS
			1000~26500	0.05	-59.19	≤-19.95	PASS
	Ant1	2447	30~1000	-0.67	-61.24	≤-20.67	PASS
			1000~26500	-0.67	-59.47	≤-20.67	PASS
	Ant2	2447	30~1000	-0.70	-60.67	≤-20.7	PASS
			1000~26500	-0.70	-59.37	≤-20.7	PASS
	Ant1	2452	30~1000	-1.81	-60.67	≤-21.81	PASS
			1000~26500	-1.81	-59.6	≤-21.81	PASS
	Ant2	2452	30~1000	-0.98	-60.44	≤-20.98	PASS
			1000~26500	-0.98	-58.35	≤-20.98	PASS

Test Mode	Antenna	Frequency [MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	2412	30~1000	1.83	-60.51	≤-18.17	PASS
			1000~26500	1.83	-59.33	≤-18.17	PASS
	Ant2	2412	30~1000	1.40	-61.24	≤-18.6	PASS
			1000~26500	1.40	-59.67	≤-18.6	PASS
	Ant1	2417	30~1000	2.57	-60.81	≤-17.43	PASS
			1000~26500	2.57	-59.53	≤-17.43	PASS
	Ant2	2417	30~1000	2.48	-60.88	≤-17.52	PASS
			1000~26500	2.48	-58.15	≤-17.52	PASS
	Ant1	2422	30~1000	4.61	-60.82	≤-15.39	PASS
			1000~26500	4.61	-59.77	≤-15.39	PASS
	Ant2	2422	30~1000	4.26	-60.74	≤-15.74	PASS
			1000~26500	4.26	-59.05	≤-15.74	PASS
	Ant1	2437	30~1000	5.08	-60.92	≤-14.92	PASS
			1000~26500	5.08	-59.55	≤-14.92	PASS
	Ant2	2437	30~1000	4.62	-61.27	≤-15.38	PASS
			1000~26500	4.62	-59.1	≤-15.38	PASS
	Ant1	2452	30~1000	2.58	-61.3	≤-17.42	PASS
			1000~26500	2.58	-58.77	≤-17.42	PASS
	Ant2	2452	30~1000	4.38	-60.72	≤-15.62	PASS
			1000~26500	4.38	-59.19	≤-15.62	PASS
	Ant1	2457	30~1000	3.43	-61.03	≤-16.57	PASS
			1000~26500	3.43	-59.17	≤-16.57	PASS
	Ant2	2457	30~1000	4.15	-60.44	≤-15.85	PASS
			1000~26500	4.15	-58.97	≤-15.85	PASS
Ant1	2462	30~1000	2.14	-59.21	≤-17.86	PASS	
		1000~26500	2.14	-59.36	≤-17.86	PASS	
Ant2	2462	30~1000	1.85	-60.68	≤-18.15	PASS	
		1000~26500	1.85	-58.52	≤-18.15	PASS	
11AX40SISO	Ant1	2422	30~1000	-0.67	-60.78	≤-20.67	PASS
			1000~26500	-0.67	-59.11	≤-20.67	PASS
	Ant2	2422	30~1000	-1.87	-60.29	≤-21.87	PASS
			1000~26500	-1.87	-59.4	≤-21.87	PASS
	Ant1	2427	30~1000	-0.01	-60.56	≤-20.01	PASS
			1000~26500	-0.01	-59.4	≤-20.01	PASS
	Ant2	2427	30~1000	-0.87	-60.86	≤-20.87	PASS
			1000~26500	-0.87	-59	≤-20.87	PASS
	Ant1	2437	30~1000	0.30	-60.48	≤-19.7	PASS
			1000~26500	0.30	-59.08	≤-19.7	PASS
	Ant2	2437	30~1000	-0.59	-60.29	≤-20.59	PASS
			1000~26500	-0.59	-58.92	≤-20.59	PASS
	Ant1	2447	30~1000	-0.42	-60.63	≤-20.42	PASS
			1000~26500	-0.42	-59.63	≤-20.42	PASS
	Ant2	2447	30~1000	-0.81	-60.46	≤-20.81	PASS
			1000~26500	-0.81	-59.21	≤-20.81	PASS
	Ant1	2452	30~1000	-1.39	-60.89	≤-21.39	PASS
			1000~26500	-1.39	-59.52	≤-21.39	PASS
	Ant2	2452	30~1000	-2.32	-60.98	≤-22.32	PASS
			1000~26500	-2.32	-59.26	≤-22.32	PASS

Test Mode	Antenna	Frequency [MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B-CDD	Ant1	2412	30~1000	5.81	-60.44	≤-14.19	PASS
			1000~26500	5.81	-58.88	≤-14.19	PASS
	Ant2	2412	30~1000	4.56	-60.76	≤-15.44	PASS
			1000~26500	4.56	-59.46	≤-15.44	PASS
	Ant1	2437	30~1000	5.36	-61.01	≤-14.64	PASS
			1000~26500	5.36	-59.16	≤-14.64	PASS
	Ant2	2437	30~1000	5.96	-60.88	≤-14.04	PASS
			1000~26500	5.96	-59.84	≤-14.04	PASS
	Ant1	2462	30~1000	4.59	-60.87	≤-15.41	PASS
			1000~26500	4.59	-59.21	≤-15.41	PASS
	Ant2	2462	30~1000	4.59	-60.11	≤-15.41	PASS
			1000~26500	4.59	-58.75	≤-15.41	PASS
11G-CDD	Ant1	2412	30~1000	3.16	-60.79	≤-16.84	PASS
			1000~26500	3.16	-59.13	≤-16.84	PASS
	Ant2	2412	30~1000	2.83	-60.46	≤-17.17	PASS
			1000~26500	2.83	-59.41	≤-17.17	PASS
	Ant1	2417	30~1000	3.91	-60.15	≤-16.09	PASS
			1000~26500	3.91	-59.06	≤-16.09	PASS
	Ant2	2417	30~1000	4.16	-60.77	≤-15.84	PASS
			1000~26500	4.16	-59.14	≤-15.84	PASS
	Ant1	2422	30~1000	5.08	-59.12	≤-14.92	PASS
			1000~26500	5.08	-58.85	≤-14.92	PASS
	Ant2	2422	30~1000	4.89	-59.91	≤-15.11	PASS
			1000~26500	4.89	-58.5	≤-15.11	PASS
	Ant1	2437	30~1000	5.45	-60.6	≤-14.55	PASS
			1000~26500	5.45	-59.61	≤-14.55	PASS
	Ant2	2437	30~1000	5.54	-60.86	≤-14.46	PASS
			1000~26500	5.54	-59.16	≤-14.46	PASS
	Ant1	2452	30~1000	4.72	-60.87	≤-15.28	PASS
			1000~26500	4.72	-59.51	≤-15.28	PASS
	Ant2	2452	30~1000	5.55	-61.1	≤-14.45	PASS
			1000~26500	5.55	-59.44	≤-14.45	PASS
	Ant1	2457	30~1000	3.66	-60.17	≤-16.34	PASS
			1000~26500	3.66	-59.66	≤-16.34	PASS
	Ant2	2457	30~1000	4.20	-60.91	≤-15.8	PASS
			1000~26500	4.20	-59.02	≤-15.8	PASS
Ant1	2462	30~1000	3.01	-60.96	≤-16.99	PASS	
		1000~26500	3.01	-59.66	≤-16.99	PASS	
Ant2	2462	30~1000	3.53	-60.21	≤-16.47	PASS	
		1000~26500	3.53	-59.29	≤-16.47	PASS	

Test Mode	Antenna	Frequency [MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11N20MIMO	Ant1	2412	30~1000	-0.19	-60.9	≤-20.19	PASS
			1000~26500	-0.19	-59.19	≤-20.19	PASS
	Ant2	2412	30~1000	-0.28	-60.87	≤-20.28	PASS
			1000~26500	-0.28	-59.26	≤-20.28	PASS
	Ant1	2417	30~1000	0.86	-60.93	≤-19.14	PASS
			1000~26500	0.86	-59.03	≤-19.14	PASS
	Ant2	2417	30~1000	0.75	-60.79	≤-19.25	PASS
			1000~26500	0.75	-59.15	≤-19.25	PASS
	Ant1	2422	30~1000	2.58	-60.77	≤-17.42	PASS
			1000~26500	2.58	-59.34	≤-17.42	PASS
	Ant2	2422	30~1000	2.46	-60.48	≤-17.54	PASS
			1000~26500	2.46	-59.34	≤-17.54	PASS
	Ant1	2437	30~1000	2.93	-60.53	≤-17.07	PASS
			1000~26500	2.93	-59.3	≤-17.07	PASS
	Ant2	2437	30~1000	2.23	-60.35	≤-17.77	PASS
			1000~26500	2.23	-59.51	≤-17.77	PASS
	Ant1	2452	30~1000	2.03	-60.17	≤-17.97	PASS
			1000~26500	2.03	-58.95	≤-17.97	PASS
	Ant2	2452	30~1000	2.03	-60.29	≤-17.97	PASS
			1000~26500	2.03	-58.1	≤-17.97	PASS
	Ant1	2457	30~1000	1.80	-61.07	≤-18.2	PASS
			1000~26500	1.80	-58.73	≤-18.2	PASS
	Ant2	2457	30~1000	1.90	-61.38	≤-18.1	PASS
			1000~26500	1.90	-59.28	≤-18.1	PASS
Ant1	2462	30~1000	0.10	-60.76	≤-19.9	PASS	
		1000~26500	0.10	-59.31	≤-19.9	PASS	
Ant2	2462	30~1000	0.28	-60.85	≤-19.72	PASS	
		1000~26500	0.28	-59.27	≤-19.72	PASS	
11N40MIMO	Ant1	2422	30~1000	0.12	-60.44	≤-19.88	PASS
			1000~26500	0.12	-58.92	≤-19.88	PASS
	Ant2	2422	30~1000	-1.46	-59.81	≤-21.46	PASS
			1000~26500	-1.46	-59.36	≤-21.46	PASS
	Ant1	2427	30~1000	-0.44	-60.84	≤-20.44	PASS
			1000~26500	-0.44	-59.57	≤-20.44	PASS
	Ant2	2427	30~1000	-0.86	-61.12	≤-20.86	PASS
			1000~26500	-0.86	-59.75	≤-20.86	PASS
	Ant1	2437	30~1000	-0.41	-60.69	≤-20.41	PASS
			1000~26500	-0.41	-58.47	≤-20.41	PASS
	Ant2	2437	30~1000	-0.03	-61.21	≤-20.03	PASS
			1000~26500	-0.03	-59	≤-20.03	PASS
	Ant1	2447	30~1000	-0.50	-59.88	≤-20.5	PASS
			1000~26500	-0.50	-58.42	≤-20.5	PASS
	Ant2	2447	30~1000	-0.08	-61.11	≤-20.08	PASS
			1000~26500	-0.08	-59.31	≤-20.08	PASS
	Ant1	2452	30~1000	-1.44	-60.29	≤-21.44	PASS
			1000~26500	-1.44	-59.64	≤-21.44	PASS
	Ant2	2452	30~1000	-1.28	-61.02	≤-21.28	PASS
			1000~26500	-1.28	-59.49	≤-21.28	PASS

Test Mode	Antenna	Frequency [MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant1	2412	30~1000	0.79	-60.86	≤-19.21	PASS
			1000~26500	0.79	-59.7	≤-19.21	PASS
	Ant2	2412	30~1000	1.73	-59.99	≤-18.27	PASS
			1000~26500	1.73	-59.53	≤-18.27	PASS
	Ant1	2417	30~1000	2.89	-60.78	≤-17.11	PASS
			1000~26500	2.89	-59.47	≤-17.11	PASS
	Ant2	2417	30~1000	2.95	-60.44	≤-17.05	PASS
			1000~26500	2.95	-59.5	≤-17.05	PASS
	Ant1	2422	30~1000	4.61	-60.92	≤-15.39	PASS
			1000~26500	4.61	-59.4	≤-15.39	PASS
	Ant2	2422	30~1000	4.03	-60.91	≤-15.97	PASS
			1000~26500	4.03	-58.89	≤-15.97	PASS
	Ant1	2437	30~1000	4.52	-60.32	≤-15.48	PASS
			1000~26500	4.52	-59.03	≤-15.48	PASS
	Ant2	2437	30~1000	3.62	-60.32	≤-16.38	PASS
			1000~26500	3.62	-59.44	≤-16.38	PASS
	Ant1	2452	30~1000	3.38	-60.85	≤-16.62	PASS
			1000~26500	3.38	-58.87	≤-16.62	PASS
	Ant2	2452	30~1000	4.60	-60.8	≤-15.4	PASS
			1000~26500	4.60	-59.25	≤-15.4	PASS
	Ant1	2457	30~1000	3.46	-60.5	≤-16.54	PASS
			1000~26500	3.46	-58.99	≤-16.54	PASS
	Ant2	2457	30~1000	4.07	-60.98	≤-15.93	PASS
			1000~26500	4.07	-59.4	≤-15.93	PASS
Ant1	2462	30~1000	2.15	-60.49	≤-17.85	PASS	
		1000~26500	2.15	-59.26	≤-17.85	PASS	
Ant2	2462	30~1000	1.75	-60.04	≤-18.25	PASS	
		1000~26500	1.75	-58.95	≤-18.25	PASS	
11AX40MIMO	Ant1	2422	30~1000	-1.89	-60.93	≤-21.89	PASS
			1000~26500	-1.89	-59.47	≤-21.89	PASS
	Ant2	2422	30~1000	-2.16	-60.74	≤-22.16	PASS
			1000~26500	-2.16	-59.5	≤-22.16	PASS
	Ant1	2427	30~1000	-0.54	-61.12	≤-20.54	PASS
			1000~26500	-0.54	-59.11	≤-20.54	PASS
	Ant2	2427	30~1000	-0.33	-61.05	≤-20.33	PASS
			1000~26500	-0.33	-59.08	≤-20.33	PASS
	Ant1	2437	30~1000	-0.02	-60.81	≤-20.02	PASS
			1000~26500	-0.02	-59.64	≤-20.02	PASS
	Ant2	2437	30~1000	-0.67	-60.49	≤-20.67	PASS
			1000~26500	-0.67	-59.63	≤-20.67	PASS
	Ant1	2447	30~1000	-1.38	-60.93	≤-21.38	PASS
			1000~26500	-1.38	-59.29	≤-21.38	PASS
	Ant2	2447	30~1000	-0.62	-60.64	≤-20.62	PASS
			1000~26500	-0.62	-59.55	≤-20.62	PASS
	Ant1	2452	30~1000	-2.46	-61.28	≤-22.46	PASS
			1000~26500	-2.46	-59.63	≤-22.46	PASS
	Ant2	2452	30~1000	-0.50	-60.94	≤-20.5	PASS
			1000~26500	-0.50	-59.56	≤-20.5	PASS

7.1.2 PARTIAL RU FOR 11AX MODE

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Verdict
11AX20 SISO	Ant1	2412	26Tone	RU0	30~1000	12.05	12.05	PASS
				RU0	1000~26500	12.05	12.05	PASS
			52Tone	RU37	30~1000	8.99	8.99	PASS
				RU37	1000~26500	8.99	8.99	PASS
			106Tone	RU53	30~1000	2.92	2.92	PASS
				RU53	1000~26500	2.92	2.92	PASS
	Ant2	2412	26Tone	RU0	30~1000	11.01	11.01	PASS
				RU0	1000~26500	11.01	11.01	PASS
			52Tone	RU37	30~1000	9.12	9.12	PASS
				RU37	1000~26500	9.12	9.12	PASS
			106Tone	RU53	30~1000	3.16	3.16	PASS
				RU53	1000~26500	3.16	3.16	PASS
	Ant1	2437	26Tone	RU0	30~1000	12.23	12.23	PASS
				RU0	1000~26500	12.23	12.23	PASS
			52Tone	RU37	30~1000	9.46	9.46	PASS
				RU37	1000~26500	9.46	9.46	PASS
			106Tone	RU53	30~1000	7.03	7.03	PASS
				RU53	1000~26500	7.03	7.03	PASS
	Ant2	2437	26Tone	RU0	30~1000	11.50	11.50	PASS
				RU0	1000~26500	11.50	11.50	PASS
			52Tone	RU37	30~1000	9.09	9.09	PASS
				RU37	1000~26500	9.09	9.09	PASS
			106Tone	RU53	30~1000	6.86	6.86	PASS
				RU53	1000~26500	6.86	6.86	PASS
Ant1	2462	26Tone	RU0	30~1000	12.34	12.34	PASS	
			RU0	1000~26500	12.34	12.34	PASS	
		52Tone	RU37	30~1000	8.42	8.42	PASS	
			RU37	1000~26500	8.42	8.42	PASS	
		106Tone	RU53	30~1000	3.81	3.81	PASS	
			RU53	1000~26500	3.81	3.81	PASS	
Ant2	2462	26Tone	RU0	30~1000	11.87	11.87	PASS	
			RU0	1000~26500	11.87	11.87	PASS	
		52Tone	RU37	30~1000	9.09	9.09	PASS	
			RU37	1000~26500	9.09	9.09	PASS	
		106Tone	RU53	30~1000	4.02	4.02	PASS	
			RU53	1000~26500	4.02	4.02	PASS	
11AX40 SISO	Ant1	2422	242Tone	RU61	30~1000	-0.07	-0.07	PASS
				RU61	1000~26500	-0.07	-0.07	PASS
	Ant2	2422	242Tone	RU61	30~1000	-0.69	-0.69	PASS
				RU61	1000~26500	-0.69	-0.69	PASS
	Ant1	2437	242Tone	RU61	30~1000	0.67	0.67	PASS
				RU61	1000~26500	0.67	0.67	PASS
	Ant2	2437	242Tone	RU61	30~1000	2.58	2.58	PASS
				RU61	1000~26500	2.58	2.58	PASS
	Ant1	2452	242Tone	RU61	30~1000	-0.42	-0.42	PASS
				RU61	1000~26500	-0.42	-0.42	PASS
	Ant2	2452	242Tone	RU61	30~1000	0.99	0.99	PASS
				RU61	1000~26500	0.99	0.99	PASS

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Verdict
11AX20 MIMO	Ant1	2412	26Tone	RU0	30~1000	10.50	10.50	PASS
				RU0	1000~26500	10.50	10.50	PASS
			52Tone	RU37	30~1000	9.31	9.31	PASS
				RU37	1000~26500	9.31	9.31	PASS
			106Tone	RU53	30~1000	3.54	3.54	PASS
				RU53	1000~26500	3.54	3.54	PASS
	Ant2	2412	26Tone	RU0	30~1000	10.36	10.36	PASS
				RU0	1000~26500	10.36	10.36	PASS
			52Tone	RU37	30~1000	8.68	8.68	PASS
				RU37	1000~26500	8.68	8.68	PASS
			106Tone	RU53	30~1000	2.87	2.87	PASS
				RU53	1000~26500	2.87	2.87	PASS
	Ant1	2437	26Tone	RU0	30~1000	11.89	11.89	PASS
				RU0	1000~26500	11.89	11.89	PASS
			52Tone	RU37	30~1000	9.33	9.33	PASS
				RU37	1000~26500	9.33	9.33	PASS
			106Tone	RU53	30~1000	6.74	6.74	PASS
				RU53	1000~26500	6.74	6.74	PASS
	Ant2	2437	26Tone	RU0	30~1000	11.91	11.91	PASS
				RU0	1000~26500	11.91	11.91	PASS
			52Tone	RU37	30~1000	9.34	9.34	PASS
				RU37	1000~26500	9.34	9.34	PASS
			106Tone	RU53	30~1000	6.38	6.38	PASS
				RU53	1000~26500	6.38	6.38	PASS
Ant1	2462	26Tone	RU0	30~1000	11.62	11.62	PASS	
			RU0	1000~26500	11.62	11.62	PASS	
		52Tone	RU37	30~1000	9.57	9.57	PASS	
			RU37	1000~26500	9.57	9.57	PASS	
		106Tone	RU53	30~1000	3.64	3.64	PASS	
			RU53	1000~26500	3.64	3.64	PASS	
Ant2	2462	26Tone	RU0	30~1000	11.73	11.73	PASS	
			RU0	1000~26500	11.73	11.73	PASS	
		52Tone	RU37	30~1000	8.60	8.60	PASS	
			RU37	1000~26500	8.60	8.60	PASS	
		106Tone	RU53	30~1000	3.86	3.86	PASS	
			RU53	1000~26500	3.86	3.86	PASS	
11AX40 MIMO	Ant1	2422	242Tone	RU61	30~1000	-0.64	-0.64	PASS
				RU61	1000~26500	-0.64	-0.64	PASS
	Ant2	2422	242Tone	RU61	30~1000	-0.65	-0.65	PASS
				RU61	1000~26500	-0.65	-0.65	PASS
	Ant1	2437	242Tone	RU61	30~1000	0.99	0.99	PASS
				RU61	1000~26500	0.99	0.99	PASS
	Ant2	2437	242Tone	RU61	30~1000	0.92	0.92	PASS
				RU61	1000~26500	0.92	0.92	PASS
	Ant1	2452	242Tone	RU61	30~1000	-0.19	-0.19	PASS
				RU61	1000~26500	-0.19	-0.19	PASS
	Ant2	2452	242Tone	RU61	30~1000	-0.17	-0.17	PASS
				RU61	1000~26500	-0.17	-0.17	PASS

7.2 TEST GRAPHS

7.2.1 FULL RU FOR 11AX MODE

