




## 11N20SISO\_Ant2\_High\_5825




## 11N40SISO\_Ant1\_Low\_5755




## 11N40SISO\_Ant2\_Low\_5755




## 11N40SISO\_Ant1\_High\_5795



## 11N40SISO\_Ant2\_High\_5795




## 11AC20SISO\_Ant1\_Low\_5745




## 11AC20SISO\_Ant2\_Low\_5745




## 11AC20SISO\_Ant1\_High\_5825




## 11AC20SISO\_Ant2\_High\_5825




## 11AC40SISO\_Ant1\_Low\_5755




## 11AC40SISO\_Ant2\_Low\_5755




## 11AC40SISO\_Ant1\_High\_5795




## 11AC40SISO\_Ant2\_High\_5795



## 11AC80SISO\_Ant1\_Low\_5775




## 11AC80SISO\_Ant1\_High\_5775




## 11AC80SISO\_Ant2\_Low\_5775




## 11AC80SISO\_Ant2\_High\_5775




## 11AX20SISO\_Ant1\_Low\_5745




## 11AX20SISO\_Ant2\_Low\_5745



## 11AX20SISO\_Ant1\_High\_5825



## 11AX20SISO\_Ant2\_High\_5825




## 11AX40SISO\_Ant1\_Low\_5755




## 11AX40SISO\_Ant2\_Low\_5755




## 11AX40SISO\_Ant1\_High\_5795




## 11AX40SISO\_Ant2\_High\_5795




## 11AX80SISO\_Ant1\_Low\_5775




## 11AX80SISO\_Ant1\_High\_5775




## 11AX80SISO\_Ant2\_Low\_5775




## 11AX80SISO\_Ant2\_High\_5775




## 11A-CDD\_Ant1\_Low\_5745



## 11A-CDD\_Ant2\_Low\_5745




## 11A-CDD\_Ant1\_High\_5825







## 11A-CDD\_Ant2\_High\_5825




## 11N20MIMO\_Ant1\_Low\_5745




## 11N20MIMO\_Ant2\_Low\_5745




## 11N20MIMO\_Ant1\_High\_5825




## 11N20MIMO\_Ant2\_High\_5825




## 11N40MIMO\_Ant1\_Low\_5755




## 11N40MIMO\_Ant2\_Low\_5755




## 11N40MIMO\_Ant1\_High\_5795



## 11N40MIMO\_Ant2\_High\_5795




## 11AC20MIMO\_Ant1\_Low\_5745




## 11AC20MIMO\_Ant2\_Low\_5745




## 11AC20MIMO\_Ant1\_High\_5825



## 11AC20MIMO\_Ant2\_High\_5825




## 11AC40MIMO\_Ant1\_Low\_5755




## 11AC40MIMO\_Ant2\_Low\_5755




## 11AC40MIMO\_Ant1\_High\_5795




## 11AC40MIMO\_Ant2\_High\_5795




## 11AC80MIMO\_Ant1\_Low\_5775




## 11AC80MIMO\_Ant1\_High\_5775




## 11AC80MIMO\_Ant2\_Low\_5775




## 11AC80MIMO\_Ant2\_High\_5775




## 11AX20MIMO\_Ant1\_Low\_5745




## 11AX20MIMO\_Ant2\_Low\_5745




## 11AX20MIMO\_Ant1\_High\_5825




## 11AX20MIMO\_Ant2\_High\_5825




## 11AX40MIMO\_Ant1\_Low\_5755




## 11AX40MIMO\_Ant2\_Low\_5755




## 11AX40MIMO\_Ant1\_High\_5795




## 11AX40MIMO\_Ant2\_High\_5795




## 11AX80MIMO\_Ant1\_Low\_5775



## 11AX80MIMO\_Ant1\_High\_5775




## 11AX80MIMO\_Ant2\_Low\_5775





## 11AX80MIMO\_Ant2\_High\_5775



## 7 Appendix G: Conducted Spurious Emission

### 7.1 Test Result

#### 7.1.1 Full RU for 11AX mode

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5138.55	-45.18	≤-27	PASS
			5360~40000	39171.6	-36.96	≤-27	PASS
	Ant2	5180	30~5140	5004.85	-48.6	≤-27	PASS
			5360~40000	39188.9	-43.03	≤-27	PASS
	Ant1	5200	30~5140	5040.78	-45.67	≤-27	PASS
			5360~40000	39198.1	-36.91	≤-27	PASS
	Ant2	5200	30~5140	5037.89	-47.77	≤-27	PASS
			5360~40000	39433.7	-41.92	≤-27	PASS
	Ant1	5220	30~5140	549.41	-45.7	≤-27	PASS
			5360~40000	39369	-37.31	≤-27	PASS
	Ant2	5220	30~5140	5062.08	-47.23	≤-27	PASS
			5360~40000	39319.3	-41.91	≤-27	PASS
	Ant1	5240	30~5140	546.35	-45.42	≤-27	PASS
			5360~40000	39415.2	-37.29	≤-27	PASS
	Ant2	5240	30~5140	5074	-48.14	≤-27	PASS
			5360~40000	39334.4	-42.47	≤-27	PASS
	Ant1	5260	30~5140	5102.61	-45.88	≤-27	PASS
			5360~40000	39380.5	-36.89	≤-27	PASS
	Ant2	5260	30~5140	5127.48	-48.11	≤-27	PASS
			5360~40000	39381.7	-42.27	≤-27	PASS
	Ant1	5300	30~5140	2788.54	-45.76	≤-27	PASS
			5360~40000	39269.7	-36.7	≤-27	PASS
	Ant2	5300	30~5140	5102.44	-48.12	≤-27	PASS
			5360~40000	39374.8	-42.17	≤-27	PASS
	Ant1	5320	30~5140	2749.88	-45.89	≤-27	PASS
			5360~40000	39339	-36.47	≤-27	PASS
	Ant2	5320	30~5140	5138.21	-47.67	≤-27	PASS
			5360~40000	39358.6	-42.33	≤-27	PASS
	Ant1	5500	30~5460	5459	-41.47	≤-27	PASS
			5735~40000	39391.8	-37.08	≤-27	PASS
Ant2	5500	30~5460	5458.64	-47.32	≤-27	PASS	
		5735~40000	39453.5	-41.81	≤-27	PASS	

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5520	30~5460	543.57	-44.6	≤-27	PASS
			5735~40000	39359.8	-36.49	≤-27	PASS
	Ant2	5520	30~5460	5344.8	-47.64	≤-27	PASS
			5735~40000	39389.5	-42.1	≤-27	PASS
	Ant1	5580	30~5460	5427.51	-45.67	≤-27	PASS
			5735~40000	39422.7	-37.33	≤-27	PASS
	Ant2	5580	30~5460	5378.46	-48.05	≤-27	PASS
			5735~40000	39351.8	-42.63	≤-27	PASS
	Ant1	5680	30~5460	2839.12	-45.78	≤-27	PASS
			5735~40000	39332.4	-37.5	≤-27	PASS
	Ant2	5680	30~5460	5454.12	-50.57	≤-27	PASS
			5735~40000	39462.6	-42.07	≤-27	PASS
	Ant1	5700	30~5460	2861.38	-46.22	≤-27	PASS
			5735~40000	39420.4	-36.65	≤-27	PASS
	Ant2	5700	30~5460	540.49	-45.72	≤-27	PASS
			5735~40000	39385	-37.38	≤-27	PASS
	Ant1	5720	30~5460	541.58	-45.94	≤-27	PASS
			5925~40000	39348.6	-37.22	≤-27	PASS
	Ant2	5720	30~5460	2752.42	-45.42	≤-27	PASS
			5925~40000	39215.7	-37.29	≤-27	PASS
	Ant1	5745	30~5650	517.52	-45.62	≤-27	PASS
			5925~40000	39346.3	-35.82	≤-27	PASS
	Ant2	5745	30~5650	552.17	-46.05	≤-27	PASS
			5925~40000	39348.6	-37.92	≤-27	PASS
	Ant1	5785	30~5650	2647.99	-45.74	≤-27	PASS
			5925~40000	39394.1	-37.06	≤-27	PASS
	Ant2	5785	30~5650	2717.11	-45.64	≤-27	PASS
			5925~40000	39358.8	-36.58	≤-27	PASS
	Ant1	5825	30~5650	2734.72	-45.78	≤-27	PASS
			5925~40000	39197.6	-37.3	≤-27	PASS
	Ant2	5825	30~5650	2763.01	-45.76	≤-27	PASS
			5925~40000	39107.8	-37.81	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	2730.8	-45.88	≤-27	PASS
			5360~40000	39431.3	-37.39	≤-27	PASS
	Ant2	5180	30~5140	2743.23	-45.43	≤-27	PASS
			5360~40000	39399	-36.87	≤-27	PASS
	Ant1	5200	30~5140	545.5	-45.87	≤-27	PASS
			5360~40000	39139.2	-36.59	≤-27	PASS
Ant2	5200	30~5140	655.02	-45.51	≤-27	PASS	
		5360~40000	39282.4	-36.43	≤-27	PASS	

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11N20SISO	Ant1	5220	30~5140	547.54	-45.5	≤-27	PASS
			5360~40000	39364.4	-37.05	≤-27	PASS
	Ant2	5220	30~5140	519.1	-45.7	≤-27	PASS
			5360~40000	39263.9	-36.94	≤-27	PASS
	Ant1	5240	30~5140	2778.32	-45.31	≤-27	PASS
			5360~40000	39384	-36.62	≤-27	PASS
	Ant2	5240	30~5140	551.12	-46.21	≤-27	PASS
			5360~40000	39427.9	-36.9	≤-27	PASS
	Ant1	5260	30~5140	2812.05	-45.4	≤-27	PASS
			5360~40000	39596.5	-37.34	≤-27	PASS
	Ant2	5260	30~5140	2785.99	-45.24	≤-27	PASS
			5360~40000	39396.7	-37.4	≤-27	PASS
	Ant1	5300	30~5140	2783.26	-45.71	≤-27	PASS
			5360~40000	39229.3	-37.61	≤-27	PASS
	Ant2	5300	30~5140	538.51	-45.98	≤-27	PASS
			5360~40000	39359.8	-36.82	≤-27	PASS
	Ant1	5320	30~5140	550.1	-44.8	≤-27	PASS
			5360~40000	39369	-37.53	≤-27	PASS
	Ant2	5320	30~5140	2824.82	-45.49	≤-27	PASS
			5360~40000	39484.5	-36.09	≤-27	PASS
	Ant1	5500	30~5460	2818.85	-45.9	≤-27	PASS
			5735~40000	39440.9	-36.78	≤-27	PASS
	Ant2	5500	30~5460	530.9	-46.34	≤-27	PASS
			5735~40000	39323.3	-37.11	≤-27	PASS
	Ant1	5520	30~5460	2806.9	-45.76	≤-27	PASS
			5735~40000	39388.4	-36.91	≤-27	PASS
	Ant2	5520	30~5460	546.83	-45.37	≤-27	PASS
			5735~40000	39266.2	-37.21	≤-27	PASS
	Ant1	5580	30~5460	2782.65	-44.92	≤-27	PASS
			5735~40000	39369	-36.84	≤-27	PASS
	Ant2	5580	30~5460	5394.75	-45.68	≤-27	PASS
			5735~40000	39359.8	-37.56	≤-27	PASS
	Ant1	5680	30~5460	552.26	-45.86	≤-27	PASS
			5735~40000	39347.3	-37.23	≤-27	PASS
	Ant2	5680	30~5460	2773.78	-45.23	≤-27	PASS
			5735~40000	39358.7	-37.59	≤-27	PASS
Ant1	5700	30~5460	550.63	-45.89	≤-27	PASS	
		5735~40000	39357.6	-37.04	≤-27	PASS	
Ant2	5700	30~5460	2770.88	-45.59	≤-27	PASS	
		5735~40000	39378.1	-37.1	≤-27	PASS	

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict	
11N20SISO	Ant1	5720	30~5460	2807.62	-46.14	≤-27	PASS	
			5925~40000	39374.7	-37.02	≤-27	PASS	
	Ant2	5720	30~5460	548.1	-45.44	≤-27	PASS	
			5925~40000	39370.2	-36.9	≤-27	PASS	
	Ant1	5745	30~5650	2808.15	-45.65	≤-27	PASS	
			5925~40000	39413.4	-37.37	≤-27	PASS	
	Ant2	5745	30~5650	2740.15	-45.9	≤-27	PASS	
			5925~40000	39325.9	-37.15	≤-27	PASS	
	Ant1	5785	30~5650	550.49	-44.74	≤-27	PASS	
			5925~40000	39030.6	-36.71	≤-27	PASS	
	Ant2	5785	30~5650	2818.46	-45.27	≤-27	PASS	
			5925~40000	39340.7	-38.01	≤-27	PASS	
	Ant1	5825	30~5650	490.92	-45.16	≤-27	PASS	
			5925~40000	39377	-37.28	≤-27	PASS	
	Ant2	5825	30~5650	548.99	-44.13	≤-27	PASS	
			5925~40000	39366.8	-37.94	≤-27	PASS	
	11N40SISO	Ant1	5190	30~5140	617.72	-45.31	≤-27	PASS
				5360~40000	39291.6	-37.19	≤-27	PASS
Ant2		5190	30~5140	610.73	-45.96	≤-27	PASS	
			5360~40000	39366.7	-36.93	≤-27	PASS	
Ant1		5230	30~5140	531.02	-45	≤-27	PASS	
			5360~40000	39758.1	-36.51	≤-27	PASS	
Ant2		5230	30~5140	550.27	-45.58	≤-27	PASS	
			5360~40000	39355.1	-37.09	≤-27	PASS	
Ant1		5270	30~5140	2744.6	-45.78	≤-27	PASS	
			5360~40000	39396.7	-36.07	≤-27	PASS	
Ant2		5270	30~5140	2773.04	-46.07	≤-27	PASS	
			5360~40000	39379.4	-37.27	≤-27	PASS	
Ant1		5310	30~5140	2868.43	-45.75	≤-27	PASS	
			5360~40000	39605.7	-36.91	≤-27	PASS	
Ant2		5310	30~5140	2739.49	-44.52	≤-27	PASS	
			5360~40000	39344.7	-36.66	≤-27	PASS	
Ant1		5510	30~5460	2755.86	-45.91	≤-27	PASS	
			5735~40000	39386.1	-36.9	≤-27	PASS	
Ant2	5510	30~5460	650.54	-45.52	≤-27	PASS		
		5735~40000	39654.5	-37.6	≤-27	PASS		
Ant1	5550	30~5460	2882.19	-45.39	≤-27	PASS		
		5735~40000	39527.7	-36.81	≤-27	PASS		
Ant2	5550	30~5460	2820.66	-44.01	≤-27	PASS		
		5735~40000	39496.9	-37.57	≤-27	PASS		

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11N40SISO	Ant1	5630	30~5460	2821.92	-44.77	≤-27	PASS
			5735~40000	39345	-36.99	≤-27	PASS
	Ant2	5630	30~5460	2832.06	-45.72	≤-27	PASS
			5735~40000	39343.8	-36.82	≤-27	PASS
	Ant1	5670	30~5460	2724.19	-45.26	≤-27	PASS
			5735~40000	39654.5	-36.84	≤-27	PASS
	Ant2	5670	30~5460	542.3	-46.13	≤-27	PASS
			5735~40000	39363.3	-37.52	≤-27	PASS
	Ant1	5710	30~5460	2832.24	-46.45	≤-27	PASS
			5925~40000	39299.8	-37.33	≤-27	PASS
	Ant2	5710	30~5460	545.56	-44.98	≤-27	PASS
			5925~40000	39290.7	-37.4	≤-27	PASS
	Ant1	5755	30~5650	2740.53	-44.9	≤-27	PASS
			5925~40000	39362.3	-37.14	≤-27	PASS
	Ant2	5755	30~5650	543	-44.98	≤-27	PASS
			5925~40000	39450.8	-37.81	≤-27	PASS
	Ant1	5795	30~5650	544.87	-45.25	≤-27	PASS
			5925~40000	39195.3	-36.6	≤-27	PASS
	Ant2	5795	30~5650	551.61	-45.17	≤-27	PASS
			5925~40000	39422.4	-36.98	≤-27	PASS
11AC20SISO	Ant1	5180	30~5140	531.19	-44.98	≤-27	PASS
			5360~40000	39419.8	-37.26	≤-27	PASS
	Ant2	5180	30~5140	4985.43	-45.55	≤-27	PASS
			5360~40000	39325.1	-37.22	≤-27	PASS
	Ant1	5200	30~5140	2840.15	-45.05	≤-27	PASS
			5360~40000	39385.2	-37.58	≤-27	PASS
	Ant2	5200	30~5140	2725.01	-45.9	≤-27	PASS
			5360~40000	39367.8	-37.77	≤-27	PASS
	Ant1	5220	30~5140	548.05	-45.14	≤-27	PASS
			5360~40000	39387.5	-36.7	≤-27	PASS
	Ant2	5220	30~5140	456.24	-45.96	≤-27	PASS
			5360~40000	39397.9	-37.23	≤-27	PASS
	Ant1	5240	30~5140	552.31	-45.83	≤-27	PASS
			5360~40000	39272	-37.02	≤-27	PASS
	Ant2	5240	30~5140	2848.5	-45.93	≤-27	PASS
			5360~40000	39314.7	-37.77	≤-27	PASS
	Ant1	5260	30~5140	2739.83	-45.79	≤-27	PASS
			5360~40000	39340.1	-36.43	≤-27	PASS
	Ant2	5260	30~5140	550.44	-45.77	≤-27	PASS
			5360~40000	39206.2	-37	≤-27	PASS

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AC20SISO	Ant1	5300	30~5140	552.31	-45.85	≤-27	PASS
			5360~40000	39373.6	-37.15	≤-27	PASS
	Ant2	5300	30~5140	2723.65	-45.99	≤-27	PASS
			5360~40000	39168.1	-37.66	≤-27	PASS
	Ant1	5320	30~5140	2748.17	-45.88	≤-27	PASS
			5360~40000	39355.1	-37.51	≤-27	PASS
	Ant2	5320	30~5140	2780.71	-45.15	≤-27	PASS
			5360~40000	39342.4	-36.56	≤-27	PASS
	Ant1	5500	30~5460	551.9	-45.89	≤-27	PASS
			5735~40000	39985.7	-36.97	≤-27	PASS
	Ant2	5500	30~5460	2744.64	-45.81	≤-27	PASS
			5735~40000	39653.4	-37.14	≤-27	PASS
	Ant1	5520	30~5460	497.05	-46.16	≤-27	PASS
			5735~40000	39407.8	-37.19	≤-27	PASS
	Ant2	5520	30~5460	488.73	-44.41	≤-27	PASS
			5735~40000	39385	-37.36	≤-27	PASS
	Ant1	5580	30~5460	552.08	-45.14	≤-27	PASS
			5735~40000	39345	-37.24	≤-27	PASS
	Ant2	5580	30~5460	2837.13	-46.16	≤-27	PASS
			5735~40000	39370.1	-37	≤-27	PASS
	Ant1	5680	30~5460	2771.43	-45.71	≤-27	PASS
			5735~40000	39619.1	-36.99	≤-27	PASS
	Ant2	5680	30~5460	552.26	-44.6	≤-27	PASS
			5735~40000	39415.8	-37.58	≤-27	PASS
	Ant1	5700	30~5460	2789.52	-44.77	≤-27	PASS
			5735~40000	39349.6	-37.54	≤-27	PASS
	Ant2	5700	30~5460	541.22	-45.07	≤-27	PASS
			5735~40000	39302.7	-37.78	≤-27	PASS
	Ant1	5720	30~5460	550.81	-44.52	≤-27	PASS
			5925~40000	39355.4	-37.1	≤-27	PASS
	Ant2	5720	30~5460	2842.74	-45.83	≤-27	PASS
			5925~40000	39463.3	-37.1	≤-27	PASS
	Ant1	5745	30~5650	2804.22	-45.44	≤-27	PASS
			5925~40000	39214.6	-37.02	≤-27	PASS
	Ant2	5745	30~5650	2741.47	-44.97	≤-27	PASS
			5925~40000	39421.3	-36.96	≤-27	PASS
Ant1	5785	30~5650	527.45	-45.63	≤-27	PASS	
		5925~40000	39385	-37.64	≤-27	PASS	
Ant2	5785	30~5650	538.87	-45.46	≤-27	PASS	
		5925~40000	39273.7	-37.68	≤-27	PASS	

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AC20SISO	Ant1	5825	30~5650	621.86	-45.72	≤-27	PASS
			5925~40000	39408.8	-36.71	≤-27	PASS
	Ant2	5825	30~5650	2806.84	-45.65	≤-27	PASS
			5925~40000	39295.2	-37.56	≤-27	PASS
11AC40SISO	Ant1	5190	30~5140	2760.1	-45.35	≤-27	PASS
			5360~40000	39355.1	-36.75	≤-27	PASS
	Ant2	5190	30~5140	620.95	-45.71	≤-27	PASS
			5360~40000	39343.6	-37.48	≤-27	PASS
	Ant1	5230	30~5140	546.86	-45.64	≤-27	PASS
			5360~40000	39389.8	-37.42	≤-27	PASS
	Ant2	5230	30~5140	2822.1	-46.08	≤-27	PASS
			5360~40000	39339	-37.61	≤-27	PASS
	Ant1	5270	30~5140	2771.17	-45.62	≤-27	PASS
			5360~40000	39365.5	-37.39	≤-27	PASS
	Ant2	5270	30~5140	549.75	-45.63	≤-27	PASS
			5360~40000	39339	-37.16	≤-27	PASS
	Ant1	5310	30~5140	541.24	-45.72	≤-27	PASS
			5360~40000	39350.5	-36.09	≤-27	PASS
	Ant2	5310	30~5140	2783.43	-45.55	≤-27	PASS
			5360~40000	39366.7	-36.81	≤-27	PASS
	Ant1	5510	30~5460	2779.21	-45.97	≤-27	PASS
			5735~40000	39390.7	-37.01	≤-27	PASS
	Ant2	5510	30~5460	2764.55	-45.65	≤-27	PASS
			5735~40000	39415.8	-36.86	≤-27	PASS
	Ant1	5550	30~5460	652.17	-45.74	≤-27	PASS
			5735~40000	39326.7	-37.47	≤-27	PASS
	Ant2	5550	30~5460	540.49	-45.33	≤-27	PASS
			5735~40000	39381.5	-36.85	≤-27	PASS
	Ant1	5630	30~5460	538.68	-45.03	≤-27	PASS
			5735~40000	39173.7	-37.59	≤-27	PASS
	Ant2	5630	30~5460	2773.42	-45.74	≤-27	PASS
			5735~40000	39370.1	-37.3	≤-27	PASS
	Ant1	5670	30~5460	2804.55	-46.07	≤-27	PASS
			5735~40000	39321	-37.15	≤-27	PASS
	Ant2	5670	30~5460	543.21	-45.97	≤-27	PASS
			5735~40000	39313	-37.38	≤-27	PASS
	Ant1	5710	30~5460	443.48	-45.55	≤-27	PASS
			5925~40000	39381.6	-37.97	≤-27	PASS
	Ant2	5710	30~5460	2768.35	-45.77	≤-27	PASS
			5925~40000	39447.4	-37.56	≤-27	PASS



TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AC40SISO	Ant1	5755	30~5650	2795.79	-45.24	≤-27	PASS
			5925~40000	39336.1	-36.72	≤-27	PASS
	Ant2	5755	30~5650	659.89	-45.87	≤-27	PASS
			5925~40000	39417.9	-37.48	≤-27	PASS
	Ant1	5795	30~5650	550.49	-45.33	≤-27	PASS
			5925~40000	39325.9	-36.39	≤-27	PASS
Ant2	5795	30~5650	2701.57	-45.63	≤-27	PASS	
		5925~40000	39532.6	-36.51	≤-27	PASS	
11AC80SISO	Ant1	5210	30~5140	593.53	-45.49	≤-27	PASS
			5360~40000	39384	-37.25	≤-27	PASS
	Ant2	5210	30~5140	544.47	-45.97	≤-27	PASS
			5360~40000	39444	-37.28	≤-27	PASS
	Ant1	5290	30~5140	542.6	-46.03	≤-27	PASS
			5360~40000	39526	-37.44	≤-27	PASS
	Ant2	5290	30~5140	2761.29	-45.68	≤-27	PASS
			5360~40000	39369	-36.81	≤-27	PASS
	Ant1	5530	30~5460	550.99	-45.9	≤-27	PASS
			5735~40000	39402.1	-37.43	≤-27	PASS
	Ant2	5530	30~5460	551.9	-44.87	≤-27	PASS
			5735~40000	39281	-37.26	≤-27	PASS
	Ant1	5610	30~5460	2794.41	-45.53	≤-27	PASS
			5735~40000	39514	-36.42	≤-27	PASS
	Ant2	5610	30~5460	2820.84	-45.89	≤-27	PASS
			5735~40000	39343.8	-36.74	≤-27	PASS
	Ant1	5690	30~5460	546.47	-45.12	≤-27	PASS
			5925~40000	39183.9	-36.59	≤-27	PASS
	Ant2	5690	30~5460	2794.77	-45.5	≤-27	PASS
			5925~40000	39342.9	-37.31	≤-27	PASS
	Ant1	5775	30~5650	5647.85	-42.21	≤-27	PASS
			5925~40000	39410	-37.47	≤-27	PASS
	Ant2	5775	30~5650	5649.16	-42.11	≤-27	PASS
			5925~40000	39370.2	-36.64	≤-27	PASS
11AC160SISO	Ant1	5250	30~5140	5111.3	-44.09	≤-27	PASS
			5360~40000	39387.5	-37.12	≤-27	PASS
	Ant2	5250	30~5140	5115.9	-43.84	≤-27	PASS
			5360~40000	39329.7	-37.75	≤-27	PASS
	Ant1	5570	30~5460	5434.39	-41.64	≤-27	PASS
			5735~40000	39321	-37.51	≤-27	PASS
Ant2	5570	30~5460	5449.23	-41.2	≤-27	PASS	
		5735~40000	39373.5	-37.43	≤-27	PASS	

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5180	30~5140	454.2	-45.37	≤-27	PASS
			5360~40000	39356.3	-37.33	≤-27	PASS
	Ant2	5180	30~5140	452.16	-45.28	≤-27	PASS
			5360~40000	39379.4	-37.02	≤-27	PASS
	Ant1	5200	30~5140	2847.13	-45.81	≤-27	PASS
			5360~40000	39222.4	-37.27	≤-27	PASS
	Ant2	5200	30~5140	615.67	-45.6	≤-27	PASS
			5360~40000	39409.4	-36.56	≤-27	PASS
	Ant1	5220	30~5140	2744.09	-45.82	≤-27	PASS
			5360~40000	39407.1	-37.23	≤-27	PASS
	Ant2	5220	30~5140	2723.48	-46.04	≤-27	PASS
			5360~40000	39456.7	-37.64	≤-27	PASS
	Ant1	5240	30~5140	2829.42	-45.84	≤-27	PASS
			5360~40000	39287	-37.25	≤-27	PASS
	Ant2	5240	30~5140	2749.71	-46.18	≤-27	PASS
			5360~40000	39333.2	-37.01	≤-27	PASS
	Ant1	5260	30~5140	555.03	-45.71	≤-27	PASS
			5360~40000	39198.1	-37.39	≤-27	PASS
	Ant2	5260	30~5140	2785.13	-45.07	≤-27	PASS
			5360~40000	39377.1	-36.55	≤-27	PASS
	Ant1	5300	30~5140	537.49	-44.82	≤-27	PASS
			5360~40000	39681.9	-37.5	≤-27	PASS
	Ant2	5300	30~5140	537.49	-45.3	≤-27	PASS
			5360~40000	39342.4	-36.74	≤-27	PASS
	Ant1	5320	30~5140	549.58	-44.96	≤-27	PASS
			5360~40000	39126.5	-36.6	≤-27	PASS
	Ant2	5320	30~5140	2794.84	-45.82	≤-27	PASS
			5360~40000	39324	-37.2	≤-27	PASS
	Ant1	5500	30~5460	551.53	-45.63	≤-27	PASS
			5735~40000	39410.1	-36.98	≤-27	PASS
	Ant2	5500	30~5460	658.14	-45.54	≤-27	PASS
			5735~40000	39331.3	-36.28	≤-27	PASS
	Ant1	5520	30~5460	5366.52	-45.96	≤-27	PASS
			5735~40000	39405.5	-36.39	≤-27	PASS
	Ant2	5520	30~5460	2747.9	-45.45	≤-27	PASS
			5735~40000	39347.3	-36.57	≤-27	PASS
Ant1	5580	30~5460	548.82	-45.67	≤-27	PASS	
		5735~40000	39112	-37.62	≤-27	PASS	
Ant2	5580	30~5460	304.66	-45.7	≤-27	PASS	
		5735~40000	39343.8	-36.71	≤-27	PASS	

TestMode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5680	30~5460	2729.43	-46.23	≤-27	PASS
			5735~40000	39455.8	-37.34	≤-27	PASS
	Ant2	5680	30~5460	549.18	-46.13	≤-27	PASS
			5735~40000	39403.2	-37.15	≤-27	PASS
	Ant1	5700	30~5460	2769.62	-45.22	≤-27	PASS
			5735~40000	39350.7	-36.27	≤-27	PASS
	Ant2	5700	30~5460	2816.31	-45.04	≤-27	PASS
			5735~40000	39423.8	-36.89	≤-27	PASS
	Ant1	5720	30~5460	547.73	-45.25	≤-27	PASS
			5925~40000	39392.9	-36.74	≤-27	PASS
	Ant2	5720	30~5460	2765.09	-46.12	≤-27	PASS
			5925~40000	39405.4	-36.81	≤-27	PASS
	Ant1	5745	30~5650	545.81	-46	≤-27	PASS
			5925~40000	39288.4	-37.49	≤-27	PASS
	Ant2	5745	30~5650	550.86	-45.34	≤-27	PASS
			5925~40000	39684.8	-37.8	≤-27	PASS
	Ant1	5785	30~5650	5629.68	-46.26	≤-27	PASS
			5925~40000	39112.4	-36.58	≤-27	PASS
	Ant2	5785	30~5650	2769.75	-45.47	≤-27	PASS
			5925~40000	39377	-37.14	≤-27	PASS
	Ant1	5825	30~5650	2769	-45.67	≤-27	PASS
			5925~40000	39318	-36.23	≤-27	PASS
	Ant2	5825	30~5650	2780.06	-45.91	≤-27	PASS
			5925~40000	39422.4	-36.55	≤-27	PASS
11AX40SISO	Ant1	5190	30~5140	5134.29	-42.07	≤-27	PASS
			5360~40000	39694.6	-37.4	≤-27	PASS
	Ant2	5190	30~5140	544.13	-45.04	≤-27	PASS
			5360~40000	39042.2	-37.8	≤-27	PASS
	Ant1	5230	30~5140	2728.42	-45.78	≤-27	PASS
			5360~40000	39343.6	-36.63	≤-27	PASS
	Ant2	5230	30~5140	2747.83	-45.74	≤-27	PASS
			5360~40000	39477.5	-37.4	≤-27	PASS
	Ant1	5270	30~5140	2777.98	-45.92	≤-27	PASS
			5360~40000	39396.7	-36.89	≤-27	PASS
	Ant2	5270	30~5140	2776.96	-45.75	≤-27	PASS
			5360~40000	39404.8	-36.62	≤-27	PASS
	Ant1	5310	30~5140	2732.67	-44.87	≤-27	PASS
			5360~40000	39359.8	-37.44	≤-27	PASS
	Ant2	5310	30~5140	550.95	-45.84	≤-27	PASS
			5360~40000	39380.5	-37.46	≤-27	PASS

**7.1.2 Partial RU for 11AX mode**

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5180	26Tone	RU0	30~5140	550.95	-45.55	≤-27	PASS
				RU0	5360~40000	39512.2	-36.35	≤-27	PASS
			52Tone	RU37	30~5140	5018.47	-44.91	≤-27	PASS
				RU37	5360~40000	39596.5	-35.83	≤-27	PASS
			106Tone	RU53	30~5140	4976.57	-46.18	≤-27	PASS
				RU53	5360~40000	39542.2	-36.79	≤-27	PASS
	Ant2	5180	26Tone	RU0	30~5140	540.56	-46.16	≤-27	PASS
				RU0	5360~40000	39260.5	-37.1	≤-27	PASS
			52Tone	RU37	30~5140	5006.55	-45.8	≤-27	PASS
				RU37	5360~40000	39195.8	-36.14	≤-27	PASS
			106Tone	RU53	30~5140	540.56	-44.97	≤-27	PASS
				RU53	5360~40000	39255.8	-37.15	≤-27	PASS
	Ant1	5220	26Tone	RU0	30~5140	5005.53	-45.91	≤-27	PASS
				RU0	5360~40000	39574.5	-36.31	≤-27	PASS
			52Tone	RU37	30~5140	5058.84	-45.39	≤-27	PASS
				RU37	5360~40000	39535.3	-37.18	≤-27	PASS
			106Tone	RU53	30~5140	5026.65	-44.68	≤-27	PASS
				RU53	5360~40000	39309	-36.74	≤-27	PASS
	Ant2	5220	26Tone	RU0	30~5140	4998.03	-45.96	≤-27	PASS
				RU0	5360~40000	39380.5	-36.88	≤-27	PASS
			52Tone	RU37	30~5140	548.05	-45.47	≤-27	PASS
				RU37	5360~40000	39467.1	-37.49	≤-27	PASS
			106Tone	RU53	30~5140	5006.89	-45.4	≤-27	PASS
				RU53	5360~40000	39573.4	-37.01	≤-27	PASS
	Ant1	5240	26Tone	RU8	30~5140	5094.44	-45.2	≤-27	PASS
				RU8	5360~40000	39371.3	-37	≤-27	PASS
			52Tone	RU40	30~5140	5094.27	-45.05	≤-27	PASS
				RU40	5360~40000	39648.4	-36.47	≤-27	PASS
106Tone			RU54	30~5140	5092.56	-44.11	≤-27	PASS	
			RU54	5360~40000	39623	-36.79	≤-27	PASS	
Ant2	5240	26Tone	RU8	30~5140	5067.7	-45.3	≤-27	PASS	
			RU8	5360~40000	39378.2	-36.99	≤-27	PASS	
		52Tone	RU40	30~5140	668.81	-46.1	≤-27	PASS	
			RU40	5360~40000	39371.3	-36.77	≤-27	PASS	
		106Tone	RU54	30~5140	549.41	-46.13	≤-27	PASS	
			RU54	5360~40000	39691.1	-37.06	≤-27	PASS	

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5260	26Tone	RU0	30~5140	550.95	-45.48	≤-27	PASS
				RU0	5360~40000	39662.3	-36.63	≤-27	PASS
			52Tone	RU37	30~5140	5099.38	-44.75	≤-27	PASS
				RU37	5360~40000	39646.1	-36.53	≤-27	PASS
			106Tone	RU53	30~5140	5097.5	-43.85	≤-27	PASS
				RU53	5360~40000	39620.7	-36.92	≤-27	PASS
	Ant2	5260	26Tone	RU0	30~5140	598.47	-45.95	≤-27	PASS
				RU0	5360~40000	39614.9	-36.66	≤-27	PASS
			52Tone	RU37	30~5140	5047.77	-46.43	≤-27	PASS
				RU37	5360~40000	39721.2	-35.98	≤-27	PASS
			106Tone	RU53	30~5140	5066.33	-45.38	≤-27	PASS
				RU53	5360~40000	39173.9	-36.7	≤-27	PASS
	Ant1	5300	26Tone	RU8	30~5140	561	-45.97	≤-27	PASS
				RU8	5360~40000	39258.2	-36.63	≤-27	PASS
			52Tone	RU40	30~5140	5136.17	-45.99	≤-27	PASS
				RU40	5360~40000	39730.4	-36.65	≤-27	PASS
			106Tone	RU54	30~5140	551.97	-44.66	≤-27	PASS
				RU54	5360~40000	39237.4	-37.36	≤-27	PASS
	Ant2	5300	26Tone	RU8	30~5140	528.29	-46.54	≤-27	PASS
				RU8	5360~40000	39653	-36.94	≤-27	PASS
			52Tone	RU40	30~5140	5103.64	-46.64	≤-27	PASS
				RU40	5360~40000	39590.7	-36.87	≤-27	PASS
			106Tone	RU54	30~5140	534.6	-45.82	≤-27	PASS
				RU54	5360~40000	39378.2	-36.19	≤-27	PASS
Ant1	5320	26Tone	RU8	30~5140	537.32	-45.32	≤-27	PASS	
			RU8	5360~40000	39641.5	-37.1	≤-27	PASS	
		52Tone	RU40	30~5140	5137.36	-45.92	≤-27	PASS	
			RU40	5360~40000	39728.1	-36.79	≤-27	PASS	
		106Tone	RU54	30~5140	547.71	-46.1	≤-27	PASS	
			RU54	5360~40000	39599.9	-36.53	≤-27	PASS	
Ant2	5320	26Tone	RU8	30~5140	642.75	-46	≤-27	PASS	
			RU8	5360~40000	39247.8	-36.98	≤-27	PASS	
		52Tone	RU40	30~5140	548.05	-46.04	≤-27	PASS	
			RU40	5360~40000	39616.1	-36.81	≤-27	PASS	
		106Tone	RU54	30~5140	549.24	-45.43	≤-27	PASS	
			RU54	5360~40000	39677.3	-36.71	≤-27	PASS	

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5500	26Tone	RU0	30~5460	5311.86	-45.33	≤-27	PASS
				RU0	5735~40000	39633.9	-37.17	≤-27	PASS
			52Tone	RU37	30~5460	5338.64	-44.36	≤-27	PASS
				RU37	5735~40000	39551.7	-36.74	≤-27	PASS
			106Tone	RU53	30~5460	5337.56	-45.65	≤-27	PASS
				RU53	5735~40000	39623.7	-36.95	≤-27	PASS
	Ant2	5500	26Tone	RU0	30~5460	538.86	-45.76	≤-27	PASS
				RU0	5735~40000	39688.8	-37.34	≤-27	PASS
			52Tone	RU37	30~5460	5268.24	-45.21	≤-27	PASS
				RU37	5735~40000	39590.5	-37.21	≤-27	PASS
			106Tone	RU53	30~5460	547.19	-47.01	≤-27	PASS
				RU53	5735~40000	39590.5	-37.04	≤-27	PASS
	Ant1	5580	26Tone	RU0	30~5460	5264.07	-44.98	≤-27	PASS
				RU0	5735~40000	39600.8	-37.37	≤-27	PASS
			52Tone	RU37	30~5460	5418.46	-44.85	≤-27	PASS
				RU37	5735~40000	39723	-36.99	≤-27	PASS
			106Tone	RU53	30~5460	5419.37	-44.52	≤-27	PASS
				RU53	5735~40000	39603.1	-36.91	≤-27	PASS
	Ant2	5580	26Tone	RU0	30~5460	544.84	-45.61	≤-27	PASS
				RU0	5735~40000	39590.5	-37.17	≤-27	PASS
			52Tone	RU37	30~5460	5409.96	-46.16	≤-27	PASS
				RU37	5735~40000	39606.5	-36.75	≤-27	PASS
			106Tone	RU53	30~5460	5393.67	-45.33	≤-27	PASS
				RU53	5735~40000	39579.1	-36.98	≤-27	PASS
	Ant1	5700	26Tone	RU8	30~5460	5401.63	-45.61	≤-27	PASS
				RU8	5735~40000	39622.5	-36.42	≤-27	PASS
			52Tone	RU40	30~5460	5401.45	-45.36	≤-27	PASS
				RU40	5735~40000	39699	-36.07	≤-27	PASS
			106Tone	RU54	30~5460	546.29	-46.02	≤-27	PASS
				RU54	5735~40000	39206.8	-36.75	≤-27	PASS
Ant2	5700	26Tone	RU8	30~5460	551.72	-45.94	≤-27	PASS	
			RU8	5735~40000	39637.4	-36.15	≤-27	PASS	
		52Tone	RU40	30~5460	729.45	-45.47	≤-27	PASS	
			RU40	5735~40000	39614.5	-36.82	≤-27	PASS	
		106Tone	RU54	30~5460	537.96	-46.26	≤-27	PASS	
			RU54	5735~40000	39542.6	-36.95	≤-27	PASS	

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5720	26Tone	RU0	30~5460	549.91	-46.24	≤-27	PASS
				RU0	5925~40000	39350.9	-36.4	≤-27	PASS
			52Tone	RU37	30~5460	5405.25	-45.96	≤-27	PASS
				RU37	5925~40000	39575.8	-36.77	≤-27	PASS
			106Tone	RU53	30~5460	5408.51	-46.13	≤-27	PASS
				RU53	5925~40000	39519	-36.34	≤-27	PASS
	Ant2	5720	26Tone	RU0	30~5460	563.84	-45.53	≤-27	PASS
				RU0	5925~40000	39672.3	-36.7	≤-27	PASS
			106Tone	RU53	30~5460	551.72	-45.69	≤-27	PASS
				RU53	5925~40000	39603	-35.84	≤-27	PASS
	Ant1	5745	26Tone	RU0	30~5650	5583.03	-44.57	≤-27	PASS
				RU0	5925~40000	39515.6	-36.69	≤-27	PASS
			52Tone	RU37	30~5650	5583.03	-44.53	≤-27	PASS
				RU37	5925~40000	39629.2	-37.26	≤-27	PASS
			106Tone	RU53	30~5650	5583.78	-43.93	≤-27	PASS
				RU53	5925~40000	39531.5	-37	≤-27	PASS
	Ant2	5745	26Tone	RU0	30~5650	5533.95	-45.24	≤-27	PASS
				RU0	5925~40000	39231.6	-37.29	≤-27	PASS
			52Tone	RU37	30~5650	5546.31	-45.38	≤-27	PASS
				RU37	5925~40000	39182.8	-35.61	≤-27	PASS
			106Tone	RU53	30~5650	551.24	-45.44	≤-27	PASS
				RU53	5925~40000	39628	-37.14	≤-27	PASS
	Ant1	5785	26Tone	RU0	30~5650	5623.12	-44.88	≤-27	PASS
				RU0	5925~40000	39549.7	-37.38	≤-27	PASS
			52Tone	RU37	30~5650	625.98	-45.79	≤-27	PASS
				RU37	5925~40000	39639.4	-37.12	≤-27	PASS
			106Tone	RU53	30~5650	5622.93	-45.18	≤-27	PASS
				RU53	5925~40000	39630.3	-37.3	≤-27	PASS
Ant2	5785	26Tone	RU0	30~5650	5577.22	-45.75	≤-27	PASS	
			RU0	5925~40000	39632.6	-36.71	≤-27	PASS	
		52Tone	RU37	30~5650	5589.77	-45.69	≤-27	PASS	
			RU37	5925~40000	39658.7	-36.52	≤-27	PASS	
		106Tone	RU53	30~5650	5556.99	-45.83	≤-27	PASS	
			RU53	5925~40000	39672.3	-35.98	≤-27	PASS	

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5825	26Tone	RU8	30~5650	543.18	-46.54	≤-27	PASS
				RU8	5925~40000	39562.2	-36.55	≤-27	PASS
			52Tone	RU40	30~5650	552.36	-46.02	≤-27	PASS
				RU40	5925~40000	39604.2	-35.7	≤-27	PASS
	106Tone	RU54	30~5650	546.74	-45.67	≤-27	PASS		
		RU54	5925~40000	39278.2	-37.26	≤-27	PASS		
	Ant2	5825	26Tone	RU8	30~5650	545.43	-46.12	≤-27	PASS
				RU8	5925~40000	39193	-37.03	≤-27	PASS
			52Tone	RU40	30~5650	5633.8	-46.01	≤-27	PASS
				RU40	5925~40000	39679.1	-37.4	≤-27	PASS
106Tone	RU54	30~5650	543.18	-46.23	≤-27	PASS			
	RU54	5925~40000	39584.9	-35.91	≤-27	PASS			
11AX40SISO	Ant1	5190	242Tone	RU61	30~5140	5137.87	-40.71	≤-27	PASS
				RU61	5360~40000	39233.9	-36.83	≤-27	PASS
	Ant2	5190	242Tone	RU61	30~5140	5137.87	-39.72	≤-27	PASS
				RU61	5360~40000	39574.5	-37.27	≤-27	PASS
	Ant1	5230	242Tone	RU62	30~5140	550.78	-45.27	≤-27	PASS
				RU62	5360~40000	39524.9	-36.94	≤-27	PASS
	Ant2	5230	242Tone	RU62	30~5140	547.71	-45.09	≤-27	PASS
				RU62	5360~40000	39677.3	-36.83	≤-27	PASS
	Ant1	5270	242Tone	RU61	30~5140	5103.98	-44.81	≤-27	PASS
				RU61	5360~40000	39672.7	-36.18	≤-27	PASS
	Ant2	5270	242Tone	RU61	30~5140	5064.97	-45.62	≤-27	PASS
				RU61	5360~40000	39258.2	-36.99	≤-27	PASS
	Ant1	5310	242Tone	RU62	30~5140	546.52	-46.37	≤-27	PASS
				RU62	5360~40000	39533	-36.94	≤-27	PASS
	Ant2	5310	242Tone	RU62	30~5140	5093.42	-46.24	≤-27	PASS
				RU62	5360~40000	39629.9	-37.22	≤-27	PASS
	Ant1	5510	242Tone	RU61	30~5460	5459	-41.41	≤-27	PASS
				RU61	5735~40000	39564.3	-36.92	≤-27	PASS
	Ant2	5510	242Tone	RU61	30~5460	5451.4	-43.13	≤-27	PASS
				RU61	5735~40000	39619.1	-37.17	≤-27	PASS
Ant1	5550	242Tone	RU61	30~5460	5327.78	-45.36	≤-27	PASS	
			RU61	5735~40000	39727.6	-36.9	≤-27	PASS	
Ant2	5550	242Tone	RU61	30~5460	551.35	-44.77	≤-27	PASS	
			RU61	5735~40000	39600.8	-36.78	≤-27	PASS	
Ant1	5670	242Tone	RU62	30~5460	538.5	-46.08	≤-27	PASS	
			RU62	5735~40000	39251.3	-36.54	≤-27	PASS	



Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX40SISO	Ant2	5670	242Tone	RU62	30~5460	671.53	-46.42	≤-27	PASS
				RU62	5735~40000	39599.7	-35.96	≤-27	PASS
	Ant1	5710	242Tone	RU61	30~5460	659.59	-46.1	≤-27	PASS
				RU61	5925~40000	39661	-35.92	≤-27	PASS
	Ant2	5710	242Tone	RU61	30~5460	538.86	-45.36	≤-27	PASS
				RU61	5925~40000	39662.1	-36.73	≤-27	PASS
	Ant1	5755	242Tone	RU61	30~5650	5599.52	-45.39	≤-27	PASS
				RU61	5925~40000	39287.3	-36.09	≤-27	PASS
	Ant2	5755	242Tone	RU61	30~5650	671.69	-46.22	≤-27	PASS
				RU61	5925~40000	39252.1	-35.89	≤-27	PASS
	Ant1	5795	242Tone	RU62	30~5650	5643.16	-45.15	≤-27	PASS
				RU62	5925~40000	39670.1	-36.79	≤-27	PASS
	Ant2	5795	242Tone	RU62	30~5650	546.18	-45.47	≤-27	PASS
				RU62	5925~40000	39546.2	-36.92	≤-27	PASS
11AX80SISO	Ant1	5210	484Tone	RU65	30~5140	5129.7	-39.25	≤-27	PASS
				RU65	5360~40000	39277.8	-36.79	≤-27	PASS
	Ant2	5210	484Tone	RU65	30~5140	5109.43	-40.61	≤-27	PASS
				RU65	5360~40000	39605.7	-37.19	≤-27	PASS
	Ant1	5290	484Tone	RU66	30~5140	541.24	-46.09	≤-27	PASS
				RU66	5360~40000	39566.4	-36.72	≤-27	PASS
	Ant2	5290	484Tone	RU66	30~5140	548.39	-46.68	≤-27	PASS
				RU66	5360~40000	5384.8	-32.24	≤-27	PASS
	Ant1	5530	484Tone	RU65	30~5460	5458.1	-39.49	≤-27	PASS
				RU65	5735~40000	39696.8	-36.6	≤-27	PASS
	Ant2	5530	484Tone	RU65	30~5460	5421.18	-40.59	≤-27	PASS
				RU65	5735~40000	39724.2	-37.18	≤-27	PASS
	Ant1	5610	484Tone	RU66	30~5460	5456.65	-44.02	≤-27	PASS
				RU66	5735~40000	39591.7	-36.44	≤-27	PASS
	Ant2	5610	484Tone	RU66	30~5460	5454.12	-44.14	≤-27	PASS
				RU66	5735~40000	39692.2	-36.12	≤-27	PASS
	Ant1	5690	484Tone	RU65	30~5460	550.63	-46.28	≤-27	PASS
				RU65	5925~40000	39632.6	-36.53	≤-27	PASS
Ant2	5690	484Tone	RU65	30~5460	2800.57	-45.97	≤-27	PASS	
			RU65	5925~40000	39710.9	-36.62	≤-27	PASS	
Ant1	5775	484Tone	RU65	30~5650	5621.62	-37.39	≤-27	PASS	
			RU65	5925~40000	39573.5	-36.96	≤-27	PASS	
Ant2	5775	484Tone	RU65	30~5650	5621.06	-39.17	≤-27	PASS	
			RU65	5925~40000	39614.4	-36.73	≤-27	PASS	

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX160SISO	Ant1	5250	996Tone	RU67	30~5140	5126.8	-38.14	≤-27	PASS
				RU67	5360~40000	5401	-36.45	≤-27	PASS
	Ant2	5250	996Tone	RU67	30~5140	5120.84	-32.41	≤-27	PASS
				RU67	5360~40000	5395.2	-27.69	≤-27	PASS
	Ant1	5570	996Tone	RU67	30~5460	5445.79	-29.37	≤-27	PASS
				RU67	5735~40000	39646.5	-35.99	≤-27	PASS
	Ant2	5570	996Tone	RU67	30~5460	5449.05	-30.86	≤-27	PASS
				RU67	5735~40000	39285.6	-36.87	≤-27	PASS
11AX20MIMO	Ant1	5180	26Tone	RU0	30~5140	4994.8	-46.07	≤-27	PASS
				RU0	5360~40000	39696.9	-37.11	≤-27	PASS
			52Tone	RU37	30~5140	5020.34	-44.5	≤-27	PASS
				RU37	5360~40000	39429	-36.39	≤-27	PASS
			106Tone	RU53	30~5140	5022.56	-45.42	≤-27	PASS
				RU53	5360~40000	39545.7	-36.25	≤-27	PASS
	Ant2	5180	26Tone	RU0	30~5140	529.83	-46.49	≤-27	PASS
				RU0	5360~40000	39641.5	-36.8	≤-27	PASS
			52Tone	RU37	30~5140	5016.6	-45.11	≤-27	PASS
				RU37	5360~40000	39565.3	-36.61	≤-27	PASS
			106Tone	RU53	30~5140	2868.77	-46.71	≤-27	PASS
				RU53	5360~40000	39571.1	-36.86	≤-27	PASS
	Ant1	5220	26Tone	RU0	30~5140	5057.48	-45.33	≤-27	PASS
				RU0	5360~40000	39661.1	-37.16	≤-27	PASS
			52Tone	RU37	30~5140	5058.5	-44.42	≤-27	PASS
				RU37	5360~40000	39317	-36.56	≤-27	PASS
			106Tone	RU53	30~5140	538.34	-44.29	≤-27	PASS
				RU53	5360~40000	39578	-36.5	≤-27	PASS
	Ant2	5220	26Tone	RU0	30~5140	636.62	-46.56	≤-27	PASS
				RU0	5360~40000	39154.2	-36.84	≤-27	PASS
			52Tone	RU37	30~5140	549.93	-46.43	≤-27	PASS
				RU37	5360~40000	39262.8	-35.99	≤-27	PASS
			106Tone	RU53	30~5140	552.14	-46.13	≤-27	PASS
				RU53	5360~40000	39614.9	-36.56	≤-27	PASS
Ant1	5240	26Tone	RU8	30~5140	5094.44	-44.57	≤-27	PASS	
			RU8	5360~40000	39287	-37.01	≤-27	PASS	
		52Tone	RU40	30~5140	5093.59	-44.79	≤-27	PASS	
			RU40	5360~40000	39678.4	-37.14	≤-27	PASS	
		106Tone	RU54	30~5140	5092.9	-44.59	≤-27	PASS	
			RU54	5360~40000	39640.3	-36.67	≤-27	PASS	

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5240	26Tone	RU8	30~5140	659.62	-46.49	≤-27	PASS
				RU8	5360~40000	39586.1	-36.91	≤-27	PASS
			52Tone	RU40	30~5140	5095.46	-45.44	≤-27	PASS
				RU40	5360~40000	39672.7	-35.97	≤-27	PASS
			106Tone	RU54	30~5140	549.75	-46.36	≤-27	PASS
				RU54	5360~40000	39392.1	-37.04	≤-27	PASS
	Ant1	5260	26Tone	RU0	30~5140	5097.33	-44.44	≤-27	PASS
				RU0	5360~40000	39554.9	-36.31	≤-27	PASS
			52Tone	RU37	30~5140	5099.72	-44.86	≤-27	PASS
				RU37	5360~40000	39578	-36.12	≤-27	PASS
			106Tone	RU53	30~5140	5100.57	-44.04	≤-27	PASS
				RU53	5360~40000	39596.5	-37.13	≤-27	PASS
	Ant2	5260	26Tone	RU0	30~5140	544.99	-45.95	≤-27	PASS
				RU0	5360~40000	39566.4	-36.23	≤-27	PASS
			52Tone	RU37	30~5140	527.95	-46.14	≤-27	PASS
				RU37	5360~40000	39502.9	-37.03	≤-27	PASS
			106Tone	RU53	30~5140	5107.38	-46.22	≤-27	PASS
				RU53	5360~40000	39242	-36.22	≤-27	PASS
	Ant1	5300	26Tone	RU0	30~5140	5138.38	-44.15	≤-27	PASS
				RU0	5360~40000	39340.1	-37.08	≤-27	PASS
			52Tone	RU37	30~5140	5139.74	-43.4	≤-27	PASS
				RU37	5360~40000	39223.5	-36.7	≤-27	PASS
			106Tone	RU53	30~5140	5138.38	-44.61	≤-27	PASS
				RU53	5360~40000	39506.4	-37.13	≤-27	PASS
	Ant2	5300	26Tone	RU0	30~5140	544.65	-45.61	≤-27	PASS
				RU0	5360~40000	39486.8	-36.69	≤-27	PASS
			52Tone	RU37	30~5140	530.34	-46.6	≤-27	PASS
				RU37	5360~40000	39571.1	-36.85	≤-27	PASS
			106Tone	RU53	30~5140	550.44	-46.09	≤-27	PASS
				RU53	5360~40000	39255.8	-36.88	≤-27	PASS
Ant1	5320	26Tone	RU8	30~5140	693.51	-46.61	≤-27	PASS	
			RU8	5360~40000	39505.2	-36.87	≤-27	PASS	
		52Tone	RU40	30~5140	551.12	-46.77	≤-27	PASS	
			RU40	5360~40000	39297.4	-37.1	≤-27	PASS	
		106Tone	RU54	30~5140	548.05	-45.99	≤-27	PASS	
			RU54	5360~40000	39479.8	-37.11	≤-27	PASS	

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5320	26Tone	RU8	30~5140	542.77	-45.37	≤-27	PASS
				RU8	5360~40000	39702.7	-37	≤-27	PASS
			52Tone	RU40	30~5140	552.31	-45.83	≤-27	PASS
				RU40	5360~40000	39694.6	-36.43	≤-27	PASS
			106Tone	RU54	30~5140	657.91	-46.32	≤-27	PASS
				RU54	5360~40000	39324	-37.14	≤-27	PASS
	Ant1	5500	26Tone	RU0	30~5460	5338.28	-45.68	≤-27	PASS
				RU0	5735~40000	39568.8	-37.15	≤-27	PASS
			52Tone	RU37	30~5460	5338.28	-43.93	≤-27	PASS
				RU37	5735~40000	39680.8	-36.68	≤-27	PASS
			106Tone	RU53	30~5460	5340.45	-45.16	≤-27	PASS
				RU53	5735~40000	39724.2	-36.79	≤-27	PASS
	Ant2	5500	26Tone	RU0	30~5460	756.24	-46.69	≤-27	PASS
				RU0	5735~40000	39629.4	-36.69	≤-27	PASS
			52Tone	RU37	30~5460	552.26	-46.11	≤-27	PASS
				RU37	5735~40000	39686.5	-36.87	≤-27	PASS
			106Tone	RU53	30~5460	550.27	-46.56	≤-27	PASS
				RU53	5735~40000	39676.2	-36.85	≤-27	PASS
	Ant1	5580	26Tone	RU0	30~5460	5417.38	-45.86	≤-27	PASS
				RU0	5735~40000	39358.7	-36.8	≤-27	PASS
			52Tone	RU37	30~5460	5418.28	-45.12	≤-27	PASS
				RU37	5735~40000	39424.9	-37.11	≤-27	PASS
			106Tone	RU53	30~5460	5423.35	-44.58	≤-27	PASS
				RU53	5735~40000	39546	-35.96	≤-27	PASS
	Ant2	5580	26Tone	RU0	30~5460	544.11	-45.68	≤-27	PASS
				RU0	5735~40000	39523.2	-36.15	≤-27	PASS
			52Tone	RU37	30~5460	617.05	-46.62	≤-27	PASS
				RU37	5735~40000	39277.6	-36.76	≤-27	PASS
			106Tone	RU53	30~5460	554.07	-45.87	≤-27	PASS
				RU53	5735~40000	39621.4	-36.15	≤-27	PASS
Ant1	5700	26Tone	RU8	30~5460	522.58	-46	≤-27	PASS	
			RU8	5735~40000	39691.1	-36.74	≤-27	PASS	
		52Tone	RU40	30~5460	551.9	-45.72	≤-27	PASS	
			RU40	5735~40000	39564.3	-36.47	≤-27	PASS	
		106Tone	RU54	30~5460	536.69	-45.6	≤-27	PASS	
			RU54	5735~40000	39590.5	-35.91	≤-27	PASS	

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5700	26Tone	RU8	30~5460	538.32	-45.31	≤-27	PASS
				RU8	5735~40000	39246.8	-35.9	≤-27	PASS
			52Tone	RU40	30~5460	550.27	-46.54	≤-27	PASS
				RU40	5735~40000	39676.2	-35.67	≤-27	PASS
			106Tone	RU54	30~5460	2847.08	-46.07	≤-27	PASS
				RU54	5735~40000	39623.7	-36.56	≤-27	PASS
	Ant1	5720	26Tone	RU0	30~5460	551.35	-46.38	≤-27	PASS
				RU0	5925~40000	39289.6	-36.75	≤-27	PASS
			52Tone	RU37	30~5460	588.64	-45.85	≤-27	PASS
				RU37	5925~40000	39348.6	-36.15	≤-27	PASS
			106Tone	RU53	30~5460	548.28	-45.83	≤-27	PASS
				RU53	5925~40000	39667.8	-36.63	≤-27	PASS
	Ant2	5720	26Tone	RU0	30~5460	548.46	-44.22	≤-27	PASS
				RU0	5925~40000	39573.5	-36.39	≤-27	PASS
			52Tone	RU37	30~5460	547.91	-45.38	≤-27	PASS
				RU37	5925~40000	39574.6	-36.19	≤-27	PASS
			106Tone	RU53	30~5460	549	-45.75	≤-27	PASS
				RU53	5925~40000	39365.7	-36.64	≤-27	PASS
	Ant1	5745	26Tone	RU0	30~5650	5582.28	-46.16	≤-27	PASS
				RU0	5925~40000	39236.2	-36.93	≤-27	PASS
			52Tone	RU37	30~5650	5585.84	-45.38	≤-27	PASS
				RU37	5925~40000	39542.8	-36.73	≤-27	PASS
			106Tone	RU53	30~5650	5584.34	-44.67	≤-27	PASS
				RU53	5925~40000	39077.2	-36.81	≤-27	PASS
	Ant2	5745	26Tone	RU0	30~5650	600.32	-45.82	≤-27	PASS
				RU0	5925~40000	39696.2	-36.7	≤-27	PASS
			52Tone	RU37	30~5650	623.92	-46.5	≤-27	PASS
				RU37	5925~40000	39252.1	-36.69	≤-27	PASS
106Tone			RU53	30~5650	541.31	-46.82	≤-27	PASS	
			RU53	5925~40000	39621.2	-36.85	≤-27	PASS	
Ant1	5785	26Tone	RU0	30~5650	5624.06	-45.89	≤-27	PASS	
			RU0	5925~40000	39558.7	-37.08	≤-27	PASS	
		52Tone	RU37	30~5650	5625.18	-44.14	≤-27	PASS	
			RU37	5925~40000	39758.6	-36.94	≤-27	PASS	
		106Tone	RU53	30~5650	5622.93	-45.18	≤-27	PASS	
			RU53	5925~40000	39531.5	-36.37	≤-27	PASS	

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5785	26Tone	RU0	30~5650	661.76	-46.51	≤-27	PASS
				RU0	5925~40000	39633.7	-36.18	≤-27	PASS
			52Tone	RU37	30~5650	679.74	-46.44	≤-27	PASS
				RU37	5925~40000	39596.2	-36.77	≤-27	PASS
	106Tone	RU53	30~5650	559.85	-46.24	≤-27	PASS		
		RU53	5925~40000	39710.9	-36.61	≤-27	PASS		
	Ant1	5825	26Tone	RU8	30~5650	539.62	-46.15	≤-27	PASS
				RU8	5925~40000	39499.7	-36.71	≤-27	PASS
			52Tone	RU40	30~5650	547.68	-45.62	≤-27	PASS
				RU40	5925~40000	39658.7	-36.52	≤-27	PASS
	106Tone	RU54	30~5650	549.93	-46.5	≤-27	PASS		
		RU54	5925~40000	39551.9	-35.6	≤-27	PASS		
Ant2	5825	26Tone	RU8	30~5650	541.31	-46.24	≤-27	PASS	
			RU8	5925~40000	39757.5	-36.92	≤-27	PASS	
		52Tone	RU40	30~5650	551.05	-45.95	≤-27	PASS	
			RU40	5925~40000	39645.1	-36.41	≤-27	PASS	
106Tone	RU54	30~5650	670.75	-46.35	≤-27	PASS			
	RU54	5925~40000	39563.3	-35.87	≤-27	PASS			
11AX40MIMO	Ant1	5190	242Tone	RU61	30~5140	5138.72	-37.23	≤-27	PASS
				RU61	5360~40000	39696.9	-36.48	≤-27	PASS
	Ant2	5190	242Tone	RU61	30~5140	5135.15	-39.28	≤-27	PASS
				RU61	5360~40000	39589.5	-36.76	≤-27	PASS
	Ant1	5230	242Tone	RU62	30~5140	5077.06	-45.08	≤-27	PASS
				RU62	5360~40000	39273.2	-36.47	≤-27	PASS
	Ant2	5230	242Tone	RU62	30~5140	550.27	-45.72	≤-27	PASS
				RU62	5360~40000	39650.7	-37.05	≤-27	PASS
	Ant1	5270	242Tone	RU61	30~5140	5107.38	-44.74	≤-27	PASS
				RU61	5360~40000	39597.6	-36.79	≤-27	PASS
	Ant2	5270	242Tone	RU61	30~5140	781.06	-45.89	≤-27	PASS
				RU61	5360~40000	39277.8	-35.71	≤-27	PASS
	Ant1	5310	242Tone	RU62	30~5140	551.29	-45.31	≤-27	PASS
				RU62	5360~40000	39142.7	-36.63	≤-27	PASS
	Ant2	5310	242Tone	RU62	30~5140	521.48	-46.73	≤-27	PASS
				RU62	5360~40000	39728.1	-36.31	≤-27	PASS
Ant1	5510	242Tone	RU61	30~5460	5451.76	-41.43	≤-27	PASS	
			RU61	5735~40000	39631.7	-36.39	≤-27	PASS	
Ant2	5510	242Tone	RU61	30~5460	5458.1	-36.27	≤-27	PASS	
			RU61	5735~40000	39589.4	-36.24	≤-27	PASS	

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX40MIMO	Ant1	5550	242Tone	RU61	30~5460	5388.6	-45.88	≤-27	PASS
				RU61	5735~40000	39693.3	-36.72	≤-27	PASS
	Ant2	5550	242Tone	RU61	30~5460	5392.4	-46.54	≤-27	PASS
				RU61	5735~40000	39648.8	-36.12	≤-27	PASS
	Ant1	5670	242Tone	RU62	30~5460	618.5	-45.84	≤-27	PASS
				RU62	5735~40000	39528.9	-36.77	≤-27	PASS
	Ant2	5670	242Tone	RU62	30~5460	547.37	-44.84	≤-27	PASS
				RU62	5735~40000	39605.4	-36.25	≤-27	PASS
	Ant1	5710	242Tone	RU61	30~5460	618.5	-46.15	≤-27	PASS
				RU61	5925~40000	39477	-35.94	≤-27	PASS
	Ant2	5710	242Tone	RU61	30~5460	551.9	-45.37	≤-27	PASS
				RU61	5925~40000	39534.9	-35.85	≤-27	PASS
	Ant1	5755	242Tone	RU61	30~5650	5584.9	-45.29	≤-27	PASS
				RU61	5925~40000	39640.5	-34.95	≤-27	PASS
	Ant2	5755	242Tone	RU61	30~5650	545.06	-46.28	≤-27	PASS
				RU61	5925~40000	39609.9	-37.2	≤-27	PASS
	Ant1	5795	242Tone	RU62	30~5650	5642.79	-45.23	≤-27	PASS
				RU62	5925~40000	39651.9	-36.2	≤-27	PASS
Ant2	5795	242Tone	RU62	30~5650	635.16	-46.28	≤-27	PASS	
			RU62	5925~40000	39591.7	-36.58	≤-27	PASS	
11AX80MIMO	Ant1	5210	484Tone	RU65	30~5140	5138.89	-33.85	≤-27	PASS
				RU65	5360~40000	39541	-36.9	≤-27	PASS
	Ant2	5210	484Tone	RU65	30~5140	5139.06	-38.1	≤-27	PASS
				RU65	5360~40000	39545.7	-36.75	≤-27	PASS
	Ant1	5290	484Tone	RU66	30~5140	636.96	-46.65	≤-27	PASS
				RU66	5360~40000	39541	-37.01	≤-27	PASS
	Ant2	5290	484Tone	RU66	30~5140	605.62	-45.73	≤-27	PASS
				RU66	5360~40000	39635.7	-35.39	≤-27	PASS
	Ant1	5530	484Tone	RU65	30~5460	5448.69	-40.15	≤-27	PASS
				RU65	5735~40000	39219.4	-37.35	≤-27	PASS
	Ant2	5530	484Tone	RU65	30~5460	5432.94	-38.45	≤-27	PASS
				RU65	5735~40000	39740.2	-36.66	≤-27	PASS
	Ant1	5610	484Tone	RU66	30~5460	5455.38	-38.22	≤-27	PASS
				RU66	5735~40000	39525.4	-36.77	≤-27	PASS
	Ant2	5610	484Tone	RU66	30~5460	5454.84	-41.08	≤-27	PASS
				RU66	5735~40000	39595.1	-35.74	≤-27	PASS
	Ant1	5690	484Tone	RU65	30~5460	550.45	-46.05	≤-27	PASS
				RU65	5925~40000	39487.2	-36.17	≤-27	PASS


Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX80MIMO	Ant2	5690	484Tone	RU65	30~5460	542.85	-45.81	≤-27	PASS
				RU65	5925~40000	39289.6	-35.74	≤-27	PASS
	Ant1	5775	484Tone	RU65	30~5650	5623.49	-38.36	≤-27	PASS
				RU65	5925~40000	39588.3	-36.33	≤-27	PASS
	Ant2	5775	484Tone	RU65	30~5650	5647.28	-41.26	≤-27	PASS
				RU65	5925~40000	39327	-36.48	≤-27	PASS
11AX160MIMO	Ant1	5250	996Tone	RU67	30~5140	5124.42	-32.47	≤-27	PASS
				RU67	5360~40000	5398.7	-30.65	≤-27	PASS
	Ant2	5250	996Tone	RU67	30~5140	5126.63	-35.4	≤-27	PASS
				RU67	5360~40000	5401	-30.51	≤-27	PASS
	Ant1	5570	996Tone	RU67	30~5460	5448.51	-27.99	≤-27	PASS
				RU67	5735~40000	39315.3	-36.65	≤-27	PASS
	Ant2	5570	996Tone	RU67	30~5460	5445.97	-27.32	≤-27	PASS
				RU67	5735~40000	39284.5	-36.64	≤-27	PASS




## 7.2 Test Graphs

### 7.2.1 Full RU for 11AX mode


11A\_Ant1\_5180\_30~5140




11A\_Ant1\_5180\_5360~40000




11A\_Ant2\_5180\_30~5140




### 11A\_Ant2\_5180\_5360~40000




### 11A\_Ant1\_5200\_30~5140




### 11A\_Ant1\_5200\_5360~40000




### 11A\_Ant2\_5200\_30~5140




### 11A\_Ant2\_5200\_5360~40000




### 11A\_Ant1\_5220\_30~5140




### 11A\_Ant1\_5220\_5360~40000




### 11A\_Ant2\_5220\_30~5140




## 11A\_Ant2\_5220\_5360~40000




## 11A\_Ant1\_5240\_30~5140




## 11A\_Ant1\_5240\_5360~40000




## 11A\_Ant2\_5240\_30~5140




### 11A\_Ant2\_5240\_5360~40000




### 11A\_Ant1\_5260\_30~5140




### 11A\_Ant1\_5260\_5360~40000




### 11A\_Ant2\_5260\_30~5140




### 11A\_Ant2\_5260\_5360~40000




### 11A\_Ant1\_5300\_30~5140




### 11A\_Ant1\_5300\_5360~40000




### 11A\_Ant2\_5300\_30~5140




### 11A\_Ant2\_5300\_5360~40000




### 11A\_Ant1\_5320\_30~5140




### 11A\_Ant1\_5320\_5360~40000




### 11A\_Ant2\_5320\_30~5140




## 11A\_Ant2\_5320\_5360~40000




## 11A\_Ant1\_5500\_30~5460



## 11A\_Ant1\_5500\_5735~40000




## 11A\_Ant2\_5500\_30~5460







### 11A\_Ant2\_5500\_5735~40000




### 11A\_Ant1\_5520\_30~5460




### 11A\_Ant1\_5520\_5735~40000




### 11A\_Ant2\_5520\_30~5460




### 11A\_Ant2\_5520\_5735~40000




### 11A\_Ant1\_5580\_30~5460




### 11A\_Ant1\_5580\_5735~40000




### 11A\_Ant2\_5580\_30~5460




### 11A\_Ant2\_5580\_5735~40000




### 11A\_Ant1\_5680\_30~5460




### 11A\_Ant1\_5680\_5735~40000




### 11A\_Ant2\_5680\_30~5460




### 11A\_Ant2\_5680\_5735~40000




### 11A\_Ant1\_5700\_30~5460




### 11A\_Ant1\_5700\_5735~40000




### 11A\_Ant2\_5700\_30~5460




### 11A\_Ant2\_5700\_5735~40000




### 11A\_Ant1\_5720\_30~5460




### 11A\_Ant1\_5720\_5925~40000




### 11A\_Ant2\_5720\_30~5460




### 11A\_Ant2\_5720\_5925~40000




### 11A\_Ant1\_5745\_30~5650




### 11A\_Ant1\_5745\_5925~40000




### 11A\_Ant2\_5745\_30~5650




### 11A\_Ant2\_5745\_5925~40000




### 11A\_Ant1\_5785\_30~5650




### 11A\_Ant1\_5785\_5925~40000




### 11A\_Ant2\_5785\_30~5650




### 11A\_Ant2\_5785\_5925~40000




### 11A\_Ant1\_5825\_30~5650



### 11A\_Ant1\_5825\_5925~40000




### 11A\_Ant2\_5825\_30~5650







### 11A\_Ant2\_5825\_5925~40000




### 11N20SISO\_Ant1\_5180\_30~5140




### 11N20SISO\_Ant1\_5180\_5360~40000




### 11N20SISO\_Ant2\_5180\_30~5140




### 11N20SISO\_Ant2\_5180\_5360~40000




### 11N20SISO\_Ant1\_5200\_30~5140




### 11N20SISO\_Ant1\_5200\_5360~40000




### 11N20SISO\_Ant2\_5200\_30~5140




### 11N20SISO\_Ant2\_5200\_5360~40000




### 11N20SISO\_Ant1\_5220\_30~5140




### 11N20SISO\_Ant1\_5220\_5360~40000




### 11N20SISO\_Ant2\_5220\_30~5140




### 11N20SISO\_Ant2\_5220\_5360~40000




### 11N20SISO\_Ant1\_5240\_30~5140




### 11N20SISO\_Ant1\_5240\_5360~40000




### 11N20SISO\_Ant2\_5240\_30~5140




### 11N20SISO\_Ant2\_5240\_5360~40000




### 11N20SISO\_Ant1\_5260\_30~5140




### 11N20SISO\_Ant1\_5260\_5360~40000




### 11N20SISO\_Ant2\_5260\_30~5140




### 11N20SISO\_Ant2\_5260\_5360~40000




### 11N20SISO\_Ant1\_5300\_30~5140




### 11N20SISO\_Ant1\_5300\_5360~40000




### 11N20SISO\_Ant2\_5300\_30~5140




### 11N20SISO\_Ant2\_5300\_5360~40000




### 11N20SISO\_Ant1\_5320\_30~5140




### 11N20SISO\_Ant1\_5320\_5360~40000




### 11N20SISO\_Ant2\_5320\_30~5140




### 11N20SISO\_Ant2\_5320\_5360~40000




### 11N20SISO\_Ant1\_5500\_30~5460



### 11N20SISO\_Ant1\_5500\_5735~40000




### 11N20SISO\_Ant2\_5500\_30~5460







### 11N20SISO\_Ant2\_5500\_5735~40000




### 11N20SISO\_Ant1\_5520\_30~5460




### 11N20SISO\_Ant1\_5520\_5735~40000




### 11N20SISO\_Ant2\_5520\_30~5460




### 11N20SISO\_Ant2\_5520\_5735~40000




### 11N20SISO\_Ant1\_5580\_30~5460




### 11N20SISO\_Ant1\_5580\_5735~40000




### 11N20SISO\_Ant2\_5580\_30~5460




### 11N20SISO\_Ant2\_5580\_5735~40000



### 11N20SISO\_Ant1\_5680\_30~5460



### 11N20SISO\_Ant1\_5680\_5735~40000



### 11N20SISO\_Ant2\_5680\_30~5460

