




1-N71-PC3-15-20-H-3-CP-QPSK-Outer_Full-106@0-30-1000-Ant1--54.53--13-PASS



1-N71-PC3-15-20-H-3-CP-QPSK-Outer_Full-106@0-1000-3000-Ant1--46.14--13-PASS



1-N71-PC3-15-20-H-3-CP-QPSK-Outer_Full-106@0-3000-7000-Ant1--53.32--13-PASS



-

7. APPENDIX G - FREQUENCY STABILITY FOR SA

7.1 TEST RESULTS

7.1.1 FREQUENCY ERROR VS. VOLTAGE

NR Band	SCS [kHz]	BW [MHz]	Channel	Freq [MHz]	Modulation	RB config	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
N71	15	20	Middle	680.5	DFT-s-OFDM QPSK	Outer_Full	NT	LV	-9.67	-0.001	PASS
								NV	-11.83	-0.002	PASS
								HV	-10.02	0.005	PASS

7.1.2 FREQUENCY ERROR VS. TEMPERATURE

NR Band	SCS [kHz]	BW [MHz]	Channel	Freq [MHz]	Modulation	RB config	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
N71	15	20	Middle	680.5	DFT-s-OFDM QPSK	Outer_Full	-30	NV	-11.18	-0.007	PASS
							-20		-10.78	-0.005	PASS
							-10		-9.81	-0.004	PASS
							0		-11.17	0.002	PASS
							10		-9.15	-0.008	PASS
							20		-9.89	-0.005	PASS
							30		-10.18	0.006	PASS
							40		-11.05	0.005	PASS
							50		-11.34	0.003	PASS

End of Test Report