









Fig.184 99% Occupied bandwidth (802.11a, 5240MHz)







Fig.185 99% Occupied bandwidth (802.11ac-VHT20, 5180MHz)



Fig.186 99% Occupied bandwidth (802.11ac-VHT20, 5200MHz)







Fig.187 99% Occupied bandwidth (802.11ac-VHT20, 5240MHz)



Fig.188 99% Occupied bandwidth (802.11ac-VHT40, 5190MHz)







Fig.189 99% Occupied bandwidth (802.11ac-VHT40, 5230MHz)



Fig.190 99% Occupied bandwidth (802.11ac-VHT80, 5210MHz)







Fig.191 99% Occupied bandwidth (802.11ax-HE20, 5180MHz)



Fig.192 99% Occupied bandwidth (802.11ax-HE20, 5200MHz)







Fig.193 99% Occupied bandwidth (802.11ax-HE20, 5240MHz)



Fig.194 99% Occupied bandwidth (802.11ax-HE40, 5190MHz)







Fig.195 99% Occupied bandwidth (802.11ax-HE40, 5230MHz)



Fig.196 99% Occupied bandwidth (802.11ax-HE80, 5210MHz)





A.9. Power control

A Transmission Power Control mechanism is not required for systems with an e.i.r.p. of less than 27dBm (500 mW).

ANNEX B: EUT parameters

Disclaimer: The worse case provided by the client may affect the validity of the measurement results in this report, and the client shall bear the impact and consequences arising therefrom.

ANNEX C: Accreditation Certificate



*** END OF REPORT BODY ***