

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 26

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	814.7	26697	1.4	1	0	23.43
QPSK	814.7	26697	1.4	1	3	23.47
QPSK	814.7	26697	1.4	1	5	23.39
QPSK	814.7	26697	1.4	3	0	23.44
QPSK	814.7	26697	1.4	3	1	23.50
QPSK	814.7	26697	1.4	3	3	23.42
QPSK	814.7	26697	1.4	6	0	23.44
QPSK	819	26740	1.4	1	0	23.25
QPSK	819	26740	1.4	1	3	23.35
QPSK	819	26740	1.4	1	5	23.22
QPSK	819	26740	1.4	3	0	23.35
QPSK	819	26740	1.4	3	1	23.35
QPSK	819	26740	1.4	3	3	23.35
QPSK	819	26740	1.4	6	0	23.39
QPSK	823.3	26783	1.4	1	0	23.13
QPSK	823.3	26783	1.4	1	3	23.37
QPSK	823.3	26783	1.4	1	5	23.35
QPSK	823.3	26783	1.4	3	0	23.29
QPSK	823.3	26783	1.4	3	1	23.30
QPSK	823.3	26783	1.4	3	3	23.28
QPSK	823.3	26783	1.4	6	0	23.24

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	814.7	26697	1.4	1	0	23.85
16QAM	814.7	26697	1.4	1	3	23.84
16QAM	814.7	26697	1.4	1	5	23.71
16QAM	814.7	26697	1.4	3	0	23.54
16QAM	814.7	26697	1.4	3	1	23.72
16QAM	814.7	26697	1.4	3	3	23.58
16QAM	814.7	26697	1.4	6	0	22.90
16QAM	819	26740	1.4	1	0	23.43
16QAM	819	26740	1.4	1	3	23.71
16QAM	819	26740	1.4	1	5	23.67
16QAM	819	26740	1.4	3	0	23.36
16QAM	819	26740	1.4	3	1	23.28
16QAM	819	26740	1.4	3	3	23.50
16QAM	819	26740	1.4	6	0	22.72
16QAM	823.3	26783	1.4	1	0	23.44
16QAM	823.3	26783	1.4	1	3	23.48
16QAM	823.3	26783	1.4	1	5	23.47
16QAM	823.3	26783	1.4	3	0	23.35
16QAM	823.3	26783	1.4	3	1	23.51
16QAM	823.3	26783	1.4	3	3	23.43
16QAM	823.3	26783	1.4	6	0	22.43
64QAM	814.7	26697	1.4	1	0	23.19
64QAM	814.7	26697	1.4	1	3	23.38
64QAM	814.7	26697	1.4	1	5	23.17
64QAM	814.7	26697	1.4	3	0	22.93
64QAM	814.7	26697	1.4	3	1	23.16
64QAM	814.7	26697	1.4	3	3	23.08
64QAM	814.7	26697	1.4	6	0	22.13
64QAM	819	26740	1.4	1	0	23.06
64QAM	819	26740	1.4	1	3	22.51
64QAM	819	26740	1.4	1	5	22.81
64QAM	819	26740	1.4	3	0	22.60
64QAM	819	26740	1.4	3	1	22.67
64QAM	819	26740	1.4	3	3	22.49
64QAM	819	26740	1.4	6	0	21.36
64QAM	823.3	26783	1.4	1	0	22.49
64QAM	823.3	26783	1.4	1	3	23.05
64QAM	823.3	26783	1.4	1	5	22.46
64QAM	823.3	26783	1.4	3	0	22.58
64QAM	823.3	26783	1.4	3	1	22.55
64QAM	823.3	26783	1.4	3	3	22.57
64QAM	823.3	26783	1.4	6	0	21.61

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	815.5	26705	3	1	0	23.39
QPSK	815.5	26705	3	1	8	23.41
QPSK	815.5	26705	3	1	14	23.23
QPSK	815.5	26705	3	8	0	23.50
QPSK	815.5	26705	3	8	4	23.49
QPSK	815.5	26705	3	8	7	23.46
QPSK	815.5	26705	3	15	0	23.45
QPSK	819	26740	3	1	0	23.29
QPSK	819	26740	3	1	8	23.21
QPSK	819	26740	3	1	14	23.23
QPSK	819	26740	3	8	0	23.34
QPSK	819	26740	3	8	4	23.31
QPSK	819	26740	3	8	7	23.34
QPSK	819	26740	3	15	0	23.30
QPSK	822.5	26775	3	1	0	23.23
QPSK	822.5	26775	3	1	8	23.31
QPSK	822.5	26775	3	1	14	23.22
QPSK	822.5	26775	3	8	0	23.26
QPSK	822.5	26775	3	8	4	23.38
QPSK	822.5	26775	3	8	7	23.34
QPSK	822.5	26775	3	15	0	23.29

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	815.5	26705	3	1	0	23.88
16QAM	815.5	26705	3	1	8	23.61
16QAM	815.5	26705	3	1	14	23.61
16QAM	815.5	26705	3	8	0	23.00
16QAM	815.5	26705	3	8	4	23.04
16QAM	815.5	26705	3	8	7	22.89
16QAM	815.5	26705	3	15	0	22.98
16QAM	819	26740	3	1	0	23.68
16QAM	819	26740	3	1	8	23.66
16QAM	819	26740	3	1	14	23.21
16QAM	819	26740	3	8	0	22.93
16QAM	819	26740	3	8	4	22.80
16QAM	819	26740	3	8	7	22.82
16QAM	819	26740	3	15	0	22.77
16QAM	822.5	26775	3	1	0	23.44
16QAM	822.5	26775	3	1	8	23.72
16QAM	822.5	26775	3	1	14	23.11
16QAM	822.5	26775	3	8	0	22.78
16QAM	822.5	26775	3	8	4	22.86
16QAM	822.5	26775	3	8	7	22.69
16QAM	822.5	26775	3	15	0	22.82
64QAM	815.5	26705	3	1	0	23.39
64QAM	815.5	26705	3	1	8	23.49
64QAM	815.5	26705	3	1	14	23.38
64QAM	815.5	26705	3	8	0	22.04
64QAM	815.5	26705	3	8	4	21.98
64QAM	815.5	26705	3	8	7	21.97
64QAM	815.5	26705	3	15	0	22.01
64QAM	819	26740	3	1	0	22.94
64QAM	819	26740	3	1	8	23.20
64QAM	819	26740	3	1	14	23.05
64QAM	819	26740	3	8	0	21.88
64QAM	819	26740	3	8	4	22.06
64QAM	819	26740	3	8	7	21.92
64QAM	819	26740	3	15	0	21.93
64QAM	822.5	26775	3	1	0	23.30
64QAM	822.5	26775	3	1	8	23.18
64QAM	822.5	26775	3	1	14	22.95
64QAM	822.5	26775	3	8	0	21.76
64QAM	822.5	26775	3	8	4	21.85
64QAM	822.5	26775	3	8	7	21.85
64QAM	822.5	26775	3	15	0	21.85

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	816.5	26715	5	1	0	23.32
QPSK	816.5	26715	5	1	12	23.49
QPSK	816.5	26715	5	1	24	23.33
QPSK	816.5	26715	5	12	0	23.38
QPSK	816.5	26715	5	12	7	23.47
QPSK	816.5	26715	5	12	13	23.39
QPSK	816.5	26715	5	25	0	23.38
QPSK	819	26740	5	1	0	23.42
QPSK	819	26740	5	1	12	23.38
QPSK	819	26740	5	1	24	23.24
QPSK	819	26740	5	12	0	23.39
QPSK	819	26740	5	12	7	23.39
QPSK	819	26740	5	12	13	23.33
QPSK	819	26740	5	25	0	23.34
QPSK	821.5	26765	5	1	0	23.54
QPSK	821.5	26765	5	1	12	23.38
QPSK	821.5	26765	5	1	24	23.30
QPSK	821.5	26765	5	12	0	23.28
QPSK	821.5	26765	5	12	7	23.38
QPSK	821.5	26765	5	12	13	23.29
QPSK	821.5	26765	5	25	0	23.27

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	816.5	26715	5	1	0	23.57
16QAM	816.5	26715	5	1	12	23.70
16QAM	816.5	26715	5	1	24	23.48
16QAM	816.5	26715	5	12	0	22.94
16QAM	816.5	26715	5	12	7	22.91
16QAM	816.5	26715	5	12	13	22.95
16QAM	816.5	26715	5	25	0	22.92
16QAM	819	26740	5	1	0	23.83
16QAM	819	26740	5	1	12	23.55
16QAM	819	26740	5	1	24	23.26
16QAM	819	26740	5	12	0	22.75
16QAM	819	26740	5	12	7	22.92
16QAM	819	26740	5	12	13	22.85
16QAM	819	26740	5	25	0	22.88
16QAM	821.5	26765	5	1	0	23.45
16QAM	821.5	26765	5	1	12	23.45
16QAM	821.5	26765	5	1	24	23.74
16QAM	821.5	26765	5	12	0	22.70
16QAM	821.5	26765	5	12	7	22.82
16QAM	821.5	26765	5	12	13	22.78
16QAM	821.5	26765	5	25	0	22.79
64QAM	816.5	26715	5	1	0	23.03
64QAM	816.5	26715	5	1	12	23.23
64QAM	816.5	26715	5	1	24	23.21
64QAM	816.5	26715	5	12	0	21.88
64QAM	816.5	26715	5	12	7	22.07
64QAM	816.5	26715	5	12	13	21.92
64QAM	816.5	26715	5	25	0	21.88
64QAM	819	26740	5	1	0	23.28
64QAM	819	26740	5	1	12	23.50
64QAM	819	26740	5	1	24	23.20
64QAM	819	26740	5	12	0	21.82
64QAM	819	26740	5	12	7	21.91
64QAM	819	26740	5	12	13	21.89
64QAM	819	26740	5	25	0	21.86
64QAM	821.5	26765	5	1	0	23.56
64QAM	821.5	26765	5	1	12	23.25
64QAM	821.5	26765	5	1	24	22.98
64QAM	821.5	26765	5	12	0	21.79
64QAM	821.5	26765	5	12	7	21.94
64QAM	821.5	26765	5	12	13	21.79
64QAM	821.5	26765	5	25	0	21.81

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	819	26740	10	1	0	23.38
QPSK	819	26740	10	1	25	23.25
QPSK	819	26740	10	1	49	23.25
QPSK	819	26740	10	25	0	23.39
QPSK	819	26740	10	25	12	23.40
QPSK	819	26740	10	25	25	23.34
QPSK	819	26740	10	50	0	23.35
QPSK	819	26740	10	1	0	23.44
QPSK	819	26740	10	1	25	23.36
QPSK	819	26740	10	1	49	23.13
QPSK	819	26740	10	25	0	23.46
QPSK	819	26740	10	25	12	23.36
QPSK	819	26740	10	25	25	23.26
QPSK	819	26740	10	50	0	23.39
QPSK	819	26740	10	1	0	23.43
QPSK	819	26740	10	1	25	23.37
QPSK	819	26740	10	1	49	23.18
QPSK	819	26740	10	25	0	23.43
QPSK	819	26740	10	25	12	23.38
QPSK	819	26740	10	25	25	23.31
QPSK	819	26740	10	50	0	23.42

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
256QAM	819	26740	10	1	0	18.09
256QAM	819	26740	10	1	0	18.45
256QAM	819	26740	10	1	0	18.20

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	819	26740	10	1	0	23.72
16QAM	819	26740	10	1	25	23.55
16QAM	819	26740	10	1	49	23.56
16QAM	819	26740	10	25	0	22.94
16QAM	819	26740	10	25	12	22.98
16QAM	819	26740	10	25	25	22.86
16QAM	819	26740	10	50	0	22.86
16QAM	819	26740	10	1	0	23.79
16QAM	819	26740	10	1	25	23.66
16QAM	819	26740	10	1	49	23.33
16QAM	819	26740	10	25	0	22.95
16QAM	819	26740	10	25	12	22.88
16QAM	819	26740	10	25	25	22.86
16QAM	819	26740	10	50	0	22.87
16QAM	819	26740	10	1	0	23.35
16QAM	819	26740	10	1	25	23.55
16QAM	819	26740	10	1	49	23.48
16QAM	819	26740	10	25	0	22.82
16QAM	819	26740	10	25	12	22.94
16QAM	819	26740	10	25	25	22.82
16QAM	819	26740	10	50	0	22.84
64QAM	819	26740	10	1	0	23.38
64QAM	819	26740	10	1	25	23.04
64QAM	819	26740	10	1	49	22.90
64QAM	819	26740	10	25	0	21.84
64QAM	819	26740	10	25	12	21.85
64QAM	819	26740	10	25	25	21.86
64QAM	819	26740	10	50	0	21.87
64QAM	819	26740	10	1	0	23.05
64QAM	819	26740	10	1	25	22.98
64QAM	819	26740	10	1	49	22.66
64QAM	819	26740	10	25	0	21.93
64QAM	819	26740	10	25	12	21.90
64QAM	819	26740	10	25	25	21.89
64QAM	819	26740	10	50	0	21.87
64QAM	819	26740	10	1	0	23.43
64QAM	819	26740	10	1	25	23.21
64QAM	819	26740	10	1	49	23.11
64QAM	819	26740	10	25	0	21.93
64QAM	819	26740	10	25	12	21.87
64QAM	819	26740	10	25	25	21.85
64QAM	819	26740	10	50	0	21.80

2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
26	QPSK	814.7	26697	1.4	6	0	1.079	Fig.1
26	QPSK	819	26740	1.4	6	0	1.076	Fig.2
26	QPSK	823.3	26783	1.4	6	0	1.079	Fig.3
26	QPSK	815.5	26705	3	15	0	2.685	Fig.4
26	QPSK	819	26740	3	15	0	2.688	Fig.5
26	QPSK	822.5	26775	3	15	0	2.681	Fig.6
26	QPSK	816.5	26715	5	25	0	4.448	Fig.7
26	QPSK	819	26740	5	25	0	4.467	Fig.8
26	QPSK	821.5	26765	5	25	0	4.474	Fig.9
26	QPSK	819	26740	10	50	0	8.935	Fig.10
26	QPSK	819	26740	10	50	0	8.913	Fig.11
26	QPSK	819	26740	10	50	0	8.903	Fig.12

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
26	16QAM	814.7	26697	1.4	6	0	1.079	Fig.13
26	16QAM	819	26740	1.4	6	0	1.078	Fig.14
26	16QAM	823.3	26783	1.4	6	0	1.077	Fig.15
26	16QAM	815.5	26705	3	15	0	2.681	Fig.16
26	16QAM	819	26740	3	15	0	2.681	Fig.17
26	16QAM	822.5	26775	3	15	0	2.676	Fig.18
26	16QAM	816.5	26715	5	25	0	4.479	Fig.19
26	16QAM	819	26740	5	25	0	4.464	Fig.20
26	16QAM	821.5	26765	5	25	0	4.467	Fig.21
26	16QAM	819	26740	10	50	0	8.903	Fig.22
26	16QAM	819	26740	10	50	0	8.943	Fig.23
26	16QAM	819	26740	10	50	0	8.919	Fig.24

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
26	64QAM	814.7	26697	1.4	6	0	1.077	Fig.25
26	64QAM	819	26740	1.4	6	0	1.079	Fig.26
26	64QAM	823.3	26783	1.4	6	0	1.073	Fig.27
26	64QAM	815.5	26705	3	15	0	2.674	Fig.28
26	64QAM	819	26740	3	15	0	2.685	Fig.29
26	64QAM	822.5	26775	3	15	0	2.668	Fig.30
26	64QAM	816.5	26715	5	25	0	4.465	Fig.31
26	64QAM	819	26740	5	25	0	4.473	Fig.32
26	64QAM	821.5	26765	5	25	0	4.462	Fig.33
26	64QAM	819	26740	10	50	0	8.888	Fig.34
26	64QAM	819	26740	10	50	0	8.919	Fig.35
26	64QAM	819	26740	10	50	0	8.898	Fig.36

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12

Test Mode: 16QAM




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

Test Mode: 64QAM




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

3 Emission Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
26	QPSK	814.7	26697	1.4	6	0	1.269	Fig.1
26	QPSK	819	26740	1.4	6	0	1.256	Fig.2
26	QPSK	823.3	26783	1.4	6	0	1.225	Fig.3
26	QPSK	815.5	26705	3	15	0	2.894	Fig.4
26	QPSK	819	26740	3	15	0	2.853	Fig.5
26	QPSK	822.5	26775	3	15	0	2.873	Fig.6
26	QPSK	816.5	26715	5	25	0	4.745	Fig.7
26	QPSK	819	26740	5	25	0	4.875	Fig.8
26	QPSK	821.5	26765	5	25	0	4.722	Fig.9
26	QPSK	819	26740	10	50	0	9.274	Fig.10
26	QPSK	819	26740	10	50	0	9.308	Fig.11
26	QPSK	819	26740	10	50	0	9.390	Fig.12

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
26	16QAM	814.7	26697	1.4	6	0	1.278	Fig.13
26	16QAM	819	26740	1.4	6	0	1.271	Fig.14
26	16QAM	823.3	26783	1.4	6	0	1.253	Fig.15
26	16QAM	815.5	26705	3	15	0	2.870	Fig.16
26	16QAM	819	26740	3	15	0	2.855	Fig.17
26	16QAM	822.5	26775	3	15	0	2.907	Fig.18
26	16QAM	816.5	26715	5	25	0	4.787	Fig.19
26	16QAM	819	26740	5	25	0	4.780	Fig.20
26	16QAM	821.5	26765	5	25	0	4.733	Fig.21
26	16QAM	819	26740	10	50	0	9.270	Fig.22
26	16QAM	819	26740	10	50	0	9.366	Fig.23
26	16QAM	819	26740	10	50	0	9.351	Fig.24

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
26	64QAM	814.7	26697	1.4	6	0	1.263	Fig.25
26	64QAM	819	26740	1.4	6	0	1.238	Fig.26
26	64QAM	823.3	26783	1.4	6	0	1.235	Fig.27
26	64QAM	815.5	26705	3	15	0	2.898	Fig.28
26	64QAM	819	26740	3	15	0	2.850	Fig.29
26	64QAM	822.5	26775	3	15	0	2.862	Fig.30
26	64QAM	816.5	26715	5	25	0	4.817	Fig.31
26	64QAM	819	26740	5	25	0	4.744	Fig.32
26	64QAM	821.5	26765	5	25	0	4.737	Fig.33
26	64QAM	819	26740	10	50	0	9.376	Fig.34
26	64QAM	819	26740	10	50	0	9.393	Fig.35
26	64QAM	819	26740	10	50	0	9.325	Fig.36

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12

Test Mode: 16QAM




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

Test Mode: 64QAM




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	QPSK	16-QAM	64-QAM
26	814.7	26697	1.4	1	5	Fig.1	Fig.2	Fig.3
26	814.7	26697	1.4	6	0	Fig.4	Fig.5	Fig.6
26	819	26740	1.4	1	5	Fig.7	Fig.8	Fig.9
26	819	26740	1.4	6	0	Fig.10	Fig.11	Fig.12
26	823.3	26783	1.4	1	5	Fig.13	Fig.14	Fig.15
26	823.3	26783	1.4	6	0	Fig.16	Fig.17	Fig.18
26	815.5	26705	3	1	14	Fig.19	Fig.20	Fig.21
26	815.5	26705	3	15	0	Fig.22	Fig.23	Fig.24
26	819	26740	3	1	14	Fig.25	Fig.26	Fig.27
26	819	26740	3	15	0	Fig.28	Fig.29	Fig.30
26	822.5	26775	3	1	14	Fig.31	Fig.32	Fig.33
26	822.5	26775	3	15	0	Fig.34	Fig.35	Fig.36
26	816.5	26715	5	1	24	Fig.37	Fig.38	Fig.39
26	816.5	26715	5	25	0	Fig.40	Fig.41	Fig.42
26	819	26740	5	1	24	Fig.43	Fig.44	Fig.45
26	819	26740	5	25	0	Fig.46	Fig.47	Fig.48
26	821.5	26765	5	1	24	Fig.49	Fig.50	Fig.51
26	821.5	26765	5	25	0	Fig.52	Fig.53	Fig.54
26	819	26740	10	1	49	Fig.55	Fig.56	Fig.57
26	819	26740	10	50	0	Fig.58	Fig.59	Fig.60
26	819	26740	10	1	49	Fig.61	Fig.62	Fig.63
26	819	26740	10	50	0	Fig.64	Fig.65	Fig.66
26	819	26740	10	1	49	Fig.67	Fig.68	Fig.69
26	819	26740	10	50	0	Fig.70	Fig.71	Fig.72




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	256-QAM
26	814.7	26697	1.4	1	5	Fig.1
26	814.7	26697	1.4	6	0	Fig.2
26	819	26740	1.4	1	5	Fig.3
26	819	26740	1.4	6	0	Fig.4
26	823.3	26783	1.4	1	5	Fig.5
26	823.3	26783	1.4	6	0	Fig.6
26	815.5	26705	3	1	14	Fig.7
26	815.5	26705	3	15	0	Fig.8
26	819	26740	3	1	14	Fig.9
26	819	26740	3	15	0	Fig.10
26	822.5	26775	3	1	14	Fig.11
26	822.5	26775	3	15	0	Fig.12
26	816.5	26715	5	1	24	Fig.13
26	816.5	26715	5	25	0	Fig.14
26	819	26740	5	1	24	Fig.15
26	819	26740	5	25	0	Fig.16
26	821.5	26765	5	1	24	Fig.17
26	821.5	26765	5	25	0	Fig.18
26	819	26740	10	1	49	Fig.19
26	819	26740	10	50	0	Fig.20
26	819	26740	10	1	49	Fig.21
26	819	26740	10	50	0	Fig.22
26	819	26740	10	1	49	Fig.23
26	819	26740	10	50	0	Fig.24




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
26	819	26740	10	1	0	Fig.1
26	819	26740	10	1	0	Fig.2
26	819	26740	10	1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
26	QPSK	814.7	26697	1.4	1	0	Fig.1
26	QPSK	814.7	26697	1.4	6	0	Fig.2
26	QPSK	823.3	26783	1.4	1	5	Fig.3
26	QPSK	823.3	26783	1.4	6	0	Fig.4
26	QPSK	815.5	26705	3	1	0	Fig.5
26	QPSK	815.5	26705	3	15	0	Fig.6
26	QPSK	822.5	26775	3	1	14	Fig.7
26	QPSK	822.5	26775	3	15	0	Fig.8
26	QPSK	816.5	26715	5	1	0	Fig.9
26	QPSK	816.5	26715	5	25	0	Fig.10
26	QPSK	821.5	26765	5	1	24	Fig.11
26	QPSK	821.5	26765	5	25	0	Fig.12
26	QPSK	819	26740	10	1	0	Fig.13
26	QPSK	819	26740	10	50	0	Fig.14
26	QPSK	819	26740	10	1	49	Fig.15
26	QPSK	819	26740	10	50	0	Fig.16

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Low Channel QPSK			
		1.4M	3M	5M	10M
-10	NV	-0.020	-0.001	0.001	0.004
0	NV	-0.004	0.002	0.003	-0.005
+10	NV	0.001	-0.001	0.006	0.006
+20	NV	-0.012	0.000	-0.003	0.005
+30	NV	-0.004	0.002	-0.001	0.005
+40	NV	-0.014	0.002	0.005	0.006
+50	NV	-0.007	-0.003	-0.001	-0.005
+55	NV	-0.003	-0.001	-0.001	0.008
+20	LV	-0.003	-0.006	0.002	-0.005
+20	HV	-0.007	-0.002	0.004	0.006

Temperature(°C)	Voltage	Test Result (ppm) High Channel QPSK			
		1.4M	3M	5M	10M
-10	NV	-0.010	0.008	0.007	0.005
0	NV	0.010	0.008	0.005	0.007
+10	NV	-0.007	0.008	0.009	0.006
+20	NV	0.010	0.008	0.005	0.006
+30	NV	-0.009	0.009	-0.007	-0.003
+40	NV	-0.012	0.007	0.005	0.006
+50	NV	-0.009	0.003	0.006	0.006
+55	NV	-0.013	0.007	0.005	0.006
+20	LV	0.007	0.007	0.005	0.005
+20	HV	0.009	0.005	-0.005	-0.006

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	814.7	26697	1.4	1	0	23.43	16.48	0.044
QPSK	814.7	26697	1.4	1	3	23.47	16.52	0.045
QPSK	814.7	26697	1.4	1	5	23.39	16.44	0.044
QPSK	814.7	26697	1.4	3	0	23.44	16.49	0.045
QPSK	814.7	26697	1.4	3	1	23.50	16.55	0.045
QPSK	814.7	26697	1.4	3	3	23.42	16.47	0.044
QPSK	814.7	26697	1.4	6	0	23.44	16.49	0.045
QPSK	819	26740	1.4	1	0	23.25	16.30	0.043
QPSK	819	26740	1.4	1	3	23.35	16.40	0.044
QPSK	819	26740	1.4	1	5	23.22	16.27	0.042
QPSK	819	26740	1.4	3	0	23.35	16.40	0.044
QPSK	819	26740	1.4	3	1	23.35	16.40	0.044
QPSK	819	26740	1.4	3	3	23.35	16.40	0.044
QPSK	819	26740	1.4	6	0	23.39	16.44	0.044
QPSK	823.3	26783	1.4	1	0	23.13	16.18	0.041
QPSK	823.3	26783	1.4	1	3	23.37	16.42	0.044
QPSK	823.3	26783	1.4	1	5	23.35	16.40	0.044
QPSK	823.3	26783	1.4	3	0	23.29	16.34	0.043
QPSK	823.3	26783	1.4	3	1	23.30	16.35	0.043
QPSK	823.3	26783	1.4	3	3	23.28	16.33	0.043
QPSK	823.3	26783	1.4	6	0	23.24	16.29	0.043

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	814.7	26697	1.4	1	0	23.85	16.90	0.049
16QAM	814.7	26697	1.4	1	3	23.84	16.89	0.049
16QAM	814.7	26697	1.4	1	5	23.71	16.76	0.047
16QAM	814.7	26697	1.4	3	0	23.54	16.59	0.046
16QAM	814.7	26697	1.4	3	1	23.72	16.77	0.048
16QAM	814.7	26697	1.4	3	3	23.58	16.63	0.046
16QAM	814.7	26697	1.4	6	0	22.90	15.95	0.039
16QAM	819	26740	1.4	1	0	23.43	16.48	0.044
16QAM	819	26740	1.4	1	3	23.71	16.76	0.047
16QAM	819	26740	1.4	1	5	23.67	16.72	0.047
16QAM	819	26740	1.4	3	0	23.36	16.41	0.044
16QAM	819	26740	1.4	3	1	23.28	16.33	0.043
16QAM	819	26740	1.4	3	3	23.50	16.55	0.045
16QAM	819	26740	1.4	6	0	22.72	15.77	0.038
16QAM	823.3	26783	1.4	1	0	23.44	16.49	0.045
16QAM	823.3	26783	1.4	1	3	23.48	16.53	0.045
16QAM	823.3	26783	1.4	1	5	23.47	16.52	0.045
16QAM	823.3	26783	1.4	3	0	23.35	16.40	0.044
16QAM	823.3	26783	1.4	3	1	23.51	16.56	0.045
16QAM	823.3	26783	1.4	3	3	23.43	16.48	0.044
16QAM	823.3	26783	1.4	6	0	22.43	15.48	0.035
64QAM	814.7	26697	1.4	1	0	23.19	16.24	0.042
64QAM	814.7	26697	1.4	1	3	23.38	16.43	0.044
64QAM	814.7	26697	1.4	1	5	23.17	16.22	0.042
64QAM	814.7	26697	1.4	3	0	22.93	15.98	0.040
64QAM	814.7	26697	1.4	3	1	23.16	16.21	0.042
64QAM	814.7	26697	1.4	3	3	23.08	16.13	0.041
64QAM	814.7	26697	1.4	6	0	22.13	15.18	0.033
64QAM	819	26740	1.4	1	0	23.06	16.11	0.041
64QAM	819	26740	1.4	1	3	22.51	15.56	0.036
64QAM	819	26740	1.4	1	5	22.81	15.86	0.039
64QAM	819	26740	1.4	3	0	22.60	15.65	0.037
64QAM	819	26740	1.4	3	1	22.67	15.72	0.037
64QAM	819	26740	1.4	3	3	22.49	15.54	0.036
64QAM	819	26740	1.4	6	0	21.36	14.41	0.028
64QAM	823.3	26783	1.4	1	0	22.49	15.54	0.036
64QAM	823.3	26783	1.4	1	3	23.05	16.10	0.041
64QAM	823.3	26783	1.4	1	5	22.46	15.51	0.036
64QAM	823.3	26783	1.4	3	0	22.58	15.63	0.037
64QAM	823.3	26783	1.4	3	1	22.55	15.60	0.036
64QAM	823.3	26783	1.4	3	3	22.57	15.62	0.036
64QAM	823.3	26783	1.4	6	0	21.61	14.66	0.029

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	815.5	26705	3	1	0	23.39	16.44	0.044
QPSK	815.5	26705	3	1	8	23.41	16.46	0.044
QPSK	815.5	26705	3	1	14	23.23	16.28	0.042
QPSK	815.5	26705	3	8	0	23.50	16.55	0.045
QPSK	815.5	26705	3	8	4	23.49	16.54	0.045
QPSK	815.5	26705	3	8	7	23.46	16.51	0.045
QPSK	815.5	26705	3	15	0	23.45	16.50	0.045
QPSK	819	26740	3	1	0	23.29	16.34	0.043
QPSK	819	26740	3	1	8	23.21	16.26	0.042
QPSK	819	26740	3	1	14	23.23	16.28	0.042
QPSK	819	26740	3	8	0	23.34	16.39	0.044
QPSK	819	26740	3	8	4	23.31	16.36	0.043
QPSK	819	26740	3	8	7	23.34	16.39	0.044
QPSK	819	26740	3	15	0	23.30	16.35	0.043
QPSK	822.5	26775	3	1	0	23.23	16.28	0.042
QPSK	822.5	26775	3	1	8	23.31	16.36	0.043
QPSK	822.5	26775	3	1	14	23.22	16.27	0.042
QPSK	822.5	26775	3	8	0	23.26	16.31	0.043
QPSK	822.5	26775	3	8	4	23.38	16.43	0.044
QPSK	822.5	26775	3	8	7	23.34	16.39	0.044
QPSK	822.5	26775	3	15	0	23.29	16.34	0.043

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	815.5	26705	3	1	0	23.88	16.93	0.049
16QAM	815.5	26705	3	1	8	23.61	16.66	0.046
16QAM	815.5	26705	3	1	14	23.61	16.66	0.046
16QAM	815.5	26705	3	8	0	23.00	16.05	0.040
16QAM	815.5	26705	3	8	4	23.04	16.09	0.041
16QAM	815.5	26705	3	8	7	22.89	15.94	0.039
16QAM	815.5	26705	3	15	0	22.98	16.03	0.040
16QAM	819	26740	3	1	0	23.68	16.73	0.047
16QAM	819	26740	3	1	8	23.66	16.71	0.047
16QAM	819	26740	3	1	14	23.21	16.26	0.042
16QAM	819	26740	3	8	0	22.93	15.98	0.040
16QAM	819	26740	3	8	4	22.80	15.85	0.038
16QAM	819	26740	3	8	7	22.82	15.87	0.039
16QAM	819	26740	3	15	0	22.77	15.82	0.038
16QAM	822.5	26775	3	1	0	23.44	16.49	0.045
16QAM	822.5	26775	3	1	8	23.72	16.77	0.048
16QAM	822.5	26775	3	1	14	23.11	16.16	0.041
16QAM	822.5	26775	3	8	0	22.78	15.83	0.038
16QAM	822.5	26775	3	8	4	22.86	15.91	0.039
16QAM	822.5	26775	3	8	7	22.69	15.74	0.037
16QAM	822.5	26775	3	15	0	22.82	15.87	0.039
64QAM	815.5	26705	3	1	0	23.39	16.44	0.044
64QAM	815.5	26705	3	1	8	23.49	16.54	0.045
64QAM	815.5	26705	3	1	14	23.38	16.43	0.044
64QAM	815.5	26705	3	8	0	22.04	15.09	0.032
64QAM	815.5	26705	3	8	4	21.98	15.03	0.032
64QAM	815.5	26705	3	8	7	21.97	15.02	0.032
64QAM	815.5	26705	3	15	0	22.01	15.06	0.032
64QAM	819	26740	3	1	0	22.94	15.99	0.040
64QAM	819	26740	3	1	8	23.20	16.25	0.042
64QAM	819	26740	3	1	14	23.05	16.10	0.041
64QAM	819	26740	3	8	0	21.88	14.93	0.031
64QAM	819	26740	3	8	4	22.06	15.11	0.032
64QAM	819	26740	3	8	7	21.92	14.97	0.031
64QAM	819	26740	3	15	0	21.93	14.98	0.031
64QAM	822.5	26775	3	1	0	23.30	16.35	0.043
64QAM	822.5	26775	3	1	8	23.18	16.23	0.042
64QAM	822.5	26775	3	1	14	22.95	16.00	0.040
64QAM	822.5	26775	3	8	0	21.76	14.81	0.030
64QAM	822.5	26775	3	8	4	21.85	14.90	0.031
64QAM	822.5	26775	3	8	7	21.85	14.90	0.031
64QAM	822.5	26775	3	15	0	21.85	14.90	0.031

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	816.5	26715	5	1	0	23.32	16.37	0.043
QPSK	816.5	26715	5	1	12	23.49	16.54	0.045
QPSK	816.5	26715	5	1	24	23.33	16.38	0.043
QPSK	816.5	26715	5	12	0	23.38	16.43	0.044
QPSK	816.5	26715	5	12	7	23.47	16.52	0.045
QPSK	816.5	26715	5	12	13	23.39	16.44	0.044
QPSK	816.5	26715	5	25	0	23.38	16.43	0.044
QPSK	819	26740	5	1	0	23.42	16.47	0.044
QPSK	819	26740	5	1	12	23.38	16.43	0.044
QPSK	819	26740	5	1	24	23.24	16.29	0.043
QPSK	819	26740	5	12	0	23.39	16.44	0.044
QPSK	819	26740	5	12	7	23.39	16.44	0.044
QPSK	819	26740	5	12	13	23.33	16.38	0.043
QPSK	819	26740	5	25	0	23.34	16.39	0.044
QPSK	821.5	26765	5	1	0	23.54	16.59	0.046
QPSK	821.5	26765	5	1	12	23.38	16.43	0.044
QPSK	821.5	26765	5	1	24	23.30	16.35	0.043
QPSK	821.5	26765	5	12	0	23.28	16.33	0.043
QPSK	821.5	26765	5	12	7	23.38	16.43	0.044
QPSK	821.5	26765	5	12	13	23.29	16.34	0.043
QPSK	821.5	26765	5	25	0	23.27	16.32	0.043

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	816.5	26715	5	1	0	23.57	16.62	0.046
16QAM	816.5	26715	5	1	12	23.70	16.75	0.047
16QAM	816.5	26715	5	1	24	23.48	16.53	0.045
16QAM	816.5	26715	5	12	0	22.94	15.99	0.040
16QAM	816.5	26715	5	12	7	22.91	15.96	0.039
16QAM	816.5	26715	5	12	13	22.95	16.00	0.040
16QAM	816.5	26715	5	25	0	22.92	15.97	0.040
16QAM	819	26740	5	1	0	23.83	16.88	0.049
16QAM	819	26740	5	1	12	23.55	16.60	0.046
16QAM	819	26740	5	1	24	23.26	16.31	0.043
16QAM	819	26740	5	12	0	22.75	15.80	0.038
16QAM	819	26740	5	12	7	22.92	15.97	0.040
16QAM	819	26740	5	12	13	22.85	15.90	0.039
16QAM	819	26740	5	25	0	22.88	15.93	0.039
16QAM	821.5	26765	5	1	0	23.45	16.50	0.045
16QAM	821.5	26765	5	1	12	23.45	16.50	0.045
16QAM	821.5	26765	5	1	24	23.74	16.79	0.048
16QAM	821.5	26765	5	12	0	22.70	15.75	0.038
16QAM	821.5	26765	5	12	7	22.82	15.87	0.039
16QAM	821.5	26765	5	12	13	22.78	15.83	0.038
16QAM	821.5	26765	5	25	0	22.79	15.84	0.038
64QAM	816.5	26715	5	1	0	23.03	16.08	0.041
64QAM	816.5	26715	5	1	12	23.23	16.28	0.042
64QAM	816.5	26715	5	1	24	23.21	16.26	0.042
64QAM	816.5	26715	5	12	0	21.88	14.93	0.031
64QAM	816.5	26715	5	12	7	22.07	15.12	0.033
64QAM	816.5	26715	5	12	13	21.92	14.97	0.031
64QAM	816.5	26715	5	25	0	21.88	14.93	0.031
64QAM	819	26740	5	1	0	23.28	16.33	0.043
64QAM	819	26740	5	1	12	23.50	16.55	0.045
64QAM	819	26740	5	1	24	23.20	16.25	0.042
64QAM	819	26740	5	12	0	21.82	14.87	0.031
64QAM	819	26740	5	12	7	21.91	14.96	0.031
64QAM	819	26740	5	12	13	21.89	14.94	0.031
64QAM	819	26740	5	25	0	21.86	14.91	0.031
64QAM	821.5	26765	5	1	0	23.56	16.61	0.046
64QAM	821.5	26765	5	1	12	23.25	16.30	0.043
64QAM	821.5	26765	5	1	24	22.98	16.03	0.040
64QAM	821.5	26765	5	12	0	21.79	14.84	0.030
64QAM	821.5	26765	5	12	7	21.94	14.99	0.032
64QAM	821.5	26765	5	12	13	21.79	14.84	0.030
64QAM	821.5	26765	5	25	0	21.81	14.86	0.031

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	819	26740	10	1	0	23.38	16.43	0.044
QPSK	819	26740	10	1	25	23.25	16.30	0.043
QPSK	819	26740	10	1	49	23.25	16.30	0.043
QPSK	819	26740	10	25	0	23.39	16.44	0.044
QPSK	819	26740	10	25	12	23.40	16.45	0.044
QPSK	819	26740	10	25	25	23.34	16.39	0.044
QPSK	819	26740	10	50	0	23.35	16.40	0.044
QPSK	819	26740	10	1	0	23.44	16.49	0.045
QPSK	819	26740	10	1	25	23.36	16.41	0.044
QPSK	819	26740	10	1	49	23.13	16.18	0.041
QPSK	819	26740	10	25	0	23.46	16.51	0.045
QPSK	819	26740	10	25	12	23.36	16.41	0.044
QPSK	819	26740	10	25	25	23.26	16.31	0.043
QPSK	819	26740	10	50	0	23.39	16.44	0.044
QPSK	819	26740	10	1	0	23.43	16.48	0.044
QPSK	819	26740	10	1	25	23.37	16.42	0.044
QPSK	819	26740	10	1	49	23.18	16.23	0.042
QPSK	819	26740	10	25	0	23.43	16.48	0.044
QPSK	819	26740	10	25	12	23.38	16.43	0.044
QPSK	819	26740	10	25	25	23.31	16.36	0.043
QPSK	819	26740	10	50	0	23.42	16.47	0.044

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
256QAM	819	26740	10	1	0	18.09	11.14	0.013
256QAM	819	26740	10	1	0	18.45	11.50	0.014
256QAM	819	26740	10	1	0	18.20	11.25	0.013

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	819	26740	10	1	0	23.72	16.77	0.048
16QAM	819	26740	10	1	25	23.55	16.60	0.046
16QAM	819	26740	10	1	49	23.56	16.61	0.046
16QAM	819	26740	10	25	0	22.94	15.99	0.040
16QAM	819	26740	10	25	12	22.98	16.03	0.040
16QAM	819	26740	10	25	25	22.86	15.91	0.039
16QAM	819	26740	10	50	0	22.86	15.91	0.039
16QAM	819	26740	10	1	0	23.79	16.84	0.048
16QAM	819	26740	10	1	25	23.66	16.71	0.047
16QAM	819	26740	10	1	49	23.33	16.38	0.043
16QAM	819	26740	10	25	0	22.95	16.00	0.040
16QAM	819	26740	10	25	12	22.88	15.93	0.039
16QAM	819	26740	10	25	25	22.86	15.91	0.039
16QAM	819	26740	10	50	0	22.87	15.92	0.039
16QAM	819	26740	10	1	0	23.35	16.40	0.044
16QAM	819	26740	10	1	25	23.55	16.60	0.046
16QAM	819	26740	10	1	49	23.48	16.53	0.045
16QAM	819	26740	10	25	0	22.82	15.87	0.039
16QAM	819	26740	10	25	12	22.94	15.99	0.040
16QAM	819	26740	10	25	25	22.82	15.87	0.039
16QAM	819	26740	10	50	0	22.84	15.89	0.039
64QAM	819	26740	10	1	0	23.38	16.43	0.044
64QAM	819	26740	10	1	25	23.04	16.09	0.041
64QAM	819	26740	10	1	49	22.90	15.95	0.039
64QAM	819	26740	10	25	0	21.84	14.89	0.031
64QAM	819	26740	10	25	12	21.85	14.90	0.031
64QAM	819	26740	10	25	25	21.86	14.91	0.031
64QAM	819	26740	10	50	0	21.87	14.92	0.031
64QAM	819	26740	10	1	0	23.05	16.10	0.041
64QAM	819	26740	10	1	25	22.98	16.03	0.040
64QAM	819	26740	10	1	49	22.66	15.71	0.037
64QAM	819	26740	10	25	0	21.93	14.98	0.031
64QAM	819	26740	10	25	12	21.90	14.95	0.031
64QAM	819	26740	10	25	25	21.89	14.94	0.031
64QAM	819	26740	10	50	0	21.87	14.92	0.031
64QAM	819	26740	10	1	0	23.43	16.48	0.044
64QAM	819	26740	10	1	25	23.21	16.26	0.042
64QAM	819	26740	10	1	49	23.11	16.16	0.041
64QAM	819	26740	10	25	0	21.93	14.98	0.031
64QAM	819	26740	10	25	12	21.87	14.92	0.031
64QAM	819	26740	10	25	25	21.85	14.90	0.031
64QAM	819	26740	10	50	0	21.80	14.85	0.031