

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 26

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	824.7	26797	1.4	1	0	23.22
QPSK	824.7	26797	1.4	1	3	23.34
QPSK	824.7	26797	1.4	1	5	23.30
QPSK	824.7	26797	1.4	3	0	23.35
QPSK	824.7	26797	1.4	3	1	23.26
QPSK	824.7	26797	1.4	3	3	23.27
QPSK	824.7	26797	1.4	6	0	23.26
QPSK	836.5	26915	1.4	1	0	23.14
QPSK	836.5	26915	1.4	1	3	23.24
QPSK	836.5	26915	1.4	1	5	23.22
QPSK	836.5	26915	1.4	3	0	23.20
QPSK	836.5	26915	1.4	3	1	23.24
QPSK	836.5	26915	1.4	3	3	23.27
QPSK	836.5	26915	1.4	6	0	23.26
QPSK	848.3	27033	1.4	1	0	23.31
QPSK	848.3	27033	1.4	1	3	23.22
QPSK	848.3	27033	1.4	1	5	23.23
QPSK	848.3	27033	1.4	3	0	23.24
QPSK	848.3	27033	1.4	3	1	23.25
QPSK	848.3	27033	1.4	3	3	23.19
QPSK	848.3	27033	1.4	6	0	23.24

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	824.7	26797	1.4	1	0	23.24
16QAM	824.7	26797	1.4	1	3	23.23
16QAM	824.7	26797	1.4	1	5	23.40
16QAM	824.7	26797	1.4	3	0	23.29
16QAM	824.7	26797	1.4	3	1	23.40
16QAM	824.7	26797	1.4	3	3	23.30
16QAM	824.7	26797	1.4	6	0	22.79
16QAM	836.5	26915	1.4	1	0	23.49
16QAM	836.5	26915	1.4	1	3	23.49
16QAM	836.5	26915	1.4	1	5	23.27
16QAM	836.5	26915	1.4	3	0	23.28
16QAM	836.5	26915	1.4	3	1	23.48
16QAM	836.5	26915	1.4	3	3	23.30
16QAM	836.5	26915	1.4	6	0	22.46
16QAM	848.3	27033	1.4	1	0	23.70
16QAM	848.3	27033	1.4	1	3	23.44
16QAM	848.3	27033	1.4	1	5	23.48
16QAM	848.3	27033	1.4	3	0	23.23
16QAM	848.3	27033	1.4	3	1	23.34
16QAM	848.3	27033	1.4	3	3	23.35
16QAM	848.3	27033	1.4	6	0	22.51
64QAM	824.7	26797	1.4	1	0	23.06
64QAM	824.7	26797	1.4	1	3	23.11
64QAM	824.7	26797	1.4	1	5	22.98
64QAM	824.7	26797	1.4	3	0	22.72
64QAM	824.7	26797	1.4	3	1	22.92
64QAM	824.7	26797	1.4	3	3	22.83
64QAM	824.7	26797	1.4	6	0	21.84
64QAM	836.5	26915	1.4	1	0	22.71
64QAM	836.5	26915	1.4	1	3	22.61
64QAM	836.5	26915	1.4	1	5	22.54
64QAM	836.5	26915	1.4	3	0	22.65
64QAM	836.5	26915	1.4	3	1	22.41
64QAM	836.5	26915	1.4	3	3	22.44
64QAM	836.5	26915	1.4	6	0	21.64
64QAM	848.3	27033	1.4	1	0	22.75
64QAM	848.3	27033	1.4	1	3	22.84
64QAM	848.3	27033	1.4	1	5	22.45
64QAM	848.3	27033	1.4	3	0	22.70
64QAM	848.3	27033	1.4	3	1	22.73
64QAM	848.3	27033	1.4	3	3	22.57
64QAM	848.3	27033	1.4	6	0	21.71

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	825.5	26805	3	1	0	23.09
QPSK	825.5	26805	3	1	8	23.22
QPSK	825.5	26805	3	1	14	23.25
QPSK	825.5	26805	3	8	0	23.23
QPSK	825.5	26805	3	8	4	23.32
QPSK	825.5	26805	3	8	7	23.31
QPSK	825.5	26805	3	15	0	23.28
QPSK	836.5	26915	3	1	0	23.34
QPSK	836.5	26915	3	1	8	23.21
QPSK	836.5	26915	3	1	14	23.27
QPSK	836.5	26915	3	8	0	23.23
QPSK	836.5	26915	3	8	4	23.34
QPSK	836.5	26915	3	8	7	23.32
QPSK	836.5	26915	3	15	0	23.26
QPSK	847.5	27025	3	1	0	23.12
QPSK	847.5	27025	3	1	8	23.38
QPSK	847.5	27025	3	1	14	23.05
QPSK	847.5	27025	3	8	0	23.24
QPSK	847.5	27025	3	8	4	23.34
QPSK	847.5	27025	3	8	7	23.25
QPSK	847.5	27025	3	15	0	23.32

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	825.5	26805	3	1	0	23.32
16QAM	825.5	26805	3	1	8	23.64
16QAM	825.5	26805	3	1	14	23.27
16QAM	825.5	26805	3	8	0	22.92
16QAM	825.5	26805	3	8	4	22.99
16QAM	825.5	26805	3	8	7	22.92
16QAM	825.5	26805	3	15	0	22.94
16QAM	836.5	26915	3	1	0	23.34
16QAM	836.5	26915	3	1	8	23.32
16QAM	836.5	26915	3	1	14	23.30
16QAM	836.5	26915	3	8	0	22.76
16QAM	836.5	26915	3	8	4	22.79
16QAM	836.5	26915	3	8	7	22.78
16QAM	836.5	26915	3	15	0	22.81
16QAM	847.5	27025	3	1	0	23.60
16QAM	847.5	27025	3	1	8	23.52
16QAM	847.5	27025	3	1	14	23.58
16QAM	847.5	27025	3	8	0	22.79
16QAM	847.5	27025	3	8	4	22.78
16QAM	847.5	27025	3	8	7	22.74
16QAM	847.5	27025	3	15	0	22.86
64QAM	825.5	26805	3	1	0	23.00
64QAM	825.5	26805	3	1	8	22.90
64QAM	825.5	26805	3	1	14	23.27
64QAM	825.5	26805	3	8	0	21.75
64QAM	825.5	26805	3	8	4	21.97
64QAM	825.5	26805	3	8	7	21.91
64QAM	825.5	26805	3	15	0	21.90
64QAM	836.5	26915	3	1	0	22.92
64QAM	836.5	26915	3	1	8	22.94
64QAM	836.5	26915	3	1	14	23.08
64QAM	836.5	26915	3	8	0	21.78
64QAM	836.5	26915	3	8	4	21.87
64QAM	836.5	26915	3	8	7	21.85
64QAM	836.5	26915	3	15	0	21.96
64QAM	847.5	27025	3	1	0	22.95
64QAM	847.5	27025	3	1	8	23.07
64QAM	847.5	27025	3	1	14	23.31
64QAM	847.5	27025	3	8	0	21.66
64QAM	847.5	27025	3	8	4	21.90
64QAM	847.5	27025	3	8	7	21.81
64QAM	847.5	27025	3	15	0	21.77

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	826.5	26815	5	1	0	23.32
QPSK	826.5	26815	5	1	12	23.55
QPSK	826.5	26815	5	1	24	23.20
QPSK	826.5	26815	5	12	0	23.29
QPSK	826.5	26815	5	12	7	23.35
QPSK	826.5	26815	5	12	13	23.30
QPSK	826.5	26815	5	25	0	23.30
QPSK	836.5	26915	5	1	0	23.39
QPSK	836.5	26915	5	1	12	23.29
QPSK	836.5	26915	5	1	24	23.22
QPSK	836.5	26915	5	12	0	23.22
QPSK	836.5	26915	5	12	7	23.34
QPSK	836.5	26915	5	12	13	23.29
QPSK	836.5	26915	5	25	0	23.32
QPSK	846.5	27015	5	1	0	23.14
QPSK	846.5	27015	5	1	12	23.48
QPSK	846.5	27015	5	1	24	23.32
QPSK	846.5	27015	5	12	0	23.29
QPSK	846.5	27015	5	12	7	23.39
QPSK	846.5	27015	5	12	13	23.23
QPSK	846.5	27015	5	25	0	23.24

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	826.5	26815	5	1	0	23.57
16QAM	826.5	26815	5	1	12	23.78
16QAM	826.5	26815	5	1	24	23.46
16QAM	826.5	26815	5	12	0	22.67
16QAM	826.5	26815	5	12	7	22.79
16QAM	826.5	26815	5	12	13	22.71
16QAM	826.5	26815	5	25	0	22.91
16QAM	836.5	26915	5	1	0	23.64
16QAM	836.5	26915	5	1	12	23.54
16QAM	836.5	26915	5	1	24	23.49
16QAM	836.5	26915	5	12	0	22.93
16QAM	836.5	26915	5	12	7	22.89
16QAM	836.5	26915	5	12	13	22.86
16QAM	836.5	26915	5	25	0	22.88
16QAM	846.5	27015	5	1	0	23.42
16QAM	846.5	27015	5	1	12	23.78
16QAM	846.5	27015	5	1	24	23.37
16QAM	846.5	27015	5	12	0	22.79
16QAM	846.5	27015	5	12	7	22.82
16QAM	846.5	27015	5	12	13	22.72
16QAM	846.5	27015	5	25	0	22.83
64QAM	826.5	26815	5	1	0	22.80
64QAM	826.5	26815	5	1	12	23.15
64QAM	826.5	26815	5	1	24	23.19
64QAM	826.5	26815	5	12	0	21.83
64QAM	826.5	26815	5	12	7	21.84
64QAM	826.5	26815	5	12	13	21.86
64QAM	826.5	26815	5	25	0	21.88
64QAM	836.5	26915	5	1	0	23.05
64QAM	836.5	26915	5	1	12	23.57
64QAM	836.5	26915	5	1	24	23.22
64QAM	836.5	26915	5	12	0	21.90
64QAM	836.5	26915	5	12	7	21.95
64QAM	836.5	26915	5	12	13	21.84
64QAM	836.5	26915	5	25	0	21.84
64QAM	846.5	27015	5	1	0	23.04
64QAM	846.5	27015	5	1	12	22.62
64QAM	846.5	27015	5	1	24	23.30
64QAM	846.5	27015	5	12	0	21.86
64QAM	846.5	27015	5	12	7	21.87
64QAM	846.5	27015	5	12	13	21.76
64QAM	846.5	27015	5	25	0	21.81

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	829	26840	10	1	0	23.32
QPSK	829	26840	10	1	25	23.28
QPSK	829	26840	10	1	49	23.18
QPSK	829	26840	10	25	0	23.26
QPSK	829	26840	10	25	12	23.31
QPSK	829	26840	10	25	25	23.28
QPSK	829	26840	10	50	0	23.28
QPSK	836.5	26915	10	1	0	23.26
QPSK	836.5	26915	10	1	25	23.37
QPSK	836.5	26915	10	1	49	23.35
QPSK	836.5	26915	10	25	0	23.22
QPSK	836.5	26915	10	25	12	23.32
QPSK	836.5	26915	10	25	25	23.32
QPSK	836.5	26915	10	50	0	23.32
QPSK	844	26990	10	1	0	23.25
QPSK	844	26990	10	1	25	23.19
QPSK	844	26990	10	1	49	23.36
QPSK	844	26990	10	25	0	23.22
QPSK	844	26990	10	25	12	23.23
QPSK	844	26990	10	25	25	23.27
QPSK	844	26990	10	50	0	23.21

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	829	26840	10	1	0	23.47
16QAM	829	26840	10	1	25	23.52
16QAM	829	26840	10	1	49	23.44
16QAM	829	26840	10	25	0	22.79
16QAM	829	26840	10	25	12	22.91
16QAM	829	26840	10	25	25	22.89
16QAM	829	26840	10	50	0	22.84
16QAM	836.5	26915	10	1	0	23.67
16QAM	836.5	26915	10	1	25	23.50
16QAM	836.5	26915	10	1	49	23.34
16QAM	836.5	26915	10	25	0	22.81
16QAM	836.5	26915	10	25	12	22.88
16QAM	836.5	26915	10	25	25	22.83
16QAM	836.5	26915	10	50	0	22.94
16QAM	844	26990	10	1	0	23.54
16QAM	844	26990	10	1	25	23.66
16QAM	844	26990	10	1	49	23.32
16QAM	844	26990	10	25	0	22.73
16QAM	844	26990	10	25	12	22.70
16QAM	844	26990	10	25	25	22.83
16QAM	844	26990	10	50	0	22.74
64QAM	829	26840	10	1	0	22.82
64QAM	829	26840	10	1	25	23.27
64QAM	829	26840	10	1	49	23.04
64QAM	829	26840	10	25	0	21.76
64QAM	829	26840	10	25	12	21.85
64QAM	829	26840	10	25	25	21.75
64QAM	829	26840	10	50	0	21.84
64QAM	836.5	26915	10	1	0	23.10
64QAM	836.5	26915	10	1	25	22.91
64QAM	836.5	26915	10	1	49	23.04
64QAM	836.5	26915	10	25	0	21.77
64QAM	836.5	26915	10	25	12	21.90
64QAM	836.5	26915	10	25	25	21.78
64QAM	836.5	26915	10	50	0	21.91
64QAM	844	26990	10	1	0	22.98
64QAM	844	26990	10	1	25	23.40
64QAM	844	26990	10	1	49	23.46
64QAM	844	26990	10	25	0	21.71
64QAM	844	26990	10	25	12	21.76
64QAM	844	26990	10	25	25	21.80
64QAM	844	26990	10	50	0	21.81

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	836.5	26915	15	1	0	23.08
QPSK	836.5	26915	15	1	37	23.12
QPSK	836.5	26915	15	1	74	23.18
QPSK	836.5	26915	15	36	0	23.14
QPSK	836.5	26915	15	36	29	23.17
QPSK	836.5	26915	15	36	30	23.16
QPSK	836.5	26915	15	75	0	23.10
QPSK	841.5	26965	15	1	0	23.14
QPSK	841.5	26965	15	1	37	23.10
QPSK	841.5	26965	15	1	74	22.91
QPSK	841.5	26965	15	36	0	23.16
QPSK	841.5	26965	15	36	29	23.19
QPSK	841.5	26965	15	36	30	23.19
QPSK	841.5	26965	15	75	0	23.08

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
256QAM	831.5	26865	15	1	0	18.40
256QAM	836.5	26915	15	1	0	18.29
256QAM	841.5	26965	15	1	0	18.21

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	831.5	26865	15	1	0	23.33
16QAM	831.5	26865	15	1	37	23.48
16QAM	831.5	26865	15	1	74	23.29
16QAM	831.5	26865	15	36	0	22.74
16QAM	831.5	26865	15	36	29	22.57
16QAM	831.5	26865	15	36	30	22.69
16QAM	831.5	26865	15	75	0	22.57
16QAM	836.5	26915	15	1	0	23.13
16QAM	836.5	26915	15	1	37	23.69
16QAM	836.5	26915	15	1	74	23.40
16QAM	836.5	26915	15	36	0	22.68
16QAM	836.5	26915	15	36	29	22.73
16QAM	836.5	26915	15	36	30	22.68
16QAM	836.5	26915	15	75	0	22.61
16QAM	841.5	26965	15	1	0	23.22
16QAM	841.5	26965	15	1	37	23.86
16QAM	841.5	26965	15	1	74	23.25
16QAM	841.5	26965	15	36	0	22.65
16QAM	841.5	26965	15	36	29	22.63
16QAM	841.5	26965	15	36	30	22.68
16QAM	841.5	26965	15	75	0	22.61
64QAM	831.5	26865	15	1	0	22.77
64QAM	831.5	26865	15	1	37	23.13
64QAM	831.5	26865	15	1	74	22.96
64QAM	831.5	26865	15	36	0	21.65
64QAM	831.5	26865	15	36	29	21.68
64QAM	831.5	26865	15	36	30	21.65
64QAM	831.5	26865	15	75	0	21.67
64QAM	836.5	26915	15	1	0	22.72
64QAM	836.5	26915	15	1	37	22.73
64QAM	836.5	26915	15	1	74	22.50
64QAM	836.5	26915	15	36	0	21.65
64QAM	836.5	26915	15	36	29	21.71
64QAM	836.5	26915	15	36	30	21.74
64QAM	836.5	26915	15	75	0	21.51
64QAM	841.5	26965	15	1	0	22.72
64QAM	841.5	26965	15	1	37	23.00
64QAM	841.5	26965	15	1	74	22.90
64QAM	841.5	26965	15	36	0	21.61
64QAM	841.5	26965	15	36	29	21.66
64QAM	841.5	26965	15	36	30	21.66
64QAM	841.5	26965	15	75	0	21.58

2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
26	QPSK	824.7	26797	1.4	6	0	1.077	Fig.1
26	QPSK	836.5	26915	1.4	6	0	1.078	Fig.2
26	QPSK	848.3	27033	1.4	6	0	1.074	Fig.3
26	QPSK	825.5	26805	3	15	0	2.674	Fig.4
26	QPSK	836.5	26915	3	15	0	2.676	Fig.5
26	QPSK	847.5	27025	3	15	0	2.680	Fig.6
26	QPSK	826.5	26815	5	25	0	4.468	Fig.7
26	QPSK	836.5	26915	5	25	0	4.465	Fig.8
26	QPSK	846.5	27015	5	25	0	4.453	Fig.9
26	QPSK	829	26840	10	50	0	8.920	Fig.10
26	QPSK	836.5	26915	10	50	0	8.940	Fig.11
26	QPSK	844	26990	10	50	0	8.898	Fig.12
26	QPSK	831.5	26865	15	75	0	13.369	Fig.13
26	QPSK	836.5	26915	15	75	0	13.399	Fig.14
26	QPSK	841.5	26965	15	75	0	13.394	Fig.15

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
26	16QAM	824.7	26797	1.4	6	0	1.080	Fig.16
26	16QAM	836.5	26915	1.4	6	0	1.078	Fig.17
26	16QAM	848.3	27033	1.4	6	0	1.074	Fig.18
26	16QAM	825.5	26805	3	15	0	2.685	Fig.19
26	16QAM	836.5	26915	3	15	0	2.672	Fig.20
26	16QAM	847.5	27025	3	15	0	2.675	Fig.21
26	16QAM	826.5	26815	5	25	0	4.480	Fig.22
26	16QAM	836.5	26915	5	25	0	4.465	Fig.23
26	16QAM	846.5	27015	5	25	0	4.444	Fig.24
26	16QAM	829	26840	10	50	0	8.928	Fig.25
26	16QAM	836.5	26915	10	50	0	8.943	Fig.26
26	16QAM	844	26990	10	50	0	8.921	Fig.27
26	16QAM	831.5	26865	15	75	0	13.403	Fig.28
26	16QAM	836.5	26915	15	75	0	13.379	Fig.29
26	16QAM	841.5	26965	15	75	0	13.348	Fig.30

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
26	64QAM	824.7	26797	1.4	6	0	1.079	Fig.31
26	64QAM	836.5	26915	1.4	6	0	1.076	Fig.32
26	64QAM	848.3	27033	1.4	6	0	1.075	Fig.33
26	64QAM	825.5	26805	3	15	0	2.683	Fig.34
26	64QAM	836.5	26915	3	15	0	2.670	Fig.35
26	64QAM	847.5	27025	3	15	0	2.673	Fig.36
26	64QAM	826.5	26815	5	25	0	4.467	Fig.37
26	64QAM	836.5	26915	5	25	0	4.476	Fig.38
26	64QAM	846.5	27015	5	25	0	4.479	Fig.39
26	64QAM	829	26840	10	50	0	8.918	Fig.40
26	64QAM	836.5	26915	10	50	0	8.920	Fig.41
26	64QAM	844	26990	10	50	0	8.896	Fig.42
26	64QAM	831.5	26865	15	75	0	13.370	Fig.43
26	64QAM	836.5	26915	15	75	0	13.379	Fig.44
26	64QAM	841.5	26965	15	75	0	13.359	Fig.45

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15

Test Mode: 16QAM




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27

Test Mode: 64QAM




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45

3 Emission Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
26	QPSK	824.7	26797	1.4	6	0	1.245	Fig.1
26	QPSK	836.5	26915	1.4	6	0	1.223	Fig.2
26	QPSK	848.3	27033	1.4	6	0	1.219	Fig.3
26	QPSK	825.5	26805	3	15	0	2.848	Fig.4
26	QPSK	836.5	26915	3	15	0	2.908	Fig.5
26	QPSK	847.5	27025	3	15	0	2.904	Fig.6
26	QPSK	826.5	26815	5	25	0	4.869	Fig.7
26	QPSK	836.5	26915	5	25	0	4.771	Fig.8
26	QPSK	846.5	27015	5	25	0	4.777	Fig.9
26	QPSK	829	26840	10	50	0	9.326	Fig.10
26	QPSK	836.5	26915	10	50	0	9.284	Fig.11
26	QPSK	844	26990	10	50	0	9.230	Fig.12
26	QPSK	831.5	26865	15	75	0	13.843	Fig.13
26	QPSK	836.5	26915	15	75	0	13.999	Fig.14
26	QPSK	841.5	26965	15	75	0	13.848	Fig.15

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
26	16QAM	824.7	26797	1.4	6	0	1.292	Fig.16
26	16QAM	836.5	26915	1.4	6	0	1.254	Fig.17
26	16QAM	848.3	27033	1.4	6	0	1.259	Fig.18
26	16QAM	825.5	26805	3	15	0	2.918	Fig.19
26	16QAM	836.5	26915	3	15	0	2.873	Fig.20
26	16QAM	847.5	27025	3	15	0	2.873	Fig.21
26	16QAM	826.5	26815	5	25	0	4.664	Fig.22
26	16QAM	836.5	26915	5	25	0	4.776	Fig.23
26	16QAM	846.5	27015	5	25	0	4.752	Fig.24
26	16QAM	829	26840	10	50	0	9.407	Fig.25
26	16QAM	836.5	26915	10	50	0	9.259	Fig.26
26	16QAM	844	26990	10	50	0	9.304	Fig.27
26	16QAM	831.5	26865	15	75	0	14.176	Fig.28
26	16QAM	836.5	26915	15	75	0	13.852	Fig.29
26	16QAM	841.5	26965	15	75	0	13.852	Fig.30

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
26	64QAM	824.7	26797	1.4	6	0	1.242	Fig.31
26	64QAM	836.5	26915	1.4	6	0	1.252	Fig.32
26	64QAM	848.3	27033	1.4	6	0	1.256	Fig.33
26	64QAM	825.5	26805	3	15	0	2.840	Fig.34
26	64QAM	836.5	26915	3	15	0	2.905	Fig.35
26	64QAM	847.5	27025	3	15	0	2.869	Fig.36
26	64QAM	826.5	26815	5	25	0	4.734	Fig.37
26	64QAM	836.5	26915	5	25	0	4.734	Fig.38
26	64QAM	846.5	27015	5	25	0	4.868	Fig.39
26	64QAM	829	26840	10	50	0	9.237	Fig.40
26	64QAM	836.5	26915	10	50	0	9.352	Fig.41
26	64QAM	844	26990	10	50	0	9.460	Fig.42
26	64QAM	831.5	26865	15	75	0	13.949	Fig.43
26	64QAM	836.5	26915	15	75	0	13.889	Fig.44
26	64QAM	841.5	26965	15	75	0	13.873	Fig.45

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15

Test Mode: 16QAM




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30

Test Mode: 64QAM




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	QPSK	16-QAM	64-QAM
26	824.7	26797	1.4	1	5	Fig.1	Fig.2	Fig.3
26	824.7	26797	1.4	6	0	Fig.4	Fig.5	Fig.6
26	836.5	26915	1.4	1	5	Fig.7	Fig.8	Fig.9
26	836.5	26915	1.4	6	0	Fig.10	Fig.11	Fig.12
26	848.3	27033	1.4	1	5	Fig.13	Fig.14	Fig.15
26	848.3	27033	1.4	6	0	Fig.16	Fig.17	Fig.18
26	825.5	26805	3	1	14	Fig.19	Fig.20	Fig.21
26	825.5	26805	3	15	0	Fig.22	Fig.23	Fig.24
26	836.5	26915	3	1	14	Fig.25	Fig.26	Fig.27
26	836.5	26915	3	15	0	Fig.28	Fig.29	Fig.30
26	847.5	27025	3	1	14	Fig.31	Fig.32	Fig.33
26	847.5	27025	3	15	0	Fig.34	Fig.35	Fig.36
26	826.5	26815	5	1	24	Fig.37	Fig.38	Fig.39
26	826.5	26815	5	25	0	Fig.40	Fig.41	Fig.42
26	836.5	26915	5	1	24	Fig.43	Fig.44	Fig.45
26	836.5	26915	5	25	0	Fig.46	Fig.47	Fig.48
26	846.5	27015	5	1	24	Fig.49	Fig.50	Fig.51
26	846.5	27015	5	25	0	Fig.52	Fig.53	Fig.54
26	829	26840	10	1	49	Fig.55	Fig.56	Fig.57
26	829	26840	10	50	0	Fig.58	Fig.59	Fig.60
26	836.5	26915	10	1	49	Fig.61	Fig.62	Fig.63
26	836.5	26915	10	50	0	Fig.64	Fig.65	Fig.66
26	844	26990	10	1	49	Fig.67	Fig.68	Fig.69
26	844	26990	10	50	0	Fig.70	Fig.71	Fig.72
26	831.5	26865	15	1	74	Fig.73	Fig.74	Fig.75
26	831.5	26865	15	75	0	Fig.76	Fig.77	Fig.78
26	836.5	26915	15	1	74	Fig.79	Fig.80	Fig.81
26	836.5	26915	15	75	0	Fig.82	Fig.83	Fig.84
26	841.5	26965	15	1	74	Fig.85	Fig.86	Fig.87
26	841.5	26965	15	75	0	Fig.88	Fig.89	Fig.90




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72




Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79




Fig.80




Fig.81




Fig.82




Fig.83




Fig.84




Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	256-QAM
26	824.7	26797	1.4	1	5	Fig.1
26	824.7	26797	1.4	6	0	Fig.2
26	836.5	26915	1.4	1	5	Fig.3
26	836.5	26915	1.4	6	0	Fig.4
26	848.3	27033	1.4	1	5	Fig.5
26	848.3	27033	1.4	6	0	Fig.6
26	825.5	26805	3	1	14	Fig.7
26	825.5	26805	3	15	0	Fig.8
26	836.5	26915	3	1	14	Fig.9
26	836.5	26915	3	15	0	Fig.10
26	847.5	27025	3	1	14	Fig.11
26	847.5	27025	3	15	0	Fig.12
26	826.5	26815	5	1	24	Fig.13
26	826.5	26815	5	25	0	Fig.14
26	836.5	26915	5	1	24	Fig.15
26	836.5	26915	5	25	0	Fig.16
26	846.5	27015	5	1	24	Fig.17
26	846.5	27015	5	25	0	Fig.18
26	829	26840	10	1	49	Fig.19
26	829	26840	10	50	0	Fig.20
26	836.5	26915	10	1	49	Fig.21
26	836.5	26915	10	50	0	Fig.22
26	844	26990	10	1	49	Fig.23
26	844	26990	10	50	0	Fig.24
26	831.5	26865	15	1	74	Fig.25
26	831.5	26865	15	75	0	Fig.26
26	836.5	26915	15	1	74	Fig.27
26	836.5	26915	15	75	0	Fig.28
26	841.5	26965	15	1	74	Fig.29
26	841.5	26965	15	75	0	Fig.30




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
26	831.5	26865	15	1	0	Fig.1
26	836.5	26915	15	1	0	Fig.2
26	841.5	26965	15	1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
26	QPSK	824.7	26797	1.4	1	0	Fig.1
26	QPSK	824.7	26797	1.4	6	0	Fig.2
26	QPSK	848.3	27033	1.4	1	5	Fig.3
26	QPSK	848.3	27033	1.4	6	0	Fig.4
26	QPSK	825.5	26805	3	1	0	Fig.5
26	QPSK	825.5	26805	3	15	0	Fig.6
26	QPSK	847.5	27025	3	1	14	Fig.7
26	QPSK	847.5	27025	3	15	0	Fig.8
26	QPSK	826.5	26815	5	1	0	Fig.9
26	QPSK	826.5	26815	5	25	0	Fig.10
26	QPSK	846.5	27015	5	1	24	Fig.11
26	QPSK	846.5	27015	5	25	0	Fig.12
26	QPSK	829	26840	10	1	0	Fig.13
26	QPSK	829	26840	10	50	0	Fig.14
26	QPSK	844	26990	10	1	49	Fig.15
26	QPSK	844	26990	10	50	0	Fig.16
26	QPSK	831.5	26865	15	1	0	Fig.17
26	QPSK	831.5	26865	15	75	0	Fig.18
26	QPSK	841.5	26965	15	1	74	Fig.19
26	QPSK	841.5	26965	15	75	0	Fig.20

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig.19




Fig.20

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Low Channel QPSK				
		1.4M	3M	5M	10M	15M
-10	NV	-0.002	0.005	0.010	-0.008	-0.004
0	NV	-0.004	0.006	0.004	-0.006	0.005
+10	NV	-0.021	-0.008	-0.007	0.004	0.006
+20	NV	0.003	0.005	0.006	0.005	0.006
+30	NV	-0.002	0.005	0.003	0.006	0.007
+40	NV	-0.006	0.006	0.006	0.007	0.006
+50	NV	-0.003	0.007	-0.005	-0.005	0.007
+55	NV	0.002	0.005	0.007	0.005	-0.005
+20	LV	0.001	0.005	0.006	0.006	-0.005
+20	HV	0.002	-0.004	0.004	-0.007	-0.006

Temperature(°C)	Voltage	Test Result (ppm) High Channel QPSK				
		1.4M	3M	5M	10M	15M
-10	NV	-0.018	-0.005	-0.004	-0.006	-0.007
0	NV	-0.018	-0.006	0.008	-0.005	-0.004
+10	NV	0.006	0.007	0.006	-0.004	-0.006
+20	NV	0.005	0.007	-0.005	0.006	0.006
+30	NV	0.005	0.007	0.007	0.006	-0.007
+40	NV	0.005	0.005	-0.007	-0.006	-0.006
+50	NV	0.006	0.003	0.009	0.007	-0.006
+55	NV	0.004	0.004	-0.007	0.006	0.007
+20	LV	0.007	0.006	0.008	-0.006	-0.005
+20	HV	0.005	0.006	0.005	0.006	-0.007

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	824.7	26797	1.4	1	0	23.22	16.27	0.042
QPSK	824.7	26797	1.4	1	3	23.34	16.39	0.044
QPSK	824.7	26797	1.4	1	5	23.30	16.35	0.043
QPSK	824.7	26797	1.4	3	0	23.35	16.40	0.044
QPSK	824.7	26797	1.4	3	1	23.26	16.31	0.043
QPSK	824.7	26797	1.4	3	3	23.27	16.32	0.043
QPSK	824.7	26797	1.4	6	0	23.26	16.31	0.043
QPSK	836.5	26915	1.4	1	0	23.14	16.19	0.042
QPSK	836.5	26915	1.4	1	3	23.24	16.29	0.043
QPSK	836.5	26915	1.4	1	5	23.22	16.27	0.042
QPSK	836.5	26915	1.4	3	0	23.20	16.25	0.042
QPSK	836.5	26915	1.4	3	1	23.24	16.29	0.043
QPSK	836.5	26915	1.4	3	3	23.27	16.32	0.043
QPSK	836.5	26915	1.4	6	0	23.26	16.31	0.043
QPSK	848.3	27033	1.4	1	0	23.31	16.36	0.043
QPSK	848.3	27033	1.4	1	3	23.22	16.27	0.042
QPSK	848.3	27033	1.4	1	5	23.23	16.28	0.042
QPSK	848.3	27033	1.4	3	0	23.24	16.29	0.043
QPSK	848.3	27033	1.4	3	1	23.25	16.30	0.043
QPSK	848.3	27033	1.4	3	3	23.19	16.24	0.042
QPSK	848.3	27033	1.4	6	0	23.24	16.29	0.043

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	824.7	26797	1.4	1	0	23.24	16.29	0.043
16QAM	824.7	26797	1.4	1	3	23.23	16.28	0.042
16QAM	824.7	26797	1.4	1	5	23.40	16.45	0.044
16QAM	824.7	26797	1.4	3	0	23.29	16.34	0.043
16QAM	824.7	26797	1.4	3	1	23.40	16.45	0.044
16QAM	824.7	26797	1.4	3	3	23.30	16.35	0.043
16QAM	824.7	26797	1.4	6	0	22.79	15.84	0.038
16QAM	836.5	26915	1.4	1	0	23.49	16.54	0.045
16QAM	836.5	26915	1.4	1	3	23.49	16.54	0.045
16QAM	836.5	26915	1.4	1	5	23.27	16.32	0.043
16QAM	836.5	26915	1.4	3	0	23.28	16.33	0.043
16QAM	836.5	26915	1.4	3	1	23.48	16.53	0.045
16QAM	836.5	26915	1.4	3	3	23.30	16.35	0.043
16QAM	836.5	26915	1.4	6	0	22.46	15.51	0.036
16QAM	848.3	27033	1.4	1	0	23.70	16.75	0.047
16QAM	848.3	27033	1.4	1	3	23.44	16.49	0.045
16QAM	848.3	27033	1.4	1	5	23.48	16.53	0.045
16QAM	848.3	27033	1.4	3	0	23.23	16.28	0.042
16QAM	848.3	27033	1.4	3	1	23.34	16.39	0.044
16QAM	848.3	27033	1.4	3	3	23.35	16.40	0.044
16QAM	848.3	27033	1.4	6	0	22.51	15.56	0.036
64QAM	824.7	26797	1.4	1	0	23.06	16.11	0.041
64QAM	824.7	26797	1.4	1	3	23.11	16.16	0.041
64QAM	824.7	26797	1.4	1	5	22.98	16.03	0.040
64QAM	824.7	26797	1.4	3	0	22.72	15.77	0.038
64QAM	824.7	26797	1.4	3	1	22.92	15.97	0.040
64QAM	824.7	26797	1.4	3	3	22.83	15.88	0.039
64QAM	824.7	26797	1.4	6	0	21.84	14.89	0.031
64QAM	836.5	26915	1.4	1	0	22.71	15.76	0.038
64QAM	836.5	26915	1.4	1	3	22.61	15.66	0.037
64QAM	836.5	26915	1.4	1	5	22.54	15.59	0.036
64QAM	836.5	26915	1.4	3	0	22.65	15.70	0.037
64QAM	836.5	26915	1.4	3	1	22.41	15.46	0.035
64QAM	836.5	26915	1.4	3	3	22.44	15.49	0.035
64QAM	836.5	26915	1.4	6	0	21.64	14.69	0.029
64QAM	848.3	27033	1.4	1	0	22.75	15.80	0.038
64QAM	848.3	27033	1.4	1	3	22.84	15.89	0.039
64QAM	848.3	27033	1.4	1	5	22.45	15.50	0.035
64QAM	848.3	27033	1.4	3	0	22.70	15.75	0.038
64QAM	848.3	27033	1.4	3	1	22.73	15.78	0.038
64QAM	848.3	27033	1.4	3	3	22.57	15.62	0.036
64QAM	848.3	27033	1.4	6	0	21.71	14.76	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	825.5	26805	3	1	0	23.09	16.14	0.041
QPSK	825.5	26805	3	1	8	23.22	16.27	0.042
QPSK	825.5	26805	3	1	14	23.25	16.30	0.043
QPSK	825.5	26805	3	8	0	23.23	16.28	0.042
QPSK	825.5	26805	3	8	4	23.32	16.37	0.043
QPSK	825.5	26805	3	8	7	23.31	16.36	0.043
QPSK	825.5	26805	3	15	0	23.28	16.33	0.043
QPSK	836.5	26915	3	1	0	23.34	16.39	0.044
QPSK	836.5	26915	3	1	8	23.21	16.26	0.042
QPSK	836.5	26915	3	1	14	23.27	16.32	0.043
QPSK	836.5	26915	3	8	0	23.23	16.28	0.042
QPSK	836.5	26915	3	8	4	23.34	16.39	0.044
QPSK	836.5	26915	3	8	7	23.32	16.37	0.043
QPSK	836.5	26915	3	15	0	23.26	16.31	0.043
QPSK	847.5	27025	3	1	0	23.12	16.17	0.041
QPSK	847.5	27025	3	1	8	23.38	16.43	0.044
QPSK	847.5	27025	3	1	14	23.05	16.10	0.041
QPSK	847.5	27025	3	8	0	23.24	16.29	0.043
QPSK	847.5	27025	3	8	4	23.34	16.39	0.044
QPSK	847.5	27025	3	8	7	23.25	16.30	0.043
QPSK	847.5	27025	3	15	0	23.32	16.37	0.043

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	825.5	26805	3	1	0	23.32	16.37	0.043
16QAM	825.5	26805	3	1	8	23.64	16.69	0.047
16QAM	825.5	26805	3	1	14	23.27	16.32	0.043
16QAM	825.5	26805	3	8	0	22.92	15.97	0.040
16QAM	825.5	26805	3	8	4	22.99	16.04	0.040
16QAM	825.5	26805	3	8	7	22.92	15.97	0.040
16QAM	825.5	26805	3	15	0	22.94	15.99	0.040
16QAM	836.5	26915	3	1	0	23.34	16.39	0.044
16QAM	836.5	26915	3	1	8	23.32	16.37	0.043
16QAM	836.5	26915	3	1	14	23.30	16.35	0.043
16QAM	836.5	26915	3	8	0	22.76	15.81	0.038
16QAM	836.5	26915	3	8	4	22.79	15.84	0.038
16QAM	836.5	26915	3	8	7	22.78	15.83	0.038
16QAM	836.5	26915	3	15	0	22.81	15.86	0.039
16QAM	847.5	27025	3	1	0	23.60	16.65	0.046
16QAM	847.5	27025	3	1	8	23.52	16.57	0.045
16QAM	847.5	27025	3	1	14	23.58	16.63	0.046
16QAM	847.5	27025	3	8	0	22.79	15.84	0.038
16QAM	847.5	27025	3	8	4	22.78	15.83	0.038
16QAM	847.5	27025	3	8	7	22.74	15.79	0.038
16QAM	847.5	27025	3	15	0	22.86	15.91	0.039
64QAM	825.5	26805	3	1	0	23.00	16.05	0.040
64QAM	825.5	26805	3	1	8	22.90	15.95	0.039
64QAM	825.5	26805	3	1	14	23.27	16.32	0.043
64QAM	825.5	26805	3	8	0	21.75	14.80	0.030
64QAM	825.5	26805	3	8	4	21.97	15.02	0.032
64QAM	825.5	26805	3	8	7	21.91	14.96	0.031
64QAM	825.5	26805	3	15	0	21.90	14.95	0.031
64QAM	836.5	26915	3	1	0	22.92	15.97	0.040
64QAM	836.5	26915	3	1	8	22.94	15.99	0.040
64QAM	836.5	26915	3	1	14	23.08	16.13	0.041
64QAM	836.5	26915	3	8	0	21.78	14.83	0.030
64QAM	836.5	26915	3	8	4	21.87	14.92	0.031
64QAM	836.5	26915	3	8	7	21.85	14.90	0.031
64QAM	836.5	26915	3	15	0	21.96	15.01	0.032
64QAM	847.5	27025	3	1	0	22.95	16.00	0.040
64QAM	847.5	27025	3	1	8	23.07	16.12	0.041
64QAM	847.5	27025	3	1	14	23.31	16.36	0.043
64QAM	847.5	27025	3	8	0	21.66	14.71	0.030
64QAM	847.5	27025	3	8	4	21.90	14.95	0.031
64QAM	847.5	27025	3	8	7	21.81	14.86	0.031
64QAM	847.5	27025	3	15	0	21.77	14.82	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	826.5	26815	5	1	0	23.32	16.37	0.043
QPSK	826.5	26815	5	1	12	23.55	16.60	0.046
QPSK	826.5	26815	5	1	24	23.20	16.25	0.042
QPSK	826.5	26815	5	12	0	23.29	16.34	0.043
QPSK	826.5	26815	5	12	7	23.35	16.40	0.044
QPSK	826.5	26815	5	12	13	23.30	16.35	0.043
QPSK	826.5	26815	5	25	0	23.30	16.35	0.043
QPSK	836.5	26915	5	1	0	23.39	16.44	0.044
QPSK	836.5	26915	5	1	12	23.29	16.34	0.043
QPSK	836.5	26915	5	1	24	23.22	16.27	0.042
QPSK	836.5	26915	5	12	0	23.22	16.27	0.042
QPSK	836.5	26915	5	12	7	23.34	16.39	0.044
QPSK	836.5	26915	5	12	13	23.29	16.34	0.043
QPSK	836.5	26915	5	25	0	23.32	16.37	0.043
QPSK	846.5	27015	5	1	0	23.14	16.19	0.042
QPSK	846.5	27015	5	1	12	23.48	16.53	0.045
QPSK	846.5	27015	5	1	24	23.32	16.37	0.043
QPSK	846.5	27015	5	12	0	23.29	16.34	0.043
QPSK	846.5	27015	5	12	7	23.39	16.44	0.044
QPSK	846.5	27015	5	12	13	23.23	16.28	0.042
QPSK	846.5	27015	5	25	0	23.24	16.29	0.043

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	826.5	26815	5	1	0	23.57	16.62	0.046
16QAM	826.5	26815	5	1	12	23.78	16.83	0.048
16QAM	826.5	26815	5	1	24	23.46	16.51	0.045
16QAM	826.5	26815	5	12	0	22.67	15.72	0.037
16QAM	826.5	26815	5	12	7	22.79	15.84	0.038
16QAM	826.5	26815	5	12	13	22.71	15.76	0.038
16QAM	826.5	26815	5	25	0	22.91	15.96	0.039
16QAM	836.5	26915	5	1	0	23.64	16.69	0.047
16QAM	836.5	26915	5	1	12	23.54	16.59	0.046
16QAM	836.5	26915	5	1	24	23.49	16.54	0.045
16QAM	836.5	26915	5	12	0	22.93	15.98	0.040
16QAM	836.5	26915	5	12	7	22.89	15.94	0.039
16QAM	836.5	26915	5	12	13	22.86	15.91	0.039
16QAM	836.5	26915	5	25	0	22.88	15.93	0.039
16QAM	846.5	27015	5	1	0	23.42	16.47	0.044
16QAM	846.5	27015	5	1	12	23.78	16.83	0.048
16QAM	846.5	27015	5	1	24	23.37	16.42	0.044
16QAM	846.5	27015	5	12	0	22.79	15.84	0.038
16QAM	846.5	27015	5	12	7	22.82	15.87	0.039
16QAM	846.5	27015	5	12	13	22.72	15.77	0.038
16QAM	846.5	27015	5	25	0	22.83	15.88	0.039
64QAM	826.5	26815	5	1	0	22.80	15.85	0.038
64QAM	826.5	26815	5	1	12	23.15	16.20	0.042
64QAM	826.5	26815	5	1	24	23.19	16.24	0.042
64QAM	826.5	26815	5	12	0	21.83	14.88	0.031
64QAM	826.5	26815	5	12	7	21.84	14.89	0.031
64QAM	826.5	26815	5	12	13	21.86	14.91	0.031
64QAM	826.5	26815	5	25	0	21.88	14.93	0.031
64QAM	836.5	26915	5	1	0	23.05	16.10	0.041
64QAM	836.5	26915	5	1	12	23.57	16.62	0.046
64QAM	836.5	26915	5	1	24	23.22	16.27	0.042
64QAM	836.5	26915	5	12	0	21.90	14.95	0.031
64QAM	836.5	26915	5	12	7	21.95	15.00	0.032
64QAM	836.5	26915	5	12	13	21.84	14.89	0.031
64QAM	836.5	26915	5	25	0	21.84	14.89	0.031
64QAM	846.5	27015	5	1	0	23.04	16.09	0.041
64QAM	846.5	27015	5	1	12	22.62	15.67	0.037
64QAM	846.5	27015	5	1	24	23.30	16.35	0.043
64QAM	846.5	27015	5	12	0	21.86	14.91	0.031
64QAM	846.5	27015	5	12	7	21.87	14.92	0.031
64QAM	846.5	27015	5	12	13	21.76	14.81	0.030
64QAM	846.5	27015	5	25	0	21.81	14.86	0.031

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	829	26840	10	1	0	23.32	16.37	0.043
QPSK	829	26840	10	1	25	23.28	16.33	0.043
QPSK	829	26840	10	1	49	23.18	16.23	0.042
QPSK	829	26840	10	25	0	23.26	16.31	0.043
QPSK	829	26840	10	25	12	23.31	16.36	0.043
QPSK	829	26840	10	25	25	23.28	16.33	0.043
QPSK	829	26840	10	50	0	23.28	16.33	0.043
QPSK	836.5	26915	10	1	0	23.26	16.31	0.043
QPSK	836.5	26915	10	1	25	23.37	16.42	0.044
QPSK	836.5	26915	10	1	49	23.35	16.40	0.044
QPSK	836.5	26915	10	25	0	23.22	16.27	0.042
QPSK	836.5	26915	10	25	12	23.32	16.37	0.043
QPSK	836.5	26915	10	25	25	23.32	16.37	0.043
QPSK	836.5	26915	10	50	0	23.32	16.37	0.043
QPSK	844	26990	10	1	0	23.25	16.30	0.043
QPSK	844	26990	10	1	25	23.19	16.24	0.042
QPSK	844	26990	10	1	49	23.36	16.41	0.044
QPSK	844	26990	10	25	0	23.22	16.27	0.042
QPSK	844	26990	10	25	12	23.23	16.28	0.042
QPSK	844	26990	10	25	25	23.27	16.32	0.043
QPSK	844	26990	10	50	0	23.21	16.26	0.042

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	829	26840	10	1	0	23.47	16.52	0.045
16QAM	829	26840	10	1	25	23.52	16.57	0.045
16QAM	829	26840	10	1	49	23.44	16.49	0.045
16QAM	829	26840	10	25	0	22.79	15.84	0.038
16QAM	829	26840	10	25	12	22.91	15.96	0.039
16QAM	829	26840	10	25	25	22.89	15.94	0.039
16QAM	829	26840	10	50	0	22.84	15.89	0.039
16QAM	836.5	26915	10	1	0	23.67	16.72	0.047
16QAM	836.5	26915	10	1	25	23.50	16.55	0.045
16QAM	836.5	26915	10	1	49	23.34	16.39	0.044
16QAM	836.5	26915	10	25	0	22.81	15.86	0.039
16QAM	836.5	26915	10	25	12	22.88	15.93	0.039
16QAM	836.5	26915	10	25	25	22.83	15.88	0.039
16QAM	836.5	26915	10	50	0	22.94	15.99	0.040
16QAM	844	26990	10	1	0	23.54	16.59	0.046
16QAM	844	26990	10	1	25	23.66	16.71	0.047
16QAM	844	26990	10	1	49	23.32	16.37	0.043
16QAM	844	26990	10	25	0	22.73	15.78	0.038
16QAM	844	26990	10	25	12	22.70	15.75	0.038
16QAM	844	26990	10	25	25	22.83	15.88	0.039
16QAM	844	26990	10	50	0	22.74	15.79	0.038
64QAM	829	26840	10	1	0	22.82	15.87	0.039
64QAM	829	26840	10	1	25	23.27	16.32	0.043
64QAM	829	26840	10	1	49	23.04	16.09	0.041
64QAM	829	26840	10	25	0	21.76	14.81	0.030
64QAM	829	26840	10	25	12	21.85	14.90	0.031
64QAM	829	26840	10	25	25	21.75	14.80	0.030
64QAM	829	26840	10	50	0	21.84	14.89	0.031
64QAM	836.5	26915	10	1	0	23.10	16.15	0.041
64QAM	836.5	26915	10	1	25	22.91	15.96	0.039
64QAM	836.5	26915	10	1	49	23.04	16.09	0.041
64QAM	836.5	26915	10	25	0	21.77	14.82	0.030
64QAM	836.5	26915	10	25	12	21.90	14.95	0.031
64QAM	836.5	26915	10	25	25	21.78	14.83	0.030
64QAM	836.5	26915	10	50	0	21.91	14.96	0.031
64QAM	844	26990	10	1	0	22.98	16.03	0.040
64QAM	844	26990	10	1	25	23.40	16.45	0.044
64QAM	844	26990	10	1	49	23.46	16.51	0.045
64QAM	844	26990	10	25	0	21.71	14.76	0.030
64QAM	844	26990	10	25	12	21.76	14.81	0.030
64QAM	844	26990	10	25	25	21.80	14.85	0.031
64QAM	844	26990	10	50	0	21.81	14.86	0.031

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	836.5	26915	15	1	0	23.08	16.13	0.041
QPSK	836.5	26915	15	1	37	23.12	16.17	0.041
QPSK	836.5	26915	15	1	74	23.18	16.23	0.042
QPSK	836.5	26915	15	36	0	23.14	16.19	0.042
QPSK	836.5	26915	15	36	29	23.17	16.22	0.042
QPSK	836.5	26915	15	36	30	23.16	16.21	0.042
QPSK	836.5	26915	15	75	0	23.10	16.15	0.041
QPSK	841.5	26965	15	1	0	23.14	16.19	0.042
QPSK	841.5	26965	15	1	37	23.10	16.15	0.041
QPSK	841.5	26965	15	1	74	22.91	15.96	0.039
QPSK	841.5	26965	15	36	0	23.16	16.21	0.042
QPSK	841.5	26965	15	36	29	23.19	16.24	0.042
QPSK	841.5	26965	15	36	30	23.19	16.24	0.042
QPSK	841.5	26965	15	75	0	23.08	16.13	0.041

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
256QAM	831.5	26865	15	1	0	18.40	11.45	0.014
256QAM	836.5	26915	15	1	0	18.29	11.34	0.014
256QAM	841.5	26965	15	1	0	18.21	11.26	0.013

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	831.5	26865	15	1	0	23.33	16.38	0.043
16QAM	831.5	26865	15	1	37	23.48	16.53	0.045
16QAM	831.5	26865	15	1	74	23.29	16.34	0.043
16QAM	831.5	26865	15	36	0	22.74	15.79	0.038
16QAM	831.5	26865	15	36	29	22.57	15.62	0.036
16QAM	831.5	26865	15	36	30	22.69	15.74	0.037
16QAM	831.5	26865	15	75	0	22.57	15.62	0.036
16QAM	836.5	26915	15	1	0	23.13	16.18	0.041
16QAM	836.5	26915	15	1	37	23.69	16.74	0.047
16QAM	836.5	26915	15	1	74	23.40	16.45	0.044
16QAM	836.5	26915	15	36	0	22.68	15.73	0.037
16QAM	836.5	26915	15	36	29	22.73	15.78	0.038
16QAM	836.5	26915	15	36	30	22.68	15.73	0.037
16QAM	836.5	26915	15	75	0	22.61	15.66	0.037
16QAM	841.5	26965	15	1	0	23.22	16.27	0.042
16QAM	841.5	26965	15	1	37	23.86	16.91	0.049
16QAM	841.5	26965	15	1	74	23.25	16.30	0.043
16QAM	841.5	26965	15	36	0	22.65	15.70	0.037
16QAM	841.5	26965	15	36	29	22.63	15.68	0.037
16QAM	841.5	26965	15	36	30	22.68	15.73	0.037
16QAM	841.5	26965	15	75	0	22.61	15.66	0.037
64QAM	831.5	26865	15	1	0	22.77	15.82	0.038
64QAM	831.5	26865	15	1	37	23.13	16.18	0.041
64QAM	831.5	26865	15	1	74	22.96	16.01	0.040
64QAM	831.5	26865	15	36	0	21.65	14.70	0.030
64QAM	831.5	26865	15	36	29	21.68	14.73	0.030
64QAM	831.5	26865	15	36	30	21.65	14.70	0.030
64QAM	831.5	26865	15	75	0	21.67	14.72	0.030
64QAM	836.5	26915	15	1	0	22.72	15.77	0.038
64QAM	836.5	26915	15	1	37	22.73	15.78	0.038
64QAM	836.5	26915	15	1	74	22.50	15.55	0.036
64QAM	836.5	26915	15	36	0	21.65	14.70	0.030
64QAM	836.5	26915	15	36	29	21.71	14.76	0.030
64QAM	836.5	26915	15	36	30	21.74	14.79	0.030
64QAM	836.5	26915	15	75	0	21.51	14.56	0.029
64QAM	841.5	26965	15	1	0	22.72	15.77	0.038
64QAM	841.5	26965	15	1	37	23.00	16.05	0.040
64QAM	841.5	26965	15	1	74	22.90	15.95	0.039
64QAM	841.5	26965	15	36	0	21.61	14.66	0.029
64QAM	841.5	26965	15	36	29	21.66	14.71	0.030
64QAM	841.5	26965	15	36	30	21.66	14.71	0.030
64QAM	841.5	26965	15	75	0	21.58	14.63	0.029