

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 4

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1710.7	19957	1.4	1	0	24.15
QPSK	1710.7	19957	1.4	1	3	24.14
QPSK	1710.7	19957	1.4	1	5	24.08
QPSK	1710.7	19957	1.4	3	0	24.25
QPSK	1710.7	19957	1.4	3	1	24.01
QPSK	1710.7	19957	1.4	3	3	24.08
QPSK	1710.7	19957	1.4	6	0	23.16
QPSK	1732.5	20175	1.4	1	0	23.97
QPSK	1732.5	20175	1.4	1	3	24.00
QPSK	1732.5	20175	1.4	1	5	23.76
QPSK	1732.5	20175	1.4	3	0	23.94
QPSK	1732.5	20175	1.4	3	1	23.96
QPSK	1732.5	20175	1.4	3	3	23.98
QPSK	1732.5	20175	1.4	6	0	23.03
QPSK	1754.3	20393	1.4	1	0	23.79
QPSK	1754.3	20393	1.4	1	3	23.87
QPSK	1754.3	20393	1.4	1	5	23.92
QPSK	1754.3	20393	1.4	3	0	23.89
QPSK	1754.3	20393	1.4	3	1	24.05
QPSK	1754.3	20393	1.4	3	3	24.07
QPSK	1754.3	20393	1.4	6	0	23.03

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1710.7	19957	1.4	1	0	23.32
16QAM	1710.7	19957	1.4	1	3	23.23
16QAM	1710.7	19957	1.4	1	5	23.19
16QAM	1710.7	19957	1.4	3	0	22.81
16QAM	1710.7	19957	1.4	3	1	23.09
16QAM	1710.7	19957	1.4	3	3	23.09
16QAM	1710.7	19957	1.4	6	0	22.12
16QAM	1732.5	20175	1.4	1	0	23.19
16QAM	1732.5	20175	1.4	1	3	23.47
16QAM	1732.5	20175	1.4	1	5	23.13
16QAM	1732.5	20175	1.4	3	0	22.89
16QAM	1732.5	20175	1.4	3	1	22.81
16QAM	1732.5	20175	1.4	3	3	22.95
16QAM	1732.5	20175	1.4	6	0	22.23
16QAM	1754.3	20393	1.4	1	0	23.05
16QAM	1754.3	20393	1.4	1	3	23.24
16QAM	1754.3	20393	1.4	1	5	22.85
16QAM	1754.3	20393	1.4	3	0	22.85
16QAM	1754.3	20393	1.4	3	1	23.16
16QAM	1754.3	20393	1.4	3	3	22.88
16QAM	1754.3	20393	1.4	6	0	22.08
64QAM	1710.7	19957	1.4	1	0	22.19
64QAM	1710.7	19957	1.4	1	3	21.94
64QAM	1710.7	19957	1.4	1	5	22.25
64QAM	1710.7	19957	1.4	3	0	22.13
64QAM	1710.7	19957	1.4	3	1	22.10
64QAM	1710.7	19957	1.4	3	3	22.02
64QAM	1710.7	19957	1.4	6	0	21.03
64QAM	1732.5	20175	1.4	1	0	21.88
64QAM	1732.5	20175	1.4	1	3	21.83
64QAM	1732.5	20175	1.4	1	5	21.77
64QAM	1732.5	20175	1.4	3	0	22.08
64QAM	1732.5	20175	1.4	3	1	22.15
64QAM	1732.5	20175	1.4	3	3	22.19
64QAM	1732.5	20175	1.4	6	0	21.15
64QAM	1754.3	20393	1.4	1	0	22.11
64QAM	1754.3	20393	1.4	1	3	21.92
64QAM	1754.3	20393	1.4	1	5	22.34
64QAM	1754.3	20393	1.4	3	0	22.04
64QAM	1754.3	20393	1.4	3	1	21.94
64QAM	1754.3	20393	1.4	3	3	22.16
64QAM	1754.3	20393	1.4	6	0	21.05

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1711.5	19965	3	1	0	24.01
QPSK	1711.5	19965	3	1	8	23.97
QPSK	1711.5	19965	3	1	14	24.09
QPSK	1711.5	19965	3	8	0	23.02
QPSK	1711.5	19965	3	8	4	23.03
QPSK	1711.5	19965	3	8	7	23.10
QPSK	1711.5	19965	3	15	0	23.03
QPSK	1732.5	20175	3	1	0	23.92
QPSK	1732.5	20175	3	1	8	23.84
QPSK	1732.5	20175	3	1	14	23.92
QPSK	1732.5	20175	3	8	0	23.01
QPSK	1732.5	20175	3	8	4	22.96
QPSK	1732.5	20175	3	8	7	22.98
QPSK	1732.5	20175	3	15	0	23.03
QPSK	1753.5	20385	3	1	0	23.90
QPSK	1753.5	20385	3	1	8	23.97
QPSK	1753.5	20385	3	1	14	23.91
QPSK	1753.5	20385	3	8	0	22.99
QPSK	1753.5	20385	3	8	4	22.95
QPSK	1753.5	20385	3	8	7	23.08
QPSK	1753.5	20385	3	15	0	23.03

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1711.5	19965	3	1	0	23.43
16QAM	1711.5	19965	3	1	8	23.17
16QAM	1711.5	19965	3	1	14	23.32
16QAM	1711.5	19965	3	8	0	22.06
16QAM	1711.5	19965	3	8	4	22.27
16QAM	1711.5	19965	3	8	7	22.18
16QAM	1711.5	19965	3	15	0	22.14
16QAM	1732.5	20175	3	1	0	23.11
16QAM	1732.5	20175	3	1	8	23.63
16QAM	1732.5	20175	3	1	14	22.77
16QAM	1732.5	20175	3	8	0	21.99
16QAM	1732.5	20175	3	8	4	21.99
16QAM	1732.5	20175	3	8	7	22.05
16QAM	1732.5	20175	3	15	0	22.14
16QAM	1753.5	20385	3	1	0	22.73
16QAM	1753.5	20385	3	1	8	22.96
16QAM	1753.5	20385	3	1	14	23.00
16QAM	1753.5	20385	3	8	0	21.84
16QAM	1753.5	20385	3	8	4	22.00
16QAM	1753.5	20385	3	8	7	21.97
16QAM	1753.5	20385	3	15	0	21.93
64QAM	1711.5	19965	3	1	0	22.01
64QAM	1711.5	19965	3	1	8	22.05
64QAM	1711.5	19965	3	1	14	21.98
64QAM	1711.5	19965	3	8	0	21.26
64QAM	1711.5	19965	3	8	4	21.07
64QAM	1711.5	19965	3	8	7	21.35
64QAM	1711.5	19965	3	15	0	21.03
64QAM	1732.5	20175	3	1	0	22.08
64QAM	1732.5	20175	3	1	8	22.03
64QAM	1732.5	20175	3	1	14	22.14
64QAM	1732.5	20175	3	8	0	21.13
64QAM	1732.5	20175	3	8	4	21.24
64QAM	1732.5	20175	3	8	7	21.08
64QAM	1732.5	20175	3	15	0	21.14
64QAM	1753.5	20385	3	1	0	22.22
64QAM	1753.5	20385	3	1	8	21.98
64QAM	1753.5	20385	3	1	14	22.27
64QAM	1753.5	20385	3	8	0	20.89
64QAM	1753.5	20385	3	8	4	21.09
64QAM	1753.5	20385	3	8	7	20.81
64QAM	1753.5	20385	3	15	0	21.00

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1712.5	19975	5	1	0	23.79
QPSK	1712.5	19975	5	1	12	24.24
QPSK	1712.5	19975	5	1	24	24.07
QPSK	1712.5	19975	5	12	0	23.05
QPSK	1712.5	19975	5	12	7	23.14
QPSK	1712.5	19975	5	12	13	23.15
QPSK	1712.5	19975	5	25	0	23.11
QPSK	1732.5	20175	5	1	0	23.85
QPSK	1732.5	20175	5	1	12	24.13
QPSK	1732.5	20175	5	1	24	23.77
QPSK	1732.5	20175	5	12	0	22.94
QPSK	1732.5	20175	5	12	7	22.96
QPSK	1732.5	20175	5	12	13	23.07
QPSK	1732.5	20175	5	25	0	22.98
QPSK	1752.5	20375	5	1	0	23.74
QPSK	1752.5	20375	5	1	12	24.32
QPSK	1752.5	20375	5	1	24	23.79
QPSK	1752.5	20375	5	12	0	22.94
QPSK	1752.5	20375	5	12	7	22.94
QPSK	1752.5	20375	5	12	13	23.00
QPSK	1752.5	20375	5	25	0	22.94

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1712.5	19975	5	1	0	23.27
16QAM	1712.5	19975	5	1	12	23.55
16QAM	1712.5	19975	5	1	24	23.35
16QAM	1712.5	19975	5	12	0	22.12
16QAM	1712.5	19975	5	12	7	22.16
16QAM	1712.5	19975	5	12	13	22.13
16QAM	1712.5	19975	5	25	0	22.04
16QAM	1732.5	20175	5	1	0	23.16
16QAM	1732.5	20175	5	1	12	23.53
16QAM	1732.5	20175	5	1	24	22.97
16QAM	1732.5	20175	5	12	0	21.86
16QAM	1732.5	20175	5	12	7	21.92
16QAM	1732.5	20175	5	12	13	22.01
16QAM	1732.5	20175	5	25	0	22.05
16QAM	1752.5	20375	5	1	0	22.70
16QAM	1752.5	20375	5	1	12	23.37
16QAM	1752.5	20375	5	1	24	22.89
16QAM	1752.5	20375	5	12	0	21.84
16QAM	1752.5	20375	5	12	7	21.99
16QAM	1752.5	20375	5	12	13	21.98
16QAM	1752.5	20375	5	25	0	22.01
64QAM	1712.5	19975	5	1	0	21.87
64QAM	1712.5	19975	5	1	12	22.44
64QAM	1712.5	19975	5	1	24	22.09
64QAM	1712.5	19975	5	12	0	21.19
64QAM	1712.5	19975	5	12	7	21.14
64QAM	1712.5	19975	5	12	13	21.28
64QAM	1712.5	19975	5	25	0	21.18
64QAM	1732.5	20175	5	1	0	21.96
64QAM	1732.5	20175	5	1	12	22.27
64QAM	1732.5	20175	5	1	24	21.85
64QAM	1732.5	20175	5	12	0	21.09
64QAM	1732.5	20175	5	12	7	21.16
64QAM	1732.5	20175	5	12	13	20.96
64QAM	1732.5	20175	5	25	0	21.02
64QAM	1752.5	20375	5	1	0	21.91
64QAM	1752.5	20375	5	1	12	21.73
64QAM	1752.5	20375	5	1	24	21.96
64QAM	1752.5	20375	5	12	0	20.95
64QAM	1752.5	20375	5	12	7	21.12
64QAM	1752.5	20375	5	12	13	21.07
64QAM	1752.5	20375	5	25	0	20.99

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1715	20000	10	1	0	23.96
QPSK	1715	20000	10	1	25	24.09
QPSK	1715	20000	10	1	49	24.06
QPSK	1715	20000	10	25	0	23.12
QPSK	1715	20000	10	25	12	23.09
QPSK	1715	20000	10	25	25	23.26
QPSK	1715	20000	10	50	0	23.19
QPSK	1732.5	20175	10	1	0	24.00
QPSK	1732.5	20175	10	1	25	24.05
QPSK	1732.5	20175	10	1	49	23.96
QPSK	1732.5	20175	10	25	0	23.05
QPSK	1732.5	20175	10	25	12	23.03
QPSK	1732.5	20175	10	25	25	23.09
QPSK	1732.5	20175	10	50	0	23.05
QPSK	1750	20350	10	1	0	23.88
QPSK	1750	20350	10	1	25	24.02
QPSK	1750	20350	10	1	49	23.89
QPSK	1750	20350	10	25	0	23.31
QPSK	1750	20350	10	25	12	23.04
QPSK	1750	20350	10	25	25	23.11
QPSK	1750	20350	10	50	0	23.21

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1715	20000	10	1	0	23.04
16QAM	1715	20000	10	1	25	23.44
16QAM	1715	20000	10	1	49	23.07
16QAM	1715	20000	10	25	0	22.19
16QAM	1715	20000	10	25	12	22.20
16QAM	1715	20000	10	25	25	22.18
16QAM	1715	20000	10	50	0	22.18
16QAM	1732.5	20175	10	1	0	22.79
16QAM	1732.5	20175	10	1	25	23.48
16QAM	1732.5	20175	10	1	49	23.49
16QAM	1732.5	20175	10	25	0	22.07
16QAM	1732.5	20175	10	25	12	22.08
16QAM	1732.5	20175	10	25	25	22.02
16QAM	1732.5	20175	10	50	0	22.09
16QAM	1750	20350	10	1	0	22.96
16QAM	1750	20350	10	1	25	23.20
16QAM	1750	20350	10	1	49	23.09
16QAM	1750	20350	10	25	0	22.03
16QAM	1750	20350	10	25	12	22.17
16QAM	1750	20350	10	25	25	21.91
16QAM	1750	20350	10	50	0	22.01
64QAM	1715	20000	10	1	0	22.02
64QAM	1715	20000	10	1	25	22.51
64QAM	1715	20000	10	1	49	22.07
64QAM	1715	20000	10	25	0	21.19
64QAM	1715	20000	10	25	12	21.26
64QAM	1715	20000	10	25	25	21.17
64QAM	1715	20000	10	50	0	21.32
64QAM	1732.5	20175	10	1	0	21.99
64QAM	1732.5	20175	10	1	25	22.30
64QAM	1732.5	20175	10	1	49	21.95
64QAM	1732.5	20175	10	25	0	21.21
64QAM	1732.5	20175	10	25	12	21.12
64QAM	1732.5	20175	10	25	25	21.14
64QAM	1732.5	20175	10	50	0	21.28
64QAM	1750	20350	10	1	0	22.26
64QAM	1750	20350	10	1	25	22.31
64QAM	1750	20350	10	1	49	22.02
64QAM	1750	20350	10	25	0	21.12
64QAM	1750	20350	10	25	12	21.05
64QAM	1750	20350	10	25	25	21.15
64QAM	1750	20350	10	50	0	21.08

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1717.5	20025	15	1	0	23.93
QPSK	1717.5	20025	15	1	37	24.27
QPSK	1717.5	20025	15	1	74	23.94
QPSK	1717.5	20025	15	36	0	23.17
QPSK	1717.5	20025	15	36	29	23.15
QPSK	1717.5	20025	15	36	30	23.09
QPSK	1717.5	20025	15	75	0	23.10
QPSK	1732.5	20175	15	1	0	23.93
QPSK	1732.5	20175	15	1	37	24.23
QPSK	1732.5	20175	15	1	74	23.81
QPSK	1732.5	20175	15	36	0	22.96
QPSK	1732.5	20175	15	36	29	23.16
QPSK	1732.5	20175	15	36	30	23.04
QPSK	1732.5	20175	15	75	0	23.08
QPSK	1747.5	20325	15	1	0	23.63
QPSK	1747.5	20325	15	1	37	24.00
QPSK	1747.5	20325	15	1	74	23.83
QPSK	1747.5	20325	15	36	0	23.08
QPSK	1747.5	20325	15	36	29	23.17
QPSK	1747.5	20325	15	36	30	23.01
QPSK	1747.5	20325	15	75	0	23.10

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1717.5	20025	15	1	0	23.22
16QAM	1717.5	20025	15	1	37	23.74
16QAM	1717.5	20025	15	1	74	23.08
16QAM	1717.5	20025	15	36	0	22.20
16QAM	1717.5	20025	15	36	29	22.09
16QAM	1717.5	20025	15	36	30	22.13
16QAM	1717.5	20025	15	75	0	22.10
16QAM	1732.5	20175	15	1	0	22.87
16QAM	1732.5	20175	15	1	37	23.09
16QAM	1732.5	20175	15	1	74	22.90
16QAM	1732.5	20175	15	36	0	22.00
16QAM	1732.5	20175	15	36	29	22.14
16QAM	1732.5	20175	15	36	30	22.12
16QAM	1732.5	20175	15	75	0	22.00
16QAM	1747.5	20325	15	1	0	22.88
16QAM	1747.5	20325	15	1	37	23.33
16QAM	1747.5	20325	15	1	74	22.96
16QAM	1747.5	20325	15	36	0	22.10
16QAM	1747.5	20325	15	36	29	22.04
16QAM	1747.5	20325	15	36	30	22.05
16QAM	1747.5	20325	15	75	0	21.99
64QAM	1717.5	20025	15	1	0	21.92
64QAM	1717.5	20025	15	1	37	22.34
64QAM	1717.5	20025	15	1	74	21.94
64QAM	1717.5	20025	15	36	0	21.11
64QAM	1717.5	20025	15	36	29	21.13
64QAM	1717.5	20025	15	36	30	21.28
64QAM	1717.5	20025	15	75	0	21.17
64QAM	1732.5	20175	15	1	0	22.25
64QAM	1732.5	20175	15	1	37	22.14
64QAM	1732.5	20175	15	1	74	21.98
64QAM	1732.5	20175	15	36	0	21.01
64QAM	1732.5	20175	15	36	29	21.16
64QAM	1732.5	20175	15	36	30	21.16
64QAM	1732.5	20175	15	75	0	21.12
64QAM	1747.5	20325	15	1	0	21.92
64QAM	1747.5	20325	15	1	37	22.39
64QAM	1747.5	20325	15	1	74	22.08
64QAM	1747.5	20325	15	36	0	21.03
64QAM	1747.5	20325	15	36	29	21.20
64QAM	1747.5	20325	15	36	30	21.15
64QAM	1747.5	20325	15	75	0	21.04

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	1720	20050	20	1	0	23.75
QPSK	1720	20050	20	1	49	24.10
QPSK	1720	20050	20	1	99	23.89
QPSK	1720	20050	20	50	0	23.09
QPSK	1720	20050	20	50	24	23.14
QPSK	1720	20050	20	50	50	23.26
QPSK	1720	20050	20	100	0	23.12
QPSK	1732.5	20175	20	1	0	23.66
QPSK	1732.5	20175	20	1	49	24.10
QPSK	1732.5	20175	20	1	99	23.52
QPSK	1732.5	20175	20	50	0	23.01
QPSK	1732.5	20175	20	50	24	23.04
QPSK	1732.5	20175	20	50	50	23.14
QPSK	1732.5	20175	20	100	0	23.04
QPSK	1745	20300	20	1	0	23.72
QPSK	1745	20300	20	1	49	23.95
QPSK	1745	20300	20	1	99	23.67
QPSK	1745	20300	20	50	0	23.20
QPSK	1745	20300	20	50	24	23.11
QPSK	1745	20300	20	50	50	23.03
QPSK	1745	20300	20	100	0	23.03

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
16QAM	1720	20050	20	1	0	22.96
16QAM	1720	20050	20	1	49	23.31
16QAM	1720	20050	20	1	99	22.98
16QAM	1720	20050	20	50	0	22.18
16QAM	1720	20050	20	50	24	22.13
16QAM	1720	20050	20	50	50	22.16
16QAM	1720	20050	20	100	0	22.10
16QAM	1732.5	20175	20	1	0	22.90
16QAM	1732.5	20175	20	1	49	23.27
16QAM	1732.5	20175	20	1	99	22.84
16QAM	1732.5	20175	20	50	0	21.95
16QAM	1732.5	20175	20	50	24	22.01
16QAM	1732.5	20175	20	50	50	22.10
16QAM	1732.5	20175	20	100	0	22.02
16QAM	1745	20300	20	1	0	22.63
16QAM	1745	20300	20	1	49	22.96
16QAM	1745	20300	20	1	99	22.46
16QAM	1745	20300	20	50	0	22.11
16QAM	1745	20300	20	50	24	22.09
16QAM	1745	20300	20	50	50	21.99
16QAM	1745	20300	20	100	0	22.05
64QAM	1720	20050	20	1	0	21.91
64QAM	1720	20050	20	1	49	22.43
64QAM	1720	20050	20	1	99	22.15
64QAM	1720	20050	20	50	0	21.19
64QAM	1720	20050	20	50	24	21.26
64QAM	1720	20050	20	50	50	21.19
64QAM	1720	20050	20	100	0	21.12
64QAM	1732.5	20175	20	1	0	21.83
64QAM	1732.5	20175	20	1	49	22.31
64QAM	1732.5	20175	20	1	99	21.90
64QAM	1732.5	20175	20	50	0	20.94
64QAM	1732.5	20175	20	50	24	21.13
64QAM	1732.5	20175	20	50	50	21.15
64QAM	1732.5	20175	20	100	0	21.07
64QAM	1745	20300	20	1	0	21.62
64QAM	1745	20300	20	1	49	22.12
64QAM	1745	20300	20	1	99	21.67
64QAM	1745	20300	20	50	0	21.08
64QAM	1745	20300	20	50	24	21.00
64QAM	1745	20300	20	50	50	21.09
64QAM	1745	20300	20	100	0	20.97

2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
4	QPSK	1710.7	19957	1.4	6	0	1.075	Fig.1
4	QPSK	1732.5	20175	1.4	6	0	1.077	Fig.2
4	QPSK	1754.3	20393	1.4	6	0	1.077	Fig.3
4	QPSK	1711.5	19965	3	15	0	2.680	Fig.4
4	QPSK	1732.5	20175	3	15	0	2.662	Fig.5
4	QPSK	1753.5	20385	3	15	0	2.675	Fig.6
4	QPSK	1712.5	19975	5	25	0	4.465	Fig.7
4	QPSK	1732.5	20175	5	25	0	4.459	Fig.8
4	QPSK	1752.5	20375	5	25	0	4.462	Fig.9
4	QPSK	1715	20000	10	50	0	8.918	Fig.10
4	QPSK	1732.5	20175	10	50	0	8.909	Fig.11
4	QPSK	1750	20350	10	50	0	8.918	Fig.12
4	QPSK	1717.5	20025	15	75	0	13.407	Fig.13
4	QPSK	1732.5	20175	15	75	0	13.340	Fig.14
4	QPSK	1747.5	20325	15	75	0	13.385	Fig.15
4	QPSK	1720	20050	20	100	0	17.844	Fig.16
4	QPSK	1732.5	20175	20	100	0	17.780	Fig.17
4	QPSK	1745	20300	20	100	0	17.797	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
4	16QAM	1710.7	19957	1.4	6	0	1.070	Fig.19
4	16QAM	1732.5	20175	1.4	6	0	1.076	Fig.20
4	16QAM	1754.3	20393	1.4	6	0	1.077	Fig.21
4	16QAM	1711.5	19965	3	15	0	2.669	Fig.22
4	16QAM	1732.5	20175	3	15	0	2.675	Fig.23
4	16QAM	1753.5	20385	3	15	0	2.667	Fig.24
4	16QAM	1712.5	19975	5	25	0	4.451	Fig.25
4	16QAM	1732.5	20175	5	25	0	4.462	Fig.26
4	16QAM	1752.5	20375	5	25	0	4.461	Fig.27
4	16QAM	1715	20000	10	50	0	8.924	Fig.28
4	16QAM	1732.5	20175	10	50	0	8.921	Fig.29
4	16QAM	1750	20350	10	50	0	8.928	Fig.30
4	16QAM	1717.5	20025	15	75	0	13.336	Fig.31
4	16QAM	1732.5	20175	15	75	0	13.373	Fig.32
4	16QAM	1747.5	20325	15	75	0	13.388	Fig.33
4	16QAM	1720	20050	20	100	0	17.795	Fig.34
4	16QAM	1732.5	20175	20	100	0	17.803	Fig.35
4	16QAM	1745	20300	20	100	0	17.821	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
4	64QAM	1710.7	19957	1.4	6	0	1.073	Fig.37
4	64QAM	1732.5	20175	1.4	6	0	1.075	Fig.38
4	64QAM	1754.3	20393	1.4	6	0	1.072	Fig.39
4	64QAM	1711.5	19965	3	15	0	2.662	Fig.40
4	64QAM	1732.5	20175	3	15	0	2.671	Fig.41
4	64QAM	1753.5	20385	3	15	0	2.669	Fig.42
4	64QAM	1712.5	19975	5	25	0	4.446	Fig.43
4	64QAM	1732.5	20175	5	25	0	4.477	Fig.44
4	64QAM	1752.5	20375	5	25	0	4.450	Fig.45
4	64QAM	1715	20000	10	50	0	8.927	Fig.46
4	64QAM	1732.5	20175	10	50	0	8.931	Fig.47
4	64QAM	1750	20350	10	50	0	8.911	Fig.48
4	64QAM	1717.5	20025	15	75	0	13.390	Fig.49
4	64QAM	1732.5	20175	15	75	0	13.421	Fig.50
4	64QAM	1747.5	20325	15	75	0	13.420	Fig.51
4	64QAM	1720	20050	20	100	0	17.896	Fig.52
4	64QAM	1732.5	20175	20	100	0	17.772	Fig.53
4	64QAM	1745	20300	20	100	0	17.848	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54

3 Emission Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
4	QPSK	1710.7	19957	1.4	6	0	1.188	Fig.1
4	QPSK	1732.5	20175	1.4	6	0	1.218	Fig.2
4	QPSK	1754.3	20393	1.4	6	0	1.245	Fig.3
4	QPSK	1711.5	19965	3	15	0	2.779	Fig.4
4	QPSK	1732.5	20175	3	15	0	2.828	Fig.5
4	QPSK	1753.5	20385	3	15	0	2.829	Fig.6
4	QPSK	1712.5	19975	5	25	0	4.663	Fig.7
4	QPSK	1732.5	20175	5	25	0	4.693	Fig.8
4	QPSK	1752.5	20375	5	25	0	4.676	Fig.9
4	QPSK	1715	20000	10	50	0	9.285	Fig.10
4	QPSK	1732.5	20175	10	50	0	9.281	Fig.11
4	QPSK	1750	20350	10	50	0	9.255	Fig.12
4	QPSK	1717.5	20025	15	75	0	13.827	Fig.13
4	QPSK	1732.5	20175	15	75	0	13.895	Fig.14
4	QPSK	1747.5	20325	15	75	0	13.900	Fig.15
4	QPSK	1720	20050	20	100	0	18.472	Fig.16
4	QPSK	1732.5	20175	20	100	0	18.465	Fig.17
4	QPSK	1745	20300	20	100	0	18.472	Fig.18

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
4	16QAM	1710.7	19957	1.4	6	0	1.189	Fig.19
4	16QAM	1732.5	20175	1.4	6	0	1.221	Fig.20
4	16QAM	1754.3	20393	1.4	6	0	1.201	Fig.21
4	16QAM	1711.5	19965	3	15	0	2.808	Fig.22
4	16QAM	1732.5	20175	3	15	0	2.817	Fig.23
4	16QAM	1753.5	20385	3	15	0	2.787	Fig.24
4	16QAM	1712.5	19975	5	25	0	4.656	Fig.25
4	16QAM	1732.5	20175	5	25	0	4.679	Fig.26
4	16QAM	1752.5	20375	5	25	0	4.657	Fig.27
4	16QAM	1715	20000	10	50	0	9.345	Fig.28
4	16QAM	1732.5	20175	10	50	0	9.372	Fig.29
4	16QAM	1750	20350	10	50	0	9.279	Fig.30
4	16QAM	1717.5	20025	15	75	0	13.878	Fig.31
4	16QAM	1732.5	20175	15	75	0	13.914	Fig.32
4	16QAM	1747.5	20325	15	75	0	13.873	Fig.33
4	16QAM	1720	20050	20	100	0	18.526	Fig.34
4	16QAM	1732.5	20175	20	100	0	18.487	Fig.35
4	16QAM	1745	20300	20	100	0	18.434	Fig.36

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
4	64QAM	1710.7	19957	1.4	6	0	1.190	Fig.37
4	64QAM	1732.5	20175	1.4	6	0	1.224	Fig.38
4	64QAM	1754.3	20393	1.4	6	0	1.240	Fig.39
4	64QAM	1711.5	19965	3	15	0	2.811	Fig.40
4	64QAM	1732.5	20175	3	15	0	2.793	Fig.41
4	64QAM	1753.5	20385	3	15	0	2.813	Fig.42
4	64QAM	1712.5	19975	5	25	0	4.666	Fig.43
4	64QAM	1732.5	20175	5	25	0	4.717	Fig.44
4	64QAM	1752.5	20375	5	25	0	4.668	Fig.45
4	64QAM	1715	20000	10	50	0	9.256	Fig.46
4	64QAM	1732.5	20175	10	50	0	9.248	Fig.47
4	64QAM	1750	20350	10	50	0	9.259	Fig.48
4	64QAM	1717.5	20025	15	75	0	13.864	Fig.49
4	64QAM	1732.5	20175	15	75	0	14.058	Fig.50
4	64QAM	1747.5	20325	15	75	0	13.868	Fig.51
4	64QAM	1720	20050	20	100	0	18.520	Fig.52
4	64QAM	1732.5	20175	20	100	0	18.682	Fig.53
4	64QAM	1745	20300	20	100	0	18.460	Fig.54

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18

Test Mode: 16QAM




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

Test Mode: 64QAM




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	QPSK	16-QAM	64-QAM
4	1710.7	19957	1.4	1	5	Fig.1	Fig.2	Fig.3
4	1710.7	19957	1.4	6	0	Fig.4	Fig.5	Fig.6
4	1732.5	20175	1.4	1	5	Fig.7	Fig.8	Fig.9
4	1732.5	20175	1.4	6	0	Fig.10	Fig.11	Fig.12
4	1754.3	20393	1.4	1	5	Fig.13	Fig.14	Fig.15
4	1754.3	20393	1.4	6	0	Fig.16	Fig.17	Fig.18
4	1711.5	19965	3	1	14	Fig.19	Fig.20	Fig.21
4	1711.5	19965	3	15	0	Fig.22	Fig.23	Fig.24
4	1732.5	20175	3	1	14	Fig.25	Fig.26	Fig.27
4	1732.5	20175	3	15	0	Fig.28	Fig.29	Fig.30
4	1753.5	20385	3	1	14	Fig.31	Fig.32	Fig.33
4	1753.5	20385	3	15	0	Fig.34	Fig.35	Fig.36
4	1712.5	19975	5	1	24	Fig.37	Fig.38	Fig.39
4	1712.5	19975	5	25	0	Fig.40	Fig.41	Fig.42
4	1732.5	20175	5	1	24	Fig.43	Fig.44	Fig.45
4	1732.5	20175	5	25	0	Fig.46	Fig.47	Fig.48
4	1752.5	20375	5	1	24	Fig.49	Fig.50	Fig.51
4	1752.5	20375	5	25	0	Fig.52	Fig.53	Fig.54
4	1715	20000	10	1	49	Fig.55	Fig.56	Fig.57
4	1715	20000	10	50	0	Fig.58	Fig.59	Fig.60
4	1732.5	20175	10	1	49	Fig.61	Fig.62	Fig.63
4	1732.5	20175	10	50	0	Fig.64	Fig.65	Fig.66
4	1750	20350	10	1	49	Fig.67	Fig.68	Fig.69
4	1750	20350	10	50	0	Fig.70	Fig.71	Fig.72
4	1717.5	20025	15	1	74	Fig.73	Fig.74	Fig.75
4	1717.5	20025	15	75	0	Fig.76	Fig.77	Fig.78
4	1732.5	20175	15	1	74	Fig.79	Fig.80	Fig.81
4	1732.5	20175	15	75	0	Fig.82	Fig.83	Fig.84
4	1747.5	20325	15	1	74	Fig.85	Fig.86	Fig.87
4	1747.5	20325	15	75	0	Fig.88	Fig.89	Fig.90
4	1720	20050	20	1	99	Fig.91	Fig.92	Fig.93
4	1720	20050	20	100	0	Fig.94	Fig.95	Fig.96
4	1732.5	20175	20	1	99	Fig.97	Fig.98	Fig.99
4	1732.5	20175	20	100	0	Fig.100	Fig.101	Fig.102
4	1745	20300	20	1	99	Fig.103	Fig.104	Fig.105
4	1745	20300	20	100	0	Fig.106	Fig.107	Fig.108




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72




Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79




Fig.80




Fig.81




Fig.82




Fig.83




Fig.84




Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90




Fig.91




Fig.92




Fig.93




Fig.94




Fig.95




Fig.96




Fig.97




Fig.98




Fig.99




Fig.100




Fig.101




Fig.102




Fig.103




Fig.104




Fig.105




Fig.106




Fig.107




Fig.108

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
4	1720	20050	20	1	0	Fig.1
4	1732.5	20175	20	1	0	Fig.2
4	1745	20300	20	1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
4	QPSK	1710.7	19957	1.4	1	0	Fig.1
4	QPSK	1710.7	19957	1.4	6	0	Fig.2
4	QPSK	1754.3	20393	1.4	1	5	Fig.3
4	QPSK	1754.3	20393	1.4	6	0	Fig.4
4	QPSK	1711.5	19965	3	1	0	Fig.5
4	QPSK	1711.5	19965	3	15	0	Fig.6
4	QPSK	1753.5	20385	3	1	14	Fig.7
4	QPSK	1753.5	20385	3	15	0	Fig.8
4	QPSK	1712.5	19975	5	1	0	Fig.9
4	QPSK	1712.5	19975	5	25	0	Fig.10
4	QPSK	1752.5	20375	5	1	24	Fig.11
4	QPSK	1752.5	20375	5	25	0	Fig.12
4	QPSK	1715	20000	10	1	0	Fig.13
4	QPSK	1715	20000	10	50	0	Fig.14
4	QPSK	1750	20350	10	1	49	Fig.15
4	QPSK	1750	20350	10	50	0	Fig.16
4	QPSK	1717.5	20025	15	1	0	Fig.17
4	QPSK	1717.5	20025	15	75	0	Fig.18
4	QPSK	1747.5	20325	15	1	74	Fig.19
4	QPSK	1747.5	20325	15	75	0	Fig.20
4	QPSK	1720	20050	20	1	0	Fig.21
4	QPSK	1720	20050	20	100	0	Fig.22
4	QPSK	1745	20300	20	1	99	Fig.23
4	QPSK	1745	20300	20	100	0	Fig.24

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22



Fig.23




Fig.24

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 4 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	-0.010	-0.014	0.001	0.003	-0.007	-0.011
-20	NV	-0.005	-0.007	-0.005	0.002	-0.009	0.002
-10	NV	-0.009	-0.004	0.002	-0.003	-0.002	-0.007
0	NV	-0.015	-0.010	-0.007	-0.010	-0.007	-0.009
+10	NV	-0.015	-0.007	-0.007	-0.005	-0.006	-0.005
+20	NV	-0.005	-0.004	-0.008	-0.010	-0.003	0.005
+30	NV	-0.011	-0.008	-0.001	-0.003	-0.009	-0.005
+40	NV	-0.013	-0.007	-0.007	-0.010	-0.004	-0.008
+50	NV	-0.016	-0.012	-0.005	-0.008	-0.008	-0.011
+20	LV	-0.015	-0.009	0.003	-0.009	0.000	-0.006
+20	HV	-0.014	-0.007	0.002	-0.008	-0.008	-0.007

Temperature(°C)	Voltage	Test Result (ppm) Band 4 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-30	NV	-0.003	-0.004	-0.008	0.001	-0.003	-0.008
-20	NV	-0.003	-0.003	-0.012	-0.001	-0.007	-0.009
-10	NV	0.004	0.003	-0.007	-0.009	0.005	-0.007
0	NV	-0.011	-0.004	-0.010	-0.006	-0.008	0.006
+10	NV	-0.010	-0.009	-0.008	-0.001	-0.007	-0.009
+20	NV	-0.001	-0.012	-0.012	-0.005	-0.008	-0.007
+30	NV	-0.008	0.007	-0.009	-0.005	-0.007	-0.006
+40	NV	-0.015	-0.002	0.004	0.001	-0.006	0.007
+50	NV	0.001	-0.007	-0.006	0.005	0.003	-0.006
+20	LV	0.004	-0.010	-0.003	-0.007	0.001	0.003
+20	HV	-0.005	0.004	-0.001	-0.008	0.002	-0.004

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1710.7	19957	1.4	1	0	24.15	22.67	0.185
QPSK	1710.7	19957	1.4	1	3	24.14	22.66	0.185
QPSK	1710.7	19957	1.4	1	5	24.08	22.60	0.182
QPSK	1710.7	19957	1.4	3	0	24.25	22.77	0.189
QPSK	1710.7	19957	1.4	3	1	24.01	22.53	0.179
QPSK	1710.7	19957	1.4	3	3	24.08	22.60	0.182
QPSK	1710.7	19957	1.4	6	0	23.16	21.68	0.147
QPSK	1732.5	20175	1.4	1	0	23.97	22.49	0.177
QPSK	1732.5	20175	1.4	1	3	24.00	22.52	0.179
QPSK	1732.5	20175	1.4	1	5	23.76	22.28	0.169
QPSK	1732.5	20175	1.4	3	0	23.94	22.46	0.176
QPSK	1732.5	20175	1.4	3	1	23.96	22.48	0.177
QPSK	1732.5	20175	1.4	3	3	23.98	22.50	0.178
QPSK	1732.5	20175	1.4	6	0	23.03	21.55	0.143
QPSK	1754.3	20393	1.4	1	0	23.79	22.31	0.170
QPSK	1754.3	20393	1.4	1	3	23.87	22.39	0.173
QPSK	1754.3	20393	1.4	1	5	23.92	22.44	0.175
QPSK	1754.3	20393	1.4	3	0	23.89	22.41	0.174
QPSK	1754.3	20393	1.4	3	1	24.05	22.57	0.181
QPSK	1754.3	20393	1.4	3	3	24.07	22.59	0.182
QPSK	1754.3	20393	1.4	6	0	23.03	21.55	0.143

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	1710.7	19957	1.4	1	0	23.32	21.84	0.153
16QAM	1710.7	19957	1.4	1	3	23.23	21.75	0.150
16QAM	1710.7	19957	1.4	1	5	23.19	21.71	0.148
16QAM	1710.7	19957	1.4	3	0	22.81	21.33	0.136
16QAM	1710.7	19957	1.4	3	1	23.09	21.61	0.145
16QAM	1710.7	19957	1.4	3	3	23.09	21.61	0.145
16QAM	1710.7	19957	1.4	6	0	22.12	20.64	0.116
16QAM	1732.5	20175	1.4	1	0	23.19	21.71	0.148
16QAM	1732.5	20175	1.4	1	3	23.47	21.99	0.158
16QAM	1732.5	20175	1.4	1	5	23.13	21.65	0.146
16QAM	1732.5	20175	1.4	3	0	22.89	21.41	0.138
16QAM	1732.5	20175	1.4	3	1	22.81	21.33	0.136
16QAM	1732.5	20175	1.4	3	3	22.95	21.47	0.140
16QAM	1732.5	20175	1.4	6	0	22.23	20.75	0.119
16QAM	1754.3	20393	1.4	1	0	23.05	21.57	0.144
16QAM	1754.3	20393	1.4	1	3	23.24	21.76	0.150
16QAM	1754.3	20393	1.4	1	5	22.85	21.37	0.137
16QAM	1754.3	20393	1.4	3	0	22.85	21.37	0.137
16QAM	1754.3	20393	1.4	3	1	23.16	21.68	0.147
16QAM	1754.3	20393	1.4	3	3	22.88	21.40	0.138
16QAM	1754.3	20393	1.4	6	0	22.08	20.60	0.115
64QAM	1710.7	19957	1.4	1	0	22.19	20.71	0.118
64QAM	1710.7	19957	1.4	1	3	21.94	20.46	0.111
64QAM	1710.7	19957	1.4	1	5	22.25	20.77	0.119
64QAM	1710.7	19957	1.4	3	0	22.13	20.65	0.116
64QAM	1710.7	19957	1.4	3	1	22.10	20.62	0.115
64QAM	1710.7	19957	1.4	3	3	22.02	20.54	0.113
64QAM	1710.7	19957	1.4	6	0	21.03	19.55	0.090
64QAM	1732.5	20175	1.4	1	0	21.88	20.40	0.110
64QAM	1732.5	20175	1.4	1	3	21.83	20.35	0.108
64QAM	1732.5	20175	1.4	1	5	21.77	20.29	0.107
64QAM	1732.5	20175	1.4	3	0	22.08	20.60	0.115
64QAM	1732.5	20175	1.4	3	1	22.15	20.67	0.117
64QAM	1732.5	20175	1.4	3	3	22.19	20.71	0.118
64QAM	1732.5	20175	1.4	6	0	21.15	19.67	0.093
64QAM	1754.3	20393	1.4	1	0	22.11	20.63	0.116
64QAM	1754.3	20393	1.4	1	3	21.92	20.44	0.111
64QAM	1754.3	20393	1.4	1	5	22.34	20.86	0.122
64QAM	1754.3	20393	1.4	3	0	22.04	20.56	0.114
64QAM	1754.3	20393	1.4	3	1	21.94	20.46	0.111
64QAM	1754.3	20393	1.4	3	3	22.16	20.68	0.117
64QAM	1754.3	20393	1.4	6	0	21.05	19.57	0.091

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1711.5	19965	3	1	0	24.01	22.53	0.179
QPSK	1711.5	19965	3	1	8	23.97	22.49	0.177
QPSK	1711.5	19965	3	1	14	24.09	22.61	0.182
QPSK	1711.5	19965	3	8	0	23.02	21.54	0.143
QPSK	1711.5	19965	3	8	4	23.03	21.55	0.143
QPSK	1711.5	19965	3	8	7	23.10	21.62	0.145
QPSK	1711.5	19965	3	15	0	23.03	21.55	0.143
QPSK	1732.5	20175	3	1	0	23.92	22.44	0.175
QPSK	1732.5	20175	3	1	8	23.84	22.36	0.172
QPSK	1732.5	20175	3	1	14	23.92	22.44	0.175
QPSK	1732.5	20175	3	8	0	23.01	21.53	0.142
QPSK	1732.5	20175	3	8	4	22.96	21.48	0.141
QPSK	1732.5	20175	3	8	7	22.98	21.50	0.141
QPSK	1732.5	20175	3	15	0	23.03	21.55	0.143
QPSK	1753.5	20385	3	1	0	23.90	22.42	0.175
QPSK	1753.5	20385	3	1	8	23.97	22.49	0.177
QPSK	1753.5	20385	3	1	14	23.91	22.43	0.175
QPSK	1753.5	20385	3	8	0	22.99	21.51	0.142
QPSK	1753.5	20385	3	8	4	22.95	21.47	0.140
QPSK	1753.5	20385	3	8	7	23.08	21.60	0.145
QPSK	1753.5	20385	3	15	0	23.03	21.55	0.143

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1711.5	19965	3	1	0	23.43	21.95	0.157
16QAM	1711.5	19965	3	1	8	23.17	21.69	0.148
16QAM	1711.5	19965	3	1	14	23.32	21.84	0.153
16QAM	1711.5	19965	3	8	0	22.06	20.58	0.114
16QAM	1711.5	19965	3	8	4	22.27	20.79	0.120
16QAM	1711.5	19965	3	8	7	22.18	20.70	0.117
16QAM	1711.5	19965	3	15	0	22.14	20.66	0.116
16QAM	1732.5	20175	3	1	0	23.11	21.63	0.146
16QAM	1732.5	20175	3	1	8	23.63	22.15	0.164
16QAM	1732.5	20175	3	1	14	22.77	21.29	0.135
16QAM	1732.5	20175	3	8	0	21.99	20.51	0.112
16QAM	1732.5	20175	3	8	4	21.99	20.51	0.112
16QAM	1732.5	20175	3	8	7	22.05	20.57	0.114
16QAM	1732.5	20175	3	15	0	22.14	20.66	0.116
16QAM	1753.5	20385	3	1	0	22.73	21.25	0.133
16QAM	1753.5	20385	3	1	8	22.96	21.48	0.141
16QAM	1753.5	20385	3	1	14	23.00	21.52	0.142
16QAM	1753.5	20385	3	8	0	21.84	20.36	0.109
16QAM	1753.5	20385	3	8	4	22.00	20.52	0.113
16QAM	1753.5	20385	3	8	7	21.97	20.49	0.112
16QAM	1753.5	20385	3	15	0	21.93	20.45	0.111
64QAM	1711.5	19965	3	1	0	22.01	20.53	0.113
64QAM	1711.5	19965	3	1	8	22.05	20.57	0.114
64QAM	1711.5	19965	3	1	14	21.98	20.50	0.112
64QAM	1711.5	19965	3	8	0	21.26	19.78	0.095
64QAM	1711.5	19965	3	8	4	21.07	19.59	0.091
64QAM	1711.5	19965	3	8	7	21.35	19.87	0.097
64QAM	1711.5	19965	3	15	0	21.03	19.55	0.090
64QAM	1732.5	20175	3	1	0	22.08	20.60	0.115
64QAM	1732.5	20175	3	1	8	22.03	20.55	0.114
64QAM	1732.5	20175	3	1	14	22.14	20.66	0.116
64QAM	1732.5	20175	3	8	0	21.13	19.65	0.092
64QAM	1732.5	20175	3	8	4	21.24	19.76	0.095
64QAM	1732.5	20175	3	8	7	21.08	19.60	0.091
64QAM	1732.5	20175	3	15	0	21.14	19.66	0.092
64QAM	1753.5	20385	3	1	0	22.22	20.74	0.119
64QAM	1753.5	20385	3	1	8	21.98	20.50	0.112
64QAM	1753.5	20385	3	1	14	22.27	20.79	0.120
64QAM	1753.5	20385	3	8	0	20.89	19.41	0.087
64QAM	1753.5	20385	3	8	4	21.09	19.61	0.091
64QAM	1753.5	20385	3	8	7	20.81	19.33	0.086
64QAM	1753.5	20385	3	15	0	21.00	19.52	0.090

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	1712.5	19975	5	1	0	23.79	22.31	0.170
QPSK	1712.5	19975	5	1	12	24.24	22.76	0.189
QPSK	1712.5	19975	5	1	24	24.07	22.59	0.182
QPSK	1712.5	19975	5	12	0	23.05	21.57	0.144
QPSK	1712.5	19975	5	12	7	23.14	21.66	0.147
QPSK	1712.5	19975	5	12	13	23.15	21.67	0.147
QPSK	1712.5	19975	5	25	0	23.11	21.63	0.146
QPSK	1732.5	20175	5	1	0	23.85	22.37	0.173
QPSK	1732.5	20175	5	1	12	24.13	22.65	0.184
QPSK	1732.5	20175	5	1	24	23.77	22.29	0.169
QPSK	1732.5	20175	5	12	0	22.94	21.46	0.140
QPSK	1732.5	20175	5	12	7	22.96	21.48	0.141
QPSK	1732.5	20175	5	12	13	23.07	21.59	0.144
QPSK	1732.5	20175	5	25	0	22.98	21.50	0.141
QPSK	1752.5	20375	5	1	0	23.74	22.26	0.168
QPSK	1752.5	20375	5	1	12	24.32	22.84	0.192
QPSK	1752.5	20375	5	1	24	23.79	22.31	0.170
QPSK	1752.5	20375	5	12	0	22.94	21.46	0.140
QPSK	1752.5	20375	5	12	7	22.94	21.46	0.140
QPSK	1752.5	20375	5	12	13	23.00	21.52	0.142
QPSK	1752.5	20375	5	25	0	22.94	21.46	0.140

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1712.5	19975	5	1	0	23.27	21.79	0.151
16QAM	1712.5	19975	5	1	12	23.55	22.07	0.161
16QAM	1712.5	19975	5	1	24	23.35	21.87	0.154
16QAM	1712.5	19975	5	12	0	22.12	20.64	0.116
16QAM	1712.5	19975	5	12	7	22.16	20.68	0.117
16QAM	1712.5	19975	5	12	13	22.13	20.65	0.116
16QAM	1712.5	19975	5	25	0	22.04	20.56	0.114
16QAM	1732.5	20175	5	1	0	23.16	21.68	0.147
16QAM	1732.5	20175	5	1	12	23.53	22.05	0.160
16QAM	1732.5	20175	5	1	24	22.97	21.49	0.141
16QAM	1732.5	20175	5	12	0	21.86	20.38	0.109
16QAM	1732.5	20175	5	12	7	21.92	20.44	0.111
16QAM	1732.5	20175	5	12	13	22.01	20.53	0.113
16QAM	1732.5	20175	5	25	0	22.05	20.57	0.114
16QAM	1752.5	20375	5	1	0	22.70	21.22	0.132
16QAM	1752.5	20375	5	1	12	23.37	21.89	0.155
16QAM	1752.5	20375	5	1	24	22.89	21.41	0.138
16QAM	1752.5	20375	5	12	0	21.84	20.36	0.109
16QAM	1752.5	20375	5	12	7	21.99	20.51	0.112
16QAM	1752.5	20375	5	12	13	21.98	20.50	0.112
16QAM	1752.5	20375	5	25	0	22.01	20.53	0.113
64QAM	1712.5	19975	5	1	0	21.87	20.39	0.109
64QAM	1712.5	19975	5	1	12	22.44	20.96	0.125
64QAM	1712.5	19975	5	1	24	22.09	20.61	0.115
64QAM	1712.5	19975	5	12	0	21.19	19.71	0.094
64QAM	1712.5	19975	5	12	7	21.14	19.66	0.092
64QAM	1712.5	19975	5	12	13	21.28	19.80	0.095
64QAM	1712.5	19975	5	25	0	21.18	19.70	0.093
64QAM	1732.5	20175	5	1	0	21.96	20.48	0.112
64QAM	1732.5	20175	5	1	12	22.27	20.79	0.120
64QAM	1732.5	20175	5	1	24	21.85	20.37	0.109
64QAM	1732.5	20175	5	12	0	21.09	19.61	0.091
64QAM	1732.5	20175	5	12	7	21.16	19.68	0.093
64QAM	1732.5	20175	5	12	13	20.96	19.48	0.089
64QAM	1732.5	20175	5	25	0	21.02	19.54	0.090
64QAM	1752.5	20375	5	1	0	21.91	20.43	0.110
64QAM	1752.5	20375	5	1	12	21.73	20.25	0.106
64QAM	1752.5	20375	5	1	24	21.96	20.48	0.112
64QAM	1752.5	20375	5	12	0	20.95	19.47	0.089
64QAM	1752.5	20375	5	12	7	21.12	19.64	0.092
64QAM	1752.5	20375	5	12	13	21.07	19.59	0.091
64QAM	1752.5	20375	5	25	0	20.99	19.51	0.089

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	1715	20000	10	1	0	23.96	22.48	0.177
QPSK	1715	20000	10	1	25	24.09	22.61	0.182
QPSK	1715	20000	10	1	49	24.06	22.58	0.181
QPSK	1715	20000	10	25	0	23.12	21.64	0.146
QPSK	1715	20000	10	25	12	23.09	21.61	0.145
QPSK	1715	20000	10	25	25	23.26	21.78	0.151
QPSK	1715	20000	10	50	0	23.19	21.71	0.148
QPSK	1732.5	20175	10	1	0	24.00	22.52	0.179
QPSK	1732.5	20175	10	1	25	24.05	22.57	0.181
QPSK	1732.5	20175	10	1	49	23.96	22.48	0.177
QPSK	1732.5	20175	10	25	0	23.05	21.57	0.144
QPSK	1732.5	20175	10	25	12	23.03	21.55	0.143
QPSK	1732.5	20175	10	25	25	23.09	21.61	0.145
QPSK	1732.5	20175	10	50	0	23.05	21.57	0.144
QPSK	1750	20350	10	1	0	23.88	22.40	0.174
QPSK	1750	20350	10	1	25	24.02	22.54	0.179
QPSK	1750	20350	10	1	49	23.89	22.41	0.174
QPSK	1750	20350	10	25	0	23.31	21.83	0.152
QPSK	1750	20350	10	25	12	23.04	21.56	0.143
QPSK	1750	20350	10	25	25	23.11	21.63	0.146
QPSK	1750	20350	10	50	0	23.21	21.73	0.149

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	1715	20000	10	1	0	23.04	21.56	0.143
16QAM	1715	20000	10	1	25	23.44	21.96	0.157
16QAM	1715	20000	10	1	49	23.07	21.59	0.144
16QAM	1715	20000	10	25	0	22.19	20.71	0.118
16QAM	1715	20000	10	25	12	22.20	20.72	0.118
16QAM	1715	20000	10	25	25	22.18	20.70	0.117
16QAM	1715	20000	10	50	0	22.18	20.70	0.117
16QAM	1732.5	20175	10	1	0	22.79	21.31	0.135
16QAM	1732.5	20175	10	1	25	23.48	22.00	0.158
16QAM	1732.5	20175	10	1	49	23.49	22.01	0.159
16QAM	1732.5	20175	10	25	0	22.07	20.59	0.115
16QAM	1732.5	20175	10	25	12	22.08	20.60	0.115
16QAM	1732.5	20175	10	25	25	22.02	20.54	0.113
16QAM	1732.5	20175	10	50	0	22.09	20.61	0.115
16QAM	1750	20350	10	1	0	22.96	21.48	0.141
16QAM	1750	20350	10	1	25	23.20	21.72	0.149
16QAM	1750	20350	10	1	49	23.09	21.61	0.145
16QAM	1750	20350	10	25	0	22.03	20.55	0.114
16QAM	1750	20350	10	25	12	22.17	20.69	0.117
16QAM	1750	20350	10	25	25	21.91	20.43	0.110
16QAM	1750	20350	10	50	0	22.01	20.53	0.113
64QAM	1715	20000	10	1	0	22.02	20.54	0.113
64QAM	1715	20000	10	1	25	22.51	21.03	0.127
64QAM	1715	20000	10	1	49	22.07	20.59	0.115
64QAM	1715	20000	10	25	0	21.19	19.71	0.094
64QAM	1715	20000	10	25	12	21.26	19.78	0.095
64QAM	1715	20000	10	25	25	21.17	19.69	0.093
64QAM	1715	20000	10	50	0	21.32	19.84	0.096
64QAM	1732.5	20175	10	1	0	21.99	20.51	0.112
64QAM	1732.5	20175	10	1	25	22.30	20.82	0.121
64QAM	1732.5	20175	10	1	49	21.95	20.47	0.111
64QAM	1732.5	20175	10	25	0	21.21	19.73	0.094
64QAM	1732.5	20175	10	25	12	21.12	19.64	0.092
64QAM	1732.5	20175	10	25	25	21.14	19.66	0.092
64QAM	1732.5	20175	10	50	0	21.28	19.80	0.095
64QAM	1750	20350	10	1	0	22.26	20.78	0.120
64QAM	1750	20350	10	1	25	22.31	20.83	0.121
64QAM	1750	20350	10	1	49	22.02	20.54	0.113
64QAM	1750	20350	10	25	0	21.12	19.64	0.092
64QAM	1750	20350	10	25	12	21.05	19.57	0.091
64QAM	1750	20350	10	25	25	21.15	19.67	0.093
64QAM	1750	20350	10	50	0	21.08	19.60	0.091

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	1717.5	20025	15	1	0	23.93	22.45	0.176
QPSK	1717.5	20025	15	1	37	24.27	22.79	0.190
QPSK	1717.5	20025	15	1	74	23.94	22.46	0.176
QPSK	1717.5	20025	15	36	0	23.17	21.69	0.148
QPSK	1717.5	20025	15	36	29	23.15	21.67	0.147
QPSK	1717.5	20025	15	36	30	23.09	21.61	0.145
QPSK	1717.5	20025	15	75	0	23.10	21.62	0.145
QPSK	1732.5	20175	15	1	0	23.93	22.45	0.176
QPSK	1732.5	20175	15	1	37	24.23	22.75	0.188
QPSK	1732.5	20175	15	1	74	23.81	22.33	0.171
QPSK	1732.5	20175	15	36	0	22.96	21.48	0.141
QPSK	1732.5	20175	15	36	29	23.16	21.68	0.147
QPSK	1732.5	20175	15	36	30	23.04	21.56	0.143
QPSK	1732.5	20175	15	75	0	23.08	21.60	0.145
QPSK	1747.5	20325	15	1	0	23.63	22.15	0.164
QPSK	1747.5	20325	15	1	37	24.00	22.52	0.179
QPSK	1747.5	20325	15	1	74	23.83	22.35	0.172
QPSK	1747.5	20325	15	36	0	23.08	21.60	0.145
QPSK	1747.5	20325	15	36	29	23.17	21.69	0.148
QPSK	1747.5	20325	15	36	30	23.01	21.53	0.142
QPSK	1747.5	20325	15	75	0	23.10	21.62	0.145

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
16QAM	1717.5	20025	15	1	0	23.22	21.74	0.149
16QAM	1717.5	20025	15	1	37	23.74	22.26	0.168
16QAM	1717.5	20025	15	1	74	23.08	21.60	0.145
16QAM	1717.5	20025	15	36	0	22.20	20.72	0.118
16QAM	1717.5	20025	15	36	29	22.09	20.61	0.115
16QAM	1717.5	20025	15	36	30	22.13	20.65	0.116
16QAM	1717.5	20025	15	75	0	22.10	20.62	0.115
16QAM	1732.5	20175	15	1	0	22.87	21.39	0.138
16QAM	1732.5	20175	15	1	37	23.09	21.61	0.145
16QAM	1732.5	20175	15	1	74	22.90	21.42	0.139
16QAM	1732.5	20175	15	36	0	22.00	20.52	0.113
16QAM	1732.5	20175	15	36	29	22.14	20.66	0.116
16QAM	1732.5	20175	15	36	30	22.12	20.64	0.116
16QAM	1732.5	20175	15	75	0	22.00	20.52	0.113
16QAM	1747.5	20325	15	1	0	22.88	21.40	0.138
16QAM	1747.5	20325	15	1	37	23.33	21.85	0.153
16QAM	1747.5	20325	15	1	74	22.96	21.48	0.141
16QAM	1747.5	20325	15	36	0	22.10	20.62	0.115
16QAM	1747.5	20325	15	36	29	22.04	20.56	0.114
16QAM	1747.5	20325	15	36	30	22.05	20.57	0.114
16QAM	1747.5	20325	15	75	0	21.99	20.51	0.112
64QAM	1717.5	20025	15	1	0	21.92	20.44	0.111
64QAM	1717.5	20025	15	1	37	22.34	20.86	0.122
64QAM	1717.5	20025	15	1	74	21.94	20.46	0.111
64QAM	1717.5	20025	15	36	0	21.11	19.63	0.092
64QAM	1717.5	20025	15	36	29	21.13	19.65	0.092
64QAM	1717.5	20025	15	36	30	21.28	19.80	0.095
64QAM	1717.5	20025	15	75	0	21.17	19.69	0.093
64QAM	1732.5	20175	15	1	0	22.25	20.77	0.119
64QAM	1732.5	20175	15	1	37	22.14	20.66	0.116
64QAM	1732.5	20175	15	1	74	21.98	20.50	0.112
64QAM	1732.5	20175	15	36	0	21.01	19.53	0.090
64QAM	1732.5	20175	15	36	29	21.16	19.68	0.093
64QAM	1732.5	20175	15	36	30	21.16	19.68	0.093
64QAM	1732.5	20175	15	75	0	21.12	19.64	0.092
64QAM	1747.5	20325	15	1	0	21.92	20.44	0.111
64QAM	1747.5	20325	15	1	37	22.39	20.91	0.123
64QAM	1747.5	20325	15	1	74	22.08	20.60	0.115
64QAM	1747.5	20325	15	36	0	21.03	19.55	0.090
64QAM	1747.5	20325	15	36	29	21.20	19.72	0.094
64QAM	1747.5	20325	15	36	30	21.15	19.67	0.093
64QAM	1747.5	20325	15	75	0	21.04	19.56	0.090

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
QPSK	1720	20050	20	1	0	23.75	22.27	0.169
QPSK	1720	20050	20	1	49	24.10	22.62	0.183
QPSK	1720	20050	20	1	99	23.89	22.41	0.174
QPSK	1720	20050	20	50	0	23.09	21.61	0.145
QPSK	1720	20050	20	50	24	23.14	21.66	0.147
QPSK	1720	20050	20	50	50	23.26	21.78	0.151
QPSK	1720	20050	20	100	0	23.12	21.64	0.146
QPSK	1732.5	20175	20	1	0	23.66	22.18	0.165
QPSK	1732.5	20175	20	1	49	24.10	22.62	0.183
QPSK	1732.5	20175	20	1	99	23.52	22.04	0.160
QPSK	1732.5	20175	20	50	0	23.01	21.53	0.142
QPSK	1732.5	20175	20	50	24	23.04	21.56	0.143
QPSK	1732.5	20175	20	50	50	23.14	21.66	0.147
QPSK	1732.5	20175	20	100	0	23.04	21.56	0.143
QPSK	1745	20300	20	1	0	23.72	22.24	0.167
QPSK	1745	20300	20	1	49	23.95	22.47	0.177
QPSK	1745	20300	20	1	99	23.67	22.19	0.166
QPSK	1745	20300	20	50	0	23.20	21.72	0.149
QPSK	1745	20300	20	50	24	23.11	21.63	0.146
QPSK	1745	20300	20	50	50	23.03	21.55	0.143
QPSK	1745	20300	20	100	0	23.03	21.55	0.143

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	1720	20050	20	1	0	22.96	21.48	0.141
16QAM	1720	20050	20	1	49	23.31	21.83	0.152
16QAM	1720	20050	20	1	99	22.98	21.50	0.141
16QAM	1720	20050	20	50	0	22.18	20.70	0.117
16QAM	1720	20050	20	50	24	22.13	20.65	0.116
16QAM	1720	20050	20	50	50	22.16	20.68	0.117
16QAM	1720	20050	20	100	0	22.10	20.62	0.115
16QAM	1732.5	20175	20	1	0	22.90	21.42	0.139
16QAM	1732.5	20175	20	1	49	23.27	21.79	0.151
16QAM	1732.5	20175	20	1	99	22.84	21.36	0.137
16QAM	1732.5	20175	20	50	0	21.95	20.47	0.111
16QAM	1732.5	20175	20	50	24	22.01	20.53	0.113
16QAM	1732.5	20175	20	50	50	22.10	20.62	0.115
16QAM	1732.5	20175	20	100	0	22.02	20.54	0.113
16QAM	1745	20300	20	1	0	22.63	21.15	0.130
16QAM	1745	20300	20	1	49	22.96	21.48	0.141
16QAM	1745	20300	20	1	99	22.46	20.98	0.125
16QAM	1745	20300	20	50	0	22.11	20.63	0.116
16QAM	1745	20300	20	50	24	22.09	20.61	0.115
16QAM	1745	20300	20	50	50	21.99	20.51	0.112
16QAM	1745	20300	20	100	0	22.05	20.57	0.114
64QAM	1720	20050	20	1	0	21.91	20.43	0.110
64QAM	1720	20050	20	1	49	22.43	20.95	0.124
64QAM	1720	20050	20	1	99	22.15	20.67	0.117
64QAM	1720	20050	20	50	0	21.19	19.71	0.094
64QAM	1720	20050	20	50	24	21.26	19.78	0.095
64QAM	1720	20050	20	50	50	21.19	19.71	0.094
64QAM	1720	20050	20	100	0	21.12	19.64	0.092
64QAM	1732.5	20175	20	1	0	21.83	20.35	0.108
64QAM	1732.5	20175	20	1	49	22.31	20.83	0.121
64QAM	1732.5	20175	20	1	99	21.90	20.42	0.110
64QAM	1732.5	20175	20	50	0	20.94	19.46	0.088
64QAM	1732.5	20175	20	50	24	21.13	19.65	0.092
64QAM	1732.5	20175	20	50	50	21.15	19.67	0.093
64QAM	1732.5	20175	20	100	0	21.07	19.59	0.091
64QAM	1745	20300	20	1	0	21.62	20.14	0.103
64QAM	1745	20300	20	1	49	22.12	20.64	0.116
64QAM	1745	20300	20	1	99	21.67	20.19	0.104
64QAM	1745	20300	20	50	0	21.08	19.60	0.091
64QAM	1745	20300	20	50	24	21.00	19.52	0.090
64QAM	1745	20300	20	50	50	21.09	19.61	0.091
64QAM	1745	20300	20	100	0	20.97	19.49	0.089