



802.11a CH52



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1287.466667	42.31	---	68.20	25.89	200.0	V	31.0	-7
1322.000000	---	34.12	54.00	19.88	200.0	H	215.0	-7
1700.000000	---	34.61	54.00	19.39	100.0	H	74.0	-5
1924.000000	45.66	---	68.20	22.54	100.0	V	351.0	-3
2257.200000	---	36.06	54.00	17.94	100.0	V	255.0	-2
2612.566667	47.73	---	68.20	20.47	200.0	V	130.0	0
2690.266667	---	38.12	54.00	15.88	100.0	V	14.0	1
3549.166667	50.25	---	68.20	17.95	200.0	V	220.0	4
3941.633333	---	41.54	54.00	12.46	100.0	H	243.0	6
4469.666667	52.46	---	68.20	15.74	200.0	H	161.0	7
6782.000000	53.49	---	68.20	14.71	200.0	V	113.0	10
7510.000000	---	44.55	54.00	9.45	200.0	V	84.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH60



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1284.900000	43.22	---	68.20	24.98	100.0	V	217.0	-7
1387.566667	---	33.32	54.00	20.68	100.0	H	132.0	-6
1531.533333	---	34.60	54.00	19.40	200.0	V	250.0	-5
1935.433333	45.24	---	68.20	22.96	200.0	H	198.0	-3
2352.166667	---	36.64	54.00	17.36	100.0	H	93.0	-1
2627.266667	48.00	---	68.20	20.20	200.0	H	30.0	0
2782.666667	---	38.22	54.00	15.78	200.0	V	204.0	1
3405.200000	50.03	---	68.20	18.17	100.0	V	240.0	3
3947.466667	---	41.90	54.00	12.10	200.0	H	175.0	6
4439.566667	51.81	---	68.20	16.39	100.0	V	125.0	---
7008.566667	53.68	---	68.20	14.52	200.0	H	175.0	11
7378.400000	---	44.41	54.00	9.59	200.0	H	182.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH64



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1295.633333	43.31	---	68.20	24.89	100.0	V	225.0	-7
1386.633333	---	33.64	54.00	20.36	100.0	V	255.0	-6
1687.400000	---	34.69	54.00	19.31	200.0	V	169.0	-5
1803.133333	46.42	---	68.20	21.78	200.0	V	0.0	-4
2352.866667	---	37.21	54.00	16.79	100.0	V	31.0	-1
2549.566667	48.18	---	68.20	20.02	100.0	V	149.0	0
2795.033333	---	38.22	54.00	15.78	100.0	V	56.0	1
3482.200000	50.33	---	68.20	17.87	200.0	V	48.0	4
3982.233333	---	41.50	54.00	12.50	200.0	V	123.0	6
4474.333333	51.61	---	68.20	16.59	100.0	H	117.0	7
6975.433333	54.14	---	68.20	14.06	100.0	H	109.0	11
7519.333333	---	44.59	54.00	9.41	200.0	V	55.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH100



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1242.666667	32.80	---	68.20	35.40	100.0	H	121.0	-17
1408.100000	---	23.80	54.00	30.20	100.0	V	359.0	-16
1582.400000	---	24.67	54.00	29.33	200.0	H	279.0	-15
1888.533333	36.29	---	68.20	31.91	200.0	V	194.0	-14
2313.666667	---	25.97	54.00	28.03	100.0	H	74.0	-11
2554.466667	37.46	---	68.20	30.74	200.0	H	325.0	-10
2767.500000	---	28.25	54.00	25.75	200.0	V	34.0	-9
3480.566667	40.25	---	68.20	27.95	100.0	V	209.0	-6
3962.633333	---	32.20	54.00	21.80	100.0	H	220.0	-4
4466.166667	41.38	---	68.20	26.82	200.0	V	162.0	-3
6570.366667	43.85	---	68.20	24.35	200.0	V	56.0	0
7333.366667	---	39.91	54.00	14.09	100.0	V	101.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH116



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1275.800000	32.75	---	68.20	35.45	100.0	H	150.0	-17
1377.766667	---	23.43	54.00	30.57	100.0	V	348.0	-16
1600.366667	---	25.11	54.00	28.89	100.0	H	165.0	-15
1838.833333	35.93	---	68.20	32.27	200.0	V	65.0	-14
2278.433333	---	26.73	54.00	27.27	200.0	V	359.0	-12
2611.633333	37.71	---	68.20	30.49	100.0	V	125.0	-10
2725.966667	---	28.25	54.00	25.75	200.0	H	0.0	-9
3524.200000	40.34	---	68.20	27.86	200.0	V	141.0	-6
3939.533333	---	31.76	54.00	22.24	200.0	H	308.0	-4
4439.333333	41.66	---	68.20	26.54	100.0	V	325.0	-3
6652.033333	43.03	---	68.20	25.17	200.0	H	0.0	0
7440.000000	---	37.15	54.00	16.85	100.0	V	125.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH140



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1264.833333	32.87	---	68.20	35.33	100.0	V	167.0	-17
1377.066667	---	23.65	54.00	30.35	100.0	H	121.0	-16
1675.033333	---	24.81	54.00	29.19	200.0	H	243.0	-15
1965.533333	35.46	---	68.20	32.74	200.0	V	118.0	-13
2287.533333	---	26.57	54.00	27.43	200.0	H	281.0	-12
2664.366667	37.35	---	68.20	30.85	200.0	V	72.0	-10
2755.833333	---	27.91	54.00	26.09	100.0	H	121.0	-9
3430.166667	40.13	---	68.20	28.07	200.0	H	0.0	-6
3964.266667	---	32.23	54.00	21.77	100.0	V	159.0	-4
4458.466667	41.99	---	68.20	26.21	100.0	H	20.0	-3
6963.533333	43.47	---	68.20	24.73	100.0	V	227.0	1
7600.066667	---	39.81	54.00	14.19	100.0	V	120.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH149



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1285.133333	32.94	---	68.20	35.26	200.0	H	3.0	-17
1388.500000	---	23.35	54.00	30.65	200.0	V	163.0	-16
1625.333333	---	24.40	54.00	29.60	200.0	H	345.0	-15
1996.566667	35.15	---	68.20	33.05	200.0	V	232.0	-13
2540.466667	38.12	---	68.20	30.08	100.0	H	356.0	-10
2792.466667	---	28.32	54.00	25.68	200.0	V	286.0	-9
3372.533333	39.85	---	68.20	28.35	200.0	V	86.0	-7
3975.000000	---	31.32	54.00	22.68	100.0	H	220.0	-4
4409.000000	41.69	---	68.20	26.51	200.0	V	54.0	-3
4642.800000	---	31.97	54.00	22.03	100.0	V	241.0	-3
6665.566667	43.63	---	68.20	24.57	100.0	V	55.0	0
7660.266667	---	40.05	54.00	13.95	100.0	V	101.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH157



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1261.33	32.51	---	68.20	35.69	100.0	V	72.00	-17
1382.20	---	23.22	54.00	30.78	100.0	H	336.00	-16
1718.90	---	24.27	54.00	29.73	100.0	V	133.00	-15
1982.57	35.33	---	68.20	32.87	100.0	H	20.00	-13
2659.23	37.52	---	68.20	30.68	100.0	V	125.00	-10
2779.87	---	27.89	54.00	26.11	200.0	H	233.00	-9
3437.63	39.94	---	68.20	28.26	200.0	V	276.00	-6
3975.23	---	31.15	54.00	22.85	200.0	H	105.00	-4
4230.73	---	31.35	54.00	22.65	200.0	V	28.00	-3
4414.83	40.64	---	68.20	27.56	100.0	V	156.00	-3
6543.53	43.02	---	68.20	25.18	200.0	H	180.00	0
7713.47	---	41.35	54.00	12.65	100.0	V	102.00	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH165



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1243.13	32.80	---	68.20	35.40	200.0	H	136.00	-17
1390.13	---	23.32	54.00	30.69	100.0	H	187.00	-16
1692.53	---	24.49	54.00	29.51	100.0	H	118.00	-15
1900.20	34.97	---	68.20	33.23	100.0	V	8.00	-14
2653.40	37.07	---	68.20	31.13	100.0	V	290.00	-10
2776.13	---	27.73	54.00	26.27	200.0	H	55.00	-9
3425.03	40.08	---	68.20	28.12	100.0	H	110.00	-6
3991.57	---	31.42	54.00	22.58	200.0	V	343.00	-4
4432.33	41.20	---	68.20	27.00	200.0	V	170.00	-3
4694.37	---	31.50	54.00	22.50	200.0	V	154.00	-3
7544.77	---	33.85	54.00	20.15	100.0	H	307.00	1
7766.43	45.61	---	68.20	22.59	100.0	V	105.00	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH36



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1264.60	32.16	---	68.20	36.04	200.0	H	155.00	-17
1412.53	---	23.27	54.00	30.73	100.0	V	219.00	-16
1608.30	---	24.54	54.00	29.46	100.0	H	296.00	-15
1869.40	35.77	---	68.20	32.43	100.0	V	196.00	-14
2612.80	37.13	---	68.20	31.07	200.0	V	260.00	-10
2792.00	---	27.57	54.00	26.43	200.0	V	0.00	-9
3517.90	40.03	---	68.20	28.17	200.0	H	329.00	-6
3996.00	---	31.15	54.00	22.85	200.0	V	53.00	-4
4451.93	41.53	---	68.20	26.67	200.0	V	260.00	-3
4604.07	---	31.39	54.00	22.61	100.0	V	62.00	-3
6903.57	43.86	---	68.20	24.34	100.0	H	219.00	1
7524.70	---	33.92	54.00	20.08	200.0	H	0.00	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH40



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1194.37	---	22.50	54.00	31.50	200.0	V	165.00	-18
1266.23	31.74	---	68.20	36.46	100.0	V	347.00	-17
1680.87	---	24.21	54.00	29.79	100.0	H	186.00	-15
1885.73	35.31	---	68.20	32.89	100.0	H	155.00	-14
2620.73	37.62	---	68.20	30.58	100.0	H	126.00	-10
2772.17	---	27.52	54.00	26.48	100.0	H	194.00	-9
3148.07	38.78	---	68.20	29.42	100.0	V	339.00	-8
4022.60	---	31.13	54.00	22.87	200.0	H	0.00	-4
4474.33	41.29	---	68.20	26.91	200.0	H	278.00	-3
4722.60	---	32.01	54.00	21.99	100.0	V	325.00	-3
6812.57	43.32	---	68.20	24.88	100.0	V	290.00	0
7336.63	---	33.84	54.00	20.16	100.0	H	0.00	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH48



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1299.60	33.12	---	68.20	35.08	200.0	V	111.00	-17
1362.60	---	23.03	54.00	30.97	100.0	V	310.00	-17
1589.17	---	24.51	54.00	29.49	200.0	H	282.00	-15
1965.53	34.88	---	68.20	33.32	200.0	V	296.00	-13
2641.97	37.68	---	68.20	30.52	200.0	H	335.00	-10
2768.20	---	27.79	54.00	26.21	100.0	H	0.00	-9
3591.17	39.66	---	68.20	28.54	200.0	V	5.00	-6
3992.73	---	31.67	54.00	22.33	200.0	V	66.00	-4
4446.80	41.15	---	68.20	27.05	100.0	H	134.00	-3
4561.83	---	31.09	54.00	22.91	100.0	H	78.00	-3
6200.30	43.64	---	68.20	24.56	200.0	H	192.00	0
7350.17	---	33.91	54.00	20.09	200.0	H	267.00	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH52



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1298.67	32.15	---	68.20	36.05	100.0	V	340.00	-17
1407.63	---	22.93	54.00	31.07	100.0	V	225.00	-16
1691.13	---	24.74	54.00	29.26	200.0	H	238.00	-15
1912.57	35.18	---	68.20	33.02	100.0	V	239.00	-13
2685.60	36.89	---	68.20	31.31	100.0	H	28.00	-10
2809.73	---	27.44	54.00	26.56	200.0	H	351.00	-9
3588.83	39.84	---	68.20	28.36	200.0	V	211.00	-6
3994.83	---	30.96	54.00	23.04	100.0	V	187.00	-4
4464.07	41.70	---	68.20	26.50	100.0	V	0.00	-3
4566.73	---	31.25	54.00	22.75	200.0	V	211.00	-3
6940.67	43.58	---	68.20	24.62	100.0	H	153.00	1
7493.43	---	34.57	54.00	19.43	200.0	V	226.00	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (HT20) CH60



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1249.43	32.14	---	68.20	36.06	200.0	V	0.00	-17
1397.83	---	23.10	54.00	30.90	200.0	H	241.00	-16
1697.90	---	24.80	54.00	29.20	200.0	H	139.00	-15
1966.47	35.21	---	68.20	32.99	200.0	H	346.00	-13
2668.10	37.39	---	68.20	30.81	100.0	H	27.00	-10
2766.10	---	27.69	54.00	26.31	100.0	V	194.00	-9
3474.50	39.55	---	68.20	28.65	100.0	H	236.00	-6
3969.17	---	31.09	54.00	22.91	100.0	V	339.00	-4
4435.13	41.03	---	68.20	27.17	100.0	V	353.00	-3
4931.20	---	32.83	54.00	21.17	100.0	V	346.00	-2
6771.97	43.36	---	68.20	24.84	200.0	H	330.00	0
7544.77	---	34.14	54.00	19.86	200.0	V	96.00	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH64



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1298.20	32.47	---	68.20	35.73	100.0	H	67.00	-17
1392.23	---	23.29	54.00	30.71	100.0	V	291.00	-16
1679.23	---	23.99	54.00	30.01	200.0	H	162.00	-15
1900.67	35.48	---	68.20	32.72	200.0	V	145.00	-14
2433.83	37.14	---	68.20	31.06	100.0	V	54.00	-11
2790.37	---	27.50	54.00	26.50	100.0	H	0.00	-9
3481.03	39.89	---	68.20	28.31	100.0	H	30.00	-6
3993.20	---	31.63	54.00	22.37	100.0	H	105.00	-4
4475.50	41.02	---	68.20	27.18	100.0	H	98.00	-3
4638.37	---	31.63	54.00	22.37	200.0	V	0.00	-3
6538.40	43.36	---	68.20	24.84	100.0	H	60.00	0
7547.33	---	33.94	54.00	20.06	100.0	V	0.00	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH100



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1261.333333	32.92	---	68.20	35.28	100.0	H	266.0	-17
1345.566667	---	23.61	54.00	30.39	200.0	H	0.0	-17
1594.066667	---	25.02	54.00	28.98	100.0	H	174.0	-15
1885.966667	36.19	---	68.20	32.01	100.0	H	356.0	-14
2234.333333	---	25.75	54.00	28.25	100.0	H	83.0	-12
2654.333333	37.58	---	68.20	30.62	100.0	H	344.0	-10
2739.500000	---	27.88	54.00	26.12	200.0	V	82.0	-9
3476.600000	40.08	---	68.20	28.12	200.0	H	275.0	-6
3966.366667	---	32.19	54.00	21.81	200.0	V	279.0	-4
4456.833333	41.77	---	68.20	26.43	200.0	V	152.0	-3
6971.700000	43.37	---	68.20	24.83	200.0	H	307.0	1
7333.600000	---	38.53	54.00	15.47	100.0	V	170.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (HT20) CH116



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1271.366667	32.65	---	68.20	35.55	100.0	H	148.0	-17
1395.733333	---	23.56	54.00	30.44	100.0	H	179.0	-16
1601.766667	---	24.84	54.00	29.16	200.0	H	293.0	-15
1848.166667	35.63	---	68.20	32.57	200.0	V	149.0	-14
2226.400000	---	26.68	54.00	27.32	100.0	V	172.0	-12
2645.466667	37.85	---	68.20	30.35	100.0	H	323.0	-10
2690.733333	---	28.08	54.00	25.92	100.0	H	0.0	-9
3304.400000	40.00	---	68.20	28.20	100.0	H	0.0	-7
3957.033333	---	31.66	54.00	22.34	200.0	H	315.0	-4
4438.866667	41.41	---	68.20	26.79	200.0	H	343.0	-3
6891.666667	43.28	---	68.20	24.92	200.0	H	61.0	1
7440.000000	---	37.79	54.00	16.21	100.0	V	172.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (HT20) CH140



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1299.60	32.21	---	68.20	35.99	100.0	V	103.00	-17
1408.80	---	23.27	54.00	30.73	200.0	H	299.00	-16
1591.97	---	24.27	54.00	29.73	100.0	H	124.00	-15
1798.93	35.50	---	68.20	32.70	100.0	H	45.00	-14
2680.23	37.48	---	68.20	30.72	200.0	V	337.00	-10
2717.57	---	27.60	54.00	26.40	200.0	H	0.00	-9
3453.97	39.69	---	68.20	28.51	200.0	H	168.00	-6
3964.73	---	31.47	54.00	22.53	100.0	V	36.00	-4
5050.20	---	32.63	54.00	21.37	100.0	V	51.00	-1
5270.47	43.39	---	68.20	24.81	200.0	H	160.00	-1
6704.77	42.59	---	68.20	25.61	200.0	H	51.00	0
7600.07	---	39.95	54.00	14.05	100.0	V	103.00	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH149



Radiates Emission from 1GHz to 8GHz




Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz




Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1290.97	32.48	---	68.20	35.72	200.0	V	181.00	-17
1407.17	---	23.33	54.00	30.67	100.0	V	104.00	-16
1682.03	---	24.83	54.00	29.17	100.0	V	208.00	-15
1908.13	35.27	---	68.20	32.93	100.0	H	323.00	-14
2518.07	37.40	---	68.20	30.80	100.0	V	290.00	-10
2775.90	---	28.07	54.00	25.93	200.0	V	104.00	-9
3432.03	39.56	---	68.20	28.64	100.0	H	22.00	-6
3969.40	---	31.25	54.00	22.75	100.0	H	60.00	-4
4461.27	40.93	---	68.20	27.27	200.0	H	263.00	-3
4687.83	---	31.66	54.00	22.34	200.0	V	73.00	-3
6843.83	43.06	---	68.20	25.14	100.0	V	15.00	0
7660.03	---	41.20	54.00	12.80	100.0	V	104.00	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT20) CH157



Radiates Emission from 1GHz to 8GHz



Note: The signal beyond the limit is carrier.
Radiates Emission from 8GHz to 18GHz



Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1271.37	32.37	---	68.20	35.83	100.0	V	298.00	-17
1410.20	---	23.63	54.00	30.37	200.0	V	330.00	-16
1697.20	---	24.38	54.00	29.62	100.0	H	123.00	-15
1997.73	35.26	---	68.20	32.94	200.0	V	51.00	-13
2672.07	37.60	---	68.20	30.60	200.0	H	246.00	-10
2783.13	---	27.76	54.00	26.24	200.0	H	358.00	-9
3476.13	39.87	---	68.20	28.33	200.0	H	14.00	-6
3964.50	---	31.64	54.00	22.36	200.0	H	268.00	-4
4459.63	41.46	---	68.20	26.74	200.0	H	298.00	-3
4584.47	---	31.82	54.00	22.18	100.0	V	201.00	-3
6693.80	42.95	---	68.20	25.25	200.0	H	192.00	0
7713.47	---	42.27	54.00	11.73	100.0	V	109.00	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)