




## 6.4 Test Graphs B4




11AC20SISO\_Ant1\_Low\_5745




11AC20SISO\_Ant1\_High\_5825




11AC40SISO\_Ant1\_Low\_5755




11AC40SISO\_Ant1\_High\_5795



11AC80SISO\_Ant1\_Low\_5775



11AC80SISO\_Ant1\_High\_5775



## 7. Appendix G: Conducted Spurious Emission

### 7.1 Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5133.61	-36.65	≤-27	PASS
			5360~40000	39550.3	-32.05	≤-27	PASS
		5200	30~5140	5135.49	-39.59	≤-27	PASS
			5360~40000	39656.5	-32.81	≤-27	PASS
		5240	30~5140	551.46	-42.88	≤-27	PASS
			5360~40000	39617.2	-32.92	≤-27	PASS
		5260	30~5140	513.13	-41.87	≤-27	PASS
			5360~40000	39583.8	-32.56	≤-27	PASS
		5280	30~5140	546.69	-42.03	≤-27	PASS
			5360~40000	39589.5	-32.32	≤-27	PASS
		5300	30~5140	545.33	-42.27	≤-27	PASS
			5360~40000	39568.7	-32.87	≤-27	PASS
		5320	30~5140	535.96	-42.01	≤-27	PASS
			5360~40000	39663.4	-32.77	≤-27	PASS
		5500	30~5460	5434.21	-41.1	≤-27	PASS
			5735~40000	39576.8	-32.6	≤-27	PASS
		5520	30~5460	5448.14	-39.86	≤-27	PASS
			5735~40000	39589.4	-32.16	≤-27	PASS
		5580	30~5460	2875.68	-42.46	≤-27	PASS
			5735~40000	39274.2	-33.42	≤-27	PASS
		5660	30~5460	546.47	-41.58	≤-27	PASS
			5735~40000	39649.9	-32.71	≤-27	PASS
		5680	30~5460	539.59	-42.78	≤-27	PASS
			5735~40000	39276.5	-32.87	≤-27	PASS
		5700	30~5460	551.35	-42.63	≤-27	PASS
			5735~40000	39454.6	-32.85	≤-27	PASS
		5720	30~5460	526.74	-42.1	≤-27	PASS
			5925~40000	39680.3	-32.95	≤-27	PASS
		5745	30~5650	5637.73	-43.84	≤-27	PASS
			5925~40000	39646.2	-37.59	≤-27	PASS
5785	30~5650	548.24	-47.68	≤-27	PASS		
	5925~40000	39160.1	-38.16	≤-27	PASS		
5825	30~5650	548.99	-47.23	≤-27	PASS		
	5925~40000	39287.3	-38.12	≤-27	PASS		


TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11N20SISO	Ant1	5180	30~5140	5118.45	-37.96	≤-27	PASS
			5360~40000	39578	-32.12	≤-27	PASS
		5200	30~5140	550.61	-42.21	≤-27	PASS
			5360~40000	39538.7	-33.29	≤-27	PASS
		5240	30~5140	522.67	-42.58	≤-27	PASS
			5360~40000	39609.2	-32.1	≤-27	PASS
		5260	30~5140	551.29	-42.23	≤-27	PASS
			5360~40000	39703.8	-33.14	≤-27	PASS
		5280	30~5140	547.54	-42.07	≤-27	PASS
			5360~40000	39235.1	-33.18	≤-27	PASS
		5300	30~5140	526.76	-42.7	≤-27	PASS
			5360~40000	39258.2	-33.1	≤-27	PASS
		5320	30~5140	546.52	-42.03	≤-27	PASS
			5360~40000	39707.3	-33.09	≤-27	PASS
		5500	30~5460	5451.95	-37.01	≤-27	PASS
			5735~40000	39654.5	-33.28	≤-27	PASS
		5520	30~5460	5457.74	-36.08	≤-27	PASS
			5735~40000	39549.4	-33.28	≤-27	PASS
		5580	30~5460	541.04	-42.49	≤-27	PASS
			5735~40000	39590.5	-33.45	≤-27	PASS
		5660	30~5460	703.57	-42.16	≤-27	PASS
			5735~40000	38889.3	-32.19	≤-27	PASS
		5680	30~5460	552.26	-41.67	≤-27	PASS
			5735~40000	39214.8	-31.66	≤-27	PASS
		5700	30~5460	548.28	-41.85	≤-27	PASS
			5735~40000	39186.2	-32.84	≤-27	PASS
		5720	30~5460	547.73	-42.45	≤-27	PASS
			5925~40000	39693.9	-31.91	≤-27	PASS
		5745	30~5650	5649.53	-43.67	≤-27	PASS
			5925~40000	39561	-37.27	≤-27	PASS
		5785	30~5650	539.25	-46.52	≤-27	PASS
			5925~40000	39710.9	-38.07	≤-27	PASS
5825	30~5650	538.87	-47.39	≤-27	PASS		
	5925~40000	39248.7	-36.43	≤-27	PASS		

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11N40SISO	Ant1	5190	30~5140	550.61	-42.12	≤-27	PASS
			5360~40000	39326.3	-33.03	≤-27	PASS
		5230	30~5140	549.93	-42.27	≤-27	PASS
			5360~40000	39304.3	-31.83	≤-27	PASS
		5270	30~5140	537.32	-42.78	≤-27	PASS
			5360~40000	39601.1	-32.65	≤-27	PASS
		5310	30~5140	549.41	-42.29	≤-27	PASS
			5360~40000	39582.6	-32.82	≤-27	PASS
		5510	30~5460	5452.67	-40.18	≤-27	PASS
			5735~40000	39508.3	-32.99	≤-27	PASS
		5550	30~5460	5457.92	-40.82	≤-27	PASS
			5735~40000	39552.9	-33.14	≤-27	PASS
		5630	30~5460	551.35	-42	≤-27	PASS
			5735~40000	39556.3	-32.48	≤-27	PASS
		5670	30~5460	546.83	-41.8	≤-27	PASS
			5735~40000	39527.7	-32.05	≤-27	PASS
		5710	30~5460	447.28	-42.23	≤-27	PASS
			5925~40000	39601.9	-32.49	≤-27	PASS
		5755	30~5650	5648.22	-42.18	≤-27	PASS
			5925~40000	39254.4	-38.42	≤-27	PASS
5795	30~5650	2912.68	-47.25	≤-27	PASS		
	5925~40000	39494	-37.96	≤-27	PASS		

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AC20SISO	Ant1	5180	30~5140	5137.19	-34.89	≤-27	PASS
			5360~40000	39321.7	-33.15	≤-27	PASS
		5200	30~5140	5138.21	-38.74	≤-27	PASS
			5360~40000	39608	-32.61	≤-27	PASS
		5240	30~5140	547.71	-42.69	≤-27	PASS
			5360~40000	39340.1	-32.51	≤-27	PASS
		5260	30~5140	542.09	-42.27	≤-27	PASS
			5360~40000	39641.5	-32.28	≤-27	PASS
		5280	30~5140	711.06	-42.33	≤-27	PASS
			5360~40000	39416.3	-31.97	≤-27	PASS
		5300	30~5140	550.1	-42.15	≤-27	PASS
			5360~40000	39154.2	-32.27	≤-27	PASS
		5320	30~5140	552.31	-42.23	≤-27	PASS
			5360~40000	39713.1	-32.38	≤-27	PASS
		5500	30~5460	5450.68	-36.94	≤-27	PASS
			5735~40000	39262.8	-32.6	≤-27	PASS
		5520	30~5460	5454.12	-34.43	≤-27	PASS
			5735~40000	39621.4	-32.84	≤-27	PASS
		5580	30~5460	536.51	-42.13	≤-27	PASS
			5735~40000	39599.7	-32.3	≤-27	PASS
		5660	30~5460	2823.19	-42.82	≤-27	PASS
			5735~40000	39600.8	-32.22	≤-27	PASS
		5680	30~5460	605.65	-41.75	≤-27	PASS
			5735~40000	39276.5	-32.44	≤-27	PASS
		5700	30~5460	539.59	-41.2	≤-27	PASS
			5735~40000	39564.3	-32.87	≤-27	PASS
		5720	30~5460	551.53	-42.74	≤-27	PASS
			5925~40000	39570.1	-32.65	≤-27	PASS
		5745	30~5650	5635.48	-43.78	≤-27	PASS
			5925~40000	39273.7	-38.56	≤-27	PASS
		5785	30~5650	711.96	-47.06	≤-27	PASS
			5925~40000	39551.9	-37.79	≤-27	PASS
5825	30~5650	565.29	-46.24	≤-27	PASS		
	5925~40000	39564.4	-38.36	≤-27	PASS		


TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AC40SISO	Ant1	5190	30~5140	5135.49	-40.9	≤-27	PASS
			5360~40000	39635.7	-32.67	≤-27	PASS
		5230	30~5140	710.54	-41.16	≤-27	PASS
			5360~40000	39253.5	-32.6	≤-27	PASS
		5270	30~5140	551.29	-41.85	≤-27	PASS
			5360~40000	39550.3	-33.29	≤-27	PASS
		5310	30~5140	544.47	-41.88	≤-27	PASS
			5360~40000	39362.1	-32.91	≤-27	PASS
		5510	30~5460	5457.38	-40.47	≤-27	PASS
			5735~40000	39469.5	-31.26	≤-27	PASS
		5550	30~5460	5457.92	-40.37	≤-27	PASS
			5735~40000	39268.5	-32.26	≤-27	PASS
		5630	30~5460	544.29	-42.31	≤-27	PASS
			5735~40000	39477.5	-31.73	≤-27	PASS
		5670	30~5460	620.67	-42.37	≤-27	PASS
			5735~40000	39410.1	-31.58	≤-27	PASS
		5710	30~5460	550.45	-41.88	≤-27	PASS
			5925~40000	39213.5	-31.63	≤-27	PASS
		5755	30~5650	5648.03	-42.66	≤-27	PASS
			5925~40000	39106.7	-38.05	≤-27	PASS
5795	30~5650	531.38	-47.11	≤-27	PASS		
	5925~40000	39608.7	-38.22	≤-27	PASS		
11AC80SISO	Ant1	5210	30~5140	550.95	-42.43	≤-27	PASS
			5360~40000	39541	-33	≤-27	PASS
		5290	30~5140	546.69	-42.39	≤-27	PASS
			5360~40000	39464.8	-33.48	≤-27	PASS
		5530	30~5460	546.47	-42.39	≤-27	PASS
			5735~40000	39590.5	-32.58	≤-27	PASS
		5610	30~5460	546.47	-41.96	≤-27	PASS
			5735~40000	39450.1	-31.84	≤-27	PASS
		5690	30~5460	665.2	-42.57	≤-27	PASS
			5925~40000	39436.1	-32.1	≤-27	PASS
5775	30~5650	5644.29	-40.63	≤-27	PASS		
	5925~40000	39303.2	-37.17	≤-27	PASS		

## 7.2 Test Graphs







11A\_Ant1\_5260\_30~5140




11A\_Ant1\_5260\_5360~40000




11A\_Ant1\_5280\_30~5140




11A\_Ant1\_5280\_5360~40000




11A\_Ant1\_5300\_30~5140




11A\_Ant1\_5300\_5360~40000




11A\_Ant1\_5320\_30~5140




11A\_Ant1\_5320\_30~5140




11A\_Ant1\_5500\_30~5460




11A\_Ant1\_5500\_5735~40000




11A\_Ant1\_5520\_30~5460




11A\_Ant1\_5520\_5735~40000




11A\_Ant1\_5580\_30~5460




11A\_Ant1\_5580\_5735~40000




11A\_Ant1\_5660\_30~5460




11A\_Ant1\_5660\_5735~40000




11A\_Ant1\_5680\_30~5460




11A\_Ant1\_5680\_5735~40000




11A\_Ant1\_5700\_30~5460




11A\_Ant1\_5700\_5735~40000




11A\_Ant1\_5720\_30~5460




11A\_Ant1\_5720\_5925~40000




11A\_Ant1\_5745\_30~5650




11A\_Ant1\_5745\_5925~40000




11A\_Ant1\_5785\_30~5650




11A\_Ant1\_5785\_5925~40000




11A\_Ant1\_5825\_30~5650




11A\_Ant1\_5825\_5925~40000




11N20SISO\_Ant1\_5180\_30~5140




11N20SISO\_Ant1\_5180\_5360~40000




11N20SISO\_Ant1\_5200\_30~5140




11N20SISO\_Ant1\_5200\_5360~40000




11N20SISO\_Ant1\_5240\_30~5140




11N20SISO\_Ant1\_5240\_5360~40000




11N20SISO\_Ant1\_5260\_30~5140




11N20SISO\_Ant1\_5260\_5360~40000




11N20SISO\_Ant1\_5280\_30~5140




11N20SISO\_Ant1\_5280\_5360~40000




11N20SISO\_Ant1\_5300\_30~5140




11N20SISO\_Ant1\_5300\_5360~40000




11N20SISO\_Ant1\_5320\_30~5140




11N20SISO\_Ant1\_5320\_5360~40000









11N20SISO\_Ant1\_5660\_30~5460




11N20SISO\_Ant1\_5660\_5735~40000




11N20SISO\_Ant1\_5680\_30~5460




11N20SISO\_Ant1\_5680\_5735~40000




11N20SISO\_Ant1\_5700\_30~5460




11N20SISO\_Ant1\_5700\_5735~40000




11N20SISO\_Ant1\_5720\_30~5460




11N20SISO\_Ant1\_5720\_5925~40000




11N20SISO\_Ant1\_5745\_30~5650




11N20SISO\_Ant1\_5745\_5925~40000




11N20SISO\_Ant1\_5785\_30~5650




11N20SISO\_Ant1\_5785\_5925~40000




11N20SISO\_Ant1\_5825\_30~5650




11N20SISO\_Ant1\_5825\_5925~40000




11N40SISO\_Ant1\_5190\_30~5140




11N40SISO\_Ant1\_5190\_5360~40000




11N40SISO\_Ant1\_5230\_30~5140




11N40SISO\_Ant1\_5230\_5360~40000




11N40SISO\_Ant1\_5270\_30~5140




11N40SISO\_Ant1\_5270\_5360~40000




11N40SISO\_Ant1\_5310\_30~5140




11N40SISO\_Ant1\_5310\_5360~40000




11N40SISO\_Ant1\_5510\_30~5460




11N40SISO\_Ant1\_5510\_5735~40000




11N40SISO\_Ant1\_5550\_30~5460




11N40SISO\_Ant1\_5550\_5735~40000




11N40SISO\_Ant1\_5630\_30~5460




11N40SISO\_Ant1\_5630\_5735~40000




11N40SISO\_Ant1\_5670\_30~5460




11N40SISO\_Ant1\_5670\_5735~40000




11N40SISO\_Ant1\_5710\_30~5460




11N40SISO\_Ant1\_5710\_5925~40000




11N40SISO\_Ant1\_5755\_30~5650




11N40SISO\_Ant1\_5755\_5925~40000




11N40SISO\_Ant1\_5795\_30~5650




11N40SISO\_Ant1\_5795\_5925~40000




11AC20SISO\_Ant1\_5180\_30~5140




11AC20SISO\_Ant1\_5180\_5360~40000




11AC20SISO\_Ant1\_5200\_30~5140




11AC20SISO\_Ant1\_5200\_5360~40000




11AC20SISO\_Ant1\_5240\_30~5140




11AC20SISO\_Ant1\_5240\_5360~40000




11AC20SISO\_Ant1\_5260\_30~5140




11AC20SISO\_Ant1\_5260\_5360~40000




11AC20SISO\_Ant1\_5280\_30~5140




11AC20SISO\_Ant1\_5280\_5360~40000



11AC20SISO\_Ant1\_5300\_30~5140




11AC20SISO\_Ant1\_5300\_5360~40000







11AC20SISO\_Ant1\_5320\_30~5140




11AC20SISO\_Ant1\_5320\_5360~40000




11AC20SISO\_Ant1\_5500\_30~5460



11AC20SISO\_Ant1\_5500\_5735~40000



11AC20SISO\_Ant1\_5520\_30~5460



11AC20SISO\_Ant1\_5520\_30~5460

