

Appendix B: Test Results of 5GHz Wi-Fi

APPENDIX B: TEST RESULTS OF 5GHZ WI-FI	1
APPENDIX B.1: TEST RESULTS OF MAXIMUM OUTPUT POWER	2
APPENDIX B.2: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY	6
APPENDIX B.3: TEST RESULTS OF FREQUENCY STABILITY	58
APPENDIX B.4: TEST RESULTS OF 26DB BANDWIDTH	59
APPENDIX B.5: TEST RESULTS OF 99% BANDWIDTH	83
APPENDIX B.6: TEST RESULTS OF 6DB BANDWIDTH	107
APPENDIX B.7: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	113
30MHz - 1GHz (Worst case)	113
1GHz - 18GHz	115
APPENDIX B.8: TEST RESULTS OF DYNAMIC FREQUENCY SELECTION (DFS)	241
DFS Detection Thresholds	241
Channel Move Time and Channel Closing Transmission Time	242
Non-Occupancy Period	243

Appendix B.1: Test Results of Maximum output power

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	16.10	≤23.98	PASS
	Ant2	5180	9.34	≤23.98	PASS
	total	----	----	----	----
	Ant1	5220	16.19	≤23.98	PASS
	Ant2	5220	10.96	≤23.98	PASS
	total	----	----	----	----
	Ant1	5240	16.48	≤23.98	PASS
	Ant2	5240	10.35	≤23.98	PASS
	total	----	----	----	----
	Ant1	5260	16.06	≤23.98	PASS
	Ant2	5260	11.80	≤23.98	PASS
	total	----	----	----	----
	Ant1	5300	15.72	≤23.98	PASS
	Ant2	5300	11.43	≤23.98	PASS
	total	----	----	----	----
	Ant1	5320	16.25	≤23.98	PASS
	Ant2	5320	11.76	≤23.98	PASS
	total	----	----	----	----
	Ant1	5500	15.53	≤23.98	PASS
	Ant2	5500	12.10	≤23.98	PASS
	total	----	----	----	----
	Ant1	5580	15.21	≤23.98	PASS
	Ant2	5580	12.62	≤23.98	PASS
	total	----	----	----	----
	Ant1	5700	14.81	≤23.98	PASS
	Ant2	5700	11.22	≤23.98	PASS
	total	----	----	----	----
	Ant1	5720	15.13	≤23.98	PASS
	Ant2	5720	11.22	≤23.98	PASS
	total	----	----	----	----
Ant1	5745	16.33	≤30.00	PASS	
Ant2	5745	11.12	≤30.00	PASS	
total	----	----	----	----	
Ant1	5785	16.38	≤30.00	PASS	
Ant2	5785	11.47	≤30.00	PASS	
total	----	----	----	----	
Ant1	5825	16.90	≤30.00	PASS	
Ant2	5825	11.85	≤30.00	PASS	
total	----	----	----	----	
11N20MIMO	Ant1	5180	15.99	≤23.98	PASS
	Ant2	5180	9.38	≤23.98	PASS
	total	5180	16.85	≤23.98	PASS
	Ant1	5220	15.88	≤23.98	PASS
	Ant2	5220	9.49	≤23.98	PASS
	total	5220	16.78	≤23.98	PASS
	Ant1	5240	16.31	≤23.98	PASS
	Ant2	5240	10.12	≤23.98	PASS
	total	5240	17.25	≤23.98	PASS
	Ant1	5260	15.85	≤23.98	PASS
	Ant2	5260	11.53	≤23.98	PASS
	total	5260	17.22	≤23.98	PASS
	Ant1	5300	15.74	≤23.98	PASS
	Ant2	5300	11.30	≤23.98	PASS
	total	5300	17.07	≤23.98	PASS
	Ant1	5320	16.10	≤23.98	PASS
	Ant2	5320	11.53	≤23.98	PASS
	total	5320	17.40	≤23.98	PASS
Ant1	5500	15.35	≤23.98	PASS	

Appendix B
CN23IYRN 003



Prüfbericht - Produkte
Test Report - Products

	Ant2	5500	11.86	≤23.98	PASS
	total	5500	16.96	≤23.98	PASS
	Ant1	5580	15.14	≤23.98	PASS
	Ant2	5580	12.43	≤23.98	PASS
	total	5580	17.00	≤23.98	PASS
	Ant1	5700	14.16	≤23.98	PASS
	Ant2	5700	10.47	≤23.98	PASS
	total	5700	15.71	≤23.98	PASS
	Ant1	5720	14.54	≤23.98	PASS
	Ant2	5720	10.53	≤23.98	PASS
	total	5720	15.99	≤23.98	PASS
	Ant1	5745	16.30	≤30.00	PASS
	Ant2	5745	11.83	≤30.00	PASS
	total	5745	17.63	≤30.00	PASS
	Ant1	5785	16.40	≤30.00	PASS
	Ant2	5785	11.31	≤30.00	PASS
	total	5785	17.57	≤30.00	PASS
	Ant1	5825	16.49	≤30.00	PASS
	Ant2	5825	11.76	≤30.00	PASS
	total	5825	17.75	≤30.00	PASS
11N40MIMO	Ant1	5190	16.57	≤23.98	PASS
	Ant2	5190	9.81	≤23.98	PASS
	total	5190	17.40	≤23.98	PASS
	Ant1	5230	15.88	≤23.98	PASS
	Ant2	5230	9.46	≤23.98	PASS
	total	5230	16.77	≤23.98	PASS
	Ant1	5270	16.64	≤23.98	PASS
	Ant2	5270	12.22	≤23.98	PASS
	total	5270	17.98	≤23.98	PASS
	Ant1	5310	16.12	≤23.98	PASS
	Ant2	5310	11.69	≤23.98	PASS
	total	5310	17.46	≤23.98	PASS
	Ant1	5510	15.96	≤23.98	PASS
	Ant2	5510	12.25	≤23.98	PASS
	total	5510	17.50	≤23.98	PASS
	Ant1	5550	14.64	≤23.98	PASS
	Ant2	5550	11.43	≤23.98	PASS
	total	5550	16.34	≤23.98	PASS
	Ant1	5670	14.47	≤23.98	PASS
	Ant2	5670	11.35	≤23.98	PASS
	total	5670	16.19	≤23.98	PASS
	Ant1	5710	14.88	≤23.98	PASS
	Ant2	5710	11.06	≤23.98	PASS
	total	5710	16.39	≤23.98	PASS
	Ant1	5755	16.57	≤30.00	PASS
	Ant2	5755	11.96	≤30.00	PASS
	total	5755	17.86	≤30.00	PASS
	Ant1	5795	17.14	≤30.00	PASS
Ant2	5795	11.98	≤30.00	PASS	
total	5795	18.30	≤30.00	PASS	
11AC20MIMO	Ant1	5180	16.00	≤23.98	PASS
	Ant2	5180	9.39	≤23.98	PASS
	total	5180	16.86	≤23.98	PASS
	Ant1	5220	15.90	≤23.98	PASS
	Ant2	5220	9.44	≤23.98	PASS
	total	5220	16.78	≤23.98	PASS
	Ant1	5240	16.44	≤23.98	PASS
	Ant2	5240	10.15	≤23.98	PASS
	total	5240	17.36	≤23.98	PASS
	Ant1	5260	16.20	≤23.98	PASS
	Ant2	5260	11.65	≤23.98	PASS
	total	5260	17.51	≤23.98	PASS
	Ant1	5300	15.54	≤23.98	PASS

Appendix B

CN23IYRN 003



Prüfbericht - Produkte

Test Report - Products

Page 4 of 243

	Ant2	5300	11.20	≤23.98	PASS
	total	5300	16.90	≤23.98	PASS
	Ant1	5320	16.18	≤23.98	PASS
	Ant2	5320	11.52	≤23.98	PASS
	total	5320	17.46	≤23.98	PASS
	Ant1	5500	15.37	≤23.98	PASS
	Ant2	5500	11.63	≤23.98	PASS
	total	5500	16.90	≤23.98	PASS
	Ant1	5580	15.00	≤23.98	PASS
	Ant2	5580	12.29	≤23.98	PASS
	total	5580	16.86	≤23.98	PASS
	Ant1	5700	14.13	≤23.98	PASS
	Ant2	5700	10.29	≤23.98	PASS
	total	5700	15.63	≤23.98	PASS
	Ant1	5720	14.46	≤23.98	PASS
	Ant2	5720	10.28	≤23.98	PASS
	total	5720	15.86	≤23.98	PASS
	Ant1	5745	16.09	≤30.00	PASS
	Ant2	5745	11.61	≤30.00	PASS
	total	5745	17.41	≤30.00	PASS
	Ant1	5785	16.26	≤30.00	PASS
	Ant2	5785	11.36	≤30.00	PASS
	total	5785	17.48	≤30.00	PASS
	Ant1	5825	16.67	≤30.00	PASS
	Ant2	5825	11.72	≤30.00	PASS
	total	5825	17.88	≤30.00	PASS
11AC40MIMO	Ant1	5190	16.65	≤23.98	PASS
	Ant2	5190	9.94	≤23.98	PASS
	total	5190	17.49	≤23.98	PASS
	Ant1	5230	15.92	≤23.98	PASS
	Ant2	5230	9.46	≤23.98	PASS
	total	5230	16.80	≤23.98	PASS
	Ant1	5270	16.65	≤23.98	PASS
	Ant2	5270	11.90	≤23.98	PASS
	total	5270	17.90	≤23.98	PASS
	Ant1	5310	16.10	≤23.98	PASS
	Ant2	5310	11.29	≤23.98	PASS
	total	5310	17.34	≤23.98	PASS
	Ant1	5510	15.86	≤23.98	PASS
	Ant2	5510	12.11	≤23.98	PASS
	total	5510	17.39	≤23.98	PASS
	Ant1	5550	14.59	≤23.98	PASS
	Ant2	5550	11.18	≤23.98	PASS
	total	5550	16.22	≤23.98	PASS
	Ant1	5670	14.37	≤23.98	PASS
	Ant2	5670	11.13	≤23.98	PASS
	total	5670	16.06	≤23.98	PASS
	Ant1	5710	14.94	≤23.98	PASS
	Ant2	5710	10.56	≤23.98	PASS
	total	5710	16.29	≤23.98	PASS
	Ant1	5755	16.66	≤30.00	PASS
	Ant2	5755	11.99	≤30.00	PASS
	total	5755	17.93	≤30.00	PASS
	Ant1	5795	17.15	≤30.00	PASS
	Ant2	5795	11.96	≤30.00	PASS
	total	5795	18.30	≤30.00	PASS
11AC80MIMO	Ant1	5210	16.47	≤23.98	PASS
	Ant2	5210	9.91	≤23.98	PASS
	total	5210	17.34	≤23.98	PASS
	Ant1	5290	15.21	≤23.98	PASS
	Ant2	5290	9.67	≤23.98	PASS
	total	5290	16.28	≤23.98	PASS
	Ant1	5530	15.12	≤23.98	PASS

Appendix B
CN23IYRN 003



Prüfbericht - Produkte
Test Report - Products

Page 5 of 243

	Ant2	5530	10.97	≤23.98	PASS
	total	5530	16.53	≤23.98	PASS
	Ant1	5610	14.11	≤23.98	PASS
	Ant2	5610	10.82	≤23.98	PASS
	total	5610	15.78	≤23.98	PASS
	Ant1	5690	14.06	≤23.98	PASS
	Ant2	5690	10.31	≤23.98	PASS
	total	5690	15.59	≤23.98	PASS
	Ant1	5775	16.61	≤30.00	PASS
	Ant2	5775	11.52	≤30.00	PASS
	total	5775	17.78	≤30.00	PASS

Appendix B.2: Test Results of Conducted Power Spectral Density

TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	6.12	≤11.00	PASS
	Ant2	5180	0.45	≤11.00	PASS
	total	----	----	----	----
	Ant1	5220	5.78	≤11.00	PASS
	Ant2	5220	0.59	≤11.00	PASS
	total	----	----	----	----
	Ant1	5240	5.91	≤11.00	PASS
	Ant2	5240	0.38	≤11.00	PASS
	total	----	----	----	----
	Ant1	5260	5.51	≤11.00	PASS
	Ant2	5260	1.21	≤11.00	PASS
	total	----	----	----	----
	Ant1	5300	5.29	≤11.00	PASS
	Ant2	5300	1.04	≤11.00	PASS
	total	----	----	----	----
	Ant1	5320	5.95	≤11.00	PASS
	Ant2	5320	1.45	≤11.00	PASS
	total	----	----	----	----
	Ant1	5500	5.28	≤11.00	PASS
	Ant2	5500	2.07	≤11.00	PASS
	total	----	----	----	----
	Ant1	5580	5.39	≤11.00	PASS
	Ant2	5580	2.72	≤11.00	PASS
	total	----	----	----	----
	Ant1	5700	4.6	≤11.00	PASS
	Ant2	5700	1.46	≤11.00	PASS
	total	----	----	----	----
	Ant1	5720_UNII-2C	5.57	≤11.00	PASS
	Ant2	5720_UNII-2C	1.69	≤11.00	PASS
	total	----	----	----	----
	Ant1	5720_UNII-3	1.43	≤30.00	PASS
	Ant2	5720_UNII-3	-2.67	≤30.00	PASS
	total	----	----	----	----
Ant1	5745	4.83	≤30.00	PASS	
Ant2	5745	0.02	≤30.00	PASS	
total	----	----	----	----	
Ant1	5785	3.87	≤30.00	PASS	
Ant2	5785	-1.06	≤30.00	PASS	
total	----	----	----	----	
Ant1	5825	4.62	≤30.00	PASS	
Ant2	5825	-0.17	≤30.00	PASS	
total	----	----	----	----	
11N20MIMO	Ant1	5180	5.99	≤11.00	PASS
	Ant2	5180	-0.21	≤11.00	PASS
	total	5180	6.92	≤11.00	PASS
	Ant1	5220	5.01	≤11.00	PASS
	Ant2	5220	-1.44	≤11.00	PASS
	total	5220	5.90	≤11.00	PASS
	Ant1	5240	5.35	≤11.00	PASS
	Ant2	5240	-0.76	≤11.00	PASS
	total	5240	6.30	≤11.00	PASS
	Ant1	5260	4.57	≤11.00	PASS
	Ant2	5260	0.56	≤11.00	PASS
	total	5260	6.02	≤11.00	PASS
	Ant1	5300	4.72	≤11.00	PASS
	Ant2	5300	0.31	≤11.00	PASS
	total	5300	6.06	≤11.00	PASS
Ant1	5320	5.35	≤11.00	PASS	

Appendix B
CN23IYRN 003



Prüfbericht - Produkte
Test Report - Products

Page 7 of 243

	Ant2	5320	0.67	≤11.00	PASS
	total	5320	6.62	≤11.00	PASS
	Ant1	5500	4.69	≤11.00	PASS
	Ant2	5500	1.11	≤11.00	PASS
	total	5500	6.27	≤11.00	PASS
	Ant1	5580	5.55	≤11.00	PASS
	Ant2	5580	2.24	≤11.00	PASS
	total	5580	7.21	≤11.00	PASS
	Ant1	5700	4.06	≤11.00	PASS
	Ant2	5700	0.49	≤11.00	PASS
	total	5700	5.64	≤11.00	PASS
	Ant1	5720_UNII-2C	5.11	≤11.00	PASS
	Ant2	5720_UNII-2C	0.76	≤11.00	PASS
	total	5720_UNII-2C	6.47	≤11.00	PASS
	Ant1	5720_UNII-3	0.62	≤30.00	PASS
	Ant2	5720_UNII-3	-2.97	≤30.00	PASS
	total	5720_UNII-3	2.20	≤11.00	PASS
	Ant1	5745	4.14	≤30.00	PASS
	Ant2	5745	0.09	≤30.00	PASS
	total	5745	5.58	≤30.00	PASS
	Ant1	5785	3.07	≤30.00	PASS
	Ant2	5785	-1.88	≤30.00	PASS
	total	5785	4.28	≤30.00	PASS
	Ant1	5825	3.3	≤30.00	PASS
	Ant2	5825	-0.93	≤30.00	PASS
	total	5825	4.69	≤30.00	PASS
11N40MIMO	Ant1	5190	3.48	≤11.00	PASS
	Ant2	5190	-2.94	≤11.00	PASS
	total	5190	4.37	≤11.00	PASS
	Ant1	5230	2.79	≤11.00	PASS
	Ant2	5230	-3.38	≤11.00	PASS
	total	5230	3.73	≤11.00	PASS
	Ant1	5270	2.85	≤11.00	PASS
	Ant2	5270	-1.52	≤11.00	PASS
	total	5270	4.20	≤11.00	PASS
	Ant1	5310	2.52	≤11.00	PASS
	Ant2	5310	-2.44	≤11.00	PASS
	total	5310	3.72	≤11.00	PASS
	Ant1	5510	2.92	≤11.00	PASS
	Ant2	5510	-1.09	≤11.00	PASS
	total	5510	4.37	≤11.00	PASS
	Ant1	5550	0.99	≤11.00	PASS
	Ant2	5550	-2.53	≤11.00	PASS
	total	5550	2.59	≤11.00	PASS
	Ant1	5670	1.87	≤11.00	PASS
	Ant2	5670	-0.48	≤11.00	PASS
	total	5670	3.84	≤11.00	PASS
	Ant1	5710_UNII-2C	2.19	≤11.00	PASS
	Ant2	5710_UNII-2C	-1.37	≤11.00	PASS
	total	5710_UNII-2C	3.78	≤11.00	PASS
	Ant1	5710_UNII-3	-1.76	≤30.00	PASS
	Ant2	5710_UNII-3	-6.41	≤30.00	PASS
	total	5710_UNII-3	-0.48	≤11.00	PASS
	Ant1	5755	1.1	≤30.00	PASS
	Ant2	5755	-2.98	≤30.00	PASS
	total	5755	2.53	≤30.00	PASS
	Ant1	5795	0.96	≤30.00	PASS
	Ant2	5795	-4.24	≤30.00	PASS
	total	5795	2.11	≤30.00	PASS
11AC20MIMO	Ant1	5180	5.72	≤11.00	PASS
	Ant2	5180	-0.38	≤11.00	PASS
	total	5180	6.67	≤11.00	PASS
	Ant1	5220	4.95	≤11.00	PASS

Appendix B

CN23IYRN 003



Prüfbericht - Produkte

Test Report - Products

Page 8 of 243

	Ant2	5220	-1.34	≤11.00	PASS
	total	5220	5.87	≤11.00	PASS
	Ant1	5240	0.48	≤11.00	PASS
	Ant2	5240	-0.29	≤11.00	PASS
	total	5240	3.12	≤11.00	PASS
	Ant1	5260	5.85	≤11.00	PASS
	Ant2	5260	1.49	≤11.00	PASS
	total	5260	7.21	≤11.00	PASS
	Ant1	5300	4.87	≤11.00	PASS
	Ant2	5300	0.2	≤11.00	PASS
	total	5300	6.14	≤11.00	PASS
	Ant1	5320	-43.56	≤11.00	PASS
	Ant2	5320	1.94	≤11.00	PASS
	total	5320	1.94	≤11.00	PASS
	Ant1	5500	4.88	≤11.00	PASS
	Ant2	5500	1.15	≤11.00	PASS
	total	5500	6.41	≤11.00	PASS
	Ant1	5580	5.37	≤11.00	PASS
	Ant2	5580	2.26	≤11.00	PASS
	total	5580	7.10	≤11.00	PASS
	Ant1	5700	4.23	≤11.00	PASS
	Ant2	5700	0.41	≤11.00	PASS
	total	5700	5.74	≤11.00	PASS
	Ant1	5720 UNII-2C	5.09	≤11.00	PASS
	Ant2	5720 UNII-2C	0.59	≤11.00	PASS
	total	5720 UNII-2C	6.41	≤11.00	PASS
	Ant1	5720 UNII-3	0.69	≤30.00	PASS
	Ant2	5720 UNII-3	-3.18	≤30.00	PASS
	total	5720 UNII-3	2.18	≤11.00	PASS
	Ant1	5745	3.51	≤30.00	PASS
	Ant2	5745	-0.4	≤30.00	PASS
	total	5745	4.99	≤30.00	PASS
	Ant1	5785	3.16	≤30.00	PASS
	Ant2	5785	-1.55	≤30.00	PASS
	total	5785	4.42	≤30.00	PASS
	Ant1	5825	3.98	≤30.00	PASS
	Ant2	5825	-0.47	≤30.00	PASS
	total	5825	5.31	≤30.00	PASS
11AC40MIMO	Ant1	5190	3.54	≤11.00	PASS
	Ant2	5190	-2.65	≤11.00	PASS
	total	5190	4.48	≤11.00	PASS
	Ant1	5230	1.83	≤11.00	PASS
	Ant2	5230	-4.31	≤11.00	PASS
	total	5230	2.78	≤11.00	PASS
	Ant1	5270	2.86	≤11.00	PASS
	Ant2	5270	-1.68	≤11.00	PASS
	total	5270	4.17	≤11.00	PASS
	Ant1	5310	2.09	≤11.00	PASS
	Ant2	5310	-2.4	≤11.00	PASS
	total	5310	3.41	≤11.00	PASS
	Ant1	5510	3.14	≤11.00	PASS
	Ant2	5510	-0.91	≤11.00	PASS
	total	5510	4.58	≤11.00	PASS
	Ant1	5550	1.18	≤11.00	PASS
	Ant2	5550	-2.71	≤11.00	PASS
	total	5550	2.67	≤11.00	PASS
	Ant1	5670	1.74	≤11.00	PASS
	Ant2	5670	-0.88	≤11.00	PASS
	total	5670	3.63	≤11.00	PASS
	Ant1	5710 UNII-2C	1.71	≤11.00	PASS
	Ant2	5710 UNII-2C	-1.7	≤11.00	PASS
	total	5710 UNII-2C	3.34	≤11.00	PASS
Ant1	5710 UNII-3	-2.06	≤30.00	PASS	

Appendix B
CN23IYRN 003



Prüfbericht - Produkte
Test Report - Products

Page 9 of 243


	Ant2	5710 UNII-3	-6.22	≤30.00	PASS
	total	5710 UNII-3	-0.65	≤11.00	PASS
	Ant1	5755	1.25	≤30.00	PASS
	Ant2	5755	-3.26	≤30.00	PASS
	total	5755	2.57	≤30.00	PASS
	Ant1	5795	1.18	≤30.00	PASS
	Ant2	5795	-3.88	≤30.00	PASS
	total	5795	2.36	≤30.00	PASS
11AC80MIMO	Ant1	5210	-0.53	≤11.00	PASS
	Ant2	5210	-6.7	≤11.00	PASS
	total	5210	0.41	≤11.00	PASS
	Ant1	5290	-1.59	≤11.00	PASS
	Ant2	5290	-6.78	≤11.00	PASS
	total	5290	-0.44	≤11.00	PASS
	Ant1	5530	-0.08	≤11.00	PASS
	Ant2	5530	-4.51	≤11.00	PASS
	total	5530	1.26	≤11.00	PASS
	Ant1	5610	-2.64	≤11.00	PASS
	Ant2	5610	-5.37	≤11.00	PASS
	total	5610	-0.78	≤11.00	PASS
	Ant1	5690 UNII-2C	-1.76	≤11.00	PASS
	Ant2	5690 UNII-2C	-5.38	≤11.00	PASS
	total	5690 UNII-2C	-0.19	≤11.00	PASS
	Ant1	5690 UNII-3	-5.37	≤30.00	PASS
	Ant2	5690 UNII-3	-9.05	≤30.00	PASS
	total	5690 UNII-3	-3.82	≤11.00	PASS
	Ant1	5775	-2.75	≤30.00	PASS
	Ant2	5775	-7.39	≤30.00	PASS
total	5775	-1.47	≤30.00	PASS	

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725 5.85 GHz.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

11A_Ant1_5180



11A_Ant2_5180



11A_Ant1_5220



11A_Ant2_5220









11A_Ant2_5500



11A_Ant1_5580



11A_Ant2_5580



11A Ant1 5700




11A Ant2 5700



11A Ant1 5720 UNII-2C







11A Ant2 5785



11A Ant1 5825



11A Ant2 5825



11N20MIMO Ant1 5180




11N20MIMO Ant2 5180



11N20MIMO Ant1 5220



11N20MIMO Ant2 5220



11N20MIMO Ant1 5240



11N20MIMO Ant2 5240









11N20MIMO Ant2 5580



11N20MIMO Ant1 5700



11N20MIMO Ant2 5700



11N20MIMO Ant1 5720 UNII-2C



11N20MIMO Ant2 5720 UNII-2C



11N20MIMO Ant1 5720 UNII-3



11N20MIMO Ant2 5745





11N20MIMO Ant2 5825



11N40MIMO Ant1 5190



11N40MIMO Ant2 5190



11N40MIMO Ant1 5230



11N40MIMO Ant2 5230



11N40MIMO Ant1 5270



11N40MIMO Ant2 5270



11N40MIMO Ant1 5310



11N40MIMO Ant2 5310



11N40MIMO Ant1 5550



11N40MIMO Ant2 5550



11N40MIMO Ant1 5670



11N40MIMO Ant2 5670




11N40MIMO Ant1 5710 UNII-2C



11N40MIMO Ant2 5710 UNII-2C



11N40MIMO Ant1 5710 UNII-3



11N40MIMO Ant2 5755





11AC20MIMO_Ant2_5180



11AC20MIMO_Ant1_5220



11AC20MIMO_Ant2_5220



11AC20MIMO_Ant1_5240



11AC20MIMO_Ant2_5240



11AC20MIMO_Ant1_5260




11AC20MIMO_Ant2_5260



11AC20MIMO_Ant1_5300



11AC20MIMO_Ant2_5300





11AC20MIMO_Ant2_5500



11AC20MIMO_Ant1_5580



11AC20MIMO_Ant2_5580









11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825













11AC40MIMO Ant2 5710 UNII-2C



11AC40MIMO Ant1 5710 UNII-3



11AC40MIMO Ant2 5710 UNII-3