



Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	AC 120V/60Hz
Test Mode:	(5260-5320MHz)		



Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)		99% OBW (MHz)		Verdict
			Ant A	Ant B	Ant A	Ant B	
NVNT	a	5260	18.416	18.527	16.361	16.386	Pass
NVNT	a	5280	18.587	18.452	16.355	16.382	Pass
NVNT	a	5320	18.378	18.486	16.36	16.408	Pass
NVNT	n20	5260	19.235	19.462	17.567	17.55	Pass
NVNT	n20	5280	19.486	19.542	17.566	17.54	Pass
NVNT	n20	5320	19.293	19.013	17.567	17.583	Pass
NVNT	n40	5270	42.51	41.619	35.963	35.973	Pass
NVNT	n40	5310	47.461	41.513	36.073	36.042	Pass
NVNT	ac20	5260	19.224	19.348	17.534	17.554	Pass
NVNT	ac20	5280	19.685	19.32	17.563	17.56	Pass
NVNT	ac20	5320	19.484	19.424	17.554	17.555	Pass
NVNT	ac40	5270	40.71	41.224	36	36.005	Pass
NVNT	ac40	5310	43.553	41.403	36.111	36.028	Pass
NVNT	ac80	5290	79.746	<b>80.158</b>	74.688	<b>74.733</b>	Pass



BCTC  
 3C  
 PPR  
 Report





Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.











CO. LTD



















Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.









CO. LTD








CHENZHEN
















Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	AC 120V/60Hz
Test Mode:	(5500-5700MHz)		



Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)		99% OBW (MHz)		Verdict
			Ant A	Ant B	Ant A	Ant B	
NVNT	a	5500	18.331	18.096	16.351	16.347	Pass
NVNT	a	5580	18.699	18.516	16.381	16.38	Pass
NVNT	a	5700	18.363	23.948	16.346	16.371	Pass
NVNT	n20	5500	19.835	19.554	17.544	17.585	Pass
NVNT	n20	5580	19.598	19.408	17.548	17.533	Pass
NVNT	n20	5700	19.469	19.397	17.571	17.573	Pass
NVNT	n40	5510	41.056	41.122	35.85	35.985	Pass
NVNT	n40	5550	41.061	41.273	35.963	35.987	Pass
NVNT	n40	5670	41.808	41.276	35.958	36.047	Pass
NVNT	ac20	5500	19.348	19.378	17.576	17.571	Pass
NVNT	ac20	5580	19.481	19.382	17.541	17.539	Pass
NVNT	ac20	5700	19.276	19.559	17.562	17.574	Pass
NVNT	ac40	5510	41.189	41.803	36.014	35.928	Pass
NVNT	ac40	5550	40.798	41.869	36.065	35.954	Pass
NVNT	ac40	5670	41.888	40.655	35.971	36.049	Pass
NVNT	ac80	5530	78.011	<b>78.947</b>	<b>74.5</b>	74.018	Pass



Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.











BCTC  
 BCTC  
 PPR  
 Report















CO.LTD







CHENZHEN





Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.



















CO.LTD











Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	AC 120V/60Hz
Test Mode:	(5745-5825MHz)		



Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)		99% OBW (MHz)		Limit -6 dB Bandwidth (MHz)	Verdict
			Ant A	Ant B	Ant A	Ant B		
NVNT	a	5745	16.361	15.665	16.381	16.565	0.5	Pass
NVNT	a	5785	16.33	16.316	16.407	16.888	0.5	Pass
NVNT	a	5825	15.929	16.276	16.393	16.662	0.5	Pass
NVNT	n20	5745	17.645	17.045	17.57	17.625	0.5	Pass
NVNT	n20	5785	17.619	16.538	17.59	17.713	0.5	Pass
NVNT	n20	5825	17.554	16.52	17.566	17.681	0.5	Pass
NVNT	n40	5755	31.047	31.61	35.995	36.058	0.5	Pass
NVNT	n40	5795	33.862	34.749	36.06	35.964	0.5	Pass
NVNT	ac20	5745	17.67	17.555	17.576	17.626	0.5	Pass
NVNT	ac20	5785	17.59	17.601	17.559	17.722	0.5	Pass
NVNT	ac20	5825	17.576	17.58	17.545	17.638	0.5	Pass
NVNT	ac40	5755	30.018	35.145	36.031	36.065	0.5	Pass
NVNT	ac40	5795	36.076	36.287	35.927	36.065	0.5	Pass
NVNT	ac80	5775	<b>76.351</b>	70.622	<b>75.386</b>	74.738	0.5	Pass






Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.











BCTC  
 BC  
 APPR  
 Report



TESTED  
 TC  
 APPROVED  
 Seal

