










Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.























Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	DC 3.3V
Test Mode:	(5260-5320MHz)		



Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)		99% OBW (MHz)		Verdict
			Ant A	Ant B	Ant A	Ant B	
NVNT	a	5260	18.392	18.468	16.338	16.337	Pass
NVNT	a	5280	18.445	18.39	16.345	16.337	Pass
NVNT	a	5320	18.347	18.403	16.329	16.346	Pass
NVNT	n20	5260	19.374	19.292	17.541	17.53	Pass
NVNT	n20	5280	19.24	19.315	17.54	17.53	Pass
NVNT	n20	5320	19.366	19.353	17.538	17.538	Pass
NVNT	n40	5270	40.714	40.806	35.981	35.988	Pass
NVNT	n40	5310	40.974	40.556	36.034	36.019	Pass
NVNT	ac20	5260	19.379	19.374	17.549	17.541	Pass
NVNT	ac20	5280	19.429	19.35	17.545	17.531	Pass
NVNT	ac20	5320	19.379	19.378	17.544	17.533	Pass
NVNT	ac40	5270	40.875	40.597	36.012	35.971	Pass
NVNT	ac40	5310	40.775	40.77	36.035	36.012	Pass
NVNT	ac80	5290	80.74	80.638	74.645	74.658	Pass







Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.




























Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.























Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	DC 3.3V
Test Mode:	(5500-5700MHz)		



Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)		99% OBW (MHz)		Verdict
			Ant A	Ant B	Ant A	Ant B	
NVNT	a	5500	18.234	19.344	16.331	17.543	Pass
NVNT	a	5580	18.422	19.36	16.34	17.538	Pass
NVNT	a	5700	18.354	19.34	16.341	17.544	Pass
NVNT	n20	5500	19.288	19.238	17.543	17.54	Pass
NVNT	n20	5580	19.318	19.265	17.545	17.546	Pass
NVNT	n20	5700	19.472	19.436	17.545	17.55	Pass
NVNT	n40	5510	40.74	40.463	36.052	35.989	Pass
NVNT	n40	5550	41.06	41.033	36.002	35.999	Pass
NVNT	n40	5670	41.07	40.754	36.039	36.014	Pass
NVNT	ac20	5500	19.401	19.324	17.547	17.538	Pass
NVNT	ac20	5580	19.343	19.282	17.547	17.541	Pass
NVNT	ac20	5700	19.374	19.32	17.547	17.539	Pass
NVNT	ac40	5510	40.691	40.703	35.994	35.995	Pass
NVNT	ac40	5550	41.006	40.781	36.03	35.984	Pass
NVNT	ac40	5670	40.948	40.964	36.005	36.027	Pass
NVNT	ac80	5530	80.684	80.662	74.609	74.526	Pass







Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.
































Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.
























Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	DC 3.3V
Test Mode:	(5745-5825MHz)		

Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)		99% OBW (MHz)		Limit -6 dB Bandwidth (MHz)	Verdict
			Ant A	Ant B	Ant A	Ant B		
NVNT	a	5745	16.488	16.495	16.35	16.331	0.5	Pass
NVNT	a	5785	16.452	16.483	16.343	16.336	0.5	Pass
NVNT	a	5825	16.47	16.466	16.344	16.335	0.5	Pass
NVNT	n20	5745	17.677	17.651	17.552	17.539	0.5	Pass
NVNT	n20	5785	17.66	17.643	17.541	17.546	0.5	Pass
NVNT	n20	5825	17.666	17.657	17.544	17.544	0.5	Pass
NVNT	n40	5755	36.35	36.375	36.026	36.017	0.5	Pass
NVNT	n40	5795	36.357	36.374	36.037	36.024	0.5	Pass
NVNT	ac20	5745	17.625	17.629	17.536	17.541	0.5	Pass
NVNT	ac20	5785	17.694	17.647	17.546	17.544	0.5	Pass
NVNT	ac20	5825	17.656	17.715	17.552	17.55	0.5	Pass
NVNT	ac40	5755	36.365	36.399	36.016	36.023	0.5	Pass
NVNT	ac40	5795	36.376	36.373	36.055	36.055	0.5	Pass
NVNT	ac80	5775	75.658	74.735	74.578	74.634	0.5	Pass



Note: A(B) Represent the value of antenna A and B, The worst data is Antenna A, only shown Antenna A Plot.

