

Cover Letter-Modular Approval

FCC ID: 2AYHX10000 Date: Apr 17th 2023

Greetings,

We would like to have your authorization for a module approval of Wittra Networks "Wittra Mioty Plug-in".

The specific product as below, "Wittra Mioty Plug-in" with its designed features and specified description, meets special requirements for Limited module approval on FCC KDB996369 by cross-reference list below.

Company	Company name
Product Name	Wittra Mioty Plug-in
Model Number	MIOTY-PLUG-IN-1.0
FCC ID	2AYHX10000

Requirement of FCC KDB996369	Comply (Y/N)
	(Y for comply, N for not comply)
The modular transmitter must have its own	Υ
RF shielding.	The radio parts of the antenna including
	the front end and the TCXO is shielded.
2. The modular transmitter must have buffered modulation/data inputs (if such	Υ
inputs are provided) to ensure that the module will comply with Part 15 requirements under conditions of excessive data rates or over-modulation.	The EUT has its buffered modulation. Please see the Schematic Diagram.
3. The modular transmitter must have its own power supply regulation.	Υ
	The EUT has its own power supply regulation, please see the Schematic Diagram.



4. The modular transmitter must comply with the antenna and transmission system requirements of Sections 15.203, 15.204(b) and 15.204(c). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of Section 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section.

Υ

The EUT meets the FCC antenna requirements; unique antenna connector and photo of antenna are shown in the test report.

 The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing.

Ν

The EUT was tested with a host, Please see test report and setup photo

6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: 2AYHX10000" or "Contains FCC ID: 2AYHX10000" Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment

authorization.

V

Please see exhibition label sample for the FCC ID of this module. A label sample is included in the label document.



7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.

Y

The EUT is compliant with all applicable FCC rules. Details instructions for maintaining compliance are give in the User Manual.

8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4).

The EUT complies with RF exposure

requirement.

Thank you.

Sincerely

Stockholm Apr 17th 2023

Name: Håkan Dackefjord

Title: CEO

On behalf of: Wittra Networks AB

Telephone: +46 (0) 8 38 78 71

Email: hakan.dackefjord@wittra.se

