








M.gear																																											
Frequency ID	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40			
Frequency (MHz)	860.0	861.0	862.0	863.0	864.0	865.0	866.0	867.0	868.0	869.0	870.0	902.0	903.0	904.0	905.0	906.0	907.0	908.0	909.0	910.0	911.0	912.0	913.0	914.0	915.0	916.0	917.0	918.0	919.0	920.0	921.0	922.0	923.0	924.0	925.0	926.0	927.0	928.0	929.0	930.0			
Efficiency (dB)	-7.48	-7.40	-7.29	-7.16	-7.01	-6.85	-6.69	-6.55	-6.42	-6.32	-6.24	-6.14	-6.11	-6.06	-6.03	-3.98	-3.95	-3.94	-3.94	-3.98	-3.98	-4.00	-4.03	-4.05	-4.06	-4.10	-4.11	-4.12	-4.11	-4.08	-4.08	-4.08	-4.08	-4.09	-4.10	-4.11	-4.13	-4.17	-4.23	-4.30			
Gain (dB)	-4.71	-4.63	-4.50	-4.34	-4.15	-3.97	-3.82	-3.68	-3.52	-3.38	-3.30	-0.81	-0.76	-0.70	-0.66	-0.60	-0.54	-0.50	-0.52	-0.54	-0.52	-0.52	-0.55	-0.54	-0.56	-0.62	-0.60	-0.56	-0.59	-0.54	-0.53	-0.53	-0.50	-0.51	-0.53	-0.47	-0.54	-0.60	-0.59	-0.67			
Efficiency (%)	17.85	18.20	18.66	19.25	19.91	20.64	21.42	22.15	22.82	23.34	23.77	38.52	38.86	39.23	39.57	40.01	40.25	40.37	40.33	40.02	39.99	39.79	39.58	39.36	39.23	38.91	38.77	38.71	38.85	39.09	39.06	39.12	39.11	39.02	38.87	38.78	38.24	37.73	37.13	36.53			
Directivity (dB)	2.78	2.71	2.80	2.82	2.84	2.88	2.87	2.84	2.89	2.94	2.94	3.35	3.34	3.35	3.34	3.37	3.38	3.41	3.44	3.43	3.44	3.44	3.48	3.48	3.51	3.50	3.48	3.52	3.54	3.52	3.54	3.58	3.57	3.58	3.64	3.60	3.58	3.64	3.68	3.68			
Peak Gain Position (Theta)	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00	105.00		
Peak Gain Position (Phi)	0.00	345.00	0.00	0.00	345.00	345.00	0.00	345.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
Efficiency ThetaPol (%)	17.33	17.66	18.10	18.68	19.33	20.05	20.80	21.51	22.16	22.64	23.05	36.47	36.81	37.15	37.47	37.85	38.05	38.11	38.01	37.65	37.55	37.30	37.06	36.81	36.67	36.35	36.22	36.17	36.33	36.58	36.56	36.64	36.63	36.55	36.39	36.29	36.09	35.69	35.17	34.57			
Efficiency PhiPol (%)	0.52	0.54	0.55	0.57	0.58	0.60	0.62	0.64	0.67	0.70	0.72	2.05	2.05	2.08	2.10	2.16	2.21	2.26	2.32	2.37	2.44	2.49	2.52	2.56	2.57	2.56	2.55	2.54	2.52	2.52	2.50	2.47	2.48	2.47	2.48	2.47	2.48	2.52	2.54	2.56	2.57		
Upper Hem. Efficiency (%)	8.75	8.88	9.08	9.25	9.44	9.68	10.33	10.65	10.93	11.35	11.32	17.50	17.62	17.80	17.94	18.11	18.20	18.24	18.21	18.04	18.01	17.91	17.79	17.69	17.61	17.46	17.38	17.34	17.40	17.48	17.49	17.50	17.51	17.46	17.41	17.36	17.26	17.13	16.88	16.61			
Lower Hem. Efficiency (%)	9.11	9.31	9.57	9.90	10.27	10.66	11.09	11.51	11.89	12.19	12.45	21.01	21.24	21.43	21.64	21.89	22.06	22.14	22.12	21.97	21.98	21.88	21.79	21.68	21.62	21.45	21.39	21.37	21.46	21.60	21.57	21.61	21.60	21.57	21.46	21.41	21.35	21.11	20.85	20.53			
TPO(H) 幅度	2.45	2.45	2.46	2.45	2.50	2.56	2.44	2.52	2.51	2.59	2.46	2.80	2.79	2.75	2.79	2.80	2.81	2.84	2.84	2.85	2.89	2.90	2.80	2.85	2.90	2.89	2.88	2.81	2.91	2.88	2.85	2.89	2.88	2.85	2.85	2.85	2.86	2.82	2.83	2.77			
Gain 15deg (dB)	57.00	57.00	56.00	56.00	56.00	56.00	56.00	55.00	55.00	54.00	53.00	48.00	47.00	47.00	47.00	47.00	47.00	47.00	47.00	46.00	46.00	46.00	46.00	45.00	45.00	46.00	45.00	45.00	44.00	44.00	44.00	44.00	44.00	44.00	43.00	44.00	44.00	44.00	44.00				
E1(XZ) 辐射效率	3.35	3.38	3.44	3.32	3.42	3.32	3.46	3.40	3.34	3.46	3.52	3.77	3.83	3.83	3.73	3.76	3.80	3.90	3.80	3.80	3.96	3.98	3.92	4.00	4.14	3.99	4.01	4.01	4.17	4.06	4.12	4.04	4.26	4.24	4.18	4.15	4.29	4.29	4.35	4.36	4.41		
E2(YZ) 辐射效率	79.00	79.00	79.00	80.00	80.00	79.00	81.00	80.00	80.00	80.00	80.00	64.00	64.00	63.00	63.00	63.00	63.00	62.00	61.00	61.00	62.00	61.00	61.00	61.00	61.00	61.00	61.00	62.00	62.00	61.00	61.00	61.00	61.00	61.00	61.00	62.00	62.00	62.00	63.00	63.00			
E3(YZ) 辐射效率	3.37	3.35	3.15	3.23	3.14	3.18	3.19	3.11	3.16	3.11	3.06	3.40	3.25	3.48	3.47	3.41	3.42	3.47	3.45	3.49	3.43	3.39	3.49	3.47	3.55	3.45	3.50	3.50	3.49	3.48	3.51	3.47	3.52	3.51	3.46	3.47	3.47	3.46	3.49	3.44			
最大增益效率比(P)	27.93	33.87	29.55	26.96	33.39	36.07	28.49	33.45	29.53	27.84	30.05	22.78	22.48	23.03	24.08	22.93	23.88	23.51	23.32	23.17	22.92	23.42	22.81	23.10	22.46	21.66	22.31	21.00	21.48	21.90	22.15	22.37	22.88	22.32	23.23	22.93	22.74	23.29	23.43	23.65			
顶点(Theta=0) 辐射比(P)	17.59	17.50	18.22	17.63	17.32	15.98	18.11	17.08	16.32	18.50	15.79	14.32	15.73	15.21	15.09	15.79	14.83	15.00	15.26	15.58	15.26	14.42	14.80	14.70	14.95	13.14	13.36	14.52	13.69	15.48	14.18	14.13	15.13	14.56	15.03	16.05	15.45	14.74	15.03	15.11			
仰角10度增益(大) 辐射比(P)	58.26	65.04	87.64	65.58	63.77	73.60	89.03	60.01	76.91	59.61	60.03	55.29	61.12	57.86	69.08	53.75	73.21	70.87	61.53	65.53	64.18	62.84	52.22	55.33	56.35	54.18	59.28	56.55	70.99	65.77	62.99	62.84	69.95	58.62	65.86	74.50	69.34	57.56	54.99	93.15			
Hc(XY) 辐射效率	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00	360.00		
Hc(XZ) 辐射效率	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.02	0.01	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00			
左旋圆极化效率(%)	9.05	9.23	9.49	9.77	10.12	10.50	10.89	11.29	11.63	11.91	12.13	20.29	20.49	20.67	20.84	21.08	21.18	21.25	21.23	21.08	21.03	20.93	20.78	20.64	20.54	20.34	20.23	20.15	20.17	20.29	20.22	20.21	20.17	20.10	19.98	19.91	19.80	19.56	19.30	18.99			
右旋圆极化效率(%)	8.80	8.96	9.17	9.48	9.79	10.15	10.53	10.86	11.19	11.43	11.64	18.23	18.37	18.56	18.73	18.92	19.07	19.12	19.10	18.94	18.96	18.86	18.80	18.72	18.69	18.56	18.54	18.56	18.68	18.81	18.84	18.91	18.94	18.92	18.89	18.86	18.81	18.67	18.43	18.15			
Empty																																											




860.0MHz H+V, Eff: 17.9%




860.0MHz Total(E1-XZ), Max= -4.71dBi




860.0MHz Total(E2-YZ), Max= -5.07dBi




Total(H-XY), Max= -5.05dBi, CirD=2.45




861.0MHz H+V, Eff: 18.2%




861.0MHz Total(E1-XZ), Max= -4.63dBi




861.0MHz Total(E2-YZ), Max= -4.99dBi




Total(H-XY), Max= -4.94dBi, CirD=2.45




862.0MHz H+V, Eff: 18.7%




862.0MHz Total(E1-XZ), Max= -4.50dBi




862.0MHz Total(E2-YZ), Max= -4.92dBi




Total(H-XY), Max= -4.83dBi, CirD=2.46




863.0MHz H+V, Eff: 19.2%




863.0MHz Total(E1-XZ), Max= -4.34dBi




863.0MHz Total(E2-YZ), Max= -4.73dBi




Total(H-XY), Max= -4.70dBi, CirD=2.45




864.0MHz H+V, Eff: 19.9%




864.0MHz Total(E1-XZ), Max= -4.18dBi




864.0MHz Total(E2-YZ), Max= -4.63dBi




Total(H-XY), Max= -4.53dBi, CirD=2.50




865.0MHz H+V, Eff: 20.6%




865.0MHz Total(E1-XZ), Max= -4.04dBi




865.0MHz Total(E2-YZ), Max= -4.46dBi




Total(H-XY), Max= -4.34dBi, CirD=2.56




866.0MHz H+V, Eff: 21.4%




866.0MHz Total(E1-XZ), Max= -3.82dBi




866.0MHz Total(E2-YZ), Max= -4.34dBi




Total(H-XY), Max= -4.22dBi, CirD=2.44




867.0MHz H+V, Eff: 22.2%




867.0MHz Total(E1-XZ), Max= -3.69dBi




867.0MHz Total(E2-YZ), Max= -4.18dBi




Total(H-XY), Max= -4.03dBi, CirD=2.52




868.0MHz H+V, Eff: 22.8%




868.0MHz Total(E1-XZ), Max= -3.52dBi




868.0MHz Total(E2-YZ), Max= -4.04dBi




Total(H-XY), Max= -3.90dBi, CirD=2.51




869.0MHz H+V, Eff: 23.3%




869.0MHz Total(E1-XZ), Max=-3.38dBi




869.0MHz Total(E2-YZ), Max=-3.97dBi




Total(H-XY), Max=-3.81dBi, CirD=2.59




870.0MHz H+V, Eff: 23.8%




870.0MHz Total(E1-XZ), Max=-3.30dBi




870.0MHz Total(E2-YZ), Max=-3.91dBi




Total(H-XY), Max=-3.72dBi, CirD=2.46




902.0MHz H+V, Eff: 38.5%




902.0MHz Total(E1-XZ), Max=-0.81dBi




902.0MHz Total(E2-YZ), Max=-1.61dBi




Total(H-XY), Max=-1.48dBi, CirD=2.80




903.0MHz H+V, Eff: 38.9%




903.0MHz Total(E1-XZ), Max=-0.76dBi




903.0MHz Total(E2-YZ), Max=-1.61dBi




Total(H-XY), Max=-1.47dBi, CirD=2.79




904.0MHz H+V, Eff: 39.2%




904.0MHz Total(E1-XZ), Max=-0.70dBi




904.0MHz Total(E2-YZ), Max=-1.49dBi




Total(H-XY), Max=-1.43dBi, CirD=2.75




905.0MHz H+V, Eff: 39.6%




905.0MHz Total(E1-XZ), Max=-0.66dBi




905.0MHz Total(E2-YZ), Max=-1.45dBi




Total(H-XY), Max=-1.41dBi, CirD=2.79




906.0MHz H+V, Eff: 40.0%




906.0MHz Total(E1-XZ), Max= -0.60dBi




906.0MHz Total(E2-YZ), Max= -1.41dBi




Total(H-XY), Max= -1.34dBi, CirD=2.80




907.0MHz H+V, Eff: 40.3%




907.0MHz Total(E1-XZ), Max= -0.54dBi




907.0MHz Total(E2-YZ), Max= -1.37dBi




Total(H-XY), Max= -1.33dBi, CirD=2.81




908.0MHz H+V, Eff: 40.4%




908.0MHz Total(E1-XZ), Max= -0.50dBi




908.0MHz Total(E2-YZ), Max= -1.33dBi




Total(H-XY), Max= -1.33dBi, CirD=2.84




909.0MHz H+V, Eff: 40.3%




909.0MHz Total(E1-XZ), Max=-0.52dBi




909.0MHz Total(E2-YZ), Max=-1.28dBi




Total(H-XY), Max=-1.32dBi, CirD=2.84




910.0MHz H+V, Eff: 40.0%




910.0MHz Total(E1-XZ), Max=-0.54dBi




910.0MHz Total(E2-YZ), Max=-1.35dBi




Total(H-XY), Max=-1.36dBi, CirD=2.85




911.0MHz H+V, Eff: 40.0%




911.0MHz Total(E1-XZ), Max=-0.52dBi



911.0MHz Total(E2-YZ), Max=-1.39dBi




Total(H-XY), Max=-1.38dBi, CirD=2.89







912.0MHz H+V, Eff: 39.8%




912.0MHz Total(E1-XZ), Max=-0.52dBi




912.0MHz Total(E2-YZ), Max=-1.35dBi




Total(H-XY), Max=-1.43dBi, CirD=2.90




913.0MHz H+V, Eff: 39.6%




913.0MHz Total(E1-XZ), Max=-0.55dBi




913.0MHz Total(E2-YZ), Max=-1.38dBi




Total(H-XY), Max=-1.48dBi, CirD=2.80




914.0MHz H+V, Eff: 39.4%




914.0MHz Total(E1-XZ), Max=-0.54dBi




914.0MHz Total(E2-YZ), Max=-1.41dBi




Total(H-XY), Max=-1.48dBi, CirD=2.85




915.0MHz H+V, Eff: 39.2%




915.0MHz Total(E1-XZ), Max=-0.56dBi




915.0MHz Total(E2-YZ), Max=-1.39dBi




Total(H-XY), Max=-1.49dBi, CirD=2.90




916.0MHz H+V, Eff: 38.9%




916.0MHz Total(E1-XZ), Max=-0.62dBi




916.0MHz Total(E2-YZ), Max=-1.48dBi




Total(H-XY), Max=-1.55dBi, CirD=2.89




917.0MHz H+V, Eff: 38.8%




917.0MHz Total(E1-XZ), Max=-0.60dBi




917.0MHz Total(E2-YZ), Max=-1.46dBi




Total(H-XY), Max=-1.61dBi, CirD=2.88




918.0MHz H+V, Eff: 38.7%




918.0MHz Total(E1-XZ), Max=-0.56dBi




918.0MHz Total(E2-YZ), Max=-1.47dBi




Total(H-XY), Max=-1.59dBi, CirD=2.81




919.0MHz H+V, Eff: 38.9%




919.0MHz Total(E1-XZ), Max=-0.59dBi




919.0MHz Total(E2-YZ), Max=-1.46dBi




Total(H-XY), Max=-1.56dBi, CirD=2.91




920.0MHz H+V, Eff: 39.1%




920.0MHz Total(E1-XZ), Max=-0.54dBi




920.0MHz Total(E2-YZ), Max=-1.47dBi




Total(H-XY), Max=-1.54dBi, CirD=2.88




921.0MHz H+V, Eff: 39.1%




921.0MHz Total(E1-XZ), Max=-0.53dBi




921.0MHz Total(E2-YZ), Max=-1.44dBi




Total(H-XY), Max=-1.54dBi, CirD=2.85




922.0MHz H+V, Eff: 39.1%




922.0MHz Total(E1-XZ), Max=-0.53dBi




922.0MHz Total(E2-YZ), Max=-1.44dBi




Total(H-XY), Max=-1.56dBi, CirD=2.89




923.0MHz H+V, Eff: 39.1%




923.0MHz Total(E1-XZ), Max=-0.50dBi




923.0MHz Total(E2-YZ), Max=-1.41dBi




Total(H-XY), Max=-1.55dBi, CirD=2.88




924.0MHz H+V, Eff: 39.0%




924.0MHz Total(E1-XZ), Max= -0.51dBi




924.0MHz Total(E2-YZ), Max= -1.39dBi




Total(H-XY), Max= -1.60dBi, CirD=2.85




925.0MHz H+V, Eff: 38.9%




925.0MHz Total(E1-XZ), Max= -0.53dBi




925.0MHz Total(E2-YZ), Max= -1.48dBi




Total(H-XY), Max= -1.66dBi, CirD=2.85




926.0MHz H+V, Eff: 38.8%




926.0MHz Total(E1-XZ), Max= -0.47dBi




926.0MHz Total(E2-YZ), Max= -1.47dBi




Total(H-XY), Max= -1.67dBi, CirD=2.85




927.0MHz H+V, Eff: 38.6%




927.0MHz Total(E1-XZ), Max= -0.54dBi




927.0MHz Total(E2-YZ), Max= -1.49dBi




Total(H-XY), Max= -1.70dBi, CirD=2.86




928.0MHz H+V, Eff: 38.2%




928.0MHz Total(E1-XZ), Max= -0.60dBi




928.0MHz Total(E2-YZ), Max= -1.58dBi




Total(H-XY), Max= -1.74dBi, CirD=2.82




929.0MHz H+V, Eff: 37.7%




929.0MHz Total(E1-XZ), Max= -0.59dBi










929.0MHz Total(E2-YZ), Max= -1.61dBi



Total(H-XY), Max= -1.79dBi, CirD=2.83



930.0MHz H+V, Eff: 37.1%



Antenna



UN03-00-V1.0 Pb  1422  
2022.03.18  
41.000.000165 cRoHS CB-B  
94V-0 E308301