







Xiamen Milesight IoT Co., Ltd.
 ADDyBuilding C09, Software Park Phase III, Xiamen 361024, Fujian, China
 Halow WiFi
 850-950M
 16×32×1.6mm³



	<p style="text-align: center;">Tot.eff (%)</p>  <table border="1"> <caption>Data for Tot.eff (%)</caption> <thead> <tr> <th>Freq (MHz)</th> <th>Tot.eff (%)</th> </tr> </thead> <tbody> <tr><td>850</td><td>16</td></tr> <tr><td>855</td><td>17</td></tr> <tr><td>860</td><td>19</td></tr> <tr><td>865</td><td>21</td></tr> <tr><td>870</td><td>23</td></tr> <tr><td>875</td><td>25</td></tr> <tr><td>880</td><td>26</td></tr> <tr><td>885</td><td>27</td></tr> <tr><td>890</td><td>27</td></tr> <tr><td>895</td><td>29</td></tr> <tr><td>900</td><td>31</td></tr> <tr><td>905</td><td>30</td></tr> <tr><td>910</td><td>26</td></tr> <tr><td>915</td><td>24</td></tr> <tr><td>920</td><td>22</td></tr> <tr><td>925</td><td>20</td></tr> <tr><td>930</td><td>18</td></tr> <tr><td>935</td><td>16</td></tr> <tr><td>940</td><td>15</td></tr> <tr><td>945</td><td>14</td></tr> <tr><td>950</td><td>14</td></tr> </tbody> </table>	Freq (MHz)	Tot.eff (%)	850	16	855	17	860	19	865	21	870	23	875	25	880	26	885	27	890	27	895	29	900	31	905	30	910	26	915	24	920	22	925	20	930	18	935	16	940	15	945	14	950	14
Freq (MHz)	Tot.eff (%)																																												
850	16																																												
855	17																																												
860	19																																												
865	21																																												
870	23																																												
875	25																																												
880	26																																												
885	27																																												
890	27																																												
895	29																																												
900	31																																												
905	30																																												
910	26																																												
915	24																																												
920	22																																												
925	20																																												
930	18																																												
935	16																																												
940	15																																												
945	14																																												
950	14																																												
	<p style="text-align: center;">Gain (dBi)</p>  <table border="1"> <caption>Data for Gain (dBi)</caption> <thead> <tr> <th>Freq (MHz)</th> <th>Gain (dBi)</th> </tr> </thead> <tbody> <tr><td>850</td><td>-7.2</td></tr> <tr><td>855</td><td>-7.0</td></tr> <tr><td>860</td><td>-6.8</td></tr> <tr><td>865</td><td>-6.5</td></tr> <tr><td>870</td><td>-6.2</td></tr> <tr><td>875</td><td>-5.8</td></tr> <tr><td>880</td><td>-5.5</td></tr> <tr><td>885</td><td>-5.2</td></tr> <tr><td>890</td><td>-5.0</td></tr> <tr><td>895</td><td>-4.8</td></tr> <tr><td>900</td><td>-4.2</td></tr> <tr><td>905</td><td>-4.0</td></tr> <tr><td>910</td><td>-4.5</td></tr> <tr><td>915</td><td>-4.8</td></tr> <tr><td>920</td><td>-5.2</td></tr> <tr><td>925</td><td>-5.5</td></tr> <tr><td>930</td><td>-5.8</td></tr> <tr><td>935</td><td>-6.2</td></tr> <tr><td>940</td><td>-6.5</td></tr> <tr><td>945</td><td>-6.8</td></tr> <tr><td>950</td><td>-7.0</td></tr> </tbody> </table>	Freq (MHz)	Gain (dBi)	850	-7.2	855	-7.0	860	-6.8	865	-6.5	870	-6.2	875	-5.8	880	-5.5	885	-5.2	890	-5.0	895	-4.8	900	-4.2	905	-4.0	910	-4.5	915	-4.8	920	-5.2	925	-5.5	930	-5.8	935	-6.2	940	-6.5	945	-6.8	950	-7.0
Freq (MHz)	Gain (dBi)																																												
850	-7.2																																												
855	-7.0																																												
860	-6.8																																												
865	-6.5																																												
870	-6.2																																												
875	-5.8																																												
880	-5.5																																												
885	-5.2																																												
890	-5.0																																												
895	-4.8																																												
900	-4.2																																												
905	-4.0																																												
910	-4.5																																												
915	-4.8																																												
920	-5.2																																												
925	-5.5																																												
930	-5.8																																												
935	-6.2																																												
940	-6.5																																												
945	-6.8																																												
950	-7.0																																												
	<p style="text-align: center;">Freq=900MHz</p> 																																												

Halow WiFi			
frequency (MHz)	gain(dBi)	efficiency (dB)	efficiency (%)
850	-7.21	-7.95	16.01
855	-6.87	-7.59	17.44
860	-6.55	-6.99	19.98
865	-6.1	-6.58	21.97
870	-5.77	-6.3	23.42
875	-5.47	-5.95	25.41
880	-5.36	-5.86	25.91
885	-5.01	-5.66	27.15
890	-4.85	-5.68	27.03
895	-4.48	-5.37	29.01
900	-4.11	-5.08	31.01
905	-3.95	-5.03	31.4
910	-3.99	-5.2	30.2
915	-4.48	-5.88	25.85
920	-4.59	-6.13	24.38
925	-4.94	-6.58	21.96
930	-5.22	-6.99	20
935	-5.49	-7.26	18.8
940	-6.12	-7.85	16.42
945	-6.29	-8	15.86
950	-6.67	-8.35	14.64