

Familiar with this product

Products matching

The product installation

Technical parameters

Precautions for Use

## **Familiar with this product**

### **The remote control**

Key: After pressing the key, the remote control sends out the wireless signal.

LED display: Press the key of remote control, the LED will light up for 3 seconds and then go out.

Battery compartment: two NO.7 batteries

### **The receiving end**

Battery case: DC 5V

Signal line: IR Signal

Working principle: When the key of the remote control is pressed, wireless data will be sent to the receiver, and then the data will be sent to the main control board in the form of IR signal.

### **Products matching**

Long press the stop key for 3 seconds, 1, 3, 5LED lights flash and start the remote control pairing function. At this time, release the remote control button to power the smart toilet. If the matching is successful, 5 leds of the remote control will be on for 3 seconds and turn off. If the pairing fails, the 1,3 and 5LED flashes for 30 seconds and automatically stops. If you want to quit the pairing, you can press the stop key to quit.

### **Technical parameters**

Operating frequency: 2405MHz, 2422MHz, 2450MHz, 2470MHz, a total of four channels

Modulation: GFSK

Transmission rate: 2Mbps

Rf transmission power: 7dbm

Operating temperature: -40°C ~ 85°C

### **Precautions for Use**

- Try to avoid putting the product where the rain directly wets it.
- Operate according to the pairing instructions, otherwise it cannot be used normally.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are

designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- (1) L' appareil ne doit pas produire de brouillage;
- (2) L' appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d' en compromettre le fonctionnement.