

## Appendix A

### RF Test Data for BT V4.0(BDR/EDR) (Conducted Measurement)

Product Name: TABLET

Trade Mark: armourphone

Test Model: TB8

#### Environmental Conditions


Temperature:	22.9° C
Relative Humidity:	53.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Diamond Lu
Supervised by:	Li Huan

#### A.1 Maxmum Conducted Peak Output Power


Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2.708	30	PASS
	MCH	1.309	30	PASS
	HCH	2.208	30	PASS
$\pi/4$ DQPSK	LCH	2.083	21	PASS
	MCH	0.519	21	PASS
	HCH	2.092	21	PASS
8DPSK	LCH	2.139	21	PASS
	MCH	0.605	21	PASS
	HCH	2.175	21	PASS


Test Graphs

GFSK/LCH




GFSK/MCH







$\pi/4$ DQPSK/MCH




$\pi/4$ DQPSK/HCH




8DPSK/LCH



8DPSK/MCH




8DPSK/HCH




**A.2 20dB Bandwidth**


Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.8418	Not Specified	PASS
	MCH	0.8483	Not Specified	PASS
	HCH	0.8536	Not Specified	PASS
$\pi/4$ DQPSK	LCH	1.274	Not Specified	PASS
	MCH	1.267	Not Specified	PASS
	HCH	1.268	Not Specified	PASS
8DPSK	LCH	1.266	Not Specified	PASS
	MCH	1.273	Not Specified	PASS
	HCH	1.281	Not Specified	PASS



GFSK/MCH




GFSK/HCH







$\pi/4$ DQPSK/LCH




$\pi/4$ DQPSK/MCH




$\pi/4$ DQPSK/HCH




8DPSK/LCH



8DPSK/MCH




8DPSK/HCH




### A.3 Carrier Frequency Separation

Mode	Channel	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.006	0.8418	PASS
	MCH	0.998	0.8483	PASS
	HCH	0.974	0.8536	PASS
π/4DQPSK	LCH	1.246	0.849	PASS
	MCH	1.204	0.849	PASS
	HCH	0.984	0.849	PASS
8DPSK	LCH	1.130	0.854	PASS
	MCH	0.888	0.854	PASS
	HCH	1.330	0.854	PASS




GFSK/MCH




Frequency  
Auto Tune  
Center Freq  
2.441500000 GHz  
Start Freq  
2.440500000 GHz  
Stop Freq  
2.442500000 GHz  
CF Step  
200.000 kHz  
Auto Man  
Freq Offset  
0 Hz

GFSK/HCH




Frequency  
Auto Tune  
Center Freq  
2.479500000 GHz  
Start Freq  
2.478500000 GHz  
Stop Freq  
2.480500000 GHz  
CF Step  
200.000 kHz  
Auto Man  
Freq Offset  
0 Hz

$\pi/4$ DQPSK/LCH




Frequency	2.40250000 GHz
Auto Tune	
Center Freq	2.40250000 GHz
Start Freq	2.40150000 GHz
Stop Freq	2.40350000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz

$\pi/4$ DQPSK/MCH




Frequency	2.44150000 GHz
Auto Tune	
Center Freq	2.44150000 GHz
Start Freq	2.44050000 GHz
Stop Freq	2.44250000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz


π/4DQPSK/HCH




8DPSK/LCH



8DPSK/MCH



8DPSK/HCH






### A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
$\pi/4$ DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

#### Test Graphs


<p>GFSK/Hop</p>	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.441750000 GHz</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p><math>\Delta</math>Mkr1 77.999 MHz -0.657 dB</p> <p>Start 2.40000 GHz Stop 2.48350 GHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 8.000 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><math>\Delta</math>2</td> <td>f</td> <td>(<math>\Delta</math>)</td> <td>77.999 MHz</td> <td>(<math>\Delta</math>)</td> <td>-0.657 dB</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td></td> <td>2.401994 GHz</td> <td></td> <td>2.203 dBm</td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	$\Delta$ 2	f	( $\Delta$ )	77.999 MHz	( $\Delta$ )	-0.657 dB			2	F	f		2.401994 GHz		2.203 dBm			<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.441750000 GHz</p> <p>Start Freq 2.400000000 GHz</p> <p>Stop Freq 2.483500000 GHz</p> <p>CF Step 8.350000 MHz</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																					
1	$\Delta$ 2	f	( $\Delta$ )	77.999 MHz	( $\Delta$ )	-0.657 dB																							
2	F	f		2.401994 GHz		2.203 dBm																							
<p><math>\pi/4</math>DQPSK/Hop</p>	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.441750000 GHz</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p><math>\Delta</math>Mkr1 77.958 MHz -1.186 dB</p> <p>Start 2.40000 GHz Stop 2.48350 GHz</p> <p>#Res BW 100 kHz #VBW 300 kHz Sweep 8.000 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><math>\Delta</math>2</td> <td>f</td> <td>(<math>\Delta</math>)</td> <td>77.958 MHz</td> <td>(<math>\Delta</math>)</td> <td>-1.186 dB</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td></td> <td>2.402014 GHz</td> <td></td> <td>1.649 dBm</td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	$\Delta$ 2	f	( $\Delta$ )	77.958 MHz	( $\Delta$ )	-1.186 dB			2	F	f		2.402014 GHz		1.649 dBm			<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.441750000 GHz</p> <p>Start Freq 2.400000000 GHz</p> <p>Stop Freq 2.483500000 GHz</p> <p>CF Step 8.350000 MHz</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																					
1	$\Delta$ 2	f	( $\Delta$ )	77.958 MHz	( $\Delta$ )	-1.186 dB																							
2	F	f		2.402014 GHz		1.649 dBm																							

8DPSK/Hop




A.5 Dwell Time

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.88	106.7	0.307	0.4	PASS
	DH5	MCH	2.88	106.7	0.307	0.4	PASS
	DH5	HCH	2.88	106.7	0.307	0.4	PASS
π/4DQPSK	2DH5	LCH	2.88	106.7	0.307	0.4	PASS
	2DH5	MCH	2.88	106.7	0.307	0.4	PASS
	2DH5	HCH	2.88	106.7	0.307	0.4	PASS
8DPSK	3DH5	LCH	2.89	106.7	0.308	0.4	PASS
	3DH5	MCH	2.89	106.7	0.308	0.4	PASS
	3DH5	HCH	2.89	106.7	0.308	0.4	PASS




GFSK\_DH5/MCH




Frequency	2.441000000 GHz
Auto Tune	
Center Freq	2.441000000 GHz
Start Freq	2.441000000 GHz
Stop Freq	2.441000000 GHz
CF Step	1.000000 MHz
Auto	Man
Freq Offset	0 Hz

GFSK\_DH5/HCH




Frequency	2.480000000 GHz
Auto Tune	
Center Freq	2.480000000 GHz
Start Freq	2.480000000 GHz
Stop Freq	2.480000000 GHz
CF Step	1.000000 MHz
Auto	Man
Freq Offset	0 Hz


$\pi/4$ DQPSK  
\_2DH5/LCH




$\pi/4$ DQPSK  
\_2DH5/MCH




$\pi/4$ DQPSK  
\_2DH5/HCH




8DPSK\_3DH5/LCH



8DPSK\_3DH5/MCH




8DPSK\_3DH5/HCH



### A.6 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2.24	-38.102	-17.760	PASS
	MCH	0.767	-37.227	-19.233	PASS
	HCH	1.679	-37.050	-18.321	PASS
$\pi$ /4DQPSK	LCH	1.754	-37.802	-18.246	PASS
	MCH	0.104	-37.489	-19.896	PASS
	HCH	1.79	-37.772	-18.210	PASS
8DPSK	LCH	1.236	-37.760	-18.764	PASS
	MCH	0.082	-38.569	-19.918	PASS
	HCH	1.615	-37.591	-18.385	PASS

GFSK\_LCH\_Graphs



Pref









GFSK\_HCH\_Graphs


Pref




Puw




$\pi/4$ DQPSK\_LCH\_Graphs



$\pi/4$ DQPSK\_MCH\_Graphs




$\pi/4$ DQPSK\_HCH\_Graphs




8DPSK\_LCH\_Graphs


Pref



Puw




8DPSK\_MCH\_Graphs






8DPSK\_HCH\_Graphs

Pref



Puw




## A.7 Band-edge for RF Conducted Emissions


Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	2.288	Off	-50.095	-17.71	PASS
			6.480	On	-49.639	-13.52	PASS
	HCH	2480	1.847	Off	-49.850	-18.15	PASS
			7.268	On	-48.219	-12.73	PASS
$\pi/4$ DQPSK	LCH	2402	1.967	Off	-49.176	-18.03	PASS
			6.285	On	-49.259	-13.72	PASS
	HCH	2480	1.738	Off	-49.774	-18.26	PASS
			6.615	On	-21.070	-13.39	PASS
8DPSK	LCH	2402	1.665	Off	-49.162	-18.34	PASS
			6.308	On	-49.336	-13.69	PASS
	HCH	2480	1.869	Off	-48.886	-18.13	PASS
			6.597	On	-48.719	-13.4	PASS

Test Graphs


GFSK/LCH/No Hop




GFSK/LCH/Hop




GFSK/HCH/No Hop




GFSK/HCH/Hop




$\pi/4$ DQPSK/LCH/No Hop




$\pi/4$ DQPSK/LCH/Hop




$\pi$ /4DQPSK/HCH/No  
Hop



$\pi$ /4DQPSK/HCH/Hop




8DPSK/LCH/No Hop




Frequency  
Auto Tune  
Center Freq  
2.357000000 GHz  
Start Freq  
2.310000000 GHz  
Stop Freq  
2.404000000 GHz  
CF Step  
9.400000 MHz  
Auto Man  
Freq Offset  
0 Hz

8DPSK/LCH/Hop



Frequency  
Auto Tune  
Center Freq  
2.400000000 GHz  
Start Freq  
2.370000000 GHz  
Stop Freq  
2.430000000 GHz  
CF Step  
6.000000 MHz  
Auto Man  
Freq Offset  
0 Hz

8DPSK/HCH/No Hop



Frequency

Auto Tune

Center Freq  
2.489000000 GHz


Start Freq  
2.478000000 GHz

Stop Freq  
2.500000000 GHz

CF Step  
2.200000 MHz

Freq Offset  
0 Hz

8DPSK/HCH/Hop



Frequency

Auto Tune

Center Freq  
2.483500000 GHz

Start Freq  
2.453500000 GHz

Stop Freq  
2.513500000 GHz

CF Step  
6.000000 MHz


Freq Offset  
0 Hz




## A.8 Restrict-band band-edge measurements

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-43.61	2.0	0	53.62	PEAK	74	PASS
	Off	2310.0	-53.57	2.0	0	43.66	AV	54	PASS
	Off	2390.0	-44.07	2.0	0	53.16	PEAK	74	PASS
	Off	2390.0	-53.22	2.0	0	44.01	AV	54	PASS
	Off	2483.5	-42.75	2.0	0	54.48	PEAK	74	PASS
	Off	2483.5	-52.79	2.0	0	44.44	AV	54	PASS
	Off	2500.0	-42.47	2.0	0	54.76	PEAK	74	PASS
	Off	2500.0	-52.55	2.0	0	44.68	AV	54	PASS
$\pi/4$ DQPSK	Off	2310.0	-42.95	2.0	0	54.28	PEAK	74	PASS
	Off	2310.0	-53.61	2.0	0	43.62	AV	54	PASS
	Off	2390.0	-43.55	2.0	0	53.68	PEAK	74	PASS
	Off	2390.0	-53.19	2.0	0	44.04	AV	54	PASS
	Off	2483.5	-41.42	2.0	0	55.81	PEAK	74	PASS
	Off	2483.5	-52.70	2.0	0	44.53	AV	54	PASS
	Off	2500.0	-42.80	2.0	0	54.43	PEAK	74	PASS
	Off	2500.0	-52.63	2.0	0	44.60	AV	54	PASS
8DPSK	Off	2310.0	-43.31	2.0	0	53.92	PEAK	74	PASS
	Off	2310.0	-53.58	2.0	0	43.65	AV	54	PASS
	Off	2390.0	-42.61	2.0	0	54.62	PEAK	74	PASS
	Off	2390.0	-53.20	2.0	0	44.03	AV	54	PASS
	Off	2483.5	-43.63	2.0	0	53.60	PEAK	74	PASS
	Off	2483.5	-52.71	2.0	0	44.52	AV	54	PASS
	Off	2500.0	-42.77	2.0	0	54.46	PEAK	74	PASS
	Off	2500.0	-52.56	2.0	0	44.67	AV	54	PASS


Restrict-band band-edge measurements\_Hopping Off\_GFSK\_PEAK (Low Channel)




Restrict-band band-edge measurements\_Hopping Off\_GFSK\_Average (Low Channel)




Restrict-band band-edge measurements\_Hopping Off\_GFSK\_PEAK (High Channel)




Restrict-band band-edge measurements\_Hopping Off\_GFSK\_Average (High Channel)




Restrict-band band-edge measurements\_Hopping Off  $\pi/4$ -DQPSK\_PEAK (Low Channel)




Restrict-band band-edge measurements\_Hopping Off  $\pi/4$ -DQPSK\_Average (Low Channel)




Restrict-band band-edge measurements\_Hopping Off\_π/4-DQPSK\_PEAK (High Channel)




Restrict-band band-edge measurements\_Hopping Off\_π/4-DQPSK\_Average (High Channel)




Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_PEAK (Low Channel)



Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_Average (Low Channel)



Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_PEAK (High Channel)



Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_Average (High Channel)

