



		41																																																
Mode	Band Edge																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																	
Pol.	Vertical	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5726.20 57.70 68.30 -10.60</td> <td>47.47</td> <td>34.90</td> <td>8.68</td> <td>33.35</td> <td>319</td> <td>194</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5726.20 57.70 68.30 -10.60	47.47	34.90	8.68	33.35	319	194	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00 105.84</td> <td>95.75</td> <td>34.85</td> <td>8.60</td> <td>33.36</td> <td>319</td> <td>194</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5700.00 105.84	95.75	34.85	8.60	33.36	319	194	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																												
1 5726.20 57.70 68.30 -10.60	47.47	34.90	8.68	33.35	319	194	PEAK																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																												
1 5700.00 105.84	95.75	34.85	8.60	33.36	319	194	PEAK																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5700.00 95.60</td> <td>85.48</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>319</td> <td>194</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 5700.00 95.60	85.48	34.86	8.62	33.36	319	194	AVERAGE																							
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																												
1 5700.00 95.60	85.48	34.86	8.62	33.36	319	194	AVERAGE																																											






		41																																																																																																				
Mode		Harmonic																																																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																				
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<p style="text-align: right;">Date: 2023-05-08</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>48.80</td> <td>74.00</td> <td>-25.20</td> <td>54.55</td> <td>38.50</td> <td>13.71</td> <td>57.96</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>49.43</td> <td>68.30</td> <td>-18.87</td> <td>48.33</td> <td>41.24</td> <td>16.56</td> <td>56.70</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	48.80	74.00	-25.20	54.55	38.50	13.71	57.96	--- Peak	2	17100.00	49.43	68.30	-18.87	48.33	41.24	16.56	56.70	--- Peak	<p style="text-align: right;">Date: 2023-05-08</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>49.82</td> <td>74.00</td> <td>-24.18</td> <td>55.57</td> <td>38.50</td> <td>13.71</td> <td>57.96</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>51.05</td> <td>68.30</td> <td>-17.25</td> <td>49.95</td> <td>41.24</td> <td>16.56</td> <td>56.70</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	49.82	74.00	-24.18	55.57	38.50	13.71	57.96	--- Peak	2	17100.00	51.05	68.30	-17.25	49.95	41.24	16.56	56.70	--- Peak
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11400.00	48.80	74.00	-25.20	54.55	38.50	13.71	57.96	--- Peak																																																																																													
2	17100.00	49.43	68.30	-18.87	48.33	41.24	16.56	56.70	--- Peak																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	11400.00	49.82	74.00	-24.18	55.57	38.50	13.71	57.96	--- Peak																																																																																													
2	17100.00	51.05	68.30	-17.25	49.95	41.24	16.56	56.70	--- Peak																																																																																													



		42																																																																														
Mode		Band Edge																																																																														
		U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																														
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.50</td> <td>52.83</td> <td>68.30</td> <td>-15.47</td> <td>42.60</td> <td>34.90</td> <td>8.68</td> <td>33.35</td> <td>241</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5727.50	52.83	68.30	-15.47	42.60	34.90	8.68	33.35	241	160	PEAK	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>112.83</td> <td>-----</td> <td>-----</td> <td>102.71</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>241</td> <td>160</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	112.83	-----	-----	102.71	34.86	8.62	33.36	241	160	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5727.50	52.83	68.30	-15.47	42.60	34.90	8.68	33.35	241	160	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	112.83	-----	-----	102.71	34.86	8.62	33.36	241	160	PEAK																																																																					
Avg	Blank	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>104.71</td> <td>-----</td> <td>-----</td> <td>94.59</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>241</td> <td>160</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.71	-----	-----	94.59	34.86	8.62	33.36	241	160	AVERAGE																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	104.71	-----	-----	94.59	34.86	8.62	33.36	241	160	AVERAGE																																																																					



		42																																																																														
Mode	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5748.10</td> <td>50.78</td> <td>68.30</td> <td>-17.52</td> <td>40.42</td> <td>34.95</td> <td>8.76</td> <td>33.35</td> <td>366</td> <td>200</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5748.10	50.78	68.30	-17.52	40.42	34.95	8.76	33.35	366	200	PEAK	 <p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>107.58</td> <td>-----</td> <td>-----</td> <td>97.46</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>366</td> <td>200</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.58	-----	-----	97.46	34.86	8.62	33.36	366	200	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5748.10	50.78	68.30	-17.52	40.42	34.95	8.76	33.35	366	200	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	107.58	-----	-----	97.46	34.86	8.62	33.36	366	200	PEAK																																																																					
Avg	Blank	 <p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.11</td> <td>-----</td> <td>-----</td> <td>89.99</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>366</td> <td>200</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.11	-----	-----	89.99	34.86	8.62	33.36	366	200	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	100.11	-----	-----	89.99	34.86	8.62	33.36	366	200	AVERAGE																																																																					



		43																																																																																
Mode		Band Edge																																																																																
		U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.21</td> <td>52.76</td> <td>68.30</td> <td>-15.54</td> <td>42.52</td> <td>34.90</td> <td>8.69</td> <td>33.35</td> <td>235</td> <td>161</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.21	52.76	68.30	-15.54	42.52	34.90	8.69	33.35	235	161	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>114.23</td> <td>-----</td> <td>-----</td> <td>104.11</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>235</td> <td>161</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	114.23	-----	-----	104.11	34.86	8.62	33.36	235	161	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5728.21	52.76	68.30	-15.54	42.52	34.90	8.69	33.35	235	161	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	114.23	-----	-----	104.11	34.86	8.62	33.36	235	161	PEAK																																																																							
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>106.06</td> <td>-----</td> <td>-----</td> <td>95.94</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>235</td> <td>161</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.06	-----	-----	95.94	34.86	8.62	33.36	235	161	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	106.06	-----	-----	95.94	34.86	8.62	33.36	235	161	AVERAGE																																																																							



		43																																																																								
Mode		Band Edge																																																																								
		U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																								
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.25</td> <td>50.29</td> <td>68.30</td> <td>-18.01</td> <td>39.89</td> <td>34.96</td> <td>8.79</td> <td>33.35</td> <td>336</td> <td>206</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5755.25	50.29	68.30	-18.01	39.89	34.96	8.79	33.35	336	206	PEAK	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>108.90</td> <td>-----</td> <td>-----</td> <td>98.78</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>336</td> <td>206</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	108.90	-----	-----	98.78	34.86	8.62	33.36	336	206	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5755.25	50.29	68.30	-18.01	39.89	34.96	8.79	33.35	336	206	PEAK																																																															
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	108.90	-----	-----	98.78	34.86	8.62	33.36	336	206	PEAK																																																															
Avg	Blank	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.12</td> <td>-----</td> <td>-----</td> <td>90.00</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>336</td> <td>206</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	100.12	-----	-----	90.00	34.86	8.62	33.36	336	206	AVERAGE																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	100.12	-----	-----	90.00	34.86	8.62	33.36	336	206	AVERAGE																																																															



		44																																																																														
Mode	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.00</td> <td>58.84</td> <td>68.30</td> <td>-9.46</td> <td>48.61</td> <td>34.90</td> <td>8.68</td> <td>33.35</td> <td>257</td> <td>157</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5726.00	58.84	68.30	-9.46	48.61	34.90	8.68	33.35	257	157	PEAK	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>113.44</td> <td>-----</td> <td>-----</td> <td>103.35</td> <td>34.85</td> <td>8.60</td> <td>33.36</td> <td>257</td> <td>157</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	113.44	-----	-----	103.35	34.85	8.60	33.36	257	157	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5726.00	58.84	68.30	-9.46	48.61	34.90	8.68	33.35	257	157	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	113.44	-----	-----	103.35	34.85	8.60	33.36	257	157	PEAK																																																																					
Avg	Blank	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>104.48</td> <td>-----</td> <td>-----</td> <td>94.36</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>257</td> <td>157</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.48	-----	-----	94.36	34.86	8.62	33.36	257	157	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	104.48	-----	-----	94.36	34.86	8.62	33.36	257	157	AVERAGE																																																																					



		44																																																																														
Mode	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.03</td> <td>52.26</td> <td>68.30</td> <td>-16.04</td> <td>42.05</td> <td>34.90</td> <td>8.67</td> <td>33.36</td> <td>373</td> <td>190</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.03	52.26	68.30	-16.04	42.05	34.90	8.67	33.36	373	190	PEAK	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>107.45</td> <td>-----</td> <td>-----</td> <td>97.33</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>373</td> <td>190</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.45	-----	-----	97.33	34.86	8.62	33.36	373	190	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5725.03	52.26	68.30	-16.04	42.05	34.90	8.67	33.36	373	190	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	107.45	-----	-----	97.33	34.86	8.62	33.36	373	190	PEAK																																																																					
Avg	Blank	<p style="text-align: right;">Date: 2023-06-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>99.61</td> <td>-----</td> <td>-----</td> <td>89.49</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>373</td> <td>190</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.61	-----	-----	89.49	34.86	8.62	33.36	373	190	AVERAGE																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	99.61	-----	-----	89.49	34.86	8.62	33.36	373	190	AVERAGE																																																																					





	45																																																																									
Mode	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Site : 03CH03-SZ          Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000KHz VBW:3000.000KHz          Mode : 45          Setting : MCS0 Power setting 17.5          Plane : Z with Accessories          : #12 2Q37B1WF3J00BF</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.28</td> <td>47.65</td> <td>-26.35</td> <td>74.00</td> <td>38.12</td> <td>34.42</td> <td>8.43</td> <td>33.32</td> <td>135</td> <td>67</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5467.78</td> <td>47.11</td> <td>-21.19</td> <td>68.30</td> <td>37.68</td> <td>34.41</td> <td>8.38</td> <td>33.36</td> <td>135</td> <td>67</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>109.77</td> <td>-----</td> <td>-----</td> <td>99.59</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>135</td> <td>67</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5883.50</td> <td>50.42</td> <td>-17.88</td> <td>68.30</td> <td>39.66</td> <td>35.24</td> <td>8.85</td> <td>33.33</td> <td>135</td> <td>67</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5448.28	47.65	-26.35	74.00	38.12	34.42	8.43	33.32	135	67	Peak	2	5467.78	47.11	-21.19	68.30	37.68	34.41	8.38	33.36	135	67	Peak	3	5720.00	109.77	-----	-----	99.59	34.88	8.65	33.35	135	67	Peak	4	5883.50	50.42	-17.88	68.30	39.66	35.24	8.85	33.33	135	67	Peak	Blank
Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
	MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																
1	5448.28	47.65	-26.35	74.00	38.12	34.42	8.43	33.32	135	67	Peak																																																															
2	5467.78	47.11	-21.19	68.30	37.68	34.41	8.38	33.36	135	67	Peak																																																															
3	5720.00	109.77	-----	-----	99.59	34.88	8.65	33.35	135	67	Peak																																																															
4	5883.50	50.42	-17.88	68.30	39.66	35.24	8.85	33.33	135	67	Peak																																																															
Avg	<p>Site : 03CH03-SZ          Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000KHz VBW:0.010KHz          Mode : 45          Setting : MCS0 Power setting 17.5          Plane : Z with Accessories          : #12 2Q37B1WF3J00BF</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5429.75</td> <td>38.51</td> <td>-15.49</td> <td>54.00</td> <td>28.97</td> <td>34.43</td> <td>8.43</td> <td>33.32</td> <td>135</td> <td>67</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>99.32</td> <td>-----</td> <td>-----</td> <td>89.14</td> <td>34.68</td> <td>8.65</td> <td>33.35</td> <td>135</td> <td>67</td> <td>Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5429.75	38.51	-15.49	54.00	28.97	34.43	8.43	33.32	135	67	Average	2	5720.00	99.32	-----	-----	89.14	34.68	8.65	33.35	135	67	Average	Blank																								
Peak	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
	MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																
1	5429.75	38.51	-15.49	54.00	28.97	34.43	8.43	33.32	135	67	Average																																																															
2	5720.00	99.32	-----	-----	89.14	34.68	8.65	33.35	135	67	Average																																																															



Mode	45																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	<p>Site : 03CH03-SZ          Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 VERTICAL          : RBW:1000.000KHz VBW:3000.000KHz          Mode : 45          Setting : MCS0 Power setting 17.5          Plane : Z with Accessories          : #12 ZQ37B1WF3J00BF</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5395.65</td> <td>46.63</td> <td>-27.37</td> <td>74.00</td> <td>36.94</td> <td>34.44</td> <td>8.48</td> <td>33.23</td> <td>106</td> <td>13 Peak</td> </tr> <tr> <td>2</td> <td>5467.70</td> <td>45.74</td> <td>-22.56</td> <td>68.30</td> <td>36.31</td> <td>34.41</td> <td>8.38</td> <td>33.36</td> <td>106</td> <td>13 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>99.32</td> <td>-----</td> <td>-----</td> <td>89.14</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>106</td> <td>13 Peak</td> </tr> <tr> <td>4</td> <td>5893.40</td> <td>49.02</td> <td>-19.28</td> <td>68.30</td> <td>38.23</td> <td>35.27</td> <td>8.85</td> <td>33.33</td> <td>106</td> <td>13 Peak</td> </tr> </tbody> </table>	Peak	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5395.65	46.63	-27.37	74.00	36.94	34.44	8.48	33.23	106	13 Peak	2	5467.70	45.74	-22.56	68.30	36.31	34.41	8.38	33.36	106	13 Peak	3	5720.00	99.32	-----	-----	89.14	34.88	8.65	33.35	106	13 Peak	4	5893.40	49.02	-19.28	68.30	38.23	35.27	8.85	33.33	106	13 Peak	Blank
Peak	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5395.65	46.63	-27.37	74.00	36.94	34.44	8.48	33.23	106	13 Peak																																																										
2	5467.70	45.74	-22.56	68.30	36.31	34.41	8.38	33.36	106	13 Peak																																																										
3	5720.00	99.32	-----	-----	89.14	34.88	8.65	33.35	106	13 Peak																																																										
4	5893.40	49.02	-19.28	68.30	38.23	35.27	8.85	33.33	106	13 Peak																																																										
Avg	<p>Site : 03CH03-SZ          Condition : PART 15.407 AVG 3m ANT3117_0057 VERTICAL          : RBW:1000.000KHz VBW:0.010KHz          Mode : 45          Setting : MCS0 Power setting 17.5          Plane : Z with Accessories          : #12 ZQ37B1WF3J00BF</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5402.25</td> <td>38.35</td> <td>-15.65</td> <td>54.00</td> <td>28.70</td> <td>34.44</td> <td>8.48</td> <td>33.27</td> <td>106</td> <td>13 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>92.14</td> <td>-----</td> <td>-----</td> <td>81.96</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>106</td> <td>13 Average</td> </tr> </tbody> </table>	Peak	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5402.25	38.35	-15.65	54.00	28.70	34.44	8.48	33.27	106	13 Average	2	5720.00	92.14	-----	-----	81.96	34.88	8.65	33.35	106	13 Average	Blank																						
Peak	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5402.25	38.35	-15.65	54.00	28.70	34.44	8.48	33.27	106	13 Average																																																										
2	5720.00	92.14	-----	-----	81.96	34.88	8.65	33.35	106	13 Average																																																										



Mode	45																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Data: 5 Date: 2023-05-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 272102-02 Mode : 45 SN : #9 2q37b1wf3j002z Plane : Y with Accessories setting : MCS0 power setting 17.5</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11448.00</td> <td>49.46</td> <td>-24.54</td> <td>74.00</td> <td>55.16</td> <td>38.53</td> <td>13.71</td> <td>57.94</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17168.00</td> <td>51.40</td> <td>-16.90</td> <td>68.30</td> <td>50.35</td> <td>41.27</td> <td>16.55</td> <td>56.77</td> <td>--- --- Peak</td> </tr> </tbody> </table>	MHz	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11448.00	49.46	-24.54	74.00	55.16	38.53	13.71	57.94	--- --- Peak	2	17168.00	51.40	-16.90	68.30	50.35	41.27	16.55	56.77	--- --- Peak	<p>Data: 6 Date: 2023-05-09</p> <p>Site : 03CH02-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 272102-02 Mode : 45 SN : #9 2q37b1wf3j002z Plane : Y with Accessories setting : MCS0 power setting 17.5</p> <table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11448.00</td> <td>49.25</td> <td>-24.75</td> <td>74.00</td> <td>54.95</td> <td>38.53</td> <td>13.71</td> <td>57.94</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17168.00</td> <td>52.44</td> <td>-15.86</td> <td>68.30</td> <td>51.39</td> <td>41.27</td> <td>16.55</td> <td>56.77</td> <td>--- --- Peak</td> </tr> </tbody> </table>	MHz	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11448.00	49.25	-24.75	74.00	54.95	38.53	13.71	57.94	--- --- Peak	2	17168.00	52.44	-15.86	68.30	51.39	41.27	16.55	56.77	--- --- Peak
MHz	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11448.00	49.46	-24.54	74.00	55.16	38.53	13.71	57.94	--- --- Peak																																																																									
2	17168.00	51.40	-16.90	68.30	50.35	41.27	16.55	56.77	--- --- Peak																																																																									
MHz	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11448.00	49.25	-24.75	74.00	54.95	38.53	13.71	57.94	--- --- Peak																																																																									
2	17168.00	52.44	-15.86	68.30	51.39	41.27	16.55	56.77	--- --- Peak																																																																									



Mode	46																																																								
	Band Edge																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU26/8_5720MHz																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	<p>Site : 03CH03-SZ          Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 46          Setting : MCS0 Power setting 13.5          Plane : Z with Accessories 268          : #26 ZQ37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.40</td> <td>48.48</td> <td>-25.52</td> <td>74.00</td> <td>38.83</td> <td>34.46</td> <td>8.38</td> <td>33.19</td> <td>240</td> <td>162 Peak</td> </tr> <tr> <td>2</td> <td>5462.75</td> <td>47.25</td> <td>-21.05</td> <td>68.30</td> <td>37.77</td> <td>34.41</td> <td>8.43</td> <td>33.36</td> <td>240</td> <td>162 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>113.17</td> <td>-----</td> <td>102.99</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>240</td> <td>162 Peak</td> <td></td> </tr> <tr> <td>4</td> <td>5856.55</td> <td>49.83</td> <td>-18.47</td> <td>68.30</td> <td>39.13</td> <td>35.18</td> <td>8.85</td> <td>33.33</td> <td>240</td> <td>162 Peak</td> </tr> </tbody> </table>	Line	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark	1	5354.40	48.48	-25.52	74.00	38.83	34.46	8.38	33.19	240	162 Peak	2	5462.75	47.25	-21.05	68.30	37.77	34.41	8.43	33.36	240	162 Peak	3	5720.00	113.17	-----	102.99	34.88	8.65	33.35	240	162 Peak		4	5856.55	49.83	-18.47	68.30	39.13	35.18	8.85	33.33	240	162 Peak	Blank
Line	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																															
1	5354.40	48.48	-25.52	74.00	38.83	34.46	8.38	33.19	240	162 Peak																																															
2	5462.75	47.25	-21.05	68.30	37.77	34.41	8.43	33.36	240	162 Peak																																															
3	5720.00	113.17	-----	102.99	34.88	8.65	33.35	240	162 Peak																																																
4	5856.55	49.83	-18.47	68.30	39.13	35.18	8.85	33.33	240	162 Peak																																															
Avg	<p>Site : 03CH03-SZ          Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:0.300kHz          Mode : 46          Setting : MCS0 Power setting 13.5          Plane : Z with Accessories 268          : #26 ZQ37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5391.25</td> <td>38.53</td> <td>-15.47</td> <td>54.00</td> <td>28.84</td> <td>34.44</td> <td>8.48</td> <td>33.23</td> <td>240</td> <td>162 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>106.00</td> <td>-----</td> <td>95.82</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>240</td> <td>162 Average</td> <td></td> </tr> </tbody> </table>	Line	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark	1	5391.25	38.53	-15.47	54.00	28.84	34.44	8.48	33.23	240	162 Average	2	5720.00	106.00	-----	95.82	34.88	8.65	33.35	240	162 Average		Blank																						
Line	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																															
1	5391.25	38.53	-15.47	54.00	28.84	34.44	8.48	33.23	240	162 Average																																															
2	5720.00	106.00	-----	95.82	34.88	8.65	33.35	240	162 Average																																																



		46																																																													
Mode		Band Edge																																																													
		U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU26/8_5720MHz																																																													
Pol.	Vertical	Fundamental																																																													
Peak	<p>Date: 2023-06-05</p> <p>Site : 03CH03-SZ            Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 VERTICAL            : REW:1000.000kHz VBW:3000.000kHz            Mode : 46            Setting : MCS0 Power setting 13.5            Plane : Z with Accessories 26/8            : #26 ZQ37BZDF47004P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5488.30</td> <td>48.36</td> <td>-25.64</td> <td>74.00</td> <td>38.71</td> <td>34.44</td> <td>8.48</td> <td>33.27</td> <td>348 207 Peak</td> </tr> <tr> <td>2</td> <td>5469.90</td> <td>48.73</td> <td>-19.57</td> <td>68.30</td> <td>39.30</td> <td>34.41</td> <td>8.38</td> <td>33.36</td> <td>348 207 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>106.97</td> <td>-----</td> <td>-----</td> <td>96.79</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>348 207 Peak</td> </tr> <tr> <td>4</td> <td>5675.00</td> <td>50.97</td> <td>-17.33</td> <td>68.30</td> <td>40.22</td> <td>35.23</td> <td>8.85</td> <td>33.33</td> <td>348 207 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5488.30	48.36	-25.64	74.00	38.71	34.44	8.48	33.27	348 207 Peak	2	5469.90	48.73	-19.57	68.30	39.30	34.41	8.38	33.36	348 207 Peak	3	5720.00	106.97	-----	-----	96.79	34.88	8.65	33.35	348 207 Peak	4	5675.00	50.97	-17.33	68.30	40.22	35.23	8.85	33.33	348 207 Peak	Blank	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																							
1	5488.30	48.36	-25.64	74.00	38.71	34.44	8.48	33.27	348 207 Peak																																																						
2	5469.90	48.73	-19.57	68.30	39.30	34.41	8.38	33.36	348 207 Peak																																																						
3	5720.00	106.97	-----	-----	96.79	34.88	8.65	33.35	348 207 Peak																																																						
4	5675.00	50.97	-17.33	68.30	40.22	35.23	8.85	33.33	348 207 Peak																																																						
Avg	<p>Date: 2023-06-12</p> <p>Site : 03CH03-SZ            Condition : PART 15.407 AVG 3m ANT3117_0057 VERTICAL            : REW:1000.000kHz VBW:0.300kHz            Mode : 46            Setting : MCS0 Power setting 13.5            Plane : Z with Accessories 26/8            : #26 ZQ37BZDF47004P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.10</td> <td>38.21</td> <td>-15.79</td> <td>54.00</td> <td>28.56</td> <td>34.46</td> <td>8.38</td> <td>33.19</td> <td>348 207 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>100.02</td> <td>-----</td> <td>-----</td> <td>89.84</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>348 207 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5362.10	38.21	-15.79	54.00	28.56	34.46	8.38	33.19	348 207 Average	2	5720.00	100.02	-----	-----	89.84	34.88	8.65	33.35	348 207 Average	Blank																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																							
1	5362.10	38.21	-15.79	54.00	28.56	34.46	8.38	33.19	348 207 Average																																																						
2	5720.00	100.02	-----	-----	89.84	34.88	8.65	33.35	348 207 Average																																																						



		47																																																												
Mode		Band Edge																																																												
		U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU52/40_5720MHz																																																												
Pol.	Horizontal	Fundamental																																																												
Peak	<p><b>Data: 1</b> Date: 2023-06-05</p> <p>Site : 03CH03-SZ            Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 47            Setting : MCS0 Power setting 16.5            Plane : Z with Accessories 52/40            : #26 2Q37E2DF47004P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5381.35</td> <td>48.62</td> <td>-25.38</td> <td>74.00</td> <td>39.02</td> <td>34.45</td> <td>8.38</td> <td>33.23</td> <td>257 158 Peak</td> </tr> <tr> <td>2</td> <td>5462.20</td> <td>47.24</td> <td>-21.06</td> <td>68.30</td> <td>37.75</td> <td>34.42</td> <td>8.43</td> <td>33.36</td> <td>257 158 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>113.60</td> <td>-----</td> <td>-----</td> <td>103.42</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>257 158 Peak</td> </tr> <tr> <td>4</td> <td>5869.20</td> <td>50.34</td> <td>-17.96</td> <td>68.30</td> <td>39.61</td> <td>35.21</td> <td>8.85</td> <td>33.33</td> <td>257 158 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5381.35	48.62	-25.38	74.00	39.02	34.45	8.38	33.23	257 158 Peak	2	5462.20	47.24	-21.06	68.30	37.75	34.42	8.43	33.36	257 158 Peak	3	5720.00	113.60	-----	-----	103.42	34.88	8.65	33.35	257 158 Peak	4	5869.20	50.34	-17.96	68.30	39.61	35.21	8.85	33.33	257 158 Peak	Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	5381.35	48.62	-25.38	74.00	39.02	34.45	8.38	33.23	257 158 Peak																																																					
2	5462.20	47.24	-21.06	68.30	37.75	34.42	8.43	33.36	257 158 Peak																																																					
3	5720.00	113.60	-----	-----	103.42	34.88	8.65	33.35	257 158 Peak																																																					
4	5869.20	50.34	-17.96	68.30	39.61	35.21	8.85	33.33	257 158 Peak																																																					
Avg	<p><b>Data: 2</b> Date: 2023-06-12</p> <p>Site : 03CH03-SZ            Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:0.300kHz            Mode : 47            Setting : MCS0 Power setting 16.5            Plane : Z with Accessories 52/40            : #26 2Q37E2DF47004P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5420.95</td> <td>38.50</td> <td>-15.50</td> <td>54.00</td> <td>28.86</td> <td>34.43</td> <td>8.48</td> <td>33.27</td> <td>257 158 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>105.45</td> <td>-----</td> <td>-----</td> <td>95.27</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>257 158 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5420.95	38.50	-15.50	54.00	28.86	34.43	8.48	33.27	257 158 Average	2	5720.00	105.45	-----	-----	95.27	34.88	8.65	33.35	257 158 Average	Blank																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	5420.95	38.50	-15.50	54.00	28.86	34.43	8.48	33.27	257 158 Average																																																					
2	5720.00	105.45	-----	-----	95.27	34.88	8.65	33.35	257 158 Average																																																					



		47																																																												
Mode		Band Edge																																																												
		U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU52/40_5720MHz																																																												
Pol.	Vertical	Fundamental																																																												
Peak	<p>Site : 03CH03-SZ            Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 VERTICAL            : RBW:1000.000KHz VBW:3000.000KHz            Mode : 47            Setting : MCS0 Power setting 16.5            Plane : Z with Accessories 52/40            : #26 ZQ37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5439.65</td> <td>47.86</td> <td>-26.14</td> <td>74.00</td> <td>38.33</td> <td>34.42</td> <td>8.43</td> <td>33.32</td> <td>348 287 Peak</td> </tr> <tr> <td>2</td> <td>5462.75</td> <td>46.88</td> <td>-21.59</td> <td>68.30</td> <td>37.32</td> <td>34.41</td> <td>8.43</td> <td>33.36</td> <td>348 287 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>107.38</td> <td>-----</td> <td>97.20</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>348</td> <td>287 Peak</td> </tr> <tr> <td>4</td> <td>5887.35</td> <td>49.88</td> <td>-18.42</td> <td>68.30</td> <td>39.11</td> <td>35.25</td> <td>8.85</td> <td>33.33</td> <td>348 287 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5439.65	47.86	-26.14	74.00	38.33	34.42	8.43	33.32	348 287 Peak	2	5462.75	46.88	-21.59	68.30	37.32	34.41	8.43	33.36	348 287 Peak	3	5720.00	107.38	-----	97.20	34.88	8.65	33.35	348	287 Peak	4	5887.35	49.88	-18.42	68.30	39.11	35.25	8.85	33.33	348 287 Peak	Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5439.65	47.86	-26.14	74.00	38.33	34.42	8.43	33.32	348 287 Peak																																																					
2	5462.75	46.88	-21.59	68.30	37.32	34.41	8.43	33.36	348 287 Peak																																																					
3	5720.00	107.38	-----	97.20	34.88	8.65	33.35	348	287 Peak																																																					
4	5887.35	49.88	-18.42	68.30	39.11	35.25	8.85	33.33	348 287 Peak																																																					
Avg	<p>Site : 03CH03-SZ            Condition : PART 15.407 AVG 3m ANT3117_0057 VERTICAL            : RBW:1000.000KHz VBW:0.300KHz            Mode : 47            Setting : MCS0 Power setting 16.5            Plane : Z with Accessories 52/40            : #26 ZQ37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.15</td> <td>38.25</td> <td>-15.75</td> <td>54.00</td> <td>28.68</td> <td>34.46</td> <td>8.38</td> <td>33.19</td> <td>348 287 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>99.71</td> <td>-----</td> <td>89.53</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>348</td> <td>287 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5357.15	38.25	-15.75	54.00	28.68	34.46	8.38	33.19	348 287 Average	2	5720.00	99.71	-----	89.53	34.88	8.65	33.35	348	287 Average	Blank																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5357.15	38.25	-15.75	54.00	28.68	34.46	8.38	33.19	348 287 Average																																																					
2	5720.00	99.71	-----	89.53	34.88	8.65	33.35	348	287 Average																																																					



		48																																																												
Mode	Band Edge																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU106/54_5720MHz																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	<p>Site : 03CH03-SZ            Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 HORIZONTAL            Mode : 48            Setting : MCS0 Power setting 16.5            Plane : Z with Accessories 105/54            #26 ZQ37BZDF47004P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5425.35</td> <td>48.75</td> <td>-25.25</td> <td>74.00</td> <td>39.11</td> <td>34.43</td> <td>8.48</td> <td>33.27</td> <td>257 158 Peak</td> </tr> <tr> <td>2</td> <td>5468.25</td> <td>47.76</td> <td>-20.54</td> <td>68.30</td> <td>38.33</td> <td>34.41</td> <td>8.30</td> <td>33.36</td> <td>257 158 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>115.83</td> <td>-----</td> <td>105.65</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>257 158 Peak</td> </tr> <tr> <td>4</td> <td>5898.65</td> <td>50.77</td> <td>-17.53</td> <td>68.30</td> <td>39.99</td> <td>35.26</td> <td>8.85</td> <td>33.33</td> <td>257 158 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	5425.35	48.75	-25.25	74.00	39.11	34.43	8.48	33.27	257 158 Peak	2	5468.25	47.76	-20.54	68.30	38.33	34.41	8.30	33.36	257 158 Peak	3	5720.00	115.83	-----	105.65	34.88	8.65	33.35	257 158 Peak	4	5898.65	50.77	-17.53	68.30	39.99	35.26	8.85	33.33	257 158 Peak	Blank	
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																						
1	5425.35	48.75	-25.25	74.00	39.11	34.43	8.48	33.27	257 158 Peak																																																					
2	5468.25	47.76	-20.54	68.30	38.33	34.41	8.30	33.36	257 158 Peak																																																					
3	5720.00	115.83	-----	105.65	34.88	8.65	33.35	257 158 Peak																																																						
4	5898.65	50.77	-17.53	68.30	39.99	35.26	8.85	33.33	257 158 Peak																																																					
Avg	<p>Site : 03CH03-SZ            Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL            Mode : 48            Setting : MCS0 Power setting 16.5            Plane : Z with Accessories 105/54            #26 ZQ37BZDF47004P</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5416.00</td> <td>38.61</td> <td>-15.39</td> <td>54.00</td> <td>28.97</td> <td>34.43</td> <td>8.48</td> <td>33.27</td> <td>257 158 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>104.89</td> <td>-----</td> <td>94.71</td> <td>34.88</td> <td>8.65</td> <td>33.35</td> <td>257 158 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	5416.00	38.61	-15.39	54.00	28.97	34.43	8.48	33.27	257 158 Average	2	5720.00	104.89	-----	94.71	34.88	8.65	33.35	257 158 Average	Blank																					
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																						
1	5416.00	38.61	-15.39	54.00	28.97	34.43	8.48	33.27	257 158 Average																																																					
2	5720.00	104.89	-----	94.71	34.88	8.65	33.35	257 158 Average																																																						





		48																																																									
Mode	Band Edge																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_RU106/54_5720MHz																																																										
Pol.	Vertical	Fundamental																																																									
Peak	<p>Data: 3 Date: 2023-06-05</p> <p>Site : 03CH03-SZ Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 VERTICAL RBW:1000.000KHz VBW:3000.000KHz Mode : 48 Setting : MCS0 Power setting 16.5 Plane : Z with Accessories 106/54 #26 ZQ37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.15</td> <td>47.85</td> <td>-26.15</td> <td>74.00</td> <td>38.20</td> <td>34.46</td> <td>8.38 33.19 370 209 Peak</td> </tr> <tr> <td>2</td> <td>5464.00</td> <td>47.34</td> <td>-20.96</td> <td>68.30</td> <td>37.86</td> <td>34.41</td> <td>8.43 33.36 370 209 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>106.14</td> <td>-----</td> <td>95.96</td> <td>34.88</td> <td>8.65</td> <td>33.35 370 209 Peak</td> </tr> <tr> <td>4</td> <td>5858.20</td> <td>50.82</td> <td>-17.48</td> <td>68.30</td> <td>40.11</td> <td>35.19</td> <td>8.85 33.33 370 209 Peak</td> </tr> </tbody> </table>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	5357.15	47.85	-26.15	74.00	38.20	34.46	8.38 33.19 370 209 Peak	2	5464.00	47.34	-20.96	68.30	37.86	34.41	8.43 33.36 370 209 Peak	3	5720.00	106.14	-----	95.96	34.88	8.65	33.35 370 209 Peak	4	5858.20	50.82	-17.48	68.30	40.11	35.19	8.85 33.33 370 209 Peak	Blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
Freq	Level	Level	Level	Loss	Factor	Factor																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																				
1	5357.15	47.85	-26.15	74.00	38.20	34.46	8.38 33.19 370 209 Peak																																																				
2	5464.00	47.34	-20.96	68.30	37.86	34.41	8.43 33.36 370 209 Peak																																																				
3	5720.00	106.14	-----	95.96	34.88	8.65	33.35 370 209 Peak																																																				
4	5858.20	50.82	-17.48	68.30	40.11	35.19	8.85 33.33 370 209 Peak																																																				
Avg	<p>Data: 4 Date: 2023-06-12</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 VERTICAL RBW:1000.000KHz VBW:0.300KHz Mode : 48 Setting : MCS0 Power setting 16.5 Plane : Z with Accessories 106/54 #26 ZQ37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5380.25</td> <td>38.31</td> <td>-15.69</td> <td>54.00</td> <td>28.71</td> <td>34.45</td> <td>8.38 33.23 370 209 Average</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>98.44</td> <td>-----</td> <td>88.26</td> <td>34.88</td> <td>8.65</td> <td>33.35 370 209 Average</td> </tr> </tbody> </table>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	5380.25	38.31	-15.69	54.00	28.71	34.45	8.38 33.23 370 209 Average	2	5720.00	98.44	-----	88.26	34.88	8.65	33.35 370 209 Average	Blank																
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
Freq	Level	Level	Level	Loss	Factor	Factor																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																				
1	5380.25	38.31	-15.69	54.00	28.71	34.45	8.38 33.23 370 209 Average																																																				
2	5720.00	98.44	-----	88.26	34.88	8.65	33.35 370 209 Average																																																				







		49																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																										
Pol.	Horizontal	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>59.86</td> <td>74.00</td> <td>-14.14</td> <td>50.38</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>261</td> <td>171</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.20</td> <td>65.10</td> <td>68.30</td> <td>-3.20</td> <td>55.65</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>261</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	59.86	74.00	-14.14	50.38	34.42	8.41	33.35	261	171	PEAK	2	5469.20	65.10	68.30	-3.20	55.65	34.41	8.40	33.36	261	171	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>102.84</td> <td>-----</td> <td>-----</td> <td>93.47</td> <td>34.44</td> <td>8.33</td> <td>33.40</td> <td>261</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.84	-----	-----	93.47	34.44	8.33	33.40	261	171	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.76	59.86	74.00	-14.14	50.38	34.42	8.41	33.35	261	171	PEAK																																																																																	
2	5469.20	65.10	68.30	-3.20	55.65	34.41	8.40	33.36	261	171	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5510.00	102.84	-----	-----	93.47	34.44	8.33	33.40	261	171	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>48.64</td> <td>54.00</td> <td>-5.36</td> <td>39.16</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>261</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.64	54.00	-5.36	39.16	34.42	8.41	33.35	261	171	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>92.70</td> <td>-----</td> <td>-----</td> <td>83.33</td> <td>34.44</td> <td>8.33</td> <td>33.40</td> <td>261</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.70	-----	-----	83.33	34.44	8.33	33.40	261	171	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.92	48.64	54.00	-5.36	39.16	34.42	8.41	33.35	261	171	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5510.00	92.70	-----	-----	83.33	34.44	8.33	33.40	261	171	AVERAGE																																																																																	



Mode	49																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5753.53</td> <td>52.43</td> <td>68.30</td> <td>-15.87</td> <td>42.04</td> <td>34.96</td> <td>8.78</td> <td>33.35</td> <td>261</td> <td>171 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5753.53	52.43	68.30	-15.87	42.04	34.96	8.78	33.35	261	171 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss Factor																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5753.53	52.43	68.30	-15.87	42.04	34.96	8.78	33.35	261	171 PEAK																														



		49																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																							
Pol.	Vertical	Fundamental																																																																																							
Peak	 <p style="text-align: right;">Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>59.31</td> <td>74.00</td> <td>-14.69</td> <td>49.83</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>347</td> <td>193 PEAK</td> </tr> <tr> <td>2</td> <td>5468.88</td> <td>61.92</td> <td>68.30</td> <td>-6.38</td> <td>52.47</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>347</td> <td>193 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	59.31	74.00	-14.69	49.83	34.42	8.41	33.35	347	193 PEAK	2	5468.88	61.92	68.30	-6.38	52.47	34.41	8.40	33.36	347	193 PEAK	 <p style="text-align: right;">Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>98.18</td> <td>-----</td> <td>-----</td> <td>88.82</td> <td>34.41</td> <td>8.35</td> <td>33.40</td> <td>347</td> <td>193 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.18	-----	-----	88.82	34.41	8.35	33.40	347	193 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5459.28	59.31	74.00	-14.69	49.83	34.42	8.41	33.35	347	193 PEAK																																																																															
2	5468.88	61.92	68.30	-6.38	52.47	34.41	8.40	33.36	347	193 PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5510.00	98.18	-----	-----	88.82	34.41	8.35	33.40	347	193 PEAK																																																																															
Avg	 <p style="text-align: right;">Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>45.42</td> <td>54.00</td> <td>-8.58</td> <td>35.94</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>347</td> <td>193 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	45.42	54.00	-8.58	35.94	34.42	8.41	33.35	347	193 AVERAGE	 <p style="text-align: right;">Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>88.05</td> <td>-----</td> <td>-----</td> <td>78.69</td> <td>34.41</td> <td>8.35</td> <td>33.40</td> <td>347</td> <td>193 AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	88.05	-----	-----	78.69	34.41	8.35	33.40	347	193 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5459.92	45.42	54.00	-8.58	35.94	34.42	8.41	33.35	347	193 AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5510.00	88.05	-----	-----	78.69	34.41	8.35	33.40	347	193 AVERAGE																																																																															



Mode	49																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5744.09</td> <td>52.40</td> <td>68.30</td> <td>-15.90</td> <td>42.07</td> <td>34.94</td> <td>8.74</td> <td>33.35</td> <td>347 193 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5744.09	52.40	68.30	-15.90	42.07	34.94	8.74	33.35	347 193 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5744.09	52.40	68.30	-15.90	42.07	34.94	8.74	33.35	347 193 PEAK																														



Mode	49																																																																																														
	Harmonic																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p>Date: 2023-05-09</p>	<p>Date: 2023-05-09</p>																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>50.00</td> <td>74.00</td> <td>-24.00</td> <td>56.31</td> <td>38.12</td> <td>13.76</td> <td>58.19</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>51.86</td> <td>68.30</td> <td>-16.44</td> <td>52.20</td> <td>40.97</td> <td>16.14</td> <td>57.45</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	11020.00	50.00	74.00	-24.00	56.31	38.12	13.76	58.19	--- --- Peak	2	16530.00	51.86	68.30	-16.44	52.20	40.97	16.14	57.45	--- --- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11020.00</td> <td>49.97</td> <td>74.00</td> <td>-24.03</td> <td>56.28</td> <td>38.12</td> <td>13.76</td> <td>58.19</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>16530.00</td> <td>51.65</td> <td>68.30</td> <td>-16.65</td> <td>51.99</td> <td>40.97</td> <td>16.14</td> <td>57.45</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	11020.00	49.97	74.00	-24.03	56.28	38.12	13.76	58.19	--- --- Peak	2	16530.00	51.65	68.30	-16.65	51.99	40.97	16.14	57.45
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																							
1	11020.00	50.00	74.00	-24.00	56.31	38.12	13.76	58.19	--- --- Peak																																																																																						
2	16530.00	51.86	68.30	-16.44	52.20	40.97	16.14	57.45	--- --- Peak																																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																							
1	11020.00	49.97	74.00	-24.03	56.28	38.12	13.76	58.19	--- --- Peak																																																																																						
2	16530.00	51.65	68.30	-16.65	51.99	40.97	16.14	57.45	--- --- Peak																																																																																						



		50																																																															
Mode		Band Edge - L																																																															
		U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																															
Pol.	Horizontal	Fundamental																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5445.00 56.95 74.00 -17.05</td> <td>47.42</td> <td>34.42</td> <td>8.43</td> <td>33.32</td> <td>188</td> <td>167 PEAK</td> </tr> <tr> <td>2 5469.00 64.87 68.30 -3.43</td> <td>55.42</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>188</td> <td>167 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5445.00 56.95 74.00 -17.05	47.42	34.42	8.43	33.32	188	167 PEAK	2 5469.00 64.87 68.30 -3.43	55.42	34.41	8.40	33.36	188	167 PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5550.00 106.39 -----</td> <td>96.98</td> <td>34.52</td> <td>8.28</td> <td>33.39</td> <td>188</td> <td>167 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5550.00 106.39 -----	96.98	34.52	8.28	33.39	188	167 PEAK
Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5445.00 56.95 74.00 -17.05	47.42	34.42	8.43	33.32	188	167 PEAK																																																											
2 5469.00 64.87 68.30 -3.43	55.42	34.41	8.40	33.36	188	167 PEAK																																																											
Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5550.00 106.39 -----	96.98	34.52	8.28	33.39	188	167 PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5460.00 45.11 54.00 -8.89</td> <td>35.63</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>188</td> <td>167 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5460.00 45.11 54.00 -8.89	35.63	34.42	8.41	33.35	188	167 AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5550.00 96.07 -----</td> <td>86.66</td> <td>34.52</td> <td>8.28</td> <td>33.39</td> <td>188</td> <td>167 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5550.00 96.07 -----	86.66	34.52	8.28	33.39	188	167 AVERAGE							
Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5460.00 45.11 54.00 -8.89	35.63	34.42	8.41	33.35	188	167 AVERAGE																																																											
Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5550.00 96.07 -----	86.66	34.52	8.28	33.39	188	167 AVERAGE																																																											



Mode	50																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5756.83</td> <td>51.85</td> <td>68.30</td> <td>-16.45</td> <td>41.44</td> <td>34.97</td> <td>8.79</td> <td>33.35</td> <td>188</td> <td>167</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5756.83	51.85	68.30	-16.45	41.44	34.97	8.79	33.35	188	167	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss Factor																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5756.83	51.85	68.30	-16.45	41.44	34.97	8.79	33.35	188	167	PEAK																														





	<b>50</b>																																																																																											
<b>Mode</b>	<b>Band Edge - L</b>																																																																																											
	<b>U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz</b>																																																																																											
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																										
<b>Peak</b>	<div style="text-align:right; font-size:small;">Date: 2023-05-28</div> <table border="1" style="width:100%; font-size:small; margin-top:10px;"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5447.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>43.56</td><td>34.42</td><td>8.43</td><td>33.33</td><td>368</td><td>213</td><td>PEAK</td></tr> <tr> <td>2</td><td>5469.60</td><td>59.31</td><td>68.30</td><td>-8.99</td><td>49.86</td><td>34.41</td><td>8.40</td><td>33.36</td><td>368</td><td>213</td><td>PEAK</td></tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5447.00	53.08	74.00	-20.92	43.56	34.42	8.43	33.33	368	213	PEAK	2	5469.60	59.31	68.30	-8.99	49.86	34.41	8.40	33.36	368	213	PEAK	<div style="text-align:right; font-size:small;">Date: 2023-05-28</div> <table border="1" style="width:100%; font-size:small; margin-top:10px;"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5550.00</td><td>101.46</td><td>-----</td><td>-----</td><td>92.03</td><td>34.55</td><td>8.27</td><td>33.39</td><td>368</td><td>213</td><td>PEAK</td></tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	101.46	-----	-----	92.03	34.55	8.27	33.39	368	213	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5447.00	53.08	74.00	-20.92	43.56	34.42	8.43	33.33	368	213	PEAK																																																																																	
2	5469.60	59.31	68.30	-8.99	49.86	34.41	8.40	33.36	368	213	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5550.00	101.46	-----	-----	92.03	34.55	8.27	33.39	368	213	PEAK																																																																																	
<b>Avg</b>	<div style="text-align:right; font-size:small;">Date: 2023-05-28</div> <table border="1" style="width:100%; font-size:small; margin-top:10px;"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5459.60</td><td>42.30</td><td>54.00</td><td>-11.70</td><td>32.82</td><td>34.42</td><td>8.41</td><td>33.35</td><td>368</td><td>213</td><td>AVERAGE</td></tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	42.30	54.00	-11.70	32.82	34.42	8.41	33.35	368	213	AVERAGE	<div style="text-align:right; font-size:small;">Date: 2023-05-28</div> <table border="1" style="width:100%; font-size:small; margin-top:10px;"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5550.00</td><td>90.63</td><td>-----</td><td>-----</td><td>81.22</td><td>34.52</td><td>8.28</td><td>33.39</td><td>368</td><td>213</td><td>AVERAGE</td></tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	90.63	-----	-----	81.22	34.52	8.28	33.39	368	213	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.60	42.30	54.00	-11.70	32.82	34.42	8.41	33.35	368	213	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5550.00	90.63	-----	-----	81.22	34.52	8.28	33.39	368	213	AVERAGE																																																																																	



Mode	50																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5743.72</td> <td>51.44</td> <td>68.30</td> <td>-16.86</td> <td>41.11</td> <td>34.94</td> <td>8.74</td> <td>33.35</td> <td>368 213 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5743.72	51.44	68.30	-16.86	41.11	34.94	8.74	33.35	368 213 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5743.72	51.44	68.30	-16.86	41.11	34.94	8.74	33.35	368 213 PEAK																														



Mode	50																																																																																														
	Harmonic																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p>Date: 2023-05-08</p>	<p>Date: 2023-05-08</p>																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>49.99</td> <td>74.00</td> <td>-24.01</td> <td>56.18</td> <td>38.20</td> <td>13.75</td> <td>58.14</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16650.00</td> <td>51.11</td> <td>68.30</td> <td>-17.19</td> <td>51.05</td> <td>41.03</td> <td>16.26</td> <td>57.23</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	49.99	74.00	-24.01	56.18	38.20	13.75	58.14	--- Peak	2	16650.00	51.11	68.30	-17.19	51.05	41.03	16.26	57.23	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11100.00</td> <td>49.33</td> <td>74.00</td> <td>-24.67</td> <td>55.52</td> <td>38.20</td> <td>13.75</td> <td>58.14</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16650.00</td> <td>51.65</td> <td>68.30</td> <td>-16.65</td> <td>51.59</td> <td>41.03</td> <td>16.26</td> <td>57.23</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	49.33	74.00	-24.67	55.52	38.20	13.75	58.14	--- Peak	2	16650.00	51.65	68.30	-16.65	51.59	41.03	16.26	57.23
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11100.00	49.99	74.00	-24.01	56.18	38.20	13.75	58.14	--- Peak																																																																																						
2	16650.00	51.11	68.30	-17.19	51.05	41.03	16.26	57.23	--- Peak																																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11100.00	49.33	74.00	-24.67	55.52	38.20	13.75	58.14	--- Peak																																																																																						
2	16650.00	51.65	68.30	-16.65	51.59	41.03	16.26	57.23	--- Peak																																																																																						



51																																																		
Band Edge - L																																																		
U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																		
Pol.	Horizontal																																																	
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5417.20</td> <td>49.67</td> <td>74.00</td> <td>-24.33</td> <td>40.05</td> <td>34.43</td> <td>8.47</td> <td>33.28</td> <td>156</td> <td>165</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.08</td> <td>50.00</td> <td>68.30</td> <td>-18.30</td> <td>40.55</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>156</td> <td>165</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5417.20	49.67	74.00	-24.33	40.05	34.43	8.47	33.28	156	165	PEAK	2	5468.08	50.00	68.30	-18.30	40.55	34.41	8.40	33.36	156	165	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5417.20	49.67	74.00	-24.33	40.05	34.43	8.47	33.28	156	165	PEAK																																							
2	5468.08	50.00	68.30	-18.30	40.55	34.41	8.40	33.36	156	165	PEAK																																							
<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>107.81</td> <td>-----</td> <td>-----</td> <td>97.91</td> <td>34.78</td> <td>8.49</td> <td>33.37</td> <td>156</td> <td>165</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.81	-----	-----	97.91	34.78	8.49	33.37	156	165	PEAK													
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5670.00	107.81	-----	-----	97.91	34.78	8.49	33.37	156	165	PEAK																																							
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5427.44</td> <td>38.86</td> <td>54.00</td> <td>-15.14</td> <td>29.28</td> <td>34.43</td> <td>8.45</td> <td>33.30</td> <td>156</td> <td>165</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5427.44	38.86	54.00	-15.14	29.28	34.43	8.45	33.30	156	165	AVERAGE												
	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5427.44	38.86	54.00	-15.14	29.28	34.43	8.45	33.30	156	165	AVERAGE																																							
<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>96.35</td> <td>-----</td> <td>-----</td> <td>86.45</td> <td>34.78</td> <td>8.49</td> <td>33.37</td> <td>156</td> <td>165</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.35	-----	-----	86.45	34.78	8.49	33.37	156	165	AVERAGE													
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5670.00	96.35	-----	-----	86.45	34.78	8.49	33.37	156	165	AVERAGE																																							



Mode	51																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.01</td> <td>62.62</td> <td>68.30</td> <td>-5.68</td> <td>52.41</td> <td>34.90</td> <td>8.67</td> <td>33.36</td> <td>156</td> <td>165</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.01	62.62	68.30	-5.68	52.41	34.90	8.67	33.36	156	165	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5725.01	62.62	68.30	-5.68	52.41	34.90	8.67	33.36	156	165	PEAK																														



		51																																																																																						
Mode		Band Edge - L																																																																																						
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																						
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5384.24</td> <td>49.15</td> <td>74.00</td> <td>-24.85</td> <td>39.51</td> <td>34.45</td> <td>8.42</td> <td>33.23</td> <td>348</td> <td>199</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.36</td> <td>48.63</td> <td>68.30</td> <td>-19.67</td> <td>39.15</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>348</td> <td>199</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5384.24	49.15	74.00	-24.85	39.51	34.45	8.42	33.23	348	199	PEAK	2	5461.36	48.63	68.30	-19.67	39.15	34.42	8.41	33.35	348	199	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>100.46</td> <td>-----</td> <td>-----</td> <td>90.60</td> <td>34.77</td> <td>8.46</td> <td>33.37</td> <td>348</td> <td>199</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.46	-----	-----	90.60	34.77	8.46	33.37	348	199	PEAK
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5384.24	49.15	74.00	-24.85	39.51	34.45	8.42	33.23	348	199	PEAK																																																																													
2	5461.36	48.63	68.30	-19.67	39.15	34.42	8.41	33.35	348	199	PEAK																																																																													
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5670.00	100.46	-----	-----	90.60	34.77	8.46	33.37	348	199	PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5431.28</td> <td>38.34</td> <td>54.00</td> <td>-15.66</td> <td>28.76</td> <td>34.43</td> <td>8.45</td> <td>33.30</td> <td>348</td> <td>199</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5431.28	38.34	54.00	-15.66	28.76	34.43	8.45	33.30	348	199	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>90.35</td> <td>-----</td> <td>-----</td> <td>80.56</td> <td>34.74</td> <td>8.42</td> <td>33.37</td> <td>348</td> <td>199</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	90.35	-----	-----	80.56	34.74	8.42	33.37	348	199	AVERAGE												
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5431.28	38.34	54.00	-15.66	28.76	34.43	8.45	33.30	348	199	AVERAGE																																																																													
Limit Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5670.00	90.35	-----	-----	80.56	34.74	8.42	33.37	348	199	AVERAGE																																																																													



Mode	51																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5752.94</td> <td>57.41</td> <td>68.30</td> <td>-10.89</td> <td>47.02</td> <td>34.96</td> <td>8.78</td> <td>33.35</td> <td>348 199 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5752.94	57.41	68.30	-10.89	47.02	34.96	8.78	33.35	348 199 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5752.94	57.41	68.30	-10.89	47.02	34.96	8.78	33.35	348 199 PEAK																														





Mode	51																																																																																														
	Harmonic																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>49.34</td> <td>74.00</td> <td>-24.66</td> <td>55.18</td> <td>38.44</td> <td>13.72</td> <td>58.00</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>51.03</td> <td>68.30</td> <td>-17.27</td> <td>49.84</td> <td>41.21</td> <td>16.59</td> <td>56.61</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	49.34	74.00	-24.66	55.18	38.44	13.72	58.00	--- Peak	2	17010.00	51.03	68.30	-17.27	49.84	41.21	16.59	56.61	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11340.00</td> <td>50.09</td> <td>74.00</td> <td>-23.91</td> <td>55.93</td> <td>38.44</td> <td>13.72</td> <td>58.00</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17010.00</td> <td>51.52</td> <td>68.30</td> <td>-16.78</td> <td>50.33</td> <td>41.21</td> <td>16.59</td> <td>56.61</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	50.09	74.00	-23.91	55.93	38.44	13.72	58.00	--- Peak	2	17010.00	51.52	68.30	-16.78	50.33	41.21	16.59	56.61
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11340.00	49.34	74.00	-24.66	55.18	38.44	13.72	58.00	--- Peak																																																																																						
2	17010.00	51.03	68.30	-17.27	49.84	41.21	16.59	56.61	--- Peak																																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11340.00	50.09	74.00	-23.91	55.93	38.44	13.72	58.00	--- Peak																																																																																						
2	17010.00	51.52	68.30	-16.78	50.33	41.21	16.59	56.61	--- Peak																																																																																						





		52																																																													
Mode	Band Edge - L																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																														
Pol.	Horizontal		Fundamental																																																												
Peak	<p>Site : 03CH03-SZ Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 HORIZONTAL Mode : 52 Setting : NCS0 Power setting 17.5 Plane : Z with Accessories #12 2Q37B1WF3J00BF</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level</th> <th>Antenna Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5351.65</th> <th>47.14</th> <th>-26.86</th> <th>74.00</th> <th>37.49</th> <th>34.46</th> <th>8.38</th> <th>33.19</th> <th>175</th> <th>163</th> <th>Peak</th> </tr> <tr> <th>2</th> <th>5468.00</th> <th>46.98</th> <th>-21.32</th> <th>68.30</th> <th>37.55</th> <th>34.41</th> <th>8.38</th> <th>33.36</th> <th>175</th> <th>163</th> <th>Peak</th> </tr> <tr> <th>3</th> <th>5718.00</th> <th>104.21</th> <th>-----</th> <th>94.06</th> <th>34.86</th> <th>8.65</th> <th>8.65</th> <th>33.36</th> <th>175</th> <th>163</th> <th>Peak</th> </tr> <tr> <th>4</th> <th>5897.25</th> <th>49.80</th> <th>-18.50</th> <th>68.30</th> <th>39.05</th> <th>35.27</th> <th>8.00</th> <th>33.32</th> <th>175</th> <th>163</th> <th>Peak</th> </tr> </thead> </table>		Peak	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp	A/Pos	T/Pos	Remark	1	5351.65	47.14	-26.86	74.00	37.49	34.46	8.38	33.19	175	163	Peak	2	5468.00	46.98	-21.32	68.30	37.55	34.41	8.38	33.36	175	163	Peak	3	5718.00	104.21	-----	94.06	34.86	8.65	8.65	33.36	175	163	Peak	4	5897.25	49.80	-18.50	68.30	39.05	35.27	8.00	33.32	175	163	Peak	Blank
Peak	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp	A/Pos	T/Pos	Remark																																																				
1	5351.65	47.14	-26.86	74.00	37.49	34.46	8.38	33.19	175	163	Peak																																																				
2	5468.00	46.98	-21.32	68.30	37.55	34.41	8.38	33.36	175	163	Peak																																																				
3	5718.00	104.21	-----	94.06	34.86	8.65	8.65	33.36	175	163	Peak																																																				
4	5897.25	49.80	-18.50	68.30	39.05	35.27	8.00	33.32	175	163	Peak																																																				
Avg	<p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL Mode : 52 Setting : NCS0 Power setting 17.5 Plane : Z with Accessories #12 2Q37B1WF3J00BF</p> <table border="1"> <thead> <tr> <th>Avg</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level</th> <th>Antenna Factor</th> <th>Cable Loss</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>5424.25</th> <th>37.68</th> <th>-16.32</th> <th>54.00</th> <th>28.04</th> <th>34.43</th> <th>8.48</th> <th>33.27</th> <th>175</th> <th>163</th> <th>Average</th> </tr> <tr> <th>2</th> <th>5718.00</th> <th>96.35</th> <th>-----</th> <th>86.20</th> <th>34.86</th> <th>8.65</th> <th>8.65</th> <th>33.36</th> <th>175</th> <th>163</th> <th>Average</th> </tr> </thead> </table>		Avg	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp	A/Pos	T/Pos	Remark	1	5424.25	37.68	-16.32	54.00	28.04	34.43	8.48	33.27	175	163	Average	2	5718.00	96.35	-----	86.20	34.86	8.65	8.65	33.36	175	163	Average	Blank																								
Avg	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp	A/Pos	T/Pos	Remark																																																				
1	5424.25	37.68	-16.32	54.00	28.04	34.43	8.48	33.27	175	163	Average																																																				
2	5718.00	96.35	-----	86.20	34.86	8.65	8.65	33.36	175	163	Average																																																				



	<b>52</b>																																																													
<b>Mode</b>	<b>Band Edge - L</b>																																																													
	<b>U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz</b>																																																													
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																												
<b>Peak</b>	 <p>Date: 2023-05-28</p> <p>Site : 03CH03-SZ          Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 52          Setting : MCS0 Power setting 17.5          Plane : Z with Accessories          : #12 2Q37B1WF3J00BF</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.15</td> <td>47.32</td> <td>-26.68</td> <td>74.00</td> <td>37.67</td> <td>34.46</td> <td>8.38</td> <td>33.19</td> <td>104 3 Peak</td> </tr> <tr> <td>2</td> <td>5468.25</td> <td>45.80</td> <td>-22.50</td> <td>68.30</td> <td>36.37</td> <td>34.41</td> <td>8.38</td> <td>33.36</td> <td>104 3 Peak</td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>97.98</td> <td>-----</td> <td>-----</td> <td>87.83</td> <td>34.86</td> <td>8.65</td> <td>33.36</td> <td>104 3 Peak</td> </tr> <tr> <td>4</td> <td>5881.85</td> <td>48.95</td> <td>-19.35</td> <td>68.30</td> <td>38.19</td> <td>35.24</td> <td>8.85</td> <td>33.33</td> <td>104 3 Peak</td> </tr> </tbody> </table>	Peak	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	5357.15	47.32	-26.68	74.00	37.67	34.46	8.38	33.19	104 3 Peak	2	5468.25	45.80	-22.50	68.30	36.37	34.41	8.38	33.36	104 3 Peak	3	5710.00	97.98	-----	-----	87.83	34.86	8.65	33.36	104 3 Peak	4	5881.85	48.95	-19.35	68.30	38.19	35.24	8.85	33.33	104 3 Peak	<b>Blank</b>
Peak	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																					
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																					
1	5357.15	47.32	-26.68	74.00	37.67	34.46	8.38	33.19	104 3 Peak																																																					
2	5468.25	45.80	-22.50	68.30	36.37	34.41	8.38	33.36	104 3 Peak																																																					
3	5710.00	97.98	-----	-----	87.83	34.86	8.65	33.36	104 3 Peak																																																					
4	5881.85	48.95	-19.35	68.30	38.19	35.24	8.85	33.33	104 3 Peak																																																					
<b>Avg</b>	 <p>Date: 2023-06-12</p> <p>Site : 03CH03-SZ          Condition : PART 15.407 AVG 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:0.010kHz          Mode : 52          Setting : MCS0 Power setting 17.5          Plane : Z with Accessories          : #12 2Q37B1WF3J00BF</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5391.80</td> <td>37.26</td> <td>-16.74</td> <td>54.00</td> <td>27.57</td> <td>34.44</td> <td>8.48</td> <td>33.23</td> <td>104 3 Average</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>90.27</td> <td>-----</td> <td>-----</td> <td>80.12</td> <td>34.86</td> <td>8.65</td> <td>33.36</td> <td>104 3 Average</td> </tr> </tbody> </table>	Peak	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	5391.80	37.26	-16.74	54.00	27.57	34.44	8.48	33.23	104 3 Average	2	5710.00	90.27	-----	-----	80.12	34.86	8.65	33.36	104 3 Average	<b>Blank</b>																				
Peak	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																					
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																					
1	5391.80	37.26	-16.74	54.00	27.57	34.44	8.48	33.23	104 3 Average																																																					
2	5710.00	90.27	-----	-----	80.12	34.86	8.65	33.36	104 3 Average																																																					



		52																																																																																
Mode		Harmonic																																																																																
		U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																																																
Pol.		Horizontal	Vertical																																																																															
<b>Peak Avg</b>	<p>Data: 5 Date: 2023-05-09</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 272102-02 Mode : 52 SN : #9 2q37b1wf3j002z Plane : Y with Accessories setting : MCS0 power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>49.13</td> <td>-24.87</td> <td>74.00</td> <td>54.85</td> <td>38.52</td> <td>13.71</td> <td>57.95</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17130.00</td> <td>51.25</td> <td>-17.05</td> <td>68.30</td> <td>58.18</td> <td>41.25</td> <td>16.55</td> <td>56.73</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	11420.00	49.13	-24.87	74.00	54.85	38.52	13.71	57.95	--- Peak	2	17130.00	51.25	-17.05	68.30	58.18	41.25	16.55	56.73	--- Peak	<p>Data: 6 Date: 2023-05-09</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 272102-02 Mode : 52 SN : #9 2q37b1wf3j002z Plane : Y with Accessories setting : MCS0 power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11420.00</td> <td>49.41</td> <td>-24.59</td> <td>74.00</td> <td>55.13</td> <td>38.52</td> <td>13.71</td> <td>57.95</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>17130.00</td> <td>52.75</td> <td>-15.55</td> <td>68.30</td> <td>51.68</td> <td>41.25</td> <td>16.55</td> <td>56.73</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	11420.00	49.41	-24.59	74.00	55.13	38.52	13.71	57.95	--- Peak	2	17130.00	52.75	-15.55	68.30	51.68	41.25	16.55	56.73	--- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	11420.00	49.13	-24.87	74.00	54.85	38.52	13.71	57.95	--- Peak																																																																									
2	17130.00	51.25	-17.05	68.30	58.18	41.25	16.55	56.73	--- Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	11420.00	49.41	-24.59	74.00	55.13	38.52	13.71	57.95	--- Peak																																																																									
2	17130.00	52.75	-15.55	68.30	51.68	41.25	16.55	56.73	--- Peak																																																																									



53																																																																																											
Mode	Band Edge - L																																																																																										
U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																											
Pol.	Horizontal																																																																																										
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-05-28</p> <table border="1" style="width:100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5459.00</td><td>56.20</td><td>74.00</td><td>-17.80</td><td>46.72</td><td>34.42</td><td>8.41</td><td>33.35</td><td>163</td><td>157</td><td>PEAK</td></tr> <tr> <td>2</td><td>5468.80</td><td>56.99</td><td>68.30</td><td>-11.31</td><td>47.54</td><td>34.41</td><td>8.40</td><td>33.36</td><td>163</td><td>157</td><td>PEAK</td></tr> </tbody> </table> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-05-28</p> <table border="1" style="width:100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5530.00</td><td>100.32</td><td>-----</td><td>-----</td><td>90.95</td><td>34.44</td><td>8.33</td><td>33.40</td><td>163</td><td>157</td><td>PEAK</td></tr> </tbody> </table> </div> </div>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	56.20	74.00	-17.80	46.72	34.42	8.41	33.35	163	157	PEAK	2	5468.80	56.99	68.30	-11.31	47.54	34.41	8.40	33.36	163	157	PEAK	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.32	-----	-----	90.95	34.44	8.33	33.40	163	157	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5459.00	56.20	74.00	-17.80	46.72	34.42	8.41	33.35	163	157	PEAK																																																																																
2	5468.80	56.99	68.30	-11.31	47.54	34.41	8.40	33.36	163	157	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5530.00	100.32	-----	-----	90.95	34.44	8.33	33.40	163	157	PEAK																																																																																
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-05-28</p> <table border="1" style="width:100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5459.80</td><td>45.41</td><td>54.00</td><td>-8.59</td><td>35.93</td><td>34.42</td><td>8.41</td><td>33.35</td><td>163</td><td>157</td><td>AVERAGE</td></tr> </tbody> </table> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-05-28</p> <table border="1" style="width:100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5530.00</td><td>89.21</td><td>-----</td><td>-----</td><td>79.78</td><td>34.55</td><td>8.27</td><td>33.39</td><td>163</td><td>157</td><td>AVERAGE</td></tr> </tbody> </table> </div> </div>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	45.41	54.00	-8.59	35.93	34.42	8.41	33.35	163	157	AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.21	-----	-----	79.78	34.55	8.27	33.39	163	157	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5459.80	45.41	54.00	-8.59	35.93	34.42	8.41	33.35	163	157	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5530.00	89.21	-----	-----	79.78	34.55	8.27	33.39	163	157	AVERAGE																																																																																



Mode	53																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.70</td> <td>51.76</td> <td>68.30</td> <td>-16.54</td> <td>41.53</td> <td>34.90</td> <td>8.68</td> <td>33.35</td> <td>163 157 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5726.70	51.76	68.30	-16.54	41.53	34.90	8.68	33.35	163 157 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5726.70	51.76	68.30	-16.54	41.53	34.90	8.68	33.35	163 157 PEAK																														



53																																																																																												
Band Edge - L																																																																																												
U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																												
Pol.	Vertical																																																																																											
Peak	<p style="text-align: right;">Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.32</td> <td>52.71</td> <td>74.00</td> <td>-21.29</td> <td>43.21</td> <td>34.42</td> <td>8.42</td> <td>33.34</td> <td>383</td> <td>204</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.34</td> <td>54.61</td> <td>68.30</td> <td>-13.69</td> <td>45.16</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>383</td> <td>204</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5453.32	52.71	74.00	-21.29	43.21	34.42	8.42	33.34	383	204	PEAK	2	5469.34	54.61	68.30	-13.69	45.16	34.41	8.40	33.36	383	204	PEAK	<p style="text-align: right;">Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>95.03</td> <td>-----</td> <td>-----</td> <td>85.62</td> <td>34.52</td> <td>8.28</td> <td>33.39</td> <td>383</td> <td>204</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.03	-----	-----	85.62	34.52	8.28	33.39	383	204	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5453.32	52.71	74.00	-21.29	43.21	34.42	8.42	33.34	383	204	PEAK																																																																																	
2	5469.34	54.61	68.30	-13.69	45.16	34.41	8.40	33.36	383	204	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5530.00	95.03	-----	-----	85.62	34.52	8.28	33.39	383	204	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.80</td> <td>42.94</td> <td>54.00</td> <td>-11.06</td> <td>33.46</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>383</td> <td>204</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	42.94	54.00	-11.06	33.46	34.42	8.41	33.35	383	204	AVERAGE	<p style="text-align: right;">Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>85.03</td> <td>-----</td> <td>-----</td> <td>75.67</td> <td>34.40</td> <td>8.36</td> <td>33.40</td> <td>383</td> <td>204</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	85.03	-----	-----	75.67	34.40	8.36	33.40	383	204	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.80	42.94	54.00	-11.06	33.46	34.42	8.41	33.35	383	204	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5530.00	85.03	-----	-----	75.67	34.40	8.36	33.40	383	204	AVERAGE																																																																																	







Mode	53																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5753.96</td> <td>50.75</td> <td>68.30</td> <td>-17.55</td> <td>40.36</td> <td>34.96</td> <td>8.78</td> <td>33.35</td> <td>383 204 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5753.96	50.75	68.30	-17.55	40.36	34.96	8.78	33.35	383 204 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5753.96	50.75	68.30	-17.55	40.36	34.96	8.78	33.35	383 204 PEAK																														



Mode	53																																																																																														
	Harmonic																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>49.72</td> <td>74.00</td> <td>-24.28</td> <td>55.97</td> <td>38.16</td> <td>13.75</td> <td>58.16</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>51.64</td> <td>68.30</td> <td>-16.66</td> <td>51.78</td> <td>41.00</td> <td>16.20</td> <td>57.34</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	49.72	74.00	-24.28	55.97	38.16	13.75	58.16	--- Peak	2	16590.00	51.64	68.30	-16.66	51.78	41.00	16.20	57.34	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>48.95</td> <td>74.00</td> <td>-25.05</td> <td>55.20</td> <td>38.16</td> <td>13.75</td> <td>58.16</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16590.00</td> <td>50.76</td> <td>68.30</td> <td>-17.54</td> <td>50.90</td> <td>41.00</td> <td>16.20</td> <td>57.34</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	48.95	74.00	-25.05	55.20	38.16	13.75	58.16	--- Peak	2	16590.00	50.76	68.30	-17.54	50.90	41.00	16.20	57.34
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11060.00	49.72	74.00	-24.28	55.97	38.16	13.75	58.16	--- Peak																																																																																						
2	16590.00	51.64	68.30	-16.66	51.78	41.00	16.20	57.34	--- Peak																																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11060.00	48.95	74.00	-25.05	55.20	38.16	13.75	58.16	--- Peak																																																																																						
2	16590.00	50.76	68.30	-17.54	50.90	41.00	16.20	57.34	--- Peak																																																																																						





		54																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																										
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5430.08</td> <td>56.30</td> <td>74.00</td> <td>-17.70</td> <td>46.72</td> <td>34.43</td> <td>8.45</td> <td>33.30</td> <td>177</td> <td>162</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.56</td> <td>57.09</td> <td>68.30</td> <td>-11.21</td> <td>47.64</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>177</td> <td>162</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5430.08	56.30	74.00	-17.70	46.72	34.43	8.45	33.30	177	162	PEAK	2	5468.56	57.09	68.30	-11.21	47.64	34.41	8.40	33.36	177	162	PEAK	 <p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>103.27</td> <td>-----</td> <td>-----</td> <td>93.81</td> <td>34.61</td> <td>8.23</td> <td>33.38</td> <td>177</td> <td>162</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.27	-----	-----	93.81	34.61	8.23	33.38	177	162	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5430.08	56.30	74.00	-17.70	46.72	34.43	8.45	33.30	177	162	PEAK																																																																																	
2	5468.56	57.09	68.30	-11.21	47.64	34.41	8.40	33.36	177	162	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5610.00	103.27	-----	-----	93.81	34.61	8.23	33.38	177	162	PEAK																																																																																	
Avg	 <p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.72</td> <td>42.26</td> <td>54.00</td> <td>-11.74</td> <td>32.78</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>177</td> <td>162</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.72	42.26	54.00	-11.74	32.78	34.42	8.41	33.35	177	162	AVERAGE	 <p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>93.75</td> <td>-----</td> <td>-----</td> <td>83.99</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>177</td> <td>162</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.75	-----	-----	83.99	34.73	8.40	33.37	177	162	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.72	42.26	54.00	-11.74	32.78	34.42	8.41	33.35	177	162	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5610.00	93.75	-----	-----	83.99	34.73	8.40	33.37	177	162	AVERAGE																																																																																	



Mode	54																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.41</td> <td>63.01</td> <td>68.30</td> <td>-5.29</td> <td>52.78</td> <td>34.90</td> <td>8.68</td> <td>33.35</td> <td>177 162 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5726.41	63.01	68.30	-5.29	52.78	34.90	8.68	33.35	177 162 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5726.41	63.01	68.30	-5.29	52.78	34.90	8.68	33.35	177 162 PEAK																														



		54																																																															
Mode		Band Edge - L																																																															
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																															
Pol.	Vertical	Fundamental																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5455.04 50.98 74.00 -23.02</td> <td>41.48</td> <td>34.42</td> <td>8.42</td> <td>33.34</td> <td>369</td> <td>196 PEAK</td> </tr> <tr> <td>2 5465.70 51.85 68.30 -16.45</td> <td>42.40</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>369</td> <td>196 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5455.04 50.98 74.00 -23.02	41.48	34.42	8.42	33.34	369	196 PEAK	2 5465.70 51.85 68.30 -16.45	42.40	34.41	8.40	33.36	369	196 PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5610.00 99.68 -----</td> <td>90.24</td> <td>34.57</td> <td>8.25</td> <td>33.38</td> <td>369</td> <td>196 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5610.00 99.68 -----	90.24	34.57	8.25	33.38	369	196 PEAK
Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5455.04 50.98 74.00 -23.02	41.48	34.42	8.42	33.34	369	196 PEAK																																																											
2 5465.70 51.85 68.30 -16.45	42.40	34.41	8.40	33.36	369	196 PEAK																																																											
Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5610.00 99.68 -----	90.24	34.57	8.25	33.38	369	196 PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.46 40.19 54.00 -13.81</td> <td>30.71</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>369</td> <td>196 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5459.46 40.19 54.00 -13.81	30.71	34.42	8.41	33.35	369	196 AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5610.00 88.33 -----</td> <td>78.89</td> <td>34.57</td> <td>8.25</td> <td>33.38</td> <td>369</td> <td>196 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5610.00 88.33 -----	78.89	34.57	8.25	33.38	369	196 AVERAGE							
Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5459.46 40.19 54.00 -13.81	30.71	34.42	8.41	33.35	369	196 AVERAGE																																																											
Limit Margin	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5610.00 88.33 -----	78.89	34.57	8.25	33.38	369	196 AVERAGE																																																											



Mode	54																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5730.59</td> <td>61.16</td> <td>68.30</td> <td>-7.14</td> <td>50.91</td> <td>34.91</td> <td>8.69</td> <td>33.35</td> <td>369 196 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5730.59	61.16	68.30	-7.14	50.91	34.91	8.69	33.35	369 196 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5730.59	61.16	68.30	-7.14	50.91	34.91	8.69	33.35	369 196 PEAK																														



		54																																																																																														
Mode		Harmonic																																																																																														
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																														
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<table border="1" style="margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>49.49</td> <td>74.00</td> <td>-24.51</td> <td>55.51</td> <td>38.32</td> <td>13.73</td> <td>58.07</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16830.00</td> <td>50.55</td> <td>68.30</td> <td>-17.75</td> <td>49.90</td> <td>41.12</td> <td>16.43</td> <td>56.90</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	49.49	74.00	-24.51	55.51	38.32	13.73	58.07	--- Peak	2	16830.00	50.55	68.30	-17.75	49.90	41.12	16.43	56.90	--- Peak	<table border="1" style="margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11220.00</td> <td>49.42</td> <td>74.00</td> <td>-24.58</td> <td>55.44</td> <td>38.32</td> <td>13.73</td> <td>58.07</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16830.00</td> <td>50.82</td> <td>68.30</td> <td>-17.48</td> <td>50.17</td> <td>41.12</td> <td>16.43</td> <td>56.90</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	49.42	74.00	-24.58	55.44	38.32	13.73	58.07	--- Peak	2	16830.00	50.82	68.30	-17.48	50.17	41.12	16.43	56.90	--- Peak
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11220.00	49.49	74.00	-24.51	55.51	38.32	13.73	58.07	--- Peak																																																																																							
2	16830.00	50.55	68.30	-17.75	49.90	41.12	16.43	56.90	--- Peak																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11220.00	49.42	74.00	-24.58	55.44	38.32	13.73	58.07	--- Peak																																																																																							
2	16830.00	50.82	68.30	-17.48	50.17	41.12	16.43	56.90	--- Peak																																																																																							



		55																																																																			
Mode		Band Edge - L																																																																			
		U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																			
Pol.	Horizontal	Fundamental																																																																			
Peak	<p>Site : 03CH03-SZ            Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000KHz VBW:3000.000KHz            Mode : 55            Setting : MCS0 Power setting 17.5            Plane : Z with Accessories            : #12 2Q37B1WF3J00DF</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5389.05</td> <td>48.36</td> <td>-25.64</td> <td>74.00</td> <td>38.67</td> <td>34.44</td> <td>8.48</td> <td>33.23</td> <td>178</td> <td>165</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5468.55</td> <td>47.27</td> <td>-21.03</td> <td>68.30</td> <td>37.78</td> <td>34.42</td> <td>8.43</td> <td>33.36</td> <td>178</td> <td>165</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>102.27</td> <td>-----</td> <td>92.30</td> <td>34.82</td> <td>8.51</td> <td>33.36</td> <td>178</td> <td>165</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5881.30</td> <td>51.62</td> <td>-16.68</td> <td>68.30</td> <td>40.86</td> <td>35.24</td> <td>8.85</td> <td>33.33</td> <td>178</td> <td>165</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5389.05	48.36	-25.64	74.00	38.67	34.44	8.48	33.23	178	165	Peak	2	5468.55	47.27	-21.03	68.30	37.78	34.42	8.43	33.36	178	165	Peak	3	5690.00	102.27	-----	92.30	34.82	8.51	33.36	178	165	Peak	4	5881.30	51.62	-16.68	68.30	40.86	35.24	8.85	33.33	178	165	Peak	Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5389.05	48.36	-25.64	74.00	38.67	34.44	8.48	33.23	178	165	Peak																																																										
2	5468.55	47.27	-21.03	68.30	37.78	34.42	8.43	33.36	178	165	Peak																																																										
3	5690.00	102.27	-----	92.30	34.82	8.51	33.36	178	165	Peak																																																											
4	5881.30	51.62	-16.68	68.30	40.86	35.24	8.85	33.33	178	165	Peak																																																										
Avg	<p>Site : 03CH03-SZ            Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000KHz VBW:0.010KHz            Mode : 55            Setting : MCS0 Power setting 17.5            Plane : Z with Accessories            : #12 2Q37B1WF3J00DF</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.00</td> <td>38.50</td> <td>-15.50</td> <td>54.00</td> <td>29.01</td> <td>34.42</td> <td>8.43</td> <td>33.36</td> <td>178</td> <td>165</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>93.91</td> <td>-----</td> <td>83.94</td> <td>34.82</td> <td>8.51</td> <td>33.36</td> <td>178</td> <td>165</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5468.00	38.50	-15.50	54.00	29.01	34.42	8.43	33.36	178	165	Average	2	5690.00	93.91	-----	83.94	34.82	8.51	33.36	178	165	Average	Blank																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5468.00	38.50	-15.50	54.00	29.01	34.42	8.43	33.36	178	165	Average																																																										
2	5690.00	93.91	-----	83.94	34.82	8.51	33.36	178	165	Average																																																											







		54																																																							
Mode		Band Edge - L																																																							
		U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																							
Pol.	Vertical	Fundamental																																																							
Peak	<p>Date: 2023-05-28</p> <p>Site : 03CH03-SZ            Condition : U-NII-2C AND U-NII-3 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 55            Setting : MCS0 Power setting 17.5            Plane : 2 with Accessories            : #12 2Q37E1WF3J00DF</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>A/Pos dB</th> <th>T/Pos deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5366.50</td> <td>46.92</td> <td>-27.08</td> <td>74.00</td> <td>37.28</td> <td>34.45</td> <td>8.38</td> <td>33.19</td> <td>110</td> <td>4 Peak</td> </tr> <tr> <td>2</td> <td>5469.90</td> <td>45.95</td> <td>-22.35</td> <td>68.30</td> <td>36.52</td> <td>34.41</td> <td>8.38</td> <td>33.36</td> <td>110</td> <td>4 Peak</td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>93.28</td> <td>-----</td> <td>-----</td> <td>83.31</td> <td>34.82</td> <td>8.51</td> <td>33.36</td> <td>110</td> <td>4 Peak</td> </tr> <tr> <td>4</td> <td>5859.30</td> <td>48.37</td> <td>-19.93</td> <td>68.30</td> <td>37.66</td> <td>35.19</td> <td>8.85</td> <td>33.33</td> <td>110</td> <td>4 Peak</td> </tr> </tbody> </table>	Line	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos dB	T/Pos deg	Remark	1	5366.50	46.92	-27.08	74.00	37.28	34.45	8.38	33.19	110	4 Peak	2	5469.90	45.95	-22.35	68.30	36.52	34.41	8.38	33.36	110	4 Peak	3	5690.00	93.28	-----	-----	83.31	34.82	8.51	33.36	110	4 Peak	4	5859.30	48.37	-19.93	68.30	37.66	35.19	8.85	33.33	110	4 Peak	Blank
Line	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos dB	T/Pos deg	Remark																																															
1	5366.50	46.92	-27.08	74.00	37.28	34.45	8.38	33.19	110	4 Peak																																															
2	5469.90	45.95	-22.35	68.30	36.52	34.41	8.38	33.36	110	4 Peak																																															
3	5690.00	93.28	-----	-----	83.31	34.82	8.51	33.36	110	4 Peak																																															
4	5859.30	48.37	-19.93	68.30	37.66	35.19	8.85	33.33	110	4 Peak																																															
Avg	<p>Date: 2023-06-12</p> <p>Site : 03CH03-SZ            Condition : PART 15.407 AVG 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:0.010kHz            Mode : 55            Setting : MCS0 Power setting 17.5            Plane : 2 with Accessories            : #12 2Q37E1WF3J00DF</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq MHz</th> <th>Level dBuV/m</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level Factor</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>A/Pos dB</th> <th>T/Pos deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5395.65</td> <td>37.21</td> <td>-16.79</td> <td>54.00</td> <td>27.52</td> <td>34.44</td> <td>8.48</td> <td>33.23</td> <td>110</td> <td>4 Average</td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>85.15</td> <td>-----</td> <td>-----</td> <td>75.18</td> <td>34.82</td> <td>8.51</td> <td>33.36</td> <td>110</td> <td>4 Average</td> </tr> </tbody> </table>	Line	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos dB	T/Pos deg	Remark	1	5395.65	37.21	-16.79	54.00	27.52	34.44	8.48	33.23	110	4 Average	2	5690.00	85.15	-----	-----	75.18	34.82	8.51	33.36	110	4 Average	Blank																						
Line	Freq MHz	Level dBuV/m	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos dB	T/Pos deg	Remark																																															
1	5395.65	37.21	-16.79	54.00	27.52	34.44	8.48	33.23	110	4 Average																																															
2	5690.00	85.15	-----	-----	75.18	34.82	8.51	33.36	110	4 Average																																															



54																																																																																	
Mode	Harmonic																																																																																
U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																																	
Pol.	Horizontal																																																																																
Peak Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Data: 5 Date: 2023-05-09</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 HORIZONTAL Project : 272102-02 Mode : 55 SN : #9 2q37b1wf3j002z Plane : Y with Accessories setting : MCS0 power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.00</td> <td>48.71</td> <td>-25.29</td> <td>74.00</td> <td>54.48</td> <td>38.48</td> <td>13.72</td> <td>57.97</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17878.00</td> <td>51.53</td> <td>-16.77</td> <td>68.30</td> <td>50.40</td> <td>41.23</td> <td>16.57</td> <td>56.67</td> <td>--- --- Peak</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Data: 6 Date: 2023-05-09</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m HF_ANT_3117_0107 VERTICAL Project : 272102-02 Mode : 55 SN : #9 2q37b1wf3j002z Plane : Y with Accessories setting : MCS0 power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.00</td> <td>48.26</td> <td>-25.74</td> <td>74.00</td> <td>54.03</td> <td>38.48</td> <td>13.72</td> <td>57.97</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>17878.00</td> <td>51.89</td> <td>-16.41</td> <td>68.30</td> <td>50.76</td> <td>41.23</td> <td>16.57</td> <td>56.67</td> <td>--- --- Peak</td> </tr> </tbody> </table> </div> </div>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	48.71	-25.29	74.00	54.48	38.48	13.72	57.97	--- --- Peak	2	17878.00	51.53	-16.77	68.30	50.40	41.23	16.57	56.67	--- --- Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	48.26	-25.74	74.00	54.03	38.48	13.72	57.97	--- --- Peak	2	17878.00	51.89	-16.41	68.30	50.76	41.23	16.57	56.67	--- --- Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11380.00	48.71	-25.29	74.00	54.48	38.48	13.72	57.97	--- --- Peak																																																																								
2	17878.00	51.53	-16.77	68.30	50.40	41.23	16.57	56.67	--- --- Peak																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11380.00	48.26	-25.74	74.00	54.03	38.48	13.72	57.97	--- --- Peak																																																																								
2	17878.00	51.89	-16.41	68.30	50.76	41.23	16.57	56.67	--- --- Peak																																																																								





		56																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																										
Pol.	Horizontal	Fundamental																																																																																										
<b>Peak</b>	<p style="text-align: right;">Date: 2023-05-28</p>  <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.48</td> <td>57.16</td> <td>74.00</td> <td>-16.84</td> <td>47.67</td> <td>34.42</td> <td>8.41</td> <td>33.34</td> <td>100</td> <td>156</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.90</td> <td>58.49</td> <td>68.30</td> <td>-9.81</td> <td>49.04</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>100</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5456.48	57.16	74.00	-16.84	47.67	34.42	8.41	33.34	100	156	PEAK	2	5469.90	58.49	68.30	-9.81	49.04	34.41	8.40	33.36	100	156	PEAK	<p style="text-align: right;">Date: 2023-05-28</p>  <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>97.52</td> <td>-----</td> <td>-----</td> <td>88.10</td> <td>34.53</td> <td>8.28</td> <td>33.39</td> <td>100</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	97.52	-----	-----	88.10	34.53	8.28	33.39	100	156	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5456.48	57.16	74.00	-16.84	47.67	34.42	8.41	33.34	100	156	PEAK																																																																																	
2	5469.90	58.49	68.30	-9.81	49.04	34.41	8.40	33.36	100	156	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5570.00	97.52	-----	-----	88.10	34.53	8.28	33.39	100	156	PEAK																																																																																	
<b>Avg</b>	<p style="text-align: right;">Date: 2023-05-28</p>  <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.34</td> <td>45.79</td> <td>54.00</td> <td>-8.21</td> <td>36.31</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>100</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.34	45.79	54.00	-8.21	36.31	34.42	8.41	33.35	100	156	AVERAGE	<p style="text-align: right;">Date: 2023-05-28</p>  <p style="text-align: center;">Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>87.45</td> <td>-----</td> <td>-----</td> <td>78.02</td> <td>34.55</td> <td>8.27</td> <td>33.39</td> <td>100</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	87.45	-----	-----	78.02	34.55	8.27	33.39	100	156	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.34	45.79	54.00	-8.21	36.31	34.42	8.41	33.35	100	156	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5570.00	87.45	-----	-----	78.02	34.55	8.27	33.39	100	156	AVERAGE																																																																																	



Mode	56																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Date: 2023-05-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.39</td> <td>58.11</td> <td>68.30</td> <td>-10.19</td> <td>47.88</td> <td>34.90</td> <td>8.68</td> <td>33.35</td> <td>100</td> <td>156 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5726.39	58.11	68.30	-10.19	47.88	34.90	8.68	33.35	100	156 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																
1	5726.39	58.11	68.30	-10.19	47.88	34.90	8.68	33.35	100	156 PEAK																														



		56																																																																																						
Mode		Band Edge - L																																																																																						
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																						
Pol.	Vertical	Fundamental																																																																																						
Peak	<p style="text-align: right;">Date: 2023-05-29</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.52</td> <td>52.30</td> <td>74.00</td> <td>-21.70</td> <td>42.80</td> <td>34.42</td> <td>8.42</td> <td>33.34</td> <td>314</td> <td>200</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.14</td> <td>52.91</td> <td>68.30</td> <td>-15.39</td> <td>43.46</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>314</td> <td>200</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5452.52	52.30	74.00	-21.70	42.80	34.42	8.42	33.34	314	200	PEAK	2	5468.14	52.91	68.30	-15.39	43.46	34.41	8.40	33.36	314	200	PEAK	<p style="text-align: right;">Date: 2023-05-29</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>95.01</td> <td>-----</td> <td>-----</td> <td>85.58</td> <td>34.55</td> <td>8.27</td> <td>33.39</td> <td>314</td> <td>200</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.01	-----	-----	85.58	34.55	8.27	33.39	314	200	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5452.52	52.30	74.00	-21.70	42.80	34.42	8.42	33.34	314	200	PEAK																																																																													
2	5468.14	52.91	68.30	-15.39	43.46	34.41	8.40	33.36	314	200	PEAK																																																																													
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5570.00	95.01	-----	-----	85.58	34.55	8.27	33.39	314	200	PEAK																																																																													
Avg	<p style="text-align: right;">Date: 2023-05-29</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.12</td> <td>41.56</td> <td>54.00</td> <td>-12.44</td> <td>32.08</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>314</td> <td>200</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	41.56	54.00	-12.44	32.08	34.42	8.41	33.35	314	200	AVERAGE	<p style="text-align: right;">Date: 2023-05-29</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>83.18</td> <td>-----</td> <td>-----</td> <td>73.72</td> <td>34.60</td> <td>8.24</td> <td>33.38</td> <td>314</td> <td>200</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	83.18	-----	-----	73.72	34.60	8.24	33.38	314	200	AVERAGE												
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5459.12	41.56	54.00	-12.44	32.08	34.42	8.41	33.35	314	200	AVERAGE																																																																													
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5570.00	83.18	-----	-----	73.72	34.60	8.24	33.38	314	200	AVERAGE																																																																													



Mode	56																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-05-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5751.94</td> <td>55.06</td> <td>68.30</td> <td>-13.24</td> <td>44.69</td> <td>34.95</td> <td>8.77</td> <td>33.35</td> <td>314 200 PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5751.94	55.06	68.30	-13.24	44.69	34.95	8.77	33.35	314 200 PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																														
1 5751.94	55.06	68.30	-13.24	44.69	34.95	8.77	33.35	314 200 PEAK																														



Mode		56																																																																																														
		Harmonic																																																																																														
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																														
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<p>Date: 2023-05-08</p>	<p>Date: 2023-05-08</p>																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11140.00</td> <td>49.27</td> <td>74.00</td> <td>-24.73</td> <td>55.41</td> <td>38.24</td> <td>13.74</td> <td>58.12</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16710.00</td> <td>51.57</td> <td>68.30</td> <td>-16.73</td> <td>51.31</td> <td>41.06</td> <td>16.32</td> <td>57.12</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	49.27	74.00	-24.73	55.41	38.24	13.74	58.12	--- Peak	2	16710.00	51.57	68.30	-16.73	51.31	41.06	16.32	57.12	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11140.00</td> <td>49.94</td> <td>74.00</td> <td>-24.06</td> <td>56.08</td> <td>38.24</td> <td>13.74</td> <td>58.12</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>16710.00</td> <td>51.47</td> <td>68.30</td> <td>-16.83</td> <td>51.21</td> <td>41.06</td> <td>16.32</td> <td>57.12</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	49.94	74.00	-24.06	56.08	38.24	13.74	58.12	--- Peak	2	16710.00	51.47	68.30	-16.83	51.21	41.06	16.32	57.12
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11140.00	49.27	74.00	-24.73	55.41	38.24	13.74	58.12	--- Peak																																																																																							
2	16710.00	51.57	68.30	-16.73	51.31	41.06	16.32	57.12	--- Peak																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11140.00	49.94	74.00	-24.06	56.08	38.24	13.74	58.12	--- Peak																																																																																							
2	16710.00	51.47	68.30	-16.83	51.21	41.06	16.32	57.12	--- Peak																																																																																							




72

LF


U-NII-2A\_5.25-5.35\_802.11ax HE80\_CH58\_Full RU\_5290MHz

Horizontal

Vertical







Site	: 03CH03-SZ										
Condition	: FCC CLASS-B 3m LF_ANT35408 HORIZONTAL										
Mode	: 72										
Setting	: MCS0 Power setting 15										
Plane	: Z with Accessories										
	#26 2Q37E2DF47004P										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			
1	30.00	23.84	-16.16	40.00	30.31	24.90	0.53	31.90	---	---	Peak
2	155.13	19.20	-24.30	43.50	32.79	16.53	1.27	31.39	---	---	Peak
3	362.71	23.63	-22.37	46.00	31.78	28.08	2.01	31.04	---	---	Peak
4	555.74	27.77	-18.23	46.00	31.86	24.35	2.47	30.91	---	---	Peak
5	799.21	30.01	-15.99	46.00	31.58	26.39	2.94	30.90	---	---	Peak
6	946.65	30.37	-15.63	46.00	30.84	27.12	3.23	30.82	---	---	Peak



Site	: 03CH03-SZ										
Condition	: FCC CLASS-B 3m LF_ANT35408 VERTICAL										
Mode	: 72										
Setting	: MCS0 Power setting 15										
Plane	: Z with Accessories										
	#26 2Q37E2DF47004P										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			
1	30.00	23.91	-16.09	40.00	30.38	24.90	0.53	31.90	---	---	Peak
2	116.33	18.49	-25.01	43.50	31.31	17.75	1.10	31.67	---	---	Peak
3	248.23	23.79	-22.21	46.00	34.91	18.44	1.64	31.10	---	---	Peak
4	597.45	32.13	-13.87	46.00	35.80	24.77	2.55	30.99	---	---	Peak
5	729.37	29.11	-16.89	46.00	31.72	25.48	2.81	30.90	---	---	Peak
6	932.10	30.06	-15.94	46.00	30.77	26.99	3.21	30.91	---	---	Peak



		74																																																												
Mode		Band Edge																																																												
		2400-2483.5_Bluetooth-LE(2M)_GSFK_CH39_2480MHz																																																												
Pol.	Horizontal	Fundamental																																																												
Peak	 <p>Site : 03CH03-SZ Condition : PEAK_BE_74 3m ANT3117_0057 HORIZONTAL Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>51.63</td> <td>-22.37</td> <td>74.00</td> <td>47.87</td> <td>32.46</td> <td>4.92</td> <td>33.62</td> <td>353 193 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	51.63	-22.37	74.00	47.87	32.46	4.92	33.62	353 193 Peak	 <p>Site : 03CH03-SZ Condition : PEAK_74 3m ANT3117_0057 HORIZONTAL Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>91.70</td> <td>17.70</td> <td>74.00</td> <td>87.95</td> <td>32.45</td> <td>4.92</td> <td>33.62</td> <td>353 193 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 *	2480.00	91.70	17.70	74.00	87.95	32.45	4.92	33.62	353 193 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2483.52	51.63	-22.37	74.00	47.87	32.46	4.92	33.62	353 193 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 *	2480.00	91.70	17.70	74.00	87.95	32.45	4.92	33.62	353 193 Peak																																																					
Avg	 <p>Site : 03CH03-SZ Condition : AVG_BE_54 3m ANT3117_0057 HORIZONTAL Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.60</td> <td>44.39</td> <td>-9.61</td> <td>54.00</td> <td>40.57</td> <td>32.50</td> <td>4.92</td> <td>33.60</td> <td>353 193 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2498.60	44.39	-9.61	54.00	40.57	32.50	4.92	33.60	353 193 Average	 <p>Site : 03CH03-SZ Condition : AVG_54 3m ANT3117_0057 HORIZONTAL Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2480.00</td> <td>90.43</td> <td>36.43</td> <td>54.00</td> <td>86.68</td> <td>32.45</td> <td>4.92</td> <td>33.62</td> <td>353 193 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 *	2480.00	90.43	36.43	54.00	86.68	32.45	4.92	33.62	353 193 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2498.60	44.39	-9.61	54.00	40.57	32.50	4.92	33.60	353 193 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 *	2480.00	90.43	36.43	54.00	86.68	32.45	4.92	33.62	353 193 Average																																																					



		74																																																														
Mode		Band Edge																																																														
		2400-2483.5_Bluetooth-LE(2M)_GSFK_CH39_2480MHz																																																														
Pol.	Vertical	Fundamental																																																														
Peak	<p>Data: 7 Date: 2023-05-31</p> <p>Site : 03CH03-SZ Condition : PEAK_BE_74 3m ANT3117_0057 VERTICAL Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.80</td> <td>54.89</td> <td>-19.11</td> <td>74.00</td> <td>51.13</td> <td>32.46</td> <td>4.92</td> <td>33.62</td> <td>272</td> <td>210 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	54.89	-19.11	74.00	51.13	32.46	4.92	33.62	272	210 Peak	<p>Data: 5 Date: 2023-05-31</p> <p>Site : 03CH03-SZ Condition : PEAK_74 3m ANT3117_0057 VERTICAL Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2488.00</td> <td>93.92</td> <td>19.92</td> <td>74.00</td> <td>90.17</td> <td>32.45</td> <td>4.92</td> <td>33.62</td> <td>272</td> <td>210 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 *	2488.00	93.92	19.92	74.00	90.17	32.45	4.92	33.62	272	210 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.80	54.89	-19.11	74.00	51.13	32.46	4.92	33.62	272	210 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1 *	2488.00	93.92	19.92	74.00	90.17	32.45	4.92	33.62	272	210 Peak																																																						
Avg	<p>Data: 8 Date: 2023-05-31</p> <p>Site : 03CH03-SZ Condition : AVG_BE_54 3m ANT3117_0057 VERTICAL Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>43.81</td> <td>-10.19</td> <td>54.00</td> <td>40.05</td> <td>32.46</td> <td>4.92</td> <td>33.62</td> <td>272</td> <td>210 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	43.81	-10.19	54.00	40.05	32.46	4.92	33.62	272	210 Average	<p>Data: 6 Date: 2023-05-31</p> <p>Site : 03CH03-SZ Condition : AVG_54 3m ANT3117_0057 VERTICAL Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2488.00</td> <td>93.17</td> <td>39.17</td> <td>54.00</td> <td>89.42</td> <td>32.45</td> <td>4.92</td> <td>33.62</td> <td>272</td> <td>210 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 *	2488.00	93.17	39.17	54.00	89.42	32.45	4.92	33.62	272	210 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.52	43.81	-10.19	54.00	40.05	32.46	4.92	33.62	272	210 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1 *	2488.00	93.17	39.17	54.00	89.42	32.45	4.92	33.62	272	210 Average																																																						





		74																																																																												
Mode		Band Edge																																																																												
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																												
Pol.	Horizontal	Fundamental																																																																												
Peak	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : RBW:1000.000KHz VBW:3000.000KHz Mode : 272102-02 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WIFI setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5887.85</td> <td>49.78</td> <td>-24.22</td> <td>74.00</td> <td>40.07</td> <td>34.56</td> <td>7.88</td> <td>32.73</td> <td>186</td> <td>200</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5887.85	49.78	-24.22	74.00	40.07	34.56	7.88	32.73	186	200	Peak	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL Project : RBW:1000.000KHz VBW:3000.000KHz Mode : 272102-02 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WIFI setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>100.19</td> <td>31.89</td> <td>68.30</td> <td>90.60</td> <td>34.48</td> <td>8.17</td> <td>33.06</td> <td>186</td> <td>200</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>91.84</td> <td>-----</td> <td>-----</td> <td>82.25</td> <td>34.48</td> <td>8.17</td> <td>33.06</td> <td>186</td> <td>200</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	100.19	31.89	68.30	90.60	34.48	8.17	33.06	186	200	Peak	2	5290.00	91.84	-----	-----	82.25	34.48	8.17	33.06	186	200	Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5887.85	49.78	-24.22	74.00	40.07	34.56	7.88	32.73	186	200	Peak																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5290.00	100.19	31.89	68.30	90.60	34.48	8.17	33.06	186	200	Peak																																																																			
2	5290.00	91.84	-----	-----	82.25	34.48	8.17	33.06	186	200	Average																																																																			
Avg	<p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL Project : RBW:1000.000KHz VBW:0.010KHz Mode : 272102-02 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WIFI setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.40</td> <td>40.42</td> <td>-13.58</td> <td>54.00</td> <td>30.82</td> <td>34.54</td> <td>7.91</td> <td>32.85</td> <td>186</td> <td>200</td> <td>Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.40	40.42	-13.58	54.00	30.82	34.54	7.91	32.85	186	200	Average	Blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5148.40	40.42	-13.58	54.00	30.82	34.54	7.91	32.85	186	200	Average																																																																			



		74																																																																						
Mode		Band Edge																																																																						
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																						
Pol.	Vertical	Fundamental																																																																						
Peak	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : RBW:1000.000KHz VBW:3000.000KHz Mode : 272102-02 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5006.65</td> <td>49.70</td> <td>-24.30</td> <td>74.00</td> <td>39.87</td> <td>34.60</td> <td>7.83</td> <td>32.60</td> <td>181 154 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5006.65	49.70	-24.30	74.00	39.87	34.60	7.83	32.60	181 154 Peak	<p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL Project : RBW:1000.000KHz VBW:3000.000KHz Mode : 272102-02 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>97.43</td> <td>29.13</td> <td>68.30</td> <td>87.84</td> <td>34.48</td> <td>8.17</td> <td>33.06</td> <td>181 154 Peak</td> </tr> <tr> <td>2</td> <td>5290.00</td> <td>88.55</td> <td>-----</td> <td>-----</td> <td>78.96</td> <td>34.48</td> <td>8.17</td> <td>33.06</td> <td>181 154 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5290.00	97.43	29.13	68.30	87.84	34.48	8.17	33.06	181 154 Peak	2	5290.00	88.55	-----	-----	78.96	34.48	8.17	33.06	181 154 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1	5006.65	49.70	-24.30	74.00	39.87	34.60	7.83	32.60	181 154 Peak																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1	5290.00	97.43	29.13	68.30	87.84	34.48	8.17	33.06	181 154 Peak																																																															
2	5290.00	88.55	-----	-----	78.96	34.48	8.17	33.06	181 154 Average																																																															
Avg	<p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 VERTICAL Project : RBW:1000.000KHz VBW:0.010KHz Mode : 272102-02 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5050.75</td> <td>40.13</td> <td>-13.87</td> <td>54.00</td> <td>30.37</td> <td>34.58</td> <td>7.86</td> <td>32.68</td> <td>181 154 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5050.75	40.13	-13.87	54.00	30.37	34.58	7.86	32.68	181 154 Average	Blank																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1	5050.75	40.13	-13.87	54.00	30.37	34.58	7.86	32.68	181 154 Average																																																															



		74																																																												
Mode		Band Edge																																																												
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																												
Pol.	Horizontal	Vertical																																																												
Peak	<p>Data: 4 Date: 2023-06-01</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5369.52</td> <td>59.08</td> <td>-14.92</td> <td>74.00</td> <td>49.44</td> <td>34.45</td> <td>8.38</td> <td>33.19</td> <td>186</td> <td>200 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5369.52	59.08	-14.92	74.00	49.44	34.45	8.38	33.19	186	200 Peak	<p>Data: 9 Date: 2023-05-31</p> <p>Site : 03CH03-SZ Condition : PART 15.407 3m ANT3117_0057 VERTICAL RBW:1000.000KHz VBW:3000.000KHz Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5370.48</td> <td>52.96</td> <td>-21.04</td> <td>74.00</td> <td>43.32</td> <td>34.45</td> <td>8.38</td> <td>33.19</td> <td>181</td> <td>154 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5370.48	52.96	-21.04	74.00	43.32	34.45	8.38	33.19	181	154 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5369.52	59.08	-14.92	74.00	49.44	34.45	8.38	33.19	186	200 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5370.48	52.96	-21.04	74.00	43.32	34.45	8.38	33.19	181	154 Peak																																																					
Avg	<p>Data: 5 Date: 2023-06-01</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5364.96</td> <td>50.11</td> <td>-3.89</td> <td>54.00</td> <td>40.47</td> <td>34.45</td> <td>8.38</td> <td>33.19</td> <td>186</td> <td>200 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5364.96	50.11	-3.89	54.00	40.47	34.45	8.38	33.19	186	200 Average	<p>Data: 10 Date: 2023-05-31</p> <p>Site : 03CH03-SZ Condition : PART 15.407 AVG 3m ANT3117_0057 VERTICAL RBW:1000.000KHz VBW:0.010KHz Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Z with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5368.32</td> <td>43.48</td> <td>-10.52</td> <td>54.00</td> <td>33.84</td> <td>34.45</td> <td>8.38</td> <td>33.19</td> <td>181</td> <td>154 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5368.32	43.48	-10.52	54.00	33.84	34.45	8.38	33.19	181	154 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5364.96	50.11	-3.89	54.00	40.47	34.45	8.38	33.19	186	200 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																					
1 5368.32	43.48	-10.52	54.00	33.84	34.45	8.38	33.19	181	154 Average																																																					



Mode	74																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_Bluetooth-LE(2M)_GSFK_CH39_2480MHz & U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<p>Site : 03CH03-SZ Condition : PEAK_74 3m ANT3117_0057 HORIZONTAL Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Y with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>44.43</td> <td>-29.57</td> <td>74.00</td> <td>54.74</td> <td>34.62</td> <td>7.81</td> <td>52.74</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.94</td> <td>-31.06</td> <td>74.00</td> <td>51.25</td> <td>36.54</td> <td>9.19</td> <td>54.04</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10580.00</td> <td>48.89</td> <td>-19.44</td> <td>68.30</td> <td>51.68</td> <td>39.75</td> <td>10.90</td> <td>53.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15870.00</td> <td>50.27</td> <td>-23.73</td> <td>74.00</td> <td>50.33</td> <td>42.07</td> <td>12.71</td> <td>54.04</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	1	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	44.43	-29.57	74.00	54.74	34.62	7.81	52.74	---	---	Peak	2	7440.00	42.94	-31.06	74.00	51.25	36.54	9.19	54.04	---	---	Peak	3	10580.00	48.89	-19.44	68.30	51.68	39.75	10.90	53.47	---	---	Peak	4	15870.00	50.27	-23.73	74.00	50.33	42.07	12.71	54.04	---	---	Peak	<p>Site : 03CH03-SZ Condition : PEAK_74 3m ANT3117_0057 VERTICAL Project : 272102-02 Mode : 74 SN : #12 2Q37B1WF3J00BF Plane : Y with Accessories WiFi setting : MCS0 power setting 15 BLE setting : Default</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>44.89</td> <td>-29.91</td> <td>74.00</td> <td>54.40</td> <td>34.62</td> <td>7.81</td> <td>52.74</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.30</td> <td>-30.70</td> <td>74.00</td> <td>51.61</td> <td>36.54</td> <td>9.19</td> <td>54.04</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10580.00</td> <td>48.89</td> <td>-19.41</td> <td>68.30</td> <td>51.71</td> <td>39.75</td> <td>10.90</td> <td>53.47</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15870.00</td> <td>50.62</td> <td>-23.38</td> <td>74.00</td> <td>50.68</td> <td>42.07</td> <td>12.71</td> <td>54.04</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	1	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	44.89	-29.91	74.00	54.40	34.62	7.81	52.74	---	---	Peak	2	7440.00	43.30	-30.70	74.00	51.61	36.54	9.19	54.04	---	---	Peak	3	10580.00	48.89	-19.41	68.30	51.71	39.75	10.90	53.47	---	---	Peak	4	15870.00	50.62	-23.38	74.00	50.68	42.07	12.71	54.04	---	---	Peak
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																				
1	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4960.00	44.43	-29.57	74.00	54.74	34.62	7.81	52.74	---	---	Peak																																																																																																																																			
2	7440.00	42.94	-31.06	74.00	51.25	36.54	9.19	54.04	---	---	Peak																																																																																																																																			
3	10580.00	48.89	-19.44	68.30	51.68	39.75	10.90	53.47	---	---	Peak																																																																																																																																			
4	15870.00	50.27	-23.73	74.00	50.33	42.07	12.71	54.04	---	---	Peak																																																																																																																																			
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																				
1	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4960.00	44.89	-29.91	74.00	54.40	34.62	7.81	52.74	---	---	Peak																																																																																																																																			
2	7440.00	43.30	-30.70	74.00	51.61	36.54	9.19	54.04	---	---	Peak																																																																																																																																			
3	10580.00	48.89	-19.41	68.30	51.71	39.75	10.90	53.47	---	---	Peak																																																																																																																																			
4	15870.00	50.62	-23.38	74.00	50.68	42.07	12.71	54.04	---	---	Peak																																																																																																																																			


Note: the highest signal over limit is WLAN 5G fundamental signal.



## Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.32	-	-	10Hz
802.11ax HE20	98.54	-	-	10Hz
802.11ax HE40	99.27	-	-	10Hz
802.11ax HE80	98.91	-	-	10Hz
802.11ax HE160	98.91	-	-	10Hz

### 802.11a






802.11ax HE20




802.11ax HE40





802.11ax HE80



802.11ax HE160

