



		<b>26</b>																																																																								
<b>Mode</b>	<b>Band Edge - L</b>																																																																									
	<b>2400-2483.5_802.11 ax 20_CH6_RU52/37_2462MHz</b>																																																																									
<b>ANT</b>	<b>1</b>																																																																									
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																								
<b>Peak</b>	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 26 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 52/38 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.76</td> <td>53.18</td> <td>74.00</td> <td>-20.82</td> <td>49.87</td> <td>32.19</td> <td>4.79</td> <td>33.67</td> <td>307</td> <td>312</td> <td>PEAK</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2381.76	53.18	74.00	-20.82	49.87	32.19	4.79	33.67	307	312	PEAK	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 26 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 52/38 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>103.62</td> <td>-----</td> <td>-----</td> <td>100.08</td> <td>32.33</td> <td>4.85</td> <td>33.64</td> <td>307</td> <td>312</td> <td>PEAK</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2437.00	103.62	-----	-----	100.08	32.33	4.85	33.64	307	312	PEAK
	1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																
1	2381.76	53.18	74.00	-20.82	49.87	32.19	4.79	33.67	307	312	PEAK																																																															
1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																
1	2437.00	103.62	-----	-----	100.08	32.33	4.85	33.64	307	312	PEAK																																																															
<b>Avg</b>	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 26 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 52/38 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.45</td> <td>40.58</td> <td>54.00</td> <td>-13.42</td> <td>37.26</td> <td>32.20</td> <td>4.79</td> <td>33.67</td> <td>307</td> <td>312</td> <td>AVERAGE</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2386.45	40.58	54.00	-13.42	37.26	32.20	4.79	33.67	307	312	AVERAGE	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 26 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 52/38 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>93.78</td> <td>-----</td> <td>-----</td> <td>90.24</td> <td>32.33</td> <td>4.85</td> <td>33.64</td> <td>307</td> <td>312</td> <td>AVERAGE</td> </tr> </tbody> </table>	1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2437.00	93.78	-----	-----	90.24	32.33	4.85	33.64	307	312	AVERAGE
	1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																
1	2386.45	40.58	54.00	-13.42	37.26	32.20	4.79	33.67	307	312	AVERAGE																																																															
1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																
1	2437.00	93.78	-----	-----	90.24	32.33	4.85	33.64	307	312	AVERAGE																																																															



	26																																								
Mode	Band Edge - R																																								
	2400-2483.5_802.11 ax 20_CH6_RU52/37_2462MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-06-03</p> <p>Site : 03CH03-SZ          Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 26          Setting : MCS0 power setting 17.5          Plane : Z with Accessories 52/38          : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.86</td> <td>54.15</td> <td>74.00</td> <td>-19.85</td> <td>50.36</td> <td>32.47</td> <td>4.93</td> <td>33.61</td> <td>307</td> <td>312</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2489.86	54.15	74.00	-19.85	50.36	32.47	4.93	33.61	307	312	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2489.86	54.15	74.00	-19.85	50.36	32.47	4.93	33.61	307	312	PEAK																														
Avg	<p>Date: 2023-06-03</p> <p>Site : 03CH03-SZ          Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:0.300kHz          Mode : 26          Setting : MCS0 power setting 17.5          Plane : Z with Accessories 52/38          : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.46</td> <td>41.72</td> <td>54.00</td> <td>-12.28</td> <td>37.95</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>307</td> <td>312</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.46	41.72	54.00	-12.28	37.95	32.46	4.92	33.61	307	312	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2486.46	41.72	54.00	-12.28	37.95	32.46	4.92	33.61	307	312	AVERAGE																														



		27																																																																
Mode	Band Edge - L																																																																	
	2400-2483.5_802.11 ax 20_CH6_RU106/53_2462MHz																																																																	
ANT	1																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 27 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 106/53 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2354.32 53.24 74.00 -20.76</td> <td>50.05</td> <td>32.12</td> <td>4.76</td> <td>33.69</td> <td>316</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2354.32 53.24 74.00 -20.76	50.05	32.12	4.76	33.69	316	61	PEAK	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 27 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 106/53 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2437.00 107.45 -----</td> <td>103.91</td> <td>32.33</td> <td>4.85</td> <td>33.64</td> <td>316</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2437.00 107.45 -----	103.91	32.33	4.85	33.64	316	61	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																											
1 2354.32 53.24 74.00 -20.76	50.05	32.12	4.76	33.69	316	61	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																											
1 2437.00 107.45 -----	103.91	32.33	4.85	33.64	316	61	PEAK																																																											
Avg	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 27 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 106/53 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2389.76 40.97 54.00 -13.03</td> <td>37.63</td> <td>32.21</td> <td>4.80</td> <td>33.67</td> <td>316</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2389.76 40.97 54.00 -13.03	37.63	32.21	4.80	33.67	316	61	AVERAGE	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 27 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 106/53 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2437.00 97.34 -----</td> <td>93.80</td> <td>32.33</td> <td>4.85</td> <td>33.64</td> <td>316</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2437.00 97.34 -----	93.80	32.33	4.85	33.64	316	61	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																											
1 2389.76 40.97 54.00 -13.03	37.63	32.21	4.80	33.67	316	61	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																												
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																											
1 2437.00 97.34 -----	93.80	32.33	4.85	33.64	316	61	AVERAGE																																																											



	27																																								
Mode	Band Edge - R																																								
	2400-2483.5_802.11 ax 20_CH6_RU106/53_2462MHz																																								
ANT	1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ            Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 27            Setting : MCS0 power setting 17.5            Plane : Z with Accessories 106/53            : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.21</td> <td>55.01</td> <td>74.00</td> <td>-18.99</td> <td>51.22</td> <td>32.47</td> <td>4.93</td> <td>33.61</td> <td>316</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.21	55.01	74.00	-18.99	51.22	32.47	4.93	33.61	316	61	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2487.21	55.01	74.00	-18.99	51.22	32.47	4.93	33.61	316	61	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ            Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:0.300kHz            Mode : 27            Setting : MCS0 power setting 17.5            Plane : Z with Accessories 106/53            : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.01</td> <td>42.53</td> <td>54.00</td> <td>-11.47</td> <td>38.76</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>316</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.01	42.53	54.00	-11.47	38.76	32.46	4.92	33.61	316	61	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2486.01	42.53	54.00	-11.47	38.76	32.46	4.92	33.61	316	61	AVERAGE																														







		27																																																																														
Mode	Band Edge - L																																																																															
	2400-2483.5_802.11 ax 20_CH6_RU106/53_2462MHz																																																																															
ANT	1																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 27 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 106/53 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2355.09</td> <td>53.61</td> <td>74.00</td> <td>-20.39</td> <td>50.42</td> <td>32.12</td> <td>4.76</td> <td>33.69</td> <td>394</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2355.09	53.61	74.00	-20.39	50.42	32.12	4.76	33.69	394	304	PEAK	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 27 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 106/53 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>105.89</td> <td>-----</td> <td>-----</td> <td>102.36</td> <td>32.32</td> <td>4.85</td> <td>33.64</td> <td>394</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	105.89	-----	-----	102.36	32.32	4.85	33.64	394	304	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2355.09	53.61	74.00	-20.39	50.42	32.12	4.76	33.69	394	304	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2437.00	105.89	-----	-----	102.36	32.32	4.85	33.64	394	304	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 27 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 106/53 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.38</td> <td>40.42</td> <td>54.00</td> <td>-13.58</td> <td>37.08</td> <td>32.21</td> <td>4.80</td> <td>33.67</td> <td>394</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.38	40.42	54.00	-13.58	37.08	32.21	4.80	33.67	394	304	AVERAGE	<p style="text-align: right;">Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 27 Setting : MCS0 power setting 17.5 Plane : Z with Accessories 106/53 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>94.63</td> <td>-----</td> <td>-----</td> <td>91.09</td> <td>32.33</td> <td>4.85</td> <td>33.64</td> <td>394</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	94.63	-----	-----	91.09	32.33	4.85	33.64	394	304	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.38	40.42	54.00	-13.58	37.08	32.21	4.80	33.67	394	304	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2437.00	94.63	-----	-----	91.09	32.33	4.85	33.64	394	304	AVERAGE																																																																					







	<b>27</b>																																								
<b>Mode</b>	<b>Band Edge - R</b>																																								
	<b>2400-2483.5_802.11 ax 20_CH6_RU106/53_2462MHz</b>																																								
<b>ANT</b>	<b>1</b>																																								
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																							
<b>Peak</b>	<p>Date: 2023-06-03</p> <p>Site : 03CH03-SZ          Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 27          Setting : MCS0 power setting 17.5          Plane : Z with Accessories 106/53          : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.75</td> <td>53.63</td> <td>74.00</td> <td>-20.37</td> <td>49.86</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>394</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.75	53.63	74.00	-20.37	49.86	32.46	4.92	33.61	394	304	PEAK	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.75	53.63	74.00	-20.37	49.86	32.46	4.92	33.61	394	304	PEAK																														
<b>Avg</b>	<p>Date: 2023-06-03</p> <p>Site : 03CH03-SZ          Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:0.300kHz          Mode : 27          Setting : MCS0 power setting 17.5          Plane : Z with Accessories 106/53          : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.39</td> <td>41.41</td> <td>54.00</td> <td>-12.59</td> <td>37.64</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>394</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.39	41.41	54.00	-12.59	37.64	32.46	4.92	33.61	394	304	AVERAGE	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2486.39	41.41	54.00	-12.59	37.64	32.46	4.92	33.61	394	304	AVERAGE																														



<b>28</b>																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																														
<b>2400-2483.5_802.11 ax 20_CH11_Full_2462MHz</b>																																																																															
<b>ANT</b>	<b>1</b>																																																																														
<b>Pol.</b>	<b>Horizontal</b>																																																																														
<b>Peak</b>	<b>Fundamental</b>																																																																														
 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a signal level starting at approximately 97.5 dBuV/m at 2462 MHz, dropping to about 65 dBuV/m at 2477.2 MHz, and then leveling off around 48.8 dBuV/m. A red horizontal line indicates a limit at 74 dB. A peak is marked at 2484.8 MHz.</p> <p>Site : 03CH03-SZ          Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 28          Setting : MCS0 power setting 9.5          Plane : Z with Accessories          : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.95</td> <td>67.32</td> <td>74.00</td> <td>-6.68</td> <td>63.55</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>195</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.95	67.32	74.00	-6.68	63.55	32.46	4.92	33.61	195	117	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a signal level around 48.8 dBuV/m with a sharp peak at 2462.00 MHz. A red horizontal line indicates a limit at 74 dB.</p> <p>Site : 03CH03-SZ          Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 28          Setting : MCS0 power setting 9.5          Plane : Z with Accessories          : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>101.50</td> <td>-----</td> <td>-----</td> <td>97.80</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>195</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.50	-----	-----	97.80	32.42	4.90	33.62	195	117	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2484.95	67.32	74.00	-6.68	63.55	32.46	4.92	33.61	195	117	PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2462.00	101.50	-----	-----	97.80	32.42	4.90	33.62	195	117	PEAK																																																																				
 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Horizontal. The plot shows an averaged signal level starting at approximately 97.5 dBuV/m at 2462 MHz, dropping to about 48.8 dBuV/m at 2477.2 MHz, and then leveling off around 32.5 dBuV/m. A red horizontal line indicates a limit at 54 dB. A peak is marked at 2484.8 MHz.</p> <p>Site : 03CH03-SZ          Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:0.010kHz          Mode : 28          Setting : MCS0 power setting 9.5          Plane : Z with Accessories          : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.27</td> <td>51.68</td> <td>54.00</td> <td>-2.32</td> <td>47.91</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>195</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.27	51.68	54.00	-2.32	47.91	32.46	4.92	33.61	195	117	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows an averaged signal level around 32.5 dBuV/m with a sharp peak at 2462.00 MHz. A red horizontal line indicates a limit at 54 dB.</p> <p>Site : 03CH03-SZ          Condition: AVG_54 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:0.010kHz          Mode : 28          Setting : MCS0 power setting 9.5          Plane : Z with Accessories          : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>91.40</td> <td>-----</td> <td>-----</td> <td>87.77</td> <td>32.38</td> <td>4.88</td> <td>33.63</td> <td>195</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	91.40	-----	-----	87.77	32.38	4.88	33.63	195	117	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2484.27	51.68	54.00	-2.32	47.91	32.46	4.92	33.61	195	117	AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2462.00	91.40	-----	-----	87.77	32.38	4.88	33.63	195	117	AVERAGE																																																																				



<b>28</b>																																																																															
<b>Mode</b>	<b>Band Edge</b>																																																																														
<b>2400-2483.5_802.11 ax 20_CH11_Full_2462MHz</b>																																																																															
<b>ANT</b>	<b>1</b>																																																																														
<b>Pol.</b>	<b>Vertical</b>																																																																														
<b>Peak</b>	<b>Fundamental</b>																																																																														
 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Peak. The plot shows a signal level starting at approximately 97.5 dBuV/m at 2462 MHz, dropping to about 65 dBuV/m at 2477.2 MHz, and then leveling off around 48.8 dBuV/m. A red vertical line is drawn at 2484.8 MHz, with a red horizontal line labeled 'PEAK_BE_74' extending from it to the right. The date is 2023-05-25.</p> <p>Site : 03CH03-SZ          Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 28          Setting : MCS0 power setting 9.5          Plane : Z with Accessories          : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.27</td> <td>63.38</td> <td>74.00</td> <td>-10.62</td> <td>59.61</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>390</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.27	63.38	74.00	-10.62	59.61	32.46	4.92	33.61	390	174	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Fundamental. The plot shows a signal level starting at approximately 99.11 dBuV/m at 2462 MHz, dropping to about 48.8 dBuV/m at 2477.2 MHz, and then leveling off around 48.8 dBuV/m. A red vertical line is drawn at 2484.8 MHz, with a red horizontal line labeled 'PEAK_74' extending from it to the right. The date is 2023-05-25.</p> <p>Site : 03CH03-SZ          Condition: PEAK_74 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 28          Setting : MCS0 power setting 9.5          Plane : Z with Accessories          : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>99.11</td> <td>-----</td> <td>-----</td> <td>95.41</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>390</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.11	-----	-----	95.41	32.42	4.90	33.62	390	174	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2484.27	63.38	74.00	-10.62	59.61	32.46	4.92	33.61	390	174	PEAK																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2462.00	99.11	-----	-----	95.41	32.42	4.90	33.62	390	174	PEAK																																																																				
<b>Avg</b>	<b>Fundamental</b>																																																																														
 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Avg. The plot shows a signal level starting at approximately 81.3 dBuV/m at 2462 MHz, dropping to about 48.8 dBuV/m at 2477.2 MHz, and then leveling off around 48.8 dBuV/m. A red vertical line is drawn at 2484.8 MHz, with a red horizontal line labeled 'AVG_BE_54' extending from it to the right. The date is 2023-05-25.</p> <p>Site : 03CH03-SZ          Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:0.010kHz          Mode : 28          Setting : MCS0 power setting 9.5          Plane : Z with Accessories          : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.66</td> <td>48.01</td> <td>54.00</td> <td>-5.99</td> <td>44.24</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>390</td> <td>174</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	48.01	54.00	-5.99	44.24	32.46	4.92	33.61	390	174	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Avg Fundamental. The plot shows a signal level starting at approximately 89.12 dBuV/m at 2462 MHz, dropping to about 48.8 dBuV/m at 2477.2 MHz, and then leveling off around 48.8 dBuV/m. A red vertical line is drawn at 2484.8 MHz, with a red horizontal line labeled 'AVG_54' extending from it to the right. The date is 2023-05-25.</p> <p>Site : 03CH03-SZ          Condition: AVG_54 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:0.010kHz          Mode : 28          Setting : MCS0 power setting 9.5          Plane : Z with Accessories          : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>89.12</td> <td>-----</td> <td>-----</td> <td>85.45</td> <td>32.40</td> <td>4.89</td> <td>33.62</td> <td>390</td> <td>174</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	89.12	-----	-----	85.45	32.40	4.89	33.62	390	174	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.66	48.01	54.00	-5.99	44.24	32.46	4.92	33.61	390	174	AVERAGE																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2462.00	89.12	-----	-----	85.45	32.40	4.89	33.62	390	174	AVERAGE																																																																				









Mode	28																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11 ax 20_CH11_Full_2462MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<p>Date: 2023-05-18</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL Project : 272102-02 Mode : 28 SN : #12 2Q3781WF3300BF Plane : Z with Accessories setting : MCS0 power setting 9.5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.80</td> <td>74.00</td> <td>-29.20</td> <td>55.17</td> <td>34.63</td> <td>7.79</td> <td>52.79</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>46.70</td> <td>74.00</td> <td>-27.30</td> <td>55.11</td> <td>36.49</td> <td>9.17</td> <td>54.07</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	44.80	74.00	-29.20	55.17	34.63	7.79	52.79	---	---	Peak	2	7386.00	46.70	74.00	-27.30	55.11	36.49	9.17	54.07	---	---	Peak	<p>Date: 2023-05-18</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL Project : 272102-02 Mode : 28 SN : #12 2Q3781WF3300BF Plane : Z with Accessories setting : MCS0 power setting 9.5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>45.10</td> <td>74.00</td> <td>-28.90</td> <td>55.47</td> <td>34.63</td> <td>7.79</td> <td>52.79</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>46.18</td> <td>74.00</td> <td>-27.82</td> <td>54.59</td> <td>36.49</td> <td>9.17</td> <td>54.07</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	45.10	74.00	-28.90	55.47	34.63	7.79	52.79	---	---	Peak	2	7386.00	46.18	74.00	-27.82	54.59	36.49	9.17	54.07	---	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4924.00	44.80	74.00	-29.20	55.17	34.63	7.79	52.79	---	---	Peak																																																																																															
2	7386.00	46.70	74.00	-27.30	55.11	36.49	9.17	54.07	---	---	Peak																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4924.00	45.10	74.00	-28.90	55.47	34.63	7.79	52.79	---	---	Peak																																																																																															
2	7386.00	46.18	74.00	-27.82	54.59	36.49	9.17	54.07	---	---	Peak																																																																																															



<b>29</b>	
<b>Mode</b>	<b>Band Edge</b>
<b>2400-2483.5_802.11 ax 20_CH11_RU26/8_2462MHz</b>	
<b>ANT</b>	<b>1</b>
<b>Pol.</b>	<b>Horizontal</b>
<b>Peak</b>	<b>Horizontal</b>
	<b>Fundamental</b>
<b>Avg</b>	<b>Horizontal</b>
	<b>Fundamental</b>









<b>29</b>																																																																	
<b>Mode</b>	<b>Band Edge</b>																																																																
<b>2400-2483.5_802.11 ax 20_CH11_RU26/8_2462MHz</b>																																																																	
<b>ANT</b>	<b>1</b>																																																																
<b>Pol.</b>	<b>Vertical</b>																																																																
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 29 Setting : MCS0 power setting 9 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2484.31 58.36 74.00 -15.64</td> <td>54.59</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>305</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 29 Setting : MCS0 power setting 9 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2462.00 104.94</td> <td>101.24</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>305</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2484.31 58.36 74.00 -15.64	54.59	32.46	4.92	33.61	305	309	PEAK	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2462.00 104.94	101.24	32.42	4.90	33.62	305	309	PEAK
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																										
1 2484.31 58.36 74.00 -15.64	54.59	32.46	4.92	33.61	305	309	PEAK																																																										
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																										
1 2462.00 104.94	101.24	32.42	4.90	33.62	305	309	PEAK																																																										
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 29 Setting : MCS0 power setting 9 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2484.00 41.18 54.00 -12.82</td> <td>37.41</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>305</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_54</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 29 Setting : MCS0 power setting 9 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2462.00 94.53</td> <td>90.83</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>305</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2484.00 41.18 54.00 -12.82	37.41	32.46	4.92	33.61	305	309	AVERAGE	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2462.00 94.53	90.83	32.42	4.90	33.62	305	309	AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																										
1 2484.00 41.18 54.00 -12.82	37.41	32.46	4.92	33.61	305	309	AVERAGE																																																										
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																										
1 2462.00 94.53	90.83	32.42	4.90	33.62	305	309	AVERAGE																																																										







		<b>30</b>																																																																														
<b>Mode</b>	<b>Band Edge</b>																																																																															
	<b>2400-2483.5_802.11 ax 20_CH11_RU52/40_2462MHz</b>																																																																															
<b>ANT</b>	<b>1</b>																																																																															
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 30 Setting : MCS0 power setting 9 Plane : Z with Accessories 52/40 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>59.00</td> <td>74.00</td> <td>-15.00</td> <td>55.23</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>194</td> <td>57</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	59.00	74.00	-15.00	55.23	32.46	4.92	33.61	194	57	PEAK	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_74</p> <p>Site : Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 30 Setting : MCS0 power setting 9 Plane : Z with Accessories 52/40 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>107.32</td> <td>-----</td> <td>-----</td> <td>103.62</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>194</td> <td>57</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.32	-----	-----	103.62	32.42	4.90	33.62	194	57	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.51	59.00	74.00	-15.00	55.23	32.46	4.92	33.61	194	57	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	107.32	-----	-----	103.62	32.42	4.90	33.62	194	57	PEAK																																																																					
<b>Avg</b>	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 30 Setting : MCS0 power setting 9 Plane : Z with Accessories 52/40 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.65</td> <td>41.77</td> <td>54.00</td> <td>-12.23</td> <td>38.00</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>194</td> <td>57</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.65	41.77	54.00	-12.23	38.00	32.46	4.92	33.61	194	57	AVERAGE	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_54</p> <p>Site : Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 30 Setting : MCS0 power setting 9 Plane : Z with Accessories 52/40 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.60</td> <td>-----</td> <td>-----</td> <td>92.90</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>194</td> <td>57</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.60	-----	-----	92.90	32.42	4.90	33.62	194	57	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2484.65	41.77	54.00	-12.23	38.00	32.46	4.92	33.61	194	57	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	96.60	-----	-----	92.90	32.42	4.90	33.62	194	57	AVERAGE																																																																					







		30																																																																						
Mode	Band Edge																																																																							
	2400-2483.5_802.11 ax 20_CH11_RU52/40_2462MHz																																																																							
ANT	1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak at 2484.8 MHz. Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Mode : 30 Setting : MCS0 power setting 9 Plane : Z with Accessories 52/40 #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2484.31</td> <td>53.52</td> <td>74.00</td> <td>-20.48</td> <td>49.75</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>211</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2484.31	53.52	74.00	-20.48	49.75	32.46	4.92	33.61	211	0	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak at 2462.00 MHz. Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL RBW:1000.000kHz VBW:3000.000kHz Mode : 30 Setting : MCS0 power setting 9 Plane : Z with Accessories 52/40 #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>86.21</td> <td>-----</td> <td>-----</td> <td>82.50</td> <td>32.43</td> <td>4.90</td> <td>33.62</td> <td>211</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2462.00	86.21	-----	-----	82.50	32.43	4.90	33.62	211	0	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																																	
1 2484.31	53.52	74.00	-20.48	49.75	32.46	4.92	33.61	211	0	PEAK																																																														
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																																	
1 2462.00	86.21	-----	-----	82.50	32.43	4.90	33.62	211	0	PEAK																																																														
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Average at 2483.96 MHz. Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL RBW:1000.000kHz VBW:0.300kHz Mode : 30 Setting : MCS0 power setting 9 Plane : Z with Accessories 52/40 #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2483.96</td> <td>40.80</td> <td>54.00</td> <td>-13.20</td> <td>37.03</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>211</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2483.96	40.80	54.00	-13.20	37.03	32.46	4.92	33.61	211	0	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average at 2462.00 MHz. Date: 2023-06-03</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL RBW:1000.000kHz VBW:0.300kHz Mode : 30 Setting : MCS0 power setting 9 Plane : Z with Accessories 52/40 #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2462.00</td> <td>76.82</td> <td>54.00</td> <td>22.82</td> <td>73.12</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>211</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2462.00	76.82	54.00	22.82	73.12	32.42	4.90	33.62	211	0	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																																	
1 2483.96	40.80	54.00	-13.20	37.03	32.46	4.92	33.61	211	0	AVERAGE																																																														
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																																	
1 2462.00	76.82	54.00	22.82	73.12	32.42	4.90	33.62	211	0	AVERAGE																																																														



		31																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_802.11 ax 20_CH11_RU106/54_2462MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 31 Setting : MCS0 power setting 9 Plane : Z with Accessories 106/54 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>59.63</td> <td>74.00</td> <td>-14.37</td> <td>55.86</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	59.63	74.00	-14.37	55.86	32.46	4.92	33.61	100	118	PEAK	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_74</p> <p>Site : Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 31 Setting : MCS0 power setting 9 Plane : Z with Accessories 106/54 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.25</td> <td>-----</td> <td>-----</td> <td>98.54</td> <td>32.43</td> <td>4.90</td> <td>33.62</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.25	-----	-----	98.54	32.43	4.90	33.62	100	118	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.51	59.63	74.00	-14.37	55.86	32.46	4.92	33.61	100	118	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	102.25	-----	-----	98.54	32.43	4.90	33.62	100	118	PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 31 Setting : MCS0 power setting 9 Plane : Z with Accessories 106/54 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.55</td> <td>41.46</td> <td>54.00</td> <td>-12.54</td> <td>37.69</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	41.46	54.00	-12.54	37.69	32.46	4.92	33.61	100	118	AVERAGE	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_54</p> <p>Site : Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 31 Setting : MCS0 power setting 9 Plane : Z with Accessories 106/54 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>91.14</td> <td>-----</td> <td>-----</td> <td>87.44</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	91.14	-----	-----	87.44	32.42	4.90	33.62	100	118	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.55	41.46	54.00	-12.54	37.69	32.46	4.92	33.61	100	118	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	91.14	-----	-----	87.44	32.42	4.90	33.62	100	118	AVERAGE																																																																					



		31																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_802.11 ax 20_CH11_RU106/54_2462MHz																																																																															
ANT	1																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 31 Setting : MCS0 power setting 9 Plane : Z with Accessories 106/54 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>57.54</td> <td>74.00</td> <td>-16.46</td> <td>53.77</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>304</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	57.54	74.00	-16.46	53.77	32.46	4.92	33.61	304	295	PEAK	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 31 Setting : MCS0 power setting 9 Plane : Z with Accessories 106/54 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>100.50</td> <td>-----</td> <td>-----</td> <td>96.80</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>304</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.50	-----	-----	96.80	32.42	4.90	33.62	304	295	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.51	57.54	74.00	-16.46	53.77	32.46	4.92	33.61	304	295	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	100.50	-----	-----	96.80	32.42	4.90	33.62	304	295	PEAK																																																																					
Avg	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 31 Setting : MCS0 power setting 9 Plane : Z with Accessories 106/54 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.12</td> <td>41.09</td> <td>54.00</td> <td>-12.91</td> <td>37.32</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>304</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.12	41.09	54.00	-12.91	37.32	32.46	4.92	33.61	304	295	AVERAGE	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_54</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 31 Setting : MCS0 power setting 9 Plane : Z with Accessories 106/54 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>88.48</td> <td>-----</td> <td>-----</td> <td>84.78</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>304</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	88.48	-----	-----	84.78	32.42	4.90	33.62	304	295	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2484.12	41.09	54.00	-12.91	37.32	32.46	4.92	33.61	304	295	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	88.48	-----	-----	84.78	32.42	4.90	33.62	304	295	AVERAGE																																																																					



		32																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_802.11 ax 20_CH12_Full_2467MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p>Date: 2023-05-26</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 32 Setting : MCS0 power setting 7.5 Plane : Z with Accessories : #12 2Q3781NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.12</td> <td>62.95</td> <td>74.00</td> <td>-11.05</td> <td>59.18</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>197</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2484.12	62.95	74.00	-11.05	59.18	32.46	4.92	33.61	197	119	PEAK	<p>Date: 2023-05-26</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 32 Setting : MCS0 power setting 7.5 Plane : Z with Accessories : #12 2Q3781NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>100.48</td> <td>-----</td> <td>-----</td> <td>96.75</td> <td>32.44</td> <td>4.91</td> <td>33.62</td> <td>197</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2467.00	100.48	-----	-----	96.75	32.44	4.91	33.62	197	119	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2484.12	62.95	74.00	-11.05	59.18	32.46	4.92	33.61	197	119	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2467.00	100.48	-----	-----	96.75	32.44	4.91	33.62	197	119	PEAK																																																																					
Avg	<p>Date: 2023-05-26</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 32 Setting : MCS0 power setting 7.5 Plane : Z with Accessories : #12 2Q3781NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.81</td> <td>50.14</td> <td>54.00</td> <td>-3.86</td> <td>46.37</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>197</td> <td>119</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2483.81	50.14	54.00	-3.86	46.37	32.46	4.92	33.61	197	119	AVERAGE	<p>Date: 2023-05-26</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 32 Setting : MCS0 power setting 7.5 Plane : Z with Accessories : #12 2Q3781NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>89.77</td> <td>-----</td> <td>-----</td> <td>86.05</td> <td>32.43</td> <td>4.91</td> <td>33.62</td> <td>197</td> <td>119</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2467.00	89.77	-----	-----	86.05	32.43	4.91	33.62	197	119	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2483.81	50.14	54.00	-3.86	46.37	32.46	4.92	33.61	197	119	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																								
1	2467.00	89.77	-----	-----	86.05	32.43	4.91	33.62	197	119	AVERAGE																																																																					









		32																																																																						
Mode	Band Edge																																																																							
	2400-2483.5_802.11 ax 20_CH12_Full_2467MHz																																																																							
ANT	1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<p style="text-align: right;">Date: 2023-05-26</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 32 Setting : MCS0 power setting 7.5 Plane : Z with Accessories : #12 2Q37B1NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.17 60.97</td> <td>74.00</td> <td>-13.03</td> <td>57.20</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>394</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1	2486.17 60.97	74.00	-13.03	57.20	32.46	4.92	33.61	394	185	PEAK	<p style="text-align: right;">Date: 2023-05-26</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 32 Setting : MCS0 power setting 7.5 Plane : Z with Accessories : #12 2Q37B1NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00 96.18</td> <td>-----</td> <td>-----</td> <td>92.48</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>394</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1	2467.00 96.18	-----	-----	92.48	32.42	4.90	33.62	394	185	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																																	
1	2486.17 60.97	74.00	-13.03	57.20	32.46	4.92	33.61	394	185	PEAK																																																														
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																																	
1	2467.00 96.18	-----	-----	92.48	32.42	4.90	33.62	394	185	PEAK																																																														
Avg	<p style="text-align: right;">Date: 2023-05-26</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 32 Setting : MCS0 power setting 7.5 Plane : Z with Accessories : #12 2Q37B1NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.66 48.62</td> <td>54.00</td> <td>-5.38</td> <td>44.85</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>394</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1	2483.66 48.62	54.00	-5.38	44.85	32.46	4.92	33.61	394	185	AVERAGE	<p style="text-align: right;">Date: 2023-05-26</p> <p style="text-align: right;">AVG_54</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 32 Setting : MCS0 power setting 7.5 Plane : Z with Accessories : #12 2Q37B1NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00 86.27</td> <td>-----</td> <td>-----</td> <td>82.56</td> <td>32.43</td> <td>4.90</td> <td>33.62</td> <td>394</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1	2467.00 86.27	-----	-----	82.56	32.43	4.90	33.62	394	185	AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																																	
1	2483.66 48.62	54.00	-5.38	44.85	32.46	4.92	33.61	394	185	AVERAGE																																																														
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																																	
1	2467.00 86.27	-----	-----	82.56	32.43	4.90	33.62	394	185	AVERAGE																																																														







Mode	32																																																																																																														
	Harmonic																																																																																																														
	2400-2483.5_802.11 ax 20_CH12_Full_2467MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal	Vertical																																																																																																													
Peak Avg																																																																																																															
	<p>Site : 03CH03-SZ            Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL            Project : 272102-02            Mode : 32            SN : #9 2q37b1wf3j002z            Plane : Z with Accessories            setting : MCS0 power setting 7.5</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th></th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>#</th> <th>#</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>44.39</td> <td>74.00</td> <td>-29.61</td> <td>54.74</td> <td>34.63</td> <td>7.79</td> <td>52.77</td> <td>0.00</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>46.20</td> <td>74.00</td> <td>-27.80</td> <td>54.56</td> <td>36.50</td> <td>9.20</td> <td>54.06</td> <td>0.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp		APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	#	#		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4934.00	44.39	74.00	-29.61	54.74	34.63	7.79	52.77	0.00	--- --- Peak	2	7401.00	46.20	74.00	-27.80	54.56	36.50	9.20	54.06	0.00	--- --- Peak	<p>Site : 03CH03-SZ            Condition: PEAK_74 3m ANT3117_0057 VERTICAL            Project : 272102-02            Mode : 32            SN : #9 2q37b1wf3j002z            Plane : Z with Accessories            setting : MCS0 power setting 7.5</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th></th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>#</th> <th>#</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>44.73</td> <td>74.00</td> <td>-29.27</td> <td>55.08</td> <td>34.63</td> <td>7.79</td> <td>52.77</td> <td>0.00</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7401.00</td> <td>46.42</td> <td>74.00</td> <td>-27.58</td> <td>54.78</td> <td>36.50</td> <td>9.20</td> <td>54.06</td> <td>0.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp		APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	#	#		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4934.00	44.73	74.00	-29.27	55.08	34.63	7.79	52.77	0.00	--- --- Peak	2	7401.00	46.42	74.00	-27.58	54.78	36.50	9.20	54.06	0.00
	Limit	Over	Read	Ant	Cable	Preamp		APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	#	#																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4934.00	44.39	74.00	-29.61	54.74	34.63	7.79	52.77	0.00	--- --- Peak																																																																																																					
2	7401.00	46.20	74.00	-27.80	54.56	36.50	9.20	54.06	0.00	--- --- Peak																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp		APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	#	#																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4934.00	44.73	74.00	-29.27	55.08	34.63	7.79	52.77	0.00	--- --- Peak																																																																																																					
2	7401.00	46.42	74.00	-27.58	54.78	36.50	9.20	54.06	0.00	--- --- Peak																																																																																																					







<b>33</b>																																	
<b>Mode</b>	<b>Band Edge</b>																																
<b>2400-2483.5_802.11 ax 20_CH12_RU26/8_2467MHz</b>																																	
<b>ANT</b>	<b>1</b>																																
<b>Pol.</b>	<b>Horizontal</b>																																
<b>Peak</b>	 <p>Date: 2023-06-03</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Peak at 2483.74 MHz, Level 66.15 dBuV/m</p> <p>Limit Line: 74.00 dB</p> <p>Remark: PEAK_BE_74</p> <p>Site : 03CH03-SZ            Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 33            Setting : MCS0 power setting 7            Plane : Z with Accessories 26/8            : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.74 66.15 74.00 -7.85</td> <td>62.38</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>228</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2483.74 66.15 74.00 -7.85	62.38	32.46	4.92	33.61	228	65	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 2483.74 66.15 74.00 -7.85	62.38	32.46	4.92	33.61	228	65	PEAK																										
 <p>Date: 2023-06-03</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Peak at 2467.00 MHz, Level 108.76 dBuV/m</p> <p>Limit Line: 80.00 dB</p> <p>Remark: PEAK_74</p> <p>Site :            Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 33            Setting : MCS0 power setting 7            Plane : Z with Accessories 26/8            : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2467.00 108.76 -----</td> <td>105.03</td> <td>32.44</td> <td>4.91</td> <td>33.62</td> <td>228</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2467.00 108.76 -----	105.03	32.44	4.91	33.62	228	65	PEAK	
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 2467.00 108.76 -----	105.03	32.44	4.91	33.62	228	65	PEAK																										
<b>Avg</b>	 <p>Date: 2023-06-03</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Average at 2483.58 MHz, Level 43.26 dBuV/m</p> <p>Limit Line: 54.00 dB</p> <p>Remark: AVG_BE_54</p> <p>Site : 03CH03-SZ            Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:0.300kHz            Mode : 33            Setting : MCS0 power setting 7            Plane : Z with Accessories 26/8            : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.58 43.26 54.00 -10.74</td> <td>39.49</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>228</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2483.58 43.26 54.00 -10.74	39.49	32.46	4.92	33.61	228	65	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 2483.58 43.26 54.00 -10.74	39.49	32.46	4.92	33.61	228	65	AVERAGE																										
 <p>Date: 2023-06-03</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Average at 2467.00 MHz, Level 99.73 dBuV/m</p> <p>Limit Line: 80.00 dB</p> <p>Remark: AVG_54</p> <p>Site :            Condition: AVG_54 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:0.300kHz            Mode : 33            Setting : MCS0 power setting 7            Plane : Z with Accessories 26/8            : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2467.00 99.73 -----</td> <td>96.00</td> <td>32.44</td> <td>4.91</td> <td>33.62</td> <td>228</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2467.00 99.73 -----	96.00	32.44	4.91	33.62	228	65	AVERAGE	
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 2467.00 99.73 -----	96.00	32.44	4.91	33.62	228	65	AVERAGE																										



<b>33</b>																																																																																			
<b>Mode</b>	<b>Band Edge</b>																																																																																		
<b>2400-2483.5_802.11 ax 20_CH12_RU26/8_2467MHz</b>																																																																																			
<b>ANT</b>	<b>1</b>																																																																																		
<b>Pol.</b>	<b>Vertical</b>																																																																																		
<b>Peak</b>	<b>Fundamental</b>																																																																																		
 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2483.66 MHz. Date: 2023-06-03</p> <p>Site : 03CH03-SZ          Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 33          Setting : MCS0 power setting 7          Plane : Z with Accessories 26/8          : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Line</th> <th>(dB)</th> <th>(dB)</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.66</td> <td>61.66</td> <td>74.00</td> <td>-12.34</td> <td>57.89</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>396</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Line	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Line	(dB)	(dB)	Level	Level	Loss	Loss	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1	2483.66	61.66	74.00	-12.34	57.89	32.46	4.92	33.61	396	310	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2467.00 MHz. Date: 2023-06-03</p> <p>Site : 03CH03-SZ          Condition: PEAK_74 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 33          Setting : MCS0 power setting 7          Plane : Z with Accessories 26/8          : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Line</th> <th>(dB)</th> <th>(dB)</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>102.31</td> <td>98.58</td> <td>32.44</td> <td>4.91</td> <td>33.62</td> <td>396</td> <td>310</td> <td>PEAK</td> </tr> </tbody> </table>	Line	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Line	(dB)	(dB)	Level	Level	Loss	Loss	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1	2467.00	102.31	98.58	32.44	4.91	33.62	396	310	PEAK
Line	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Line	(dB)	(dB)	Level	Level	Loss	Loss	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																																										
1	2483.66	61.66	74.00	-12.34	57.89	32.46	4.92	33.61	396	310	PEAK																																																																								
Line	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Line	(dB)	(dB)	Level	Level	Loss	Loss	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																																										
1	2467.00	102.31	98.58	32.44	4.91	33.62	396	310	PEAK																																																																										
<b>Avg</b>	<b>Fundamental</b>																																																																																		
 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average peak at 2483.62 MHz. Date: 2023-06-03</p> <p>Site : 03CH03-SZ          Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:0.300kHz          Mode : 33          Setting : MCS0 power setting 7          Plane : Z with Accessories 26/8          : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Line</th> <th>(dB)</th> <th>(dB)</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>41.56</td> <td>54.00</td> <td>-12.44</td> <td>37.79</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>396</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Line	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Line	(dB)	(dB)	Level	Level	Loss	Loss	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1	2483.62	41.56	54.00	-12.44	37.79	32.46	4.92	33.61	396	310	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average peak at 2467.00 MHz. Date: 2023-06-03</p> <p>Site : 03CH03-SZ          Condition: AVG_54 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:0.300kHz          Mode : 33          Setting : MCS0 power setting 7          Plane : Z with Accessories 26/8          : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Line</th> <th>(dB)</th> <th>(dB)</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>92.88</td> <td>89.15</td> <td>32.44</td> <td>4.91</td> <td>33.62</td> <td>396</td> <td>310</td> <td>AVERAGE</td> </tr> </tbody> </table>	Line	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Line	(dB)	(dB)	Level	Level	Loss	Loss	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1	2467.00	92.88	89.15	32.44	4.91	33.62	396	310	AVERAGE
Line	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Line	(dB)	(dB)	Level	Level	Loss	Loss	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																																										
1	2483.62	41.56	54.00	-12.44	37.79	32.46	4.92	33.61	396	310	AVERAGE																																																																								
Line	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Line	(dB)	(dB)	Level	Level	Loss	Loss	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																																										
1	2467.00	92.88	89.15	32.44	4.91	33.62	396	310	AVERAGE																																																																										







		<b>34</b>																																																																														
<b>Mode</b>	<b>Band Edge</b>																																																																															
	<b>2400-2483.5_802.11 ax 20_CH12_RU52/40_2467MHz</b>																																																																															
<b>ANT</b>	<b>1</b>																																																																															
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. Peak at 2483.66 MHz.</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 34 Setting : MCS0 power setting 7 Plane : Z with Accessories 52/40 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.66</td> <td>65.64</td> <td>74.00</td> <td>-8.36</td> <td>61.87</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>319</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	65.64	74.00	-8.36	61.87	32.46	4.92	33.61	319	53	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Peak at 2467.00 MHz.</p> <p>Site : Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 34 Setting : MCS0 power setting 7 Plane : Z with Accessories 52/40 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>105.46</td> <td>-----</td> <td>-----</td> <td>101.74</td> <td>32.43</td> <td>4.91</td> <td>33.62</td> <td>319</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	105.46	-----	-----	101.74	32.43	4.91	33.62	319	53	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.66	65.64	74.00	-8.36	61.87	32.46	4.92	33.61	319	53	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2467.00	105.46	-----	-----	101.74	32.43	4.91	33.62	319	53	PEAK																																																																					
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. Average at 2483.51 MHz.</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 34 Setting : MCS0 power setting 7 Plane : Z with Accessories 52/40 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>42.99</td> <td>54.00</td> <td>-11.01</td> <td>39.22</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>319</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	42.99	54.00	-11.01	39.22	32.46	4.92	33.61	319	53	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Average at 2467.00 MHz.</p> <p>Site : Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 34 Setting : MCS0 power setting 7 Plane : Z with Accessories 52/40 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>95.40</td> <td>-----</td> <td>-----</td> <td>91.68</td> <td>32.43</td> <td>4.91</td> <td>33.62</td> <td>319</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	95.40	-----	-----	91.68	32.43	4.91	33.62	319	53	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.51	42.99	54.00	-11.01	39.22	32.46	4.92	33.61	319	53	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2467.00	95.40	-----	-----	91.68	32.43	4.91	33.62	319	53	AVERAGE																																																																					



		<b>34</b>																																																																														
<b>Mode</b>	<b>Band Edge</b>																																																																															
	<b>2400-2483.5_802.11 ax 20_CH12_RU52/40_2467MHz</b>																																																																															
<b>ANT</b>	<b>1</b>																																																																															
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																														
<b>Peak</b>	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;"><b>PEAK_BE_74</b></p> <p>Site : 03CH03-SZ            Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 34            Setting : MCS0 power setting 7            Plane : Z with Accessories 52/40            : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.00</td> <td>61.02</td> <td>74.00</td> <td>-12.98</td> <td>57.25</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>385</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.00	61.02	74.00	-12.98	57.25	32.46	4.92	33.61	385	141	PEAK	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;"><b>PEAK_74</b></p> <p>Site : 03CH03-SZ            Condition: PEAK_74 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 34            Setting : MCS0 power setting 7            Plane : Z with Accessories 52/40            : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>101.25</td> <td>-----</td> <td>-----</td> <td>97.52</td> <td>32.44</td> <td>4.91</td> <td>33.62</td> <td>385</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	101.25	-----	-----	97.52	32.44	4.91	33.62	385	141	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2484.00	61.02	74.00	-12.98	57.25	32.46	4.92	33.61	385	141	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2467.00	101.25	-----	-----	97.52	32.44	4.91	33.62	385	141	PEAK																																																																					
<b>Avg</b>	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;"><b>AVG_BE_54</b></p> <p>Site : 03CH03-SZ            Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:0.300kHz            Mode : 34            Setting : MCS0 power setting 7            Plane : Z with Accessories 52/40            : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.66</td> <td>41.48</td> <td>54.00</td> <td>-12.52</td> <td>37.71</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>385</td> <td>141</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	41.48	54.00	-12.52	37.71	32.46	4.92	33.61	385	141	AVERAGE	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;"><b>AVG_54</b></p> <p>Site : 03CH03-SZ            Condition: AVG_54 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:0.300kHz            Mode : 34            Setting : MCS0 power setting 7            Plane : Z with Accessories 52/40            : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2467.00</td> <td>90.70</td> <td>-----</td> <td>-----</td> <td>86.98</td> <td>32.43</td> <td>4.91</td> <td>33.62</td> <td>385</td> <td>141</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	90.70	-----	-----	86.98	32.43	4.91	33.62	385	141	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.66	41.48	54.00	-12.52	37.71	32.46	4.92	33.61	385	141	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2467.00	90.70	-----	-----	86.98	32.43	4.91	33.62	385	141	AVERAGE																																																																					



		35																																																																						
Mode	Band Edge																																																																							
	2400-2483.5_802.11 ax 20_CH12_RU106/54_2467MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. Peak at 2483.74 MHz.</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 35 Setting : MCS0 power setting 7 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2483.74</td> <td>66.23</td> <td>74.00</td> <td>-7.77</td> <td>62.46</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>172</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2483.74	66.23	74.00	-7.77	62.46	32.46	4.92	33.61	172	62	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Peak at 2467.00 MHz.</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 35 Setting : MCS0 power setting 7 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2467.00</td> <td>103.32</td> <td>-----</td> <td>-----</td> <td>99.59</td> <td>32.44</td> <td>4.91</td> <td>33.62</td> <td>172</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2467.00	103.32	-----	-----	99.59	32.44	4.91	33.62	172	62	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																																	
1 2483.74	66.23	74.00	-7.77	62.46	32.46	4.92	33.61	172	62	PEAK																																																														
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																																	
1 2467.00	103.32	-----	-----	99.59	32.44	4.91	33.62	172	62	PEAK																																																														
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. Average level at 2483.51 MHz.</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 35 Setting : MCS0 power setting 7 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2483.51</td> <td>48.07</td> <td>54.00</td> <td>-5.93</td> <td>44.30</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>172</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2483.51	48.07	54.00	-5.93	44.30	32.46	4.92	33.61	172	62	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Average level at 2467.00 MHz.</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 35 Setting : MCS0 power setting 7 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2467.00</td> <td>93.58</td> <td>-----</td> <td>-----</td> <td>89.87</td> <td>32.43</td> <td>4.90</td> <td>33.62</td> <td>172</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2467.00	93.58	-----	-----	89.87	32.43	4.90	33.62	172	62	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																																	
1 2483.51	48.07	54.00	-5.93	44.30	32.46	4.92	33.61	172	62	AVERAGE																																																														
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	dB	cm	deg																																																																		
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																																	
1 2467.00	93.58	-----	-----	89.87	32.43	4.90	33.62	172	62	AVERAGE																																																														



		35																																																																
Mode	Band Edge																																																																	
	2400-2483.5_802.11 ax 20_CH12_RU106/54_2467MHz																																																																	
ANT	1																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 35 Setting : MCS0 power setting 7 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2483.51 61.17 74.00 -12.83</td> <td>57.40</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>394</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2483.51 61.17 74.00 -12.83	57.40	32.46	4.92	33.61	394	303	PEAK	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 35 Setting : MCS0 power setting 7 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2467.00 98.88</td> <td>95.17</td> <td>32.43</td> <td>4.90</td> <td>33.62</td> <td>394</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2467.00 98.88	95.17	32.43	4.90	33.62	394	303	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																											
1 2483.51 61.17 74.00 -12.83	57.40	32.46	4.92	33.61	394	303	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																											
1 2467.00 98.88	95.17	32.43	4.90	33.62	394	303	PEAK																																																											
Avg	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 35 Setting : MCS0 power setting 7 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2483.51 44.26 54.00 -9.74</td> <td>40.49</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>394</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2483.51 44.26 54.00 -9.74	40.49	32.46	4.92	33.61	394	303	AVERAGE	<p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_54</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 35 Setting : MCS0 power setting 7 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2467.00 88.62</td> <td>84.91</td> <td>32.43</td> <td>4.90</td> <td>33.62</td> <td>394</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2467.00 88.62	84.91	32.43	4.90	33.62	394	303	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																											
1 2483.51 44.26 54.00 -9.74	40.49	32.46	4.92	33.61	394	303	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																											
1 2467.00 88.62	84.91	32.43	4.90	33.62	394	303	AVERAGE																																																											





		36																																																																
Mode	Band Edge																																																																	
	2400-2483.5_802.11 ax 20_CH13_Full_2472MHz																																																																	
ANT	1																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2462 to 2500 MHz. A peak is observed at 2483.58 MHz with a level of 69.91 dBuV/m. A red horizontal line indicates the limit at 74.00 dB. The plot is labeled 'PEAK_BE_74'.</p> <p>Site : 03CH03-SZ            Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 36            Setting : MCS0 power setting -2.5            Plane : Z with Accessories            : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.58 69.91 74.00 -4.09</td> <td>66.14</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>200</td> <td>127</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2483.58 69.91 74.00 -4.09	66.14	32.46	4.92	33.61	200	127	PEAK	<p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A peak is observed at 2472.00 MHz with a level of 91.08 dBuV/m. A red horizontal line indicates the limit at 74.00 dB. The plot is labeled 'PEAK_74'.</p> <p>Site : 03CH03-SZ            Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 36            Setting : MCS0 power setting -2.5            Plane : Z with Accessories            : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2472.00 91.08 -----</td> <td>87.38</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>200</td> <td>127</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2472.00 91.08 -----	87.38	32.42	4.90	33.62	200	127	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2483.58 69.91 74.00 -4.09	66.14	32.46	4.92	33.61	200	127	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2472.00 91.08 -----	87.38	32.42	4.90	33.62	200	127	PEAK																																																											
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 2462 to 2500 MHz. An average level is observed at 2483.51 MHz with a level of 51.58 dBuV/m. A red horizontal line indicates the limit at 54.00 dB. The plot is labeled 'AVG_BE_54'.</p> <p>Site : 03CH03-SZ            Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:0.010kHz            Mode : 36            Setting : MCS0 power setting -2.5            Plane : Z with Accessories            : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.51 51.58 54.00 -2.42</td> <td>47.81</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>200</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2483.51 51.58 54.00 -2.42	47.81	32.46	4.92	33.61	200	127	AVERAGE	<p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. An average level is observed at 2472.00 MHz with a level of 80.81 dBuV/m. A red horizontal line indicates the limit at 54.00 dB. The plot is labeled 'AVG_54'.</p> <p>Site : 03CH03-SZ            Condition: AVG_54 3m ANT3117_0057 HORIZONTAL            : RBW:1000.000kHz VBW:0.010kHz            Mode : 36            Setting : MCS0 power setting -2.5            Plane : Z with Accessories            : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2472.00 80.81 54.00 26.81</td> <td>77.09</td> <td>32.43</td> <td>4.91</td> <td>33.62</td> <td>200</td> <td>127</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor						MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2472.00 80.81 54.00 26.81	77.09	32.43	4.91	33.62	200	127	AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2483.51 51.58 54.00 -2.42	47.81	32.46	4.92	33.61	200	127	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor																																																																
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2472.00 80.81 54.00 26.81	77.09	32.43	4.91	33.62	200	127	AVERAGE																																																											



		36																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_802.11 ax 20_CH13_Full_2472MHz																																																																															
ANT	1																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-05-26</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 36 Setting : MCS0 power setting -2.5 Plane : Z with Accessories : #12 2Q37B1NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>67.21</td> <td>74.00</td> <td>-6.79</td> <td>63.44</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>396</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	67.21	74.00	-6.79	63.44	32.46	4.92	33.61	396	178	PEAK	<p style="text-align: right;">Date: 2023-05-26</p> <p style="text-align: right;">PEAK_74</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 36 Setting : MCS0 power setting -2.5 Plane : Z with Accessories : #12 2Q37B1NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>87.30</td> <td>-----</td> <td>-----</td> <td>83.60</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>396</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	87.30	-----	-----	83.60	32.42	4.90	33.62	396	178	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.51	67.21	74.00	-6.79	63.44	32.46	4.92	33.61	396	178	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2472.00	87.30	-----	-----	83.60	32.42	4.90	33.62	396	178	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-05-26</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 36 Setting : MCS0 power setting -2.5 Plane : Z with Accessories : #12 2Q37B1NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>48.81</td> <td>54.00</td> <td>-5.19</td> <td>45.04</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>396</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	48.81	54.00	-5.19	45.04	32.46	4.92	33.61	396	178	AVERAGE	<p style="text-align: right;">Date: 2023-05-26</p> <p style="text-align: right;">AVG_54</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 36 Setting : MCS0 power setting -2.5 Plane : Z with Accessories : #12 2Q37B1NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>75.99</td> <td>54.00</td> <td>21.99</td> <td>72.29</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>396</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	75.99	54.00	21.99	72.29	32.42	4.90	33.62	396	178	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.51	48.81	54.00	-5.19	45.04	32.46	4.92	33.61	396	178	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2472.00	75.99	54.00	21.99	72.29	32.42	4.90	33.62	396	178	AVERAGE																																																																					







Mode	36																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11 ax 20_CH13_Full_2472MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL Project : 272102-02 Mode : 36 SN : #9 2q37b1wf3j002z Plane : Z with Accessories setting : MCS0 power setting -2.5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th colspan="2">APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>#</th> <th>#</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>44.45</td> <td>74.00</td> <td>-29.55</td> <td>54.79</td> <td>34.62</td> <td>7.80</td> <td>52.76</td> <td>0.00</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>44.76</td> <td>74.00</td> <td>-29.24</td> <td>53.10</td> <td>36.52</td> <td>9.19</td> <td>54.05</td> <td>0.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos		TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	#	#		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	44.45	74.00	-29.55	54.79	34.62	7.80	52.76	0.00	--- --- Peak	2	7416.00	44.76	74.00	-29.24	53.10	36.52	9.19	54.05	0.00	--- --- Peak	<p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL Project : 272102-02 Mode : 36 SN : #9 2q37b1wf3j002z Plane : Z with Accessories setting : MCS0 power setting -2.5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th colspan="2">APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>#</th> <th>#</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>45.03</td> <td>74.00</td> <td>-28.97</td> <td>55.37</td> <td>34.62</td> <td>7.80</td> <td>52.76</td> <td>0.00</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>44.94</td> <td>74.00</td> <td>-29.06</td> <td>53.28</td> <td>36.52</td> <td>9.19</td> <td>54.05</td> <td>0.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos		TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	#	#		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	45.03	74.00	-28.97	55.37	34.62	7.80	52.76	0.00	--- --- Peak	2	7416.00	44.94	74.00	-29.06	53.28	36.52	9.19	54.05	0.00	--- --- Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos		TPos	Remark																																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	#	#																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4944.00	44.45	74.00	-29.55	54.79	34.62	7.80	52.76	0.00	--- --- Peak																																																																																																
2	7416.00	44.76	74.00	-29.24	53.10	36.52	9.19	54.05	0.00	--- --- Peak																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	APos		TPos	Remark																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	#	#																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4944.00	45.03	74.00	-28.97	55.37	34.62	7.80	52.76	0.00	--- --- Peak																																																																																																
2	7416.00	44.94	74.00	-29.06	53.28	36.52	9.19	54.05	0.00	--- --- Peak																																																																																																







<b>37</b>																																																																	
<b>Mode</b>	<b>Band Edge</b>																																																																
<b>2400-2483.5_802.11 ax 20_CH13_RU26/8_2472MHz</b>																																																																	
<b>ANT</b>	<b>1</b>																																																																
<b>Pol.</b>	<b>Horizontal</b>																																																																
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Level (dBuV/m) vs Frequency (MHz) showing a peak at 2483.51 MHz. A red horizontal line indicates the peak level at 71.63 dBuV/m. A vertical red line is at 2484.8 MHz.</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 power setting -8.5 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2483.51 71.63 74.00 -2.37</td> <td>67.86</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>400</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Level (dBuV/m) vs Frequency (MHz) showing a peak at 2472.00 MHz. A red horizontal line indicates the peak level at 91.30 dBuV/m.</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 power setting -8.5 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2472.00 91.30</td> <td>87.54</td> <td>32.45</td> <td>4.92</td> <td>33.61</td> <td>400</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2483.51 71.63 74.00 -2.37	67.86	32.46	4.92	33.61	400	47	PEAK	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2472.00 91.30	87.54	32.45	4.92	33.61	400	47	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																										
1 2483.51 71.63 74.00 -2.37	67.86	32.46	4.92	33.61	400	47	PEAK																																																										
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																										
1 2472.00 91.30	87.54	32.45	4.92	33.61	400	47	PEAK																																																										
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Level (dBuV/m) vs Frequency (MHz) showing an average level at 2483.51 MHz. A red horizontal line indicates the average level at 47.56 dBuV/m. A vertical red line is at 2484.8 MHz.</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 37 Setting : MCS0 power setting -8.5 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2483.51 47.56 54.00 -6.44</td> <td>43.79</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>400</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Level (dBuV/m) vs Frequency (MHz) showing an average level at 2472.00 MHz. A red horizontal line indicates the average level at 81.28 dBuV/m.</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 37 Setting : MCS0 power setting -8.5 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2472.00 81.28</td> <td>77.52</td> <td>32.45</td> <td>4.92</td> <td>33.61</td> <td>400</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2483.51 47.56 54.00 -6.44	43.79	32.46	4.92	33.61	400	47	AVERAGE	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg		MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2472.00 81.28	77.52	32.45	4.92	33.61	400	47	AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																										
1 2483.51 47.56 54.00 -6.44	43.79	32.46	4.92	33.61	400	47	AVERAGE																																																										
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor	Loss Factor	cm	deg																																																											
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																										
1 2472.00 81.28	77.52	32.45	4.92	33.61	400	47	AVERAGE																																																										







		37																																																																
Mode	Band Edge																																																																	
	2400-2483.5_802.11 ax 20_CH13_RU26/8_2472MHz																																																																	
ANT	1																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 power setting -8.5 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2483.55 65.94 74.00 -8.06</td> <td>62.17</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>398</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2483.55 65.94 74.00 -8.06	62.17	32.46	4.92	33.61	398	291	PEAK	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">PEAK_74</p> <p>Site : Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 37 Setting : MCS0 power setting -8.5 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2472.00 84.88</td> <td>81.12</td> <td>32.45</td> <td>4.92</td> <td>33.61</td> <td>398</td> <td>291</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2472.00 84.88	81.12	32.45	4.92	33.61	398	291	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																											
1 2483.55 65.94 74.00 -8.06	62.17	32.46	4.92	33.61	398	291	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																											
1 2472.00 84.88	81.12	32.45	4.92	33.61	398	291	PEAK																																																											
Avg	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 37 Setting : MCS0 power setting -8.5 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2483.51 43.64 54.00 -10.36</td> <td>39.87</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>398</td> <td>291</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2483.51 43.64 54.00 -10.36	39.87	32.46	4.92	33.61	398	291	AVERAGE	 <p style="text-align: right;">Date: 2023-06-03</p> <p style="text-align: right;">AVG_54</p> <p>Site : Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 37 Setting : MCS0 power setting -8.5 Plane : Z with Accessories 26/8 : #26 2Q37B2DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2472.00 75.09</td> <td>71.33</td> <td>32.45</td> <td>4.92</td> <td>33.61</td> <td>398</td> <td>291</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2472.00 75.09	71.33	32.45	4.92	33.61	398	291	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																											
1 2483.51 43.64 54.00 -10.36	39.87	32.46	4.92	33.61	398	291	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																											
1 2472.00 75.09	71.33	32.45	4.92	33.61	398	291	AVERAGE																																																											



<b>38</b>	
<b>Mode</b>	<b>Band Edge</b>
<b>2400-2483.5_802.11 ax 20_CH13_RU52/40_2472MHz</b>	
<b>ANT</b>	<b>1</b>
<b>Pol.</b>	<b>Horizontal</b>
<b>Peak</b>	<b>Horizontal</b>
	<b>Fundamental</b>
<b>Avg</b>	<b>Horizontal</b>
	<b>Fundamental</b>





		38																																																																
Mode	Band Edge																																																																	
	2400-2483.5_802.11 ax 20_CH13_RU52/40_2472MHz																																																																	
ANT	1																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. Peak at 2483.51 MHz.</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 38 Setting : MCS0 power setting -4.5 Plane : Z with Accessories 52/40 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2483.51 68.28 74.00 -5.72</td> <td>64.51</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>396</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2483.51 68.28 74.00 -5.72	64.51	32.46	4.92	33.61	396	304	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Peak at 2472.00 MHz.</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 38 Setting : MCS0 power setting -4.5 Plane : Z with Accessories 52/40 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1 2472.00 89.35 -----</td> <td>85.59</td> <td>32.45</td> <td>4.92</td> <td>33.61</td> <td>396</td> <td>304</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1 2472.00 89.35 -----	85.59	32.45	4.92	33.61	396	304	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																											
1 2483.51 68.28 74.00 -5.72	64.51	32.46	4.92	33.61	396	304	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																											
1 2472.00 89.35 -----	85.59	32.45	4.92	33.61	396	304	PEAK																																																											
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. Average level at 2483.51 MHz.</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 38 Setting : MCS0 power setting -4.5 Plane : Z with Accessories 52/40 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2483.51 46.03 54.00 -7.97</td> <td>42.26</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>396</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2483.51 46.03 54.00 -7.97	42.26	32.46	4.92	33.61	396	304	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Average level at 2472.00 MHz.</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 38 Setting : MCS0 power setting -4.5 Plane : Z with Accessories 52/40 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1 2472.00 78.95 -----</td> <td>75.21</td> <td>32.44</td> <td>4.91</td> <td>33.61</td> <td>396</td> <td>304</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1 2472.00 78.95 -----	75.21	32.44	4.91	33.61	396	304	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																											
1 2483.51 46.03 54.00 -7.97	42.26	32.46	4.92	33.61	396	304	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																											
1 2472.00 78.95 -----	75.21	32.44	4.91	33.61	396	304	AVERAGE																																																											



		39																																				
Mode	Band Edge																																					
	2400-2483.5_802.11 ax 20_CH13_RU106/54_2472MHz																																					
ANT	1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-06-04</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 39 Setting : MCS0 power setting -3.5 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read Level</th> <th>Ant Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.51 71.01 74.00 -2.99</td> <td>67.24</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>200 113 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read Level	Ant Cable	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	cm	deg		1 2483.51 71.01 74.00 -2.99	67.24	32.46	4.92	33.61	200 113 PEAK	<p style="text-align: right;">Date: 2023-06-04</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_74</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 39 Setting : MCS0 power setting -3.5 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read Level</th> <th>Ant Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2472.00 92.29 -----</td> <td>88.56</td> <td>32.44</td> <td>4.91</td> <td>33.62</td> <td>200 113 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read Level	Ant Cable	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	cm	deg		1 2472.00 92.29 -----	88.56	32.44	4.91	33.62	200 113 PEAK
	Limit Margin	Read Level	Ant Cable	APos	TPos	Remark																																
Freq Level Line (dB)	Level Factor	Loss Factor	cm	deg																																		
1 2483.51 71.01 74.00 -2.99	67.24	32.46	4.92	33.61	200 113 PEAK																																	
Limit Margin	Read Level	Ant Cable	APos	TPos	Remark																																	
Freq Level Line (dB)	Level Factor	Loss Factor	cm	deg																																		
1 2472.00 92.29 -----	88.56	32.44	4.91	33.62	200 113 PEAK																																	
Avg	<p style="text-align: right;">Date: 2023-06-04</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 39 Setting : MCS0 power setting -3.5 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read Level</th> <th>Ant Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2483.51 48.43 54.00 -5.57</td> <td>44.66</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>200 113 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read Level	Ant Cable	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	cm	deg		1 2483.51 48.43 54.00 -5.57	44.66	32.46	4.92	33.61	200 113 AVERAGE	<p style="text-align: right;">Date: 2023-06-04</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_54</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz Mode : 39 Setting : MCS0 power setting -3.5 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read Level</th> <th>Ant Cable</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2472.00 82.26 -----</td> <td>78.54</td> <td>32.43</td> <td>4.91</td> <td>33.62</td> <td>200 113 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read Level	Ant Cable	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	cm	deg		1 2472.00 82.26 -----	78.54	32.43	4.91	33.62	200 113 AVERAGE
	Limit Margin	Read Level	Ant Cable	APos	TPos	Remark																																
Freq Level Line (dB)	Level Factor	Loss Factor	cm	deg																																		
1 2483.51 48.43 54.00 -5.57	44.66	32.46	4.92	33.61	200 113 AVERAGE																																	
Limit Margin	Read Level	Ant Cable	APos	TPos	Remark																																	
Freq Level Line (dB)	Level Factor	Loss Factor	cm	deg																																		
1 2472.00 82.26 -----	78.54	32.43	4.91	33.62	200 113 AVERAGE																																	





		39																																																																														
Mode	Band Edge																																																																															
	2400-2483.5_802.11 ax 20_CH13_RU106/54_2472MHz																																																																															
ANT	1																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-06-04</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 39 Setting : MCS0 power setting -3.5 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>68.18</td> <td>74.00</td> <td>-5.82</td> <td>64.41</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>334</td> <td>157</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	68.18	74.00	-5.82	64.41	32.46	4.92	33.61	334	157	PEAK	<p style="text-align: right;">Date: 2023-06-04</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_74</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 39 Setting : MCS0 power setting -3.5 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>89.76</td> <td>-----</td> <td>-----</td> <td>86.03</td> <td>32.44</td> <td>4.91</td> <td>33.62</td> <td>334</td> <td>157</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	89.76	-----	-----	86.03	32.44	4.91	33.62	334	157	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.51	68.18	74.00	-5.82	64.41	32.46	4.92	33.61	334	157	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2472.00	89.76	-----	-----	86.03	32.44	4.91	33.62	334	157	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-06-04</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 39 Setting : MCS0 power setting -3.5 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>46.09</td> <td>54.00</td> <td>-7.91</td> <td>42.32</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>334</td> <td>157</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	46.09	54.00	-7.91	42.32	32.46	4.92	33.61	334	157	AVERAGE	<p style="text-align: right;">Date: 2023-06-04</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_54</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.300kHz Mode : 39 Setting : MCS0 power setting -3.5 Plane : Z with Accessories 106/54 : #26 2Q3782DF47004P</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2472.00</td> <td>80.01</td> <td>-----</td> <td>-----</td> <td>76.28</td> <td>32.44</td> <td>4.91</td> <td>33.62</td> <td>334</td> <td>157</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	80.01	-----	-----	76.28	32.44	4.91	33.62	334	157	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.51	46.09	54.00	-7.91	42.32	32.46	4.92	33.61	334	157	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2472.00	80.01	-----	-----	76.28	32.44	4.91	33.62	334	157	AVERAGE																																																																					







		<b>40</b>																																																								
<b>Mode</b>		<b>Band Edge - L</b>																																																								
		<b>2400-2483.5_802.11 ax 40_CH3_Full_2422MHz</b>																																																								
<b>ANT</b>		<b>1</b>																																																								
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																								
<b>Peak</b>	<p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 40 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.86 62.79 74.00 -11.21</td> <td>59.45</td> <td>32.21</td> <td>4.80</td> <td>33.67</td> <td>237</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2389.86 62.79 74.00 -11.21	59.45	32.21	4.80	33.67	237	59 PEAK	<p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 40 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2422.00 101.55 -----</td> <td>98.04</td> <td>32.31</td> <td>4.84</td> <td>33.64</td> <td>237</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2422.00 101.55 -----	98.04	32.31	4.84	33.64	237	59 PEAK
	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1 2389.86 62.79 74.00 -11.21	59.45	32.21	4.80	33.67	237	59 PEAK																																																				
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																				
Freq Level Line (dB)	Level Factor	Loss Factor																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1 2422.00 101.55 -----	98.04	32.31	4.84	33.64	237	59 PEAK																																																				
<b>Avg</b>	<p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 40 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.86 50.96 54.00 -3.04</td> <td>47.62</td> <td>32.21</td> <td>4.80</td> <td>33.67</td> <td>237</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2389.86 50.96 54.00 -3.04	47.62	32.21	4.80	33.67	237	59 AVERAGE	<p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 40 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2422.00 90.90 -----</td> <td>87.43</td> <td>32.29</td> <td>4.83</td> <td>33.65</td> <td>237</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2422.00 90.90 -----	87.43	32.29	4.83	33.65	237	59 AVERAGE
	Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																			
Freq Level Line (dB)	Level Factor	Loss Factor																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1 2389.86 50.96 54.00 -3.04	47.62	32.21	4.80	33.67	237	59 AVERAGE																																																				
Limit Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																				
Freq Level Line (dB)	Level Factor	Loss Factor																																																								
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1 2422.00 90.90 -----	87.43	32.29	4.83	33.65	237	59 AVERAGE																																																				



Mode	40																																								
	Band Edge - R																																								
	2400-2483.5_802.11 ax 40_CH3_Full_2422MHz																																								
ANT	1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 40 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.61</td> <td>54.12</td> <td>74.00</td> <td>-19.88</td> <td>50.33</td> <td>32.47</td> <td>4.93</td> <td>33.61</td> <td>237</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2488.61	54.12	74.00	-19.88	50.33	32.47	4.93	33.61	237	59	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2488.61	54.12	74.00	-19.88	50.33	32.47	4.93	33.61	237	59	PEAK																														
Avg	<p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 40 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.24</td> <td>41.79</td> <td>54.00</td> <td>-12.21</td> <td>38.02</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>237</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.24	41.79	54.00	-12.21	38.02	32.46	4.92	33.61	237	59	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.24	41.79	54.00	-12.21	38.02	32.46	4.92	33.61	237	59	AVERAGE																														



		<b>40</b>																																																																												
<b>Mode</b>	<b>Band Edge - L</b>																																																																													
	<b>2400-2483.5_802.11 ax 40_CH3_Full_2422MHz</b>																																																																													
<b>ANT</b>	<b>1</b>																																																																													
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																												
<b>Peak</b>	 <p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 40 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.41</td> <td>58.62</td> <td>74.00</td> <td>-15.38</td> <td>55.28</td> <td>32.21</td> <td>4.80</td> <td>33.67</td> <td>400</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line (dB)	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1	2389.41	58.62	74.00	-15.38	55.28	32.21	4.80	33.67	400	209	PEAK	 <p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 40 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>PEAK</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>91.41</td> <td>-----</td> <td>-----</td> <td>87.98</td> <td>32.27</td> <td>4.82</td> <td>33.66</td> <td>400</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line (dB)	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK	1	2422.00	91.41	-----	-----	87.98	32.27	4.82	33.66	400	209	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq Level	Line (dB)	Level Factor	Loss Factor	Loss Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																																					
1	2389.41	58.62	74.00	-15.38	55.28	32.21	4.80	33.67	400	209	PEAK																																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq Level	Line (dB)	Level Factor	Loss Factor	Loss Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	PEAK																																																																					
1	2422.00	91.41	-----	-----	87.98	32.27	4.82	33.66	400	209	PEAK																																																																			
<b>Avg</b>	 <p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 40 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.18</td> <td>46.11</td> <td>54.00</td> <td>-7.89</td> <td>42.78</td> <td>32.21</td> <td>4.79</td> <td>33.67</td> <td>400</td> <td>209</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line (dB)	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1	2389.18	46.11	54.00	-7.89	42.78	32.21	4.79	33.67	400	209	AVERAGE	 <p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 40 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>AVERAGE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>81.58</td> <td>-----</td> <td>-----</td> <td>78.02</td> <td>32.34</td> <td>4.86</td> <td>33.64</td> <td>400</td> <td>209</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line (dB)	Level Factor	Loss Factor	Loss Factor	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE	1	2422.00	81.58	-----	-----	78.02	32.34	4.86	33.64	400	209	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq Level	Line (dB)	Level Factor	Loss Factor	Loss Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																																					
1	2389.18	46.11	54.00	-7.89	42.78	32.21	4.79	33.67	400	209	AVERAGE																																																																			
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq Level	Line (dB)	Level Factor	Loss Factor	Loss Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	AVERAGE																																																																					
1	2422.00	81.58	-----	-----	78.02	32.34	4.86	33.64	400	209	AVERAGE																																																																			



Mode	40																																								
	Band Edge - R																																								
	2400-2483.5_802.11 ax 40_CH3_Full_2422MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ            Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 40            Setting : MCS0 power setting 10.5            Plane : Z with Accessories            : #12 2Q3781NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.44</td> <td>54.36</td> <td>74.00</td> <td>-19.64</td> <td>50.57</td> <td>32.47</td> <td>4.93</td> <td>33.61</td> <td>400</td> <td>209</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.44	54.36	74.00	-19.64	50.57	32.47	4.93	33.61	400	209	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2487.44	54.36	74.00	-19.64	50.57	32.47	4.93	33.61	400	209	PEAK																														
Avg	<p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ            Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:0.010kHz            Mode : 40            Setting : MCS0 power setting 10.5            Plane : Z with Accessories            : #12 2Q3781NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.14</td> <td>41.64</td> <td>54.00</td> <td>-12.36</td> <td>37.85</td> <td>32.47</td> <td>4.93</td> <td>33.61</td> <td>400</td> <td>209</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2488.14	41.64	54.00	-12.36	37.85	32.47	4.93	33.61	400	209	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2488.14	41.64	54.00	-12.36	37.85	32.47	4.93	33.61	400	209	AVERAGE																														



Mode	40																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11 ax 40_CH3_Full_2422MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL Project : 272102-02 Mode : 40 SN : #12 2Q3781WF3300BF Plane : Z with Accessories setting : MCS0 power setting 10.5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th colspan="2">APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>#</th> <th>#</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>44.74</td> <td>74.00</td> <td>-29.26</td> <td>55.20</td> <td>34.66</td> <td>7.76</td> <td>52.88</td> <td>0.00</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>44.95</td> <td>74.00</td> <td>-29.05</td> <td>53.93</td> <td>36.37</td> <td>8.79</td> <td>54.14</td> <td>0.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos		TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	#	#		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	44.74	74.00	-29.26	55.20	34.66	7.76	52.88	0.00	--- --- Peak	2	7266.00	44.95	74.00	-29.05	53.93	36.37	8.79	54.14	0.00	--- --- Peak	<p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL Project : 272102-02 Mode : 40 SN : #12 2Q3781WF3300BF Plane : Z with Accessories setting : MCS0 power setting 10.5</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th colspan="2">APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>#</th> <th>#</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>43.17</td> <td>74.00</td> <td>-30.83</td> <td>53.63</td> <td>34.66</td> <td>7.76</td> <td>52.88</td> <td>0.00</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>44.90</td> <td>74.00</td> <td>-29.10</td> <td>53.88</td> <td>36.37</td> <td>8.79</td> <td>54.14</td> <td>0.00</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos		TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	#	#		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	43.17	74.00	-30.83	53.63	34.66	7.76	52.88	0.00	--- --- Peak	2	7266.00	44.90	74.00	-29.10	53.88	36.37	8.79	54.14	0.00	--- --- Peak
	Limit	Over	Read	Ant	Cable	Preamp	APos		TPos	Remark																																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	#	#																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4844.00	44.74	74.00	-29.26	55.20	34.66	7.76	52.88	0.00	--- --- Peak																																																																																																
2	7266.00	44.95	74.00	-29.05	53.93	36.37	8.79	54.14	0.00	--- --- Peak																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	APos		TPos	Remark																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	#	#																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4844.00	43.17	74.00	-30.83	53.63	34.66	7.76	52.88	0.00	--- --- Peak																																																																																																
2	7266.00	44.90	74.00	-29.10	53.88	36.37	8.79	54.14	0.00	--- --- Peak																																																																																																



<b>41</b>																																					
<b>Mode</b>	<b>Band Edge - L</b>																																				
<b>2400-2483.5_802.11 ax 40_CH6_Full_2437MHz</b>																																					
<b>ANT</b>	<b>1</b>																																				
<b>Pol.</b>	<b>Horizontal</b>																																				
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-05-26</p> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-05-26</p> </div> </div> <div style="margin-top: 10px;"> <p>Site : 03CH03-SZ              Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL              : RBW:1000.000kHz VBW:3000.000kHz              Mode : 41              Setting : MCS0 power setting 14              Plane : Z with Accessories              : #12 2Q3781NF3300BF</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.11</td> <td>59.73</td> <td>74.00</td> <td>-14.27</td> <td>56.40</td> <td>32.21</td> <td>4.79</td> <td>33.67</td> <td>224</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table> </div>	1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2388.11	59.73	74.00	-14.27	56.40	32.21	4.79	33.67	224	125	PEAK
	1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																											
1	2388.11	59.73	74.00	-14.27	56.40	32.21	4.79	33.67	224	125	PEAK																										
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-05-26</p> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-05-26</p> </div> </div> <div style="margin-top: 10px;"> <p>Site : 03CH03-SZ              Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL              : RBW:1000.000kHz VBW:0.010kHz              Mode : 41              Setting : MCS0 power setting 14              Plane : Z with Accessories              : #12 2Q3781NF3300BF</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>1</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.76</td> <td>45.71</td> <td>54.00</td> <td>-8.29</td> <td>42.37</td> <td>32.21</td> <td>4.80</td> <td>33.67</td> <td>224</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table> </div>	1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	2389.76	45.71	54.00	-8.29	42.37	32.21	4.80	33.67	224	125	AVERAGE
	1	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																											
1	2389.76	45.71	54.00	-8.29	42.37	32.21	4.80	33.67	224	125	AVERAGE																										







	<b>41</b>																																								
<b>Mode</b>	<b>Band Edge - R</b>																																								
	<b>2400-2483.5_802.11 ax 40_CH6_Full_2437MHz</b>																																								
<b>ANT</b>	<b>1</b>																																								
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																							
<b>Peak</b>	<p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ          Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 41          Setting : MCS0 power setting 14          Plane : Z with Accessories          : #12 2Q3781NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.38</td> <td>65.29</td> <td>74.00</td> <td>-8.71</td> <td>61.52</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>224</td> <td>125</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.38	65.29	74.00	-8.71	61.52	32.46	4.92	33.61	224	125	PEAK	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.38	65.29	74.00	-8.71	61.52	32.46	4.92	33.61	224	125	PEAK																														
<b>Avg</b>	<p>Date: 2023-05-26</p> <p>Site : 03CH03-SZ          Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:0.010kHz          Mode : 41          Setting : MCS0 power setting 14          Plane : Z with Accessories          : #12 2Q3781NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>50.84</td> <td>54.00</td> <td>-3.16</td> <td>47.07</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>224</td> <td>125</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	50.84	54.00	-3.16	47.07	32.46	4.92	33.61	224	125	AVERAGE	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.56	50.84	54.00	-3.16	47.07	32.46	4.92	33.61	224	125	AVERAGE																														





<b>41</b>	
<b>Mode</b>	<b>Band Edge - L</b>
<b>2400-2483.5_802.11 ax 40_CH6_Full_2437MHz</b>	
<b>ANT</b>	<b>1</b>
<b>Pol.</b>	<b>Vertical</b>
<b>Peak</b>	<b>Fundamental</b>
<b>Peak</b>	<b>Fundamental</b>
<b>Avg</b>	<b>Fundamental</b>





	<b>41</b>																																								
<b>Mode</b>	<b>Band Edge - R</b>																																								
	<b>2400-2483.5_802.11 ax 40_CH6_Full_2437MHz</b>																																								
<b>ANT</b>	<b>1</b>																																								
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																							
<b>Peak</b>	<p>Date: 2023-05-27</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site : 03CH03-SZ          Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 41          Setting : MCS0 power setting 14          Plane : Z with Accessories          : #12 2Q37B1NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.57</td> <td>62.53</td> <td>74.00</td> <td>-11.47</td> <td>58.76</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>394</td> <td>192</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.57	62.53	74.00	-11.47	58.76	32.46	4.92	33.61	394	192	PEAK	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.57	62.53	74.00	-11.47	58.76	32.46	4.92	33.61	394	192	PEAK																														
<b>Avg</b>	<p>Date: 2023-05-27</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site : 03CH03-SZ          Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:0.010kHz          Mode : 41          Setting : MCS0 power setting 14          Plane : Z with Accessories          : #12 2Q37B1NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>48.72</td> <td>54.00</td> <td>-5.28</td> <td>44.95</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>394</td> <td>192</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	48.72	54.00	-5.28	44.95	32.46	4.92	33.61	394	192	AVERAGE	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.56	48.72	54.00	-5.28	44.95	32.46	4.92	33.61	394	192	AVERAGE																														





Mode	41																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11 ax 40_CH6_Full_2437MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<p>Site : 03CH03-SZ            Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL            Project : 272102-02            Mode : 41            SN : #12 2Q3781WF3300BF            Plane : Z with Accessories            setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>43.66</td> <td>74.00</td> <td>-30.34</td> <td>54.09</td> <td>34.65</td> <td>7.77</td> <td>52.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>45.41</td> <td>74.00</td> <td>-28.59</td> <td>54.18</td> <td>36.41</td> <td>8.93</td> <td>54.11</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	43.66	74.00	-30.34	54.09	34.65	7.77	52.85	---	---	Peak	2	7311.00	45.41	74.00	-28.59	54.18	36.41	8.93	54.11	---	---	Peak	<p>Site : 03CH03-SZ            Condition: PEAK_74 3m ANT3117_0057 VERTICAL            Project : 272102-02            Mode : 41            SN : #12 2Q3781WF3300BF            Plane : Z with Accessories            setting : MCS0 power setting 14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>43.70</td> <td>74.00</td> <td>-30.30</td> <td>54.13</td> <td>34.65</td> <td>7.77</td> <td>52.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.66</td> <td>74.00</td> <td>-29.34</td> <td>53.43</td> <td>36.41</td> <td>8.93</td> <td>54.11</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	43.70	74.00	-30.30	54.13	34.65	7.77	52.85	---	---	Peak	2	7311.00	44.66	74.00	-29.34	53.43	36.41	8.93	54.11	---	---	Peak
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4874.00	43.66	74.00	-30.34	54.09	34.65	7.77	52.85	---	---	Peak																																																																																															
2	7311.00	45.41	74.00	-28.59	54.18	36.41	8.93	54.11	---	---	Peak																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	4874.00	43.70	74.00	-30.30	54.13	34.65	7.77	52.85	---	---	Peak																																																																																															
2	7311.00	44.66	74.00	-29.34	53.43	36.41	8.93	54.11	---	---	Peak																																																																																															



		42																																																																
Mode	Band Edge - L																																																																	
	2400-2483.5_802.11 ax 40_CH9_Full_2452MHz																																																																	
ANT	1																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	<p>Date: 2023-05-27</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 42 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2340.67 53.54 74.00 -20.46</td> <td>50.40</td> <td>32.09</td> <td>4.75</td> <td>33.70</td> <td>102</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2340.67 53.54 74.00 -20.46	50.40	32.09	4.75	33.70	102	130	PEAK	<p>Date: 2023-05-27</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 42 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2452.00 100.61</td> <td>97.03</td> <td>32.35</td> <td>4.87</td> <td>33.64</td> <td>102</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2452.00 100.61	97.03	32.35	4.87	33.64	102	130	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2340.67 53.54 74.00 -20.46	50.40	32.09	4.75	33.70	102	130	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2452.00 100.61	97.03	32.35	4.87	33.64	102	130	PEAK																																																											
Avg	<p>Date: 2023-05-27</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 42 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2388.53 41.44 54.00 -12.56</td> <td>38.11</td> <td>32.21</td> <td>4.79</td> <td>33.67</td> <td>102</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2388.53 41.44 54.00 -12.56	38.11	32.21	4.79	33.67	102	130	AVERAGE	<p>Date: 2023-05-27</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 42 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2452.00 89.18</td> <td>85.58</td> <td>32.36</td> <td>4.87</td> <td>33.63</td> <td>102</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2452.00 89.18	85.58	32.36	4.87	33.63	102	130	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2388.53 41.44 54.00 -12.56	38.11	32.21	4.79	33.67	102	130	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2452.00 89.18	85.58	32.36	4.87	33.63	102	130	AVERAGE																																																											



	<b>42</b>																																								
<b>Mode</b>	<b>Band Edge - R</b>																																								
	<b>2400-2483.5_802.11 ax 40_CH9_Full_2452MHz</b>																																								
<b>ANT</b>	<b>1</b>																																								
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																							
<b>Peak</b>	 <p style="text-align: right;">Date: 2023-05-27</p> <p>Site : 03CH03-SZ          Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 42          Setting : MCS0 power setting 10.5          Plane : Z with Accessories          : #12 2Q3781NF33000F</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.80</td> <td>64.70</td> <td>74.00</td> <td>-9.30</td> <td>60.92</td> <td>32.47</td> <td>4.92</td> <td>33.61</td> <td>102</td> <td>130</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.80	64.70	74.00	-9.30	60.92	32.47	4.92	33.61	102	130	PEAK	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2486.80	64.70	74.00	-9.30	60.92	32.47	4.92	33.61	102	130	PEAK																														
<b>Avg</b>	 <p style="text-align: right;">Date: 2023-05-27</p> <p>Site : 03CH03-SZ          Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:0.010kHz          Mode : 42          Setting : MCS0 power setting 10.5          Plane : Z with Accessories          : #12 2Q3781NF33000F</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>51.66</td> <td>54.00</td> <td>-2.34</td> <td>47.89</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>102</td> <td>130</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	51.66	54.00	-2.34	47.89	32.46	4.92	33.61	102	130	AVERAGE	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.54	51.66	54.00	-2.34	47.89	32.46	4.92	33.61	102	130	AVERAGE																														



		42																																																																														
Mode	Band Edge - L																																																																															
	2400-2483.5_802.11 ax 40_CH9_Full_2452MHz																																																																															
ANT	1																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-05-27</p>	<p style="text-align: right;">Date: 2023-05-27</p>																																																																														
	<p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 42 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2324.77</td> <td>55.82</td> <td>74.00</td> <td>-18.18</td> <td>52.76</td> <td>32.04</td> <td>4.73</td> <td>33.71</td> <td>394</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2324.77	55.82	74.00	-18.18	52.76	32.04	4.73	33.71	394	189	PEAK	<p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 42 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>97.27</td> <td>-----</td> <td>-----</td> <td>93.67</td> <td>32.36</td> <td>4.87</td> <td>33.63</td> <td>394</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	97.27	-----	-----	93.67	32.36	4.87	33.63	394	189
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2324.77	55.82	74.00	-18.18	52.76	32.04	4.73	33.71	394	189	PEAK																																																																					
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2452.00	97.27	-----	-----	93.67	32.36	4.87	33.63	394	189	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2023-05-27</p>	<p style="text-align: right;">Date: 2023-05-27</p>																																																																														
	<p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 42 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2316.53</td> <td>41.45</td> <td>54.00</td> <td>-12.55</td> <td>38.42</td> <td>32.02</td> <td>4.72</td> <td>33.71</td> <td>394</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2316.53	41.45	54.00	-12.55	38.42	32.02	4.72	33.71	394	189	AVERAGE	<p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 42 Setting : MCS0 power setting 10.5 Plane : Z with Accessories : #12 2Q3781NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>85.97</td> <td>-----</td> <td>-----</td> <td>82.27</td> <td>32.42</td> <td>4.90</td> <td>33.62</td> <td>394</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	85.97	-----	-----	82.27	32.42	4.90	33.62	394	189
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2316.53	41.45	54.00	-12.55	38.42	32.02	4.72	33.71	394	189	AVERAGE																																																																					
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2452.00	85.97	-----	-----	82.27	32.42	4.90	33.62	394	189	AVERAGE																																																																					



	42																																								
Mode	Band Edge - R																																								
	2400-2483.5_802.11 ax 40_CH9_Full_2452MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-05-27</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ            Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 42            Setting : MCS0 power setting 10.5            Plane : Z with Accessories            : #12 2Q3781NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.22</td> <td>62.31</td> <td>74.00</td> <td>-11.69</td> <td>58.54</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>394</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2485.22	62.31	74.00	-11.69	58.54	32.46	4.92	33.61	394	189	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2485.22	62.31	74.00	-11.69	58.54	32.46	4.92	33.61	394	189	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-05-27</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ            Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:0.010kHz            Mode : 42            Setting : MCS0 power setting 10.5            Plane : Z with Accessories            : #12 2Q3781NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.83</td> <td>49.57</td> <td>54.00</td> <td>-4.43</td> <td>45.80</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>394</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.83	49.57	54.00	-4.43	45.80	32.46	4.92	33.61	394	189	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.83	49.57	54.00	-4.43	45.80	32.46	4.92	33.61	394	189	AVERAGE																														



Mode	42																																																																																	
	Harmonic																																																																																	
	2400-2483.5_802.11 ax 40_CH9_Full_2452MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL Project : 272102-02 Mode : 42 SN : #12 2Q3781WF3300BF Plane : Z with Accessories setting : MCS0 power setting 10.5</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>42.25</td> <td>74.00</td> <td>-31.75</td> <td>52.64</td> <td>34.64</td> <td>7.78</td> <td>52.81</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>44.75</td> <td>74.00</td> <td>-29.25</td> <td>53.31</td> <td>36.46</td> <td>9.07</td> <td>54.09</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4904.00	42.25	74.00	-31.75	52.64	34.64	7.78	52.81	--- --- Peak	2	7356.00	44.75	74.00	-29.25	53.31	36.46	9.07	54.09	--- --- Peak	<p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL Project : 272102-02 Mode : 42 SN : #12 2Q3781WF3300BF Plane : Z with Accessories setting : MCS0 power setting 10.5</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>42.68</td> <td>74.00</td> <td>-31.32</td> <td>53.07</td> <td>34.64</td> <td>7.78</td> <td>52.81</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>44.48</td> <td>74.00</td> <td>-29.52</td> <td>53.04</td> <td>36.46</td> <td>9.07</td> <td>54.09</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss Factor	cm	deg		1	4904.00	42.68	74.00	-31.32	53.07	34.64	7.78	52.81	--- --- Peak	2	7356.00	44.48	74.00	-29.52	53.04	36.46	9.07	54.09	--- --- Peak
		Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																										
1	4904.00	42.25	74.00	-31.75	52.64	34.64	7.78	52.81	--- --- Peak																																																																									
2	7356.00	44.75	74.00	-29.25	53.31	36.46	9.07	54.09	--- --- Peak																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss Factor	cm	deg																																																																										
1	4904.00	42.68	74.00	-31.32	53.07	34.64	7.78	52.81	--- --- Peak																																																																									
2	7356.00	44.48	74.00	-29.52	53.04	36.46	9.07	54.09	--- --- Peak																																																																									





<b>43</b>																																	
<b>Mode</b>	<b>Band Edge - L</b>																																
<b>2400-2483.5_802.11 ax 40_CH10_Full_2457MHz</b>																																	
<b>ANT</b>	<b>1</b>																																
<b>Pol.</b>	<b>Horizontal</b>																																
<b>Peak</b>	<p style="text-align: right;">Date: 2023-05-16</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 43 Setting : MCS0 power setting 8 Plane : Z with Accessories : #9 2q37b1wF3j002z</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2358.80 53.24 74.00 -20.76</td> <td>50.04</td> <td>32.13</td> <td>4.76</td> <td>33.69</td> <td>279</td> <td>124</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2358.80 53.24 74.00 -20.76	50.04	32.13	4.76	33.69	279	124	PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																														
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 2358.80 53.24 74.00 -20.76	50.04	32.13	4.76	33.69	279	124	PEAK																										
<p style="text-align: right;">Date: 2023-05-16</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 43 Setting : MCS0 power setting 8 Plane : Z with Accessories : #9 2q37b1wF3j002z</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2457.00 95.75 -----</td> <td>92.04</td> <td>32.43</td> <td>4.90</td> <td>33.62</td> <td>279</td> <td>124</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2457.00 95.75 -----	92.04	32.43	4.90	33.62	279	124	PEAK	
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																														
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 2457.00 95.75 -----	92.04	32.43	4.90	33.62	279	124	PEAK																										
<b>Avg</b>	<p style="text-align: right;">Date: 2023-05-16</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 43 Setting : MCS0 power setting 8 Plane : Z with Accessories : #9 2q37b1wF3j002z</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2386.88 40.90 54.00 -13.10</td> <td>37.57</td> <td>32.21</td> <td>4.79</td> <td>33.67</td> <td>279</td> <td>124</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2386.88 40.90 54.00 -13.10	37.57	32.21	4.79	33.67	279	124	AVERAGE
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																														
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 2386.88 40.90 54.00 -13.10	37.57	32.21	4.79	33.67	279	124	AVERAGE																										
<p style="text-align: right;">Date: 2023-05-16</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 43 Setting : MCS0 power setting 8 Plane : Z with Accessories : #9 2q37b1wF3j002z</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2457.00 86.28 -----</td> <td>82.68</td> <td>32.36</td> <td>4.87</td> <td>33.63</td> <td>279</td> <td>124</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2457.00 86.28 -----	82.68	32.36	4.87	33.63	279	124	AVERAGE	
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																										
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																														
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																											
1 2457.00 86.28 -----	82.68	32.36	4.87	33.63	279	124	AVERAGE																										



	43																																								
Mode	Band Edge - R																																								
	2400-2483.5_802.11 ax 40_CH10_Full_2457MHz																																								
ANT	1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-05-16</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ          Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 43          Setting : MCS0 power setting 0          Plane : Z with Accessories          : #9 2q37b1wF3j002z</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.92</td> <td>65.47</td> <td>74.00</td> <td>-8.53</td> <td>61.70</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>279</td> <td>124</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	65.47	74.00	-8.53	61.70	32.46	4.92	33.61	279	124	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.92	65.47	74.00	-8.53	61.70	32.46	4.92	33.61	279	124	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-05-16</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ          Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL          : RBW:1000.000kHz VBW:0.010kHz          Mode : 43          Setting : MCS0 power setting 0          Plane : Z with Accessories          : #9 2q37b1wF3j002z</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.59</td> <td>51.24</td> <td>54.00</td> <td>-2.76</td> <td>47.47</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>279</td> <td>124</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.59	51.24	54.00	-2.76	47.47	32.46	4.92	33.61	279	124	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.59	51.24	54.00	-2.76	47.47	32.46	4.92	33.61	279	124	AVERAGE																														



	<b>43</b>																																																																	
<b>Mode</b>	<b>Band Edge - L</b>																																																																	
	<b>2400-2483.5_802.11 ax 40_CH10_Full_2457MHz</b>																																																																	
<b>ANT</b>	<b>1</b>																																																																	
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																
<b>Peak</b>	<p>Date: 2023-05-16</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 43 Setting : MCS0 power setting 8 Plane : Z with Accessories : #9 2q37b1wf3j002z</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2389.97 53.00 74.00 -21.00</td> <td>49.66</td> <td>32.21</td> <td>4.80</td> <td>33.67</td> <td>388</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2389.97 53.00 74.00 -21.00	49.66	32.21	4.80	33.67	388	155	PEAK	<p>Date: 2023-05-16</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 43 Setting : MCS0 power setting 8 Plane : Z with Accessories : #9 2q37b1wf3j002z</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2457.00 92.39</td> <td>88.68</td> <td>32.43</td> <td>4.90</td> <td>33.62</td> <td>388</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2457.00 92.39	88.68	32.43	4.90	33.62	388	155	PEAK
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2389.97 53.00 74.00 -21.00	49.66	32.21	4.80	33.67	388	155	PEAK																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2457.00 92.39	88.68	32.43	4.90	33.62	388	155	PEAK																																																											
<b>Avg</b>	<p>Date: 2023-05-16</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 43 Setting : MCS0 power setting 8 Plane : Z with Accessories : #9 2q37b1wf3j002z</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2379.68 40.67 54.00 -13.33</td> <td>37.36</td> <td>32.19</td> <td>4.79</td> <td>33.67</td> <td>388</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2379.68 40.67 54.00 -13.33	37.36	32.19	4.79	33.67	388	155	AVERAGE	<p>Date: 2023-05-16</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 VERTICAL : RBW:1000.000kHz VBW:0.010kHz Mode : 43 Setting : MCS0 power setting 8 Plane : Z with Accessories : #9 2q37b1wf3j002z</p> <table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2457.00 82.89</td> <td>79.17</td> <td>32.43</td> <td>4.91</td> <td>33.62</td> <td>388</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor					MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2457.00 82.89	79.17	32.43	4.91	33.62	388	155	AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2379.68 40.67 54.00 -13.33	37.36	32.19	4.79	33.67	388	155	AVERAGE																																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq Level Line (dB)	Level Factor	Loss Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1 2457.00 82.89	79.17	32.43	4.91	33.62	388	155	AVERAGE																																																											







	43																																								
Mode	Band Edge - R																																								
	2400-2483.5_802.11 ax 40_CH10_Full_2457MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-05-16</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ          Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:3000.000kHz          Mode : 43          Setting : MCS0 power setting 0          Plane : Z with Accessories          : #9 2q37b1wF3j002z</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>61.11</td> <td>74.00</td> <td>-12.89</td> <td>57.34</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>388</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	61.11	74.00	-12.89	57.34	32.46	4.92	33.61	388	155	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.54	61.11	74.00	-12.89	57.34	32.46	4.92	33.61	388	155	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-05-16</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ          Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL          : RBW:1000.000kHz VBW:0.010kHz          Mode : 43          Setting : MCS0 power setting 0          Plane : Z with Accessories          : #9 2q37b1wF3j002z</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>46.87</td> <td>54.00</td> <td>-7.13</td> <td>43.10</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>388</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	46.87	54.00	-7.13	43.10	32.46	4.92	33.61	388	155	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.58	46.87	54.00	-7.13	43.10	32.46	4.92	33.61	388	155	AVERAGE																														



Mode	43																																																																																											
	Harmonic																																																																																											
	2400-2483.5_802.11 ax 40_CH10_Full_2457MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<p>Site : 03CH03-SZ            Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL            Project : 272102-02            Mode : 43            SN : #9 2q37b1wf3j002z            Plane : Z with Accessories            setting : MCS0 power setting 8</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>43.28</td> <td>74.00</td> <td>-30.72</td> <td>53.66</td> <td>34.63</td> <td>7.79</td> <td>52.80 --- --- Peak</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>44.66</td> <td>74.00</td> <td>-29.34</td> <td>53.15</td> <td>36.47</td> <td>9.12</td> <td>54.08 --- --- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm deg	1	4914.00	43.28	74.00	-30.72	53.66	34.63	7.79	52.80 --- --- Peak	2	7371.00	44.66	74.00	-29.34	53.15	36.47	9.12	54.08 --- --- Peak	<p>Site : 03CH03-SZ            Condition: PEAK_74 3m ANT3117_0057 VERTICAL            Project : 272102-02            Mode : 43            SN : #9 2q37b1wf3j002z            Plane : Z with Accessories            setting : MCS0 power setting 8</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>42.92</td> <td>74.00</td> <td>-31.08</td> <td>53.30</td> <td>34.63</td> <td>7.79</td> <td>52.80 --- --- Peak</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>44.54</td> <td>74.00</td> <td>-29.46</td> <td>53.03</td> <td>36.47</td> <td>9.12</td> <td>54.08 --- --- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm deg	1	4914.00	42.92	74.00	-31.08	53.30	34.63	7.79	52.80 --- --- Peak	2	7371.00	44.54	74.00	-29.46	53.03	36.47	9.12	54.08 --- --- Peak
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm deg																																																																																				
1	4914.00	43.28	74.00	-30.72	53.66	34.63	7.79	52.80 --- --- Peak																																																																																				
2	7371.00	44.66	74.00	-29.34	53.15	36.47	9.12	54.08 --- --- Peak																																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm deg																																																																																				
1	4914.00	42.92	74.00	-31.08	53.30	34.63	7.79	52.80 --- --- Peak																																																																																				
2	7371.00	44.54	74.00	-29.46	53.03	36.47	9.12	54.08 --- --- Peak																																																																																				



		<b>44</b>																																																																																
<b>Mode</b>	<b>Band Edge - L</b>																																																																																	
	<b>2400-2483.5_802.11 ax 40_CH11_Full_2462MHz</b>																																																																																	
<b>ANT</b>	<b>1</b>																																																																																	
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																
<b>Peak</b>	 <p>Date: 2023-05-27</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 44 Setting : MCS0 power setting -1 Plane : Z with Accessories : #12 2Q37B1NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2368.82</td> <td>53.61</td> <td>74.00</td> <td>-20.39</td> <td>50.36</td> <td>32.16</td> <td>4.77</td> <td>33.68</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2368.82	53.61	74.00	-20.39	50.36	32.16	4.77	33.68	200	138	PEAK	 <p>Date: 2023-05-27</p> <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 44 Setting : MCS0 power setting -1 Plane : Z with Accessories : #12 2Q37B1NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>91.45</td> <td>-----</td> <td>-----</td> <td>87.74</td> <td>32.43</td> <td>4.90</td> <td>33.62</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	91.45	-----	-----	87.74	32.43	4.90	33.62	200	138	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2368.82	53.61	74.00	-20.39	50.36	32.16	4.77	33.68	200	138	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	91.45	-----	-----	87.74	32.43	4.90	33.62	200	138	PEAK																																																																							
<b>Avg</b>	 <p>Date: 2023-05-27</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 44 Setting : MCS0 power setting -1 Plane : Z with Accessories : #12 2Q37B1NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.30</td> <td>41.17</td> <td>54.00</td> <td>-12.83</td> <td>37.85</td> <td>32.20</td> <td>4.79</td> <td>33.67</td> <td>200</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2386.30	41.17	54.00	-12.83	37.85	32.20	4.79	33.67	200	138	AVERAGE	 <p>Date: 2023-05-27</p> <p>Site : 03CH03-SZ Condition: AVG_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 44 Setting : MCS0 power setting -1 Plane : Z with Accessories : #12 2Q37B1NF3300BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th></th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>80.16</td> <td>-----</td> <td>-----</td> <td>76.44</td> <td>32.43</td> <td>4.91</td> <td>33.62</td> <td>200</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	80.16	-----	-----	76.44	32.43	4.91	33.62	200	138	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2386.30	41.17	54.00	-12.83	37.85	32.20	4.79	33.67	200	138	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	80.16	-----	-----	76.44	32.43	4.91	33.62	200	138	AVERAGE																																																																							







	<b>44</b>																																								
<b>Mode</b>	<b>Band Edge - R</b>																																								
	<b>2400-2483.5_802.11 ax 40_CH11_Full_2462MHz</b>																																								
<b>ANT</b>	<b>1</b>																																								
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																							
<b>Peak</b>	<p style="text-align: right;">Date: 2023-05-27</p> <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>2452 2461.6 2471.2 2480.8 2490.4 2500</p> <p style="text-align: center;">Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site : 03CH03-SZ Condition: PEAK_BE_74 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz Mode : 44 Setting : MCS0 power setting -1 Plane : Z with Accessories : #12 2Q3781NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>71.57</td> <td>74.00</td> <td>-2.43</td> <td>67.80</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>200</td> <td>138</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	71.57	74.00	-2.43	67.80	32.46	4.92	33.61	200	138	PEAK	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.68	71.57	74.00	-2.43	67.80	32.46	4.92	33.61	200	138	PEAK																														
<b>Avg</b>	<p style="text-align: right;">Date: 2023-05-27</p> <p>Level (dBuV/m)</p> <p>130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0</p> <p>2452 2461.6 2471.2 2480.8 2490.4 2500</p> <p style="text-align: center;">Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site : 03CH03-SZ Condition: AVG_BE_54 3m ANT3117_0057 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz Mode : 44 Setting : MCS0 power setting -1 Plane : Z with Accessories : #12 2Q3781NF33000F</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>51.81</td> <td>54.00</td> <td>-2.19</td> <td>48.04</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>200</td> <td>138</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	51.81	54.00	-2.19	48.04	32.46	4.92	33.61	200	138	AVERAGE	<b>Blank</b>
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.54	51.81	54.00	-2.19	48.04	32.46	4.92	33.61	200	138	AVERAGE																														



Mode	44	
	Band Edge - L	
	2400-2483.5_802.11 ax 40_CH11_Full_2462MHz	
ANT	1	

Pol.	Vertical	Fundamental
------	----------	-------------









	44																																								
Mode	Band Edge - R																																								
	2400-2483.5_802.11 ax 40_CH11_Full_2462MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<p style="text-align: right;">Date: 2023-05-27</p> <p style="text-align: right;">PEAK_BE_74</p> <p>Site : 03CH03-SZ            Condition: PEAK_BE_74 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:3000.000kHz            Mode : 44            Setting : MCS0 power setting -1            Plane : Z with Accessories            : #12 2Q37B1NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(db)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>69.58</td> <td>74.00</td> <td>-4.42</td> <td>65.81</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>323</td> <td>171</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(db)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	69.58	74.00	-4.42	65.81	32.46	4.92	33.61	323	171	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	(db)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.54	69.58	74.00	-4.42	65.81	32.46	4.92	33.61	323	171	PEAK																														
Avg	<p style="text-align: right;">Date: 2023-05-27</p> <p style="text-align: right;">AVG_BE_54</p> <p>Site : 03CH03-SZ            Condition: AVG_BE_54 3m ANT3117_0057 VERTICAL            : RBW:1000.000kHz VBW:0.010kHz            Mode : 44            Setting : MCS0 power setting -1            Plane : Z with Accessories            : #12 2Q37B1NF3100BF</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(db)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>49.74</td> <td>54.00</td> <td>-4.26</td> <td>45.97</td> <td>32.46</td> <td>4.92</td> <td>33.61</td> <td>323</td> <td>171</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(db)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	49.74	54.00	-4.26	45.97	32.46	4.92	33.61	323	171	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(db)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.54	49.74	54.00	-4.26	45.97	32.46	4.92	33.61	323	171	AVERAGE																														



Mode	44																																																																																											
	Harmonic																																																																																											
	2400-2483.5_802.11 ax 40_CH11_Full_2462MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak	 <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 HORIZONTAL Project : 272102-02 Mode : 44 SN : #9 2q37b1wf3j002z Plane : Z with Accessories setting : MCS0 power setting -1</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.21</td> <td>74.00</td> <td>-30.79</td> <td>53.58</td> <td>34.63</td> <td>7.79</td> <td>52.79 --- --- Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.66</td> <td>74.00</td> <td>-29.34</td> <td>53.07</td> <td>36.49</td> <td>9.17</td> <td>54.07 --- --- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm deg	1	4924.00	43.21	74.00	-30.79	53.58	34.63	7.79	52.79 --- --- Peak	2	7386.00	44.66	74.00	-29.34	53.07	36.49	9.17	54.07 --- --- Peak	 <p>Site : 03CH03-SZ Condition: PEAK_74 3m ANT3117_0057 VERTICAL Project : 272102-02 Mode : 44 SN : #9 2q37b1wf3j002z Plane : Z with Accessories setting : MCS0 power setting -1</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>(dB)</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.78</td> <td>74.00</td> <td>-30.22</td> <td>54.15</td> <td>34.63</td> <td>7.79</td> <td>52.79 --- --- Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>46.21</td> <td>74.00</td> <td>-27.79</td> <td>54.62</td> <td>36.49</td> <td>9.17</td> <td>54.07 --- --- Peak</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm deg	1	4924.00	43.78	74.00	-30.22	54.15	34.63	7.79	52.79 --- --- Peak	2	7386.00	46.21	74.00	-27.79	54.62	36.49	9.17	54.07 --- --- Peak
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm deg																																																																																				
1	4924.00	43.21	74.00	-30.79	53.58	34.63	7.79	52.79 --- --- Peak																																																																																				
2	7386.00	44.66	74.00	-29.34	53.07	36.49	9.17	54.07 --- --- Peak																																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm deg																																																																																				
1	4924.00	43.78	74.00	-30.22	54.15	34.63	7.79	52.79 --- --- Peak																																																																																				
2	7386.00	46.21	74.00	-27.79	54.62	36.49	9.17	54.07 --- --- Peak																																																																																				
Avg																																																																																												



47



LF

802.11 g

1

Horizontal

Vertical



Site : 03CH03-SZ  
 Condition : FCC CLASS-B 3m LF\_ANT35408 HORIZONTAL  
 Mode : 47  
 Plane : Z with Accessories  
 : #26 2Q37B2DF47004P

Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	30.00	24.74	-15.26	40.00	31.21	24.90	0.53	31.90	---	---	Peak
2	139.61	19.21	-24.29	43.50	31.88	17.60	1.21	31.48	---	---	Peak
3	222.94	24.76	-21.24	46.00	34.00	19.80	1.80	31.00	---	---	Peak
4	486.87	28.41	-19.59	46.00	31.41	23.53	2.30	30.83	---	---	Peak
5	707.06	29.12	-16.88	46.00	32.06	25.19	2.77	30.90	---	---	Peak
6	934.04	29.82	-16.18	46.00	30.50	27.01	3.21	30.90	---	---	Peak

Site : 03CH03-SZ  
 Condition : FCC CLASS-B 3m LF\_ANT35408 VERTICAL  
 Mode : 47  
 Plane : Z with Accessories  
 : #26 2Q37B2DF47004P


Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	
1	30.97	24.47	-15.53	40.00	31.39	24.37	0.54	31.83	---	---	Peak
2	148.34	18.26	-25.24	43.50	31.43	17.00	1.24	31.41	---	---	Peak
3	255.04	24.23	-21.77	46.00	34.50	19.18	1.66	31.19	---	---	Peak
4	452.92	28.54	-17.46	46.00	34.36	22.86	2.21	30.89	---	---	Peak
5	517.91	30.64	-15.36	46.00	35.13	23.97	2.38	30.84	---	---	Peak
6	857.41	30.62	-15.38	46.00	31.99	26.57	3.07	31.01	---	---	Peak



### Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	98.97	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz

#### 802.11b






### 802.11g



### 802.11ax HE20





802.11ax HE40

