

H11 Digital Canvas



Copyright © 2020 VIDERI Inc. All rights reserved. Rev.01 12/17/20 H11 Digital Canvas

VIDERI

H11 Digital Canvas

P/N	VEM010WMNMA6A
Mechanical Outline	6.4" x 9.7" x 0.35" (160 mm x 246 mm x 11mm)
Weight	1.2 lbs (562 g)
Charging Ports	USB type C
Input Voltage	5V @ 2.4A
Battery	Polymer Lithium
Certification	FCC Class B, CE, CB

IMPORTANT

This handbook contains important security measures and the correct use of the product information, in order to avoid accidents. Please make sure to read the manual carefully before the use of the device.

- This product is designed to be charged using the H11 6-Canvas Charging Station.
- Press power button for 2 seconds to power ON.
- Attempting to power ON this product with a low charge may create permanent damage to the software.

WARNING

- Do not use the H11 Digital Canvas in high temperatures, high moisture, or dusty environments.
- Connect the H11 Digital Canvas to the Charging Station when one of the following conditions is encountered:
- The system automatically shut off.
- · Power button has no response.
- USB Type C port must be used for charging ONLY. Any other use will void the warranty.

WARRANTY

This product is covered by a one year non-transferable limited warranty. Videri is not responsible for any loss of data in case of damage or resulting from repair.

Exclusions:

- Normal wear and tear.
- Abuse and misuse.
- Unauthorized servicing or modification.
- Product with broken seals
- Product with evidence of tampering
- Product with physical damage due to neglect (cracks, scratches, etc.)
- Product in contact with liquid, rain, extreme humidity, sand dirt and the like, extreme heat or food.
- If the equipment is intended to be fastened in place, the instructions shall explain how to securely fasten the equipment.

Copyright © 2020 VIDERI Inc. All rights reserved. Rev.01 12/17/20 H11 Digital Canvas

Copyright © 2020 VIDERI Inc. All rights reserved. Rev.01 12/17/20 H11 Digital Canvas

Copyright © 2020 VIDERI Inc. All rights reserved. Rev.01 12/17/20 H11 Digital Canvas

FCC RF Exposure Information and Statement

This device meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independentscientific organizations through periodic and thorough evaluation ofscientific studies. The standards include a substantial safety margindesigned to assure the safety of all persons regardless of age or health. The SAR limit of USA (FCC) is 1.6 W/kg averaged. Device types: H11 (FCC ID: 2AYPD-H11) has also been tested against this SAR limit. SARinformation on this and other pad can be viewed on-line athttp://www.fcc.gov/oet/ea/fccid/. Please use the device FCC ID number for search. This device was tested simulation typical 0mm to body. Tomaintain compliance with FCC RF exposure requirements, use accessories should maintain a separation distance between the user's bodies mentioned above, theuse of holsters and similar accessories should not contain metalliccomponents in its assembly, the use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should beavoided.

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE 1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.

-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. -Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Copyright © 2020 VIDERI Inc. All rights reserved. Rev.01 12/17/20 H11 Digital Canvas

Copyright © 2020 VIDERI Inc. All rights reserved. Rev.01 12/17/20 H11 Digital Canvas

Copyright © 2020 VIDERI Inc. All rights reserved. Rev.01 12/17/20 H11 Digital Canvas