

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.600	38.39	-17.50	74.0	-35.61	Peak	360.00	200	Horizontal	Pass
1**	1540.600	28.94	-17.50	54.0	-25.06	AV	360.00	200	Horizontal	Pass
2	4340.400	49.15	-4.59	74.0	-24.85	Peak	241.00	200	Horizontal	Pass
2**	4340.400	39.64	-4.59	54.0	-14.36	AV	241.00	200	Horizontal	Pass
3	5311.600	96.47	-2.61	--	--	Peak	153.00	200	Horizontal	N/A
3**	5311.600	88.87	-2.61	--	--	AV	153.00	200	Horizontal	N/A
4	7355.350	50.32	-3.50	74.0	-23.68	Peak	65.00	100	Horizontal	Pass
4**	7355.350	41.13	-3.50	54.0	-12.87	AV	65.00	100	Horizontal	Pass
5	11226.250	51.72	-0.06	74.0	-22.28	Peak	238.00	200	Horizontal	Pass
5**	11226.250	42.78	-0.06	54.0	-11.22	AV	238.00	200	Horizontal	Pass
6	15846.187	53.71	1.92	74.0	-20.29	Peak	244.00	100	Horizontal	Pass
6**	15846.187	44.57	1.92	54.0	-9.43	AV	244.00	100	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.700	38.37	-17.39	74.0	-35.63	Peak	360.00	200	Vertical	Pass
1**	1493.700	30.71	-17.39	54.0	-23.29	AV	360.00	200	Vertical	Pass
2	4218.200	49.00	-5.03	74.0	-25.00	Peak	145.00	100	Vertical	Pass
2**	4218.200	39.85	-5.03	54.0	-14.15	AV	145.00	100	Vertical	Pass
3	5312.000	87.24	-2.60	--	--	Peak	301.00	200	Vertical	N/A
3**	5312.000	79.80	-2.60	--	--	AV	301.00	200	Vertical	N/A
4	7377.487	49.77	-3.76	74.0	-24.23	Peak	327.00	400	Vertical	Pass
4**	7377.487	41.33	-3.76	54.0	-12.67	AV	327.00	400	Vertical	Pass
5	12216.688	51.91	1.60	74.0	-22.09	Peak	275.00	200	Vertical	Pass
5**	12216.688	42.93	1.60	54.0	-11.07	AV	275.00	200	Vertical	Pass
6	15837.525	53.56	2.01	74.0	-20.44	Peak	163.00	100	Vertical	Pass
6**	15837.525	45.07	2.01	54.0	-8.93	AV	163.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.400	38.22	-17.63	74.0	-35.78	Peak	343.00	150	Horizontal	Pass
1**	1504.400	28.26	-17.63	54.0	-25.74	AV	343.00	150	Horizontal	Pass
2	4336.800	49.44	-4.46	74.0	-24.56	Peak	360.00	150	Horizontal	Pass
2**	4336.800	39.93	-4.46	54.0	-14.07	AV	360.00	150	Horizontal	Pass
3	5258.600	97.36	-2.66	--	--	Peak	155.00	100	Horizontal	N/A
3**	5258.600	90.32	-2.66	--	--	AV	155.00	100	Horizontal	N/A
4	7358.513	50.30	-3.46	74.0	-23.70	Peak	94.00	300	Horizontal	Pass
4**	7358.513	40.21	-3.46	54.0	-13.79	AV	94.00	300	Horizontal	Pass
5	10819.151	51.72	0.92	74.0	-22.28	Peak	291.00	150	Horizontal	Pass
5**	10819.151	42.08	0.92	54.0	-11.92	AV	291.00	150	Horizontal	Pass
6	16102.125	53.50	1.69	74.0	-20.50	Peak	211.00	100	Horizontal	Pass
6**	16102.125	44.17	1.69	54.0	-9.83	AV	211.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.600	39.09	-17.71	74.0	-34.91	Peak	320.00	100	Vertical	Pass
1**	1515.600	28.67	-17.71	54.0	-25.33	AV	320.00	100	Vertical	Pass
2	4214.200	49.25	-4.99	74.0	-24.75	Peak	38.00	200	Vertical	Pass
2**	4214.200	39.96	-4.99	54.0	-14.04	AV	38.00	200	Vertical	Pass
3	5261.200	88.83	-2.66	--	--	Peak	59.00	150	Vertical	N/A
3**	5261.200	82.35	-2.66	--	--	AV	59.00	150	Vertical	N/A
4	7327.175	49.91	-3.03	74.0	-24.09	Peak	278.00	100	Vertical	Pass
4**	7327.175	40.25	-3.03	54.0	-13.75	AV	278.00	100	Vertical	Pass
5	10934.150	51.63	0.24	74.0	-22.37	Peak	345.00	200	Vertical	Pass
5**	10934.150	42.37	0.24	54.0	-11.63	AV	345.00	200	Vertical	Pass
6	15857.212	52.70	1.60	74.0	-21.30	Peak	360.00	300	Vertical	Pass
6**	15857.212	44.28	1.60	54.0	-9.72	AV	360.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1451.200	39.16	-17.39	74.0	-34.84	Peak	79.00	100	Horizontal	Pass
1**	1451.200	28.98	-17.39	54.0	-25.02	AV	79.00	100	Horizontal	Pass
2	4352.600	49.58	-3.94	74.0	-24.42	Peak	147.00	100	Horizontal	Pass
2**	4352.600	39.60	-3.94	54.0	-14.40	AV	147.00	100	Horizontal	Pass
3	5298.600	97.49	-3.14	--	--	Peak	147.00	150	Horizontal	N/A
3**	5298.600	90.10	-3.14	--	--	AV	147.00	150	Horizontal	N/A
4	7359.088	50.00	-3.46	74.0	-24.00	Peak	135.00	300	Horizontal	Pass
4**	7359.088	41.16	-3.46	54.0	-12.84	AV	135.00	300	Horizontal	Pass
5	11023.563	52.50	-0.26	74.0	-21.50	Peak	174.00	100	Horizontal	Pass
5**	11023.563	42.97	-0.26	54.0	-11.03	AV	174.00	100	Horizontal	Pass
6	15847.500	53.64	1.91	74.0	-20.36	Peak	126.00	150	Horizontal	Pass
6**	15847.500	44.76	1.91	54.0	-9.24	AV	126.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.100	38.91	-17.52	74.0	-35.09	Peak	55.00	400	Vertical	Pass
1**	1531.100	29.22	-17.52	54.0	-24.78	AV	55.00	400	Vertical	Pass
2	3941.200	49.54	-5.24	74.0	-24.46	Peak	310.00	200	Vertical	Pass
2**	3941.200	39.12	-5.24	54.0	-14.88	AV	310.00	200	Vertical	Pass
3	5301.000	88.75	-3.25	--	--	Peak	298.00	100	Vertical	N/A
3**	5301.000	80.81	-3.25	--	--	AV	298.00	100	Vertical	N/A
4	7361.388	50.21	-3.54	74.0	-23.79	Peak	161.00	100	Vertical	Pass
4**	7361.388	40.34	-3.54	54.0	-13.66	AV	161.00	100	Vertical	Pass
5	12223.588	51.92	1.69	74.0	-22.08	Peak	360.00	200	Vertical	Pass
5**	12223.588	42.94	1.69	54.0	-11.06	AV	360.00	200	Vertical	Pass
6	15837.263	53.66	2.00	74.0	-20.34	Peak	301.00	300	Vertical	Pass
6**	15837.263	45.19	2.00	54.0	-8.81	AV	301.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.900	38.84	-17.48	74.0	-35.16	Peak	69.00	400	Horizontal	Pass
1**	1569.900	29.18	-17.48	54.0	-24.82	AV	69.00	400	Horizontal	Pass
2	4308.200	49.27	-4.59	74.0	-24.73	Peak	256.00	400	Horizontal	Pass
2**	4308.200	39.06	-4.59	54.0	-14.94	AV	256.00	400	Horizontal	Pass
3	5321.000	98.55	-2.56	--	--	Peak	159.00	150	Horizontal	N/A
3**	5321.000	90.17	-2.56	--	--	AV	159.00	150	Horizontal	N/A
4	7349.887	49.71	-3.33	74.0	-24.29	Peak	62.00	200	Horizontal	Pass
4**	7349.887	41.32	-3.33	54.0	-12.68	AV	62.00	200	Horizontal	Pass
5	11024.713	51.96	-0.23	74.0	-22.04	Peak	227.00	100	Horizontal	Pass
5**	11024.713	42.27	-0.23	54.0	-11.73	AV	227.00	100	Horizontal	Pass
6	15843.826	53.37	1.96	74.0	-20.63	Peak	325.00	300	Horizontal	Pass
6**	15843.826	44.17	1.96	54.0	-9.83	AV	325.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.300	38.59	-17.53	74.0	-35.41	Peak	217.00	300	Vertical	Pass
1**	1545.300	29.64	-17.53	54.0	-24.36	AV	217.00	300	Vertical	Pass
2	4354.600	49.43	-3.94	74.0	-24.57	Peak	28.00	200	Vertical	Pass
2**	4354.600	39.93	-3.94	54.0	-14.07	AV	28.00	200	Vertical	Pass
3	5322.400	89.13	-2.52	--	--	Peak	190.00	100	Vertical	N/A
3**	5322.400	81.81	-2.52	--	--	AV	190.00	100	Vertical	N/A
4	7354.487	49.89	-3.50	74.0	-24.11	Peak	214.00	100	Vertical	Pass
4**	7354.487	40.54	-3.50	54.0	-13.46	AV	214.00	100	Vertical	Pass
5	10916.612	52.41	0.48	74.0	-21.59	Peak	262.00	100	Vertical	Pass
5**	10916.612	42.68	0.48	54.0	-11.32	AV	262.00	100	Vertical	Pass
6	15841.200	53.94	2.01	74.0	-20.06	Peak	138.00	200	Vertical	Pass
6**	15841.200	44.86	2.01	54.0	-9.14	AV	138.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.000	38.32	-17.65	74.0	-35.68	Peak	53.00	400	Horizontal	Pass
1**	1581.000	29.02	-17.65	54.0	-24.98	AV	53.00	400	Horizontal	Pass
2	4182.200	48.78	-4.99	74.0	-25.22	Peak	341.00	100	Horizontal	Pass
2**	4182.200	39.87	-4.99	54.0	-14.13	AV	341.00	100	Horizontal	Pass
3	5266.800	93.96	-2.76	--	--	Peak	159.00	150	Horizontal	N/A
3**	5266.800	86.68	-2.76	--	--	AV	159.00	150	Horizontal	N/A
4	7349.887	49.31	-3.33	74.0	-24.69	Peak	196.00	200	Horizontal	Pass
4**	7349.887	40.85	-3.33	54.0	-13.15	AV	196.00	200	Horizontal	Pass
5	11216.474	51.67	-0.04	74.0	-22.33	Peak	80.00	200	Horizontal	Pass
5**	11216.474	42.62	-0.04	54.0	-11.38	AV	80.00	200	Horizontal	Pass
6	16093.200	53.17	1.86	74.0	-20.83	Peak	305.00	400	Horizontal	Pass
6**	16093.200	43.70	1.86	54.0	-10.30	AV	305.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.400	38.82	-17.27	74.0	-35.18	Peak	20.00	200	Vertical	Pass
1**	1551.400	29.81	-17.27	54.0	-24.19	AV	20.00	200	Vertical	Pass
2	4230.400	49.04	-4.56	74.0	-24.96	Peak	224.00	200	Vertical	Pass
2**	4230.400	40.16	-4.56	54.0	-13.84	AV	224.00	200	Vertical	Pass
3	5271.600	86.21	-2.86	--	--	Peak	64.00	200	Vertical	N/A
3**	5271.600	79.24	-2.86	--	--	AV	64.00	200	Vertical	N/A
4	7346.438	49.86	-3.16	74.0	-24.14	Peak	294.00	400	Vertical	Pass
4**	7346.438	40.35	-3.16	54.0	-13.65	AV	294.00	400	Vertical	Pass
5	11026.725	51.71	-0.19	74.0	-22.29	Peak	360.00	150	Vertical	Pass
5**	11026.725	42.32	-0.19	54.0	-11.68	AV	360.00	150	Vertical	Pass
6	15851.963	53.58	1.82	74.0	-20.42	Peak	287.00	200	Vertical	Pass
6**	15851.963	44.84	1.82	54.0	-9.16	AV	287.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.900	38.42	-17.53	74.0	-35.58	Peak	347.00	200	Horizontal	Pass
1**	1489.900	29.62	-17.53	54.0	-24.38	AV	347.00	200	Horizontal	Pass
2	3948.200	48.93	-4.79	74.0	-25.07	Peak	353.00	300	Horizontal	Pass
2**	3948.200	39.77	-4.79	54.0	-14.23	AV	353.00	300	Horizontal	Pass
3	5311.200	95.25	-2.62	--	--	Peak	152.00	150	Horizontal	N/A
3**	5311.200	87.82	-2.62	--	--	AV	152.00	150	Horizontal	N/A
4	7360.525	49.30	-3.51	74.0	-24.70	Peak	160.00	200	Horizontal	Pass
4**	7360.525	40.82	-3.51	54.0	-13.18	AV	160.00	200	Horizontal	Pass
5	11595.975	51.88	0.29	74.0	-22.12	Peak	308.00	100	Horizontal	Pass
5**	11595.975	42.04	0.29	54.0	-11.96	AV	308.00	100	Horizontal	Pass
6	15848.549	53.36	1.90	74.0	-20.64	Peak	288.00	100	Horizontal	Pass
6**	15848.549	44.54	1.90	54.0	-9.46	AV	288.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.100	38.72	-17.52	74.0	-35.28	Peak	231.00	300	Vertical	Pass
1**	1567.100	28.68	-17.52	54.0	-25.32	AV	231.00	300	Vertical	Pass
2	4215.600	49.68	-4.99	74.0	-24.32	Peak	266.00	100	Vertical	Pass
2**	4215.600	39.94	-4.99	54.0	-14.06	AV	266.00	100	Vertical	Pass
3	5311.200	85.95	-2.62	--	--	Peak	54.00	200	Vertical	N/A
3**	5311.200	78.18	-2.62	--	--	AV	54.00	200	Vertical	N/A
4	7355.350	49.73	-3.50	74.0	-24.27	Peak	211.00	400	Vertical	Pass
4**	7355.350	41.36	-3.50	54.0	-12.64	AV	211.00	400	Vertical	Pass
5	10951.113	52.54	0.03	74.0	-21.46	Peak	360.00	150	Vertical	Pass
5**	10951.113	42.18	0.03	54.0	-11.82	AV	360.00	150	Vertical	Pass
6	15840.675	54.05	2.02	74.0	-19.95	Peak	173.00	400	Vertical	Pass
6**	15840.675	44.65	2.02	54.0	-9.35	AV	173.00	400	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.400	38.78	-17.52	74.0	-35.22	Peak	295.00	400	Horizontal	Pass
1**	1607.400	28.65	-17.52	54.0	-25.35	AV	295.00	400	Horizontal	Pass
2	4235.200	49.29	-4.73	74.0	-24.71	Peak	188.00	300	Horizontal	Pass
2**	4235.200	40.12	-4.73	54.0	-13.88	AV	188.00	300	Horizontal	Pass
3	5296.400	92.66	-3.06	--	--	Peak	154.00	100	Horizontal	N/A
3**	5296.400	85.15	-3.06	--	--	AV	154.00	100	Horizontal	N/A
4	7341.837	49.65	-3.09	74.0	-24.35	Peak	13.00	400	Horizontal	Pass
4**	7341.837	40.87	-3.09	54.0	-13.13	AV	13.00	400	Horizontal	Pass
5	11020.401	51.69	-0.32	74.0	-22.31	Peak	152.00	100	Horizontal	Pass
5**	11020.401	42.16	-0.32	54.0	-11.84	AV	152.00	100	Horizontal	Pass
6	15838.576	53.58	2.02	74.0	-20.42	Peak	60.00	400	Horizontal	Pass
6**	15838.576	45.14	2.02	54.0	-8.86	AV	60.00	400	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.800	38.23	-17.54	74.0	-35.77	Peak	54.00	150	Vertical	Pass
1**	1558.800	29.26	-17.54	54.0	-24.74	AV	54.00	150	Vertical	Pass
2	4232.600	49.61	-4.63	74.0	-24.39	Peak	7.00	100	Vertical	Pass
2**	4232.600	40.26	-4.63	54.0	-13.74	AV	7.00	100	Vertical	Pass
3	5292.600	84.26	-3.05	--	--	Peak	293.00	100	Vertical	N/A
3**	5292.600	75.97	-3.05	--	--	AV	293.00	100	Vertical	N/A
4	7345.000	49.55	-3.10	74.0	-24.45	Peak	76.00	100	Vertical	Pass
4**	7345.000	40.62	-3.10	54.0	-13.38	AV	76.00	100	Vertical	Pass
5	10929.838	51.37	0.34	74.0	-22.63	Peak	107.00	200	Vertical	Pass
5**	10929.838	41.96	0.34	54.0	-12.04	AV	107.00	200	Vertical	Pass
6	15845.401	54.51	1.93	74.0	-19.49	Peak	217.00	300	Vertical	Pass
6**	15845.401	44.71	1.93	54.0	-9.29	AV	217.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.400	38.41	-17.57	74.0	-35.59	Peak	248.00	200	Horizontal	Pass
1**	1506.400	29.17	-17.57	54.0	-24.83	AV	248.00	200	Horizontal	Pass
2	4225.800	49.41	-4.67	74.0	-24.59	Peak	100.00	200	Horizontal	Pass
2**	4225.800	40.53	-4.67	54.0	-13.47	AV	100.00	200	Horizontal	Pass
3	5498.200	101.42	-2.32	--	--	Peak	156.00	100	Horizontal	N/A
3**	5498.200	93.94	-2.32	--	--	AV	156.00	100	Horizontal	N/A
4	7453.100	49.88	-2.88	74.0	-24.12	Peak	85.00	100	Horizontal	Pass
4**	7453.100	40.58	-2.88	54.0	-13.42	AV	85.00	100	Horizontal	Pass
5	11929.475	51.57	1.70	74.0	-22.43	Peak	85.00	150	Horizontal	Pass
5**	11929.475	41.81	1.70	54.0	-12.19	AV	85.00	150	Horizontal	Pass
6	15839.887	53.87	2.03	74.0	-20.13	Peak	155.00	200	Horizontal	Pass
6**	15839.887	45.63	2.03	54.0	-8.37	AV	155.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.900	38.25	-17.66	74.0	-35.75	Peak	0.00	400	Vertical	Pass
1**	1613.900	29.21	-17.66	54.0	-24.79	AV	0.00	400	Vertical	Pass
2	4235.000	49.17	-4.72	74.0	-24.83	Peak	227.00	150	Vertical	Pass
2**	4235.000	40.83	-4.72	54.0	-13.17	AV	227.00	150	Vertical	Pass
3	5498.600	92.35	-2.31	--	--	Peak	294.00	200	Vertical	N/A
3**	5498.600	84.47	-2.31	--	--	AV	294.00	200	Vertical	N/A
4	7342.125	49.76	-3.09	74.0	-24.24	Peak	346.00	400	Vertical	Pass
4**	7342.125	40.82	-3.09	54.0	-13.18	AV	346.00	400	Vertical	Pass
5	12221.287	52.19	1.66	74.0	-21.81	Peak	113.00	200	Vertical	Pass
5**	12221.287	42.54	1.66	54.0	-11.46	AV	113.00	200	Vertical	Pass
6	15838.838	53.49	2.02	74.0	-20.51	Peak	221.00	150	Vertical	Pass
6**	15838.838	45.30	2.02	54.0	-8.70	AV	221.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.800	38.87	-17.50	74.0	-35.13	Peak	238.00	300	Horizontal	Pass
1**	1584.800	29.30	-17.50	54.0	-24.70	AV	238.00	300	Horizontal	Pass
2	4205.400	49.65	-4.97	74.0	-24.35	Peak	28.00	400	Horizontal	Pass
2**	4205.400	40.42	-4.97	54.0	-13.58	AV	28.00	400	Horizontal	Pass
3	5581.400	99.34	-2.49	--	--	Peak	155.00	150	Horizontal	N/A
3**	5581.400	91.44	-2.49	--	--	AV	155.00	150	Horizontal	N/A
4	7338.100	49.91	-2.89	74.0	-24.09	Peak	29.00	300	Horizontal	Pass
4**	7338.100	40.36	-2.89	54.0	-13.64	AV	29.00	300	Horizontal	Pass
5	11213.887	52.26	-0.01	74.0	-21.74	Peak	226.00	100	Horizontal	Pass
5**	11213.887	42.17	-0.01	54.0	-11.83	AV	226.00	100	Horizontal	Pass
6	15838.838	53.68	2.02	74.0	-20.32	Peak	284.00	150	Horizontal	Pass
6**	15838.838	44.81	2.02	54.0	-9.19	AV	284.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.700	38.64	-17.45	74.0	-35.36	Peak	348.00	100	Vertical	Pass
1**	1568.700	29.42	-17.45	54.0	-24.58	AV	348.00	100	Vertical	Pass
2	4365.200	49.26	-4.08	74.0	-24.74	Peak	60.00	300	Vertical	Pass
2**	4365.200	39.52	-4.08	54.0	-14.48	AV	60.00	300	Vertical	Pass
3	5578.600	89.67	-2.49	--	--	Peak	60.00	150	Vertical	N/A
3**	5578.600	82.75	-2.49	--	--	AV	60.00	150	Vertical	N/A
4	7379.212	49.77	-3.89	74.0	-24.23	Peak	202.00	400	Vertical	Pass
4**	7379.212	40.99	-3.89	54.0	-13.01	AV	202.00	400	Vertical	Pass
5	11060.362	51.75	-0.42	74.0	-22.25	Peak	78.00	100	Vertical	Pass
5**	11060.362	42.22	-0.42	54.0	-11.78	AV	78.00	100	Vertical	Pass
6	15841.988	53.02	2.00	74.0	-20.98	Peak	267.00	150	Vertical	Pass
6**	15841.988	44.33	2.00	54.0	-9.67	AV	267.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.500	38.76	-17.48	74.0	-35.24	Peak	204.00	100	Horizontal	Pass
1**	1467.500	28.98	-17.48	54.0	-25.02	AV	204.00	100	Horizontal	Pass
2	4242.000	49.73	-4.79	74.0	-24.27	Peak	17.00	200	Horizontal	Pass
2**	4242.000	40.24	-4.79	54.0	-13.76	AV	17.00	200	Horizontal	Pass
3	5700.800	97.68	-1.76	--	--	Peak	164.00	100	Horizontal	N/A
3**	5700.800	90.22	-1.76	--	--	AV	164.00	100	Horizontal	N/A
4	7336.663	50.11	-2.91	74.0	-23.89	Peak	154.00	300	Horizontal	Pass
4**	7336.663	40.77	-2.91	54.0	-13.23	AV	154.00	300	Horizontal	Pass
5	10826.625	52.06	0.94	74.0	-21.94	Peak	172.00	150	Horizontal	Pass
5**	10826.625	42.24	0.94	54.0	-11.76	AV	172.00	150	Horizontal	Pass
6	15854.850	54.37	1.73	74.0	-19.63	Peak	360.00	400	Horizontal	Pass
6**	15854.850	45.01	1.73	54.0	-8.99	AV	360.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.000	38.89	-17.67	74.0	-35.11	Peak	203.00	300	Vertical	Pass
1**	1519.000	28.68	-17.67	54.0	-25.32	AV	203.00	300	Vertical	Pass
2	4352.200	48.47	-3.94	74.0	-25.53	Peak	179.00	200	Vertical	Pass
2**	4352.200	40.00	-3.94	54.0	-14.00	AV	179.00	200	Vertical	Pass
3	5701.600	89.49	-1.73	--	--	Peak	299.00	100	Vertical	N/A
3**	5701.600	82.53	-1.73	--	--	AV	299.00	100	Vertical	N/A
4	7612.950	49.25	-2.56	74.0	-24.75	Peak	360.00	150	Vertical	Pass
4**	7612.950	39.75	-2.56	54.0	-14.25	AV	360.00	150	Vertical	Pass
5	12336.862	51.50	1.92	74.0	-22.50	Peak	360.00	100	Vertical	Pass
5**	12336.862	41.74	1.92	54.0	-12.26	AV	360.00	100	Vertical	Pass
6	15850.387	53.99	1.87	74.0	-20.01	Peak	261.00	200	Vertical	Pass
6**	15850.387	44.35	1.87	54.0	-9.65	AV	261.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.500	38.46	-17.56	74.0	-35.54	Peak	0.00	400	Horizontal	Pass
1**	1524.500	29.93	-17.56	54.0	-24.07	AV	0.00	400	Horizontal	Pass
2	4351.600	49.53	-3.96	74.0	-24.47	Peak	66.00	400	Horizontal	Pass
2**	4351.600	40.20	-3.96	54.0	-13.80	AV	66.00	400	Horizontal	Pass
3	5501.400	99.79	-2.38	--	--	Peak	164.00	100	Horizontal	N/A
3**	5501.400	92.38	-2.38	--	--	AV	164.00	100	Horizontal	N/A
4	7352.187	49.33	-3.32	74.0	-24.67	Peak	137.00	300	Horizontal	Pass
4**	7352.187	40.96	-3.32	54.0	-13.04	AV	137.00	300	Horizontal	Pass
5	12228.187	51.88	1.69	74.0	-22.12	Peak	50.00	150	Horizontal	Pass
5**	12228.187	42.95	1.69	54.0	-11.05	AV	50.00	150	Horizontal	Pass
6	16192.950	53.55	2.71	74.0	-20.45	Peak	129.00	200	Horizontal	Pass
6**	16192.950	43.84	2.71	54.0	-10.16	AV	129.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.200	38.18	-17.41	74.0	-35.82	Peak	126.00	200	Vertical	Pass
1**	1550.200	29.44	-17.41	54.0	-24.56	AV	126.00	200	Vertical	Pass
2	4247.000	49.15	-4.79	74.0	-24.85	Peak	258.00	400	Vertical	Pass
2**	4247.000	40.06	-4.79	54.0	-13.94	AV	258.00	400	Vertical	Pass
3	5500.400	91.09	-2.32	--	--	Peak	292.00	200	Vertical	N/A
3**	5500.400	82.42	-2.32	--	--	AV	292.00	200	Vertical	N/A
4	7347.875	49.97	-3.44	74.0	-24.03	Peak	161.00	300	Vertical	Pass
4**	7347.875	40.35	-3.44	54.0	-13.65	AV	161.00	300	Vertical	Pass
5	10921.787	51.86	0.48	74.0	-22.14	Peak	0.00	200	Vertical	Pass
5**	10921.787	42.53	0.48	54.0	-11.47	AV	0.00	200	Vertical	Pass
6	15626.213	53.45	2.53	74.0	-20.55	Peak	31.00	100	Vertical	Pass
6**	15626.213	44.43	2.53	54.0	-9.57	AV	31.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.000	38.50	-17.51	74.0	-35.50	Peak	124.00	400	Horizontal	Pass
1**	1501.000	28.68	-17.51	54.0	-25.32	AV	124.00	400	Horizontal	Pass
2	4353.400	49.12	-3.95	74.0	-24.88	Peak	273.00	300	Horizontal	Pass
2**	4353.400	39.41	-3.95	54.0	-14.59	AV	273.00	300	Horizontal	Pass
3	5581.400	98.15	-2.49	--	--	Peak	159.00	150	Horizontal	N/A
3**	5581.400	91.01	-2.49	--	--	AV	159.00	150	Horizontal	N/A
4	7346.438	50.45	-3.16	74.0	-23.55	Peak	360.00	100	Horizontal	Pass
4**	7346.438	41.62	-3.16	54.0	-12.38	AV	360.00	100	Horizontal	Pass
5	11829.425	52.20	1.40	74.0	-21.80	Peak	232.00	200	Horizontal	Pass
5**	11829.425	41.77	1.40	54.0	-12.23	AV	232.00	200	Horizontal	Pass
6	15828.338	54.38	1.99	74.0	-19.62	Peak	303.00	400	Horizontal	Pass
6**	15828.338	43.96	1.99	54.0	-10.04	AV	303.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.100	38.51	-17.55	74.0	-35.49	Peak	238.00	300	Vertical	Pass
1**	1475.100	29.50	-17.55	54.0	-24.50	AV	238.00	300	Vertical	Pass
2	4189.800	49.59	-4.81	74.0	-24.41	Peak	360.00	200	Vertical	Pass
2**	4189.800	39.90	-4.81	54.0	-14.10	AV	360.00	200	Vertical	Pass
3	5578.000	88.86	-2.46	--	--	Peak	287.00	150	Vertical	N/A
3**	5578.000	81.01	-2.46	--	--	AV	287.00	150	Vertical	N/A
4	7356.788	49.35	-3.46	74.0	-24.65	Peak	13.00	300	Vertical	Pass
4**	7356.788	40.69	-3.46	54.0	-13.31	AV	13.00	300	Vertical	Pass
5	12222.151	51.54	1.67	74.0	-22.46	Peak	222.00	100	Vertical	Pass
5**	12222.151	42.41	1.67	54.0	-11.59	AV	222.00	100	Vertical	Pass
6	15832.800	54.26	1.97	74.0	-19.74	Peak	360.00	200	Vertical	Pass
6**	15832.800	44.94	1.97	54.0	-9.06	AV	360.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.400	38.65	-17.32	74.0	-35.35	Peak	202.00	400	Horizontal	Pass
1**	1552.400	29.92	-17.32	54.0	-24.08	AV	202.00	400	Horizontal	Pass
2	4371.200	49.24	-4.29	74.0	-24.76	Peak	323.00	300	Horizontal	Pass
2**	4371.200	39.25	-4.29	54.0	-14.75	AV	323.00	300	Horizontal	Pass
3	5702.000	96.58	-1.76	--	--	Peak	161.00	200	Horizontal	N/A
3**	5702.000	89.03	-1.76	--	--	AV	161.00	200	Horizontal	N/A
4	7352.763	49.42	-3.35	74.0	-24.58	Peak	130.00	100	Horizontal	Pass
4**	7352.763	40.57	-3.35	54.0	-13.43	AV	130.00	100	Horizontal	Pass
5	10928.113	52.42	0.37	74.0	-21.58	Peak	304.00	200	Horizontal	Pass
5**	10928.113	43.41	0.37	54.0	-10.59	AV	304.00	200	Horizontal	Pass
6	15861.151	54.12	1.43	74.0	-19.88	Peak	312.00	200	Horizontal	Pass
6**	15861.151	44.20	1.43	54.0	-9.80	AV	312.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.500	38.65	-17.50	74.0	-35.35	Peak	20.00	400	Vertical	Pass
1**	1564.500	29.41	-17.50	54.0	-24.59	AV	20.00	400	Vertical	Pass
2	4383.000	49.24	-4.37	74.0	-24.76	Peak	335.00	300	Vertical	Pass
2**	4383.000	39.60	-4.37	54.0	-14.40	AV	335.00	300	Vertical	Pass
3	5699.000	88.27	-1.85	--	--	Peak	307.00	150	Vertical	N/A
3**	5699.000	80.88	-1.85	--	--	AV	307.00	150	Vertical	N/A
4	7341.550	49.91	-3.07	74.0	-24.09	Peak	253.00	400	Vertical	Pass
4**	7341.550	39.95	-3.07	54.0	-14.05	AV	253.00	400	Vertical	Pass
5	11222.513	51.79	-0.08	74.0	-22.21	Peak	21.00	100	Vertical	Pass
5**	11222.513	42.57	-0.08	54.0	-11.43	AV	21.00	100	Vertical	Pass
6	15588.412	54.10	2.10	74.0	-19.90	Peak	125.00	400	Vertical	Pass
6**	15588.412	42.59	2.10	54.0	-11.41	AV	125.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.200	38.46	-17.59	74.0	-35.54	Peak	135.00	400	Horizontal	Pass
1**	1483.200	28.47	-17.59	54.0	-25.53	AV	135.00	400	Horizontal	Pass
2	4364.800	49.39	-4.06	74.0	-24.61	Peak	360.00	400	Horizontal	Pass
2**	4364.800	40.19	-4.06	54.0	-13.81	AV	360.00	400	Horizontal	Pass
3	5512.000	96.81	-2.51	--	--	Peak	169.00	100	Horizontal	N/A
3**	5512.000	89.35	-2.51	--	--	AV	169.00	100	Horizontal	N/A
4	7352.475	49.84	-3.32	74.0	-24.16	Peak	305.00	100	Horizontal	Pass
4**	7352.475	40.73	-3.32	54.0	-13.27	AV	305.00	100	Horizontal	Pass
5	10644.062	51.89	-0.24	74.0	-22.11	Peak	360.00	200	Horizontal	Pass
5**	10644.062	41.85	-0.24	54.0	-12.15	AV	360.00	200	Horizontal	Pass
6	15822.825	53.90	2.12	74.0	-20.10	Peak	174.00	400	Horizontal	Pass
6**	15822.825	44.10	2.12	54.0	-9.90	AV	174.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.900	38.84	-17.51	74.0	-35.16	Peak	144.00	300	Vertical	Pass
1**	1490.900	28.79	-17.51	54.0	-25.21	AV	144.00	300	Vertical	Pass
2	4226.800	49.90	-4.58	74.0	-24.10	Peak	281.00	300	Vertical	Pass
2**	4226.800	40.08	-4.58	54.0	-13.92	AV	281.00	300	Vertical	Pass
3	5511.600	87.48	-2.53	--	--	Peak	304.00	150	Vertical	N/A
3**	5511.600	80.35	-2.53	--	--	AV	304.00	150	Vertical	N/A
4	7341.550	50.48	-3.07	74.0	-23.52	Peak	322.00	300	Vertical	Pass
4**	7341.550	41.20	-3.07	54.0	-12.80	AV	322.00	300	Vertical	Pass
5	10923.800	51.82	0.45	74.0	-22.18	Peak	88.00	150	Vertical	Pass
5**	10923.800	43.17	0.45	54.0	-10.83	AV	88.00	150	Vertical	Pass
6	15821.513	54.08	2.16	74.0	-19.92	Peak	343.00	300	Vertical	Pass
6**	15821.513	44.12	2.16	54.0	-9.88	AV	343.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.600	38.04	-17.71	74.0	-35.96	Peak	89.00	150	Horizontal	Pass
1**	1515.600	28.61	-17.71	54.0	-25.39	AV	89.00	150	Horizontal	Pass
2	4142.200	49.39	-4.72	74.0	-24.61	Peak	270.00	100	Horizontal	Pass
2**	4142.200	39.60	-4.72	54.0	-14.40	AV	270.00	100	Horizontal	Pass
3	5592.000	94.64	-2.47	--	--	Peak	167.00	200	Horizontal	N/A
3**	5592.000	87.23	-2.47	--	--	AV	167.00	200	Horizontal	N/A
4	7361.388	49.63	-3.54	74.0	-24.37	Peak	179.00	100	Horizontal	Pass
4**	7361.388	40.37	-3.54	54.0	-13.63	AV	179.00	100	Horizontal	Pass
5	11595.975	51.97	0.29	74.0	-22.03	Peak	14.00	150	Horizontal	Pass
5**	11595.975	42.99	0.29	54.0	-11.01	AV	14.00	150	Horizontal	Pass
6	15865.349	53.92	1.41	74.0	-20.08	Peak	149.00	400	Horizontal	Pass
6**	15865.349	44.38	1.41	54.0	-9.62	AV	149.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.300	39.03	-17.53	74.0	-34.97	Peak	206.00	300	Vertical	Pass
1**	1537.300	29.19	-17.53	54.0	-24.81	AV	206.00	300	Vertical	Pass
2	4300.800	49.52	-4.86	74.0	-24.48	Peak	2.00	100	Vertical	Pass
2**	4300.800	39.52	-4.86	54.0	-14.48	AV	2.00	100	Vertical	Pass
3	5586.600	84.92	-2.29	--	--	Peak	195.00	150	Vertical	N/A
3**	5586.600	78.20	-2.29	--	--	AV	195.00	150	Vertical	N/A
4	7346.438	50.20	-3.16	74.0	-23.80	Peak	360.00	300	Vertical	Pass
4**	7346.438	41.62	-3.16	54.0	-12.38	AV	360.00	300	Vertical	Pass
5	10919.200	52.04	0.51	74.0	-21.96	Peak	37.00	150	Vertical	Pass
5**	10919.200	42.40	0.51	54.0	-11.60	AV	37.00	150	Vertical	Pass
6	15845.137	54.29	1.94	74.0	-19.71	Peak	95.00	400	Vertical	Pass
6**	15845.137	44.90	1.94	54.0	-9.10	AV	95.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.200	38.62	-17.61	74.0	-35.38	Peak	15.00	100	Horizontal	Pass
1**	1509.200	28.83	-17.61	54.0	-25.17	AV	15.00	100	Horizontal	Pass
2	4365.800	50.05	-4.10	74.0	-23.95	Peak	340.00	300	Horizontal	Pass
2**	4365.800	40.04	-4.10	54.0	-13.96	AV	340.00	300	Horizontal	Pass
3	5665.800	94.30	-2.28	--	--	Peak	160.00	200	Horizontal	N/A
3**	5665.800	86.17	-2.28	--	--	AV	160.00	200	Horizontal	N/A
4	7352.475	49.83	-3.32	74.0	-24.17	Peak	360.00	300	Horizontal	Pass
4**	7352.475	41.08	-3.32	54.0	-12.92	AV	360.00	300	Horizontal	Pass
5	11053.175	51.72	-0.19	74.0	-22.28	Peak	85.00	200	Horizontal	Pass
5**	11053.175	42.25	-0.19	54.0	-11.75	AV	85.00	200	Horizontal	Pass
6	15831.750	53.38	1.97	74.0	-20.62	Peak	0.00	200	Horizontal	Pass
6**	15831.750	44.15	1.97	54.0	-9.85	AV	0.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.700	38.67	-17.50	74.0	-35.33	Peak	210.00	150	Vertical	Pass
1**	1564.700	29.09	-17.50	54.0	-24.91	AV	210.00	150	Vertical	Pass
2	4298.000	48.75	-4.73	74.0	-25.25	Peak	207.00	400	Vertical	Pass
2**	4298.000	38.90	-4.73	54.0	-15.10	AV	207.00	400	Vertical	Pass
3	5672.000	85.23	-2.25	--	--	Peak	360.00	100	Vertical	N/A
3**	5672.000	78.09	-2.25	--	--	AV	360.00	100	Vertical	N/A
4	7342.413	49.81	-3.09	74.0	-24.19	Peak	29.00	400	Vertical	Pass
4**	7342.413	40.12	-3.09	54.0	-13.88	AV	29.00	400	Vertical	Pass
5	10824.901	51.76	0.94	74.0	-22.24	Peak	275.00	150	Vertical	Pass
5**	10824.901	42.28	0.94	54.0	-11.72	AV	275.00	150	Vertical	Pass
6	16007.625	53.44	1.31	74.0	-20.56	Peak	154.00	400	Vertical	Pass
6**	16007.625	44.29	1.31	54.0	-9.71	AV	154.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.000	38.27	-17.48	74.0	-35.73	Peak	246.00	200	Horizontal	Pass
1**	1527.000	29.58	-17.48	54.0	-24.42	AV	246.00	200	Horizontal	Pass
2	4148.400	49.43	-4.96	74.0	-24.57	Peak	52.00	100	Horizontal	Pass
2**	4148.400	39.45	-4.96	54.0	-14.55	AV	52.00	100	Horizontal	Pass
3	5501.600	98.00	-2.39	--	--	Peak	163.00	100	Horizontal	N/A
3**	5501.600	89.83	-2.39	--	--	AV	163.00	100	Horizontal	N/A
4	7453.100	49.41	-2.88	74.0	-24.59	Peak	91.00	100	Horizontal	Pass
4**	7453.100	39.95	-2.88	54.0	-14.05	AV	91.00	100	Horizontal	Pass
5	10910.000	52.38	0.43	74.0	-21.62	Peak	360.00	200	Horizontal	Pass
5**	10910.000	41.54	0.43	54.0	-12.46	AV	360.00	200	Horizontal	Pass
6	15835.688	53.44	1.99	74.0	-20.56	Peak	327.00	300	Horizontal	Pass
6**	15835.688	45.53	1.99	54.0	-8.47	AV	327.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1626.400	38.35	-17.58	74.0	-35.65	Peak	197.00	300	Vertical	Pass
1**	1626.400	29.98	-17.58	54.0	-24.02	AV	197.00	300	Vertical	Pass
2	3954.200	49.48	-4.49	74.0	-24.52	Peak	342.00	200	Vertical	Pass
2**	3954.200	39.92	-4.49	54.0	-14.08	AV	342.00	200	Vertical	Pass
3	5500.800	88.31	-2.34	--	--	Peak	197.00	100	Vertical	N/A
3**	5500.800	80.75	-2.34	--	--	AV	197.00	100	Vertical	N/A
4	7331.200	49.42	-3.01	74.0	-24.58	Peak	123.00	300	Vertical	Pass
4**	7331.200	40.56	-3.01	54.0	-13.44	AV	123.00	300	Vertical	Pass
5	11602.588	51.68	0.41	74.0	-22.32	Peak	123.00	150	Vertical	Pass
5**	11602.588	43.93	0.41	54.0	-10.07	AV	123.00	150	Vertical	Pass
6	15839.625	54.11	2.03	74.0	-19.89	Peak	0.00	300	Vertical	Pass
6**	15839.625	44.65	2.03	54.0	-9.35	AV	0.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.900	38.88	-17.52	74.0	-35.12	Peak	122.00	200	Horizontal	Pass
1**	1559.900	28.23	-17.52	54.0	-25.77	AV	122.00	200	Horizontal	Pass
2	4018.600	48.74	-4.99	74.0	-25.26	Peak	301.00	200	Horizontal	Pass
2**	4018.600	39.97	-4.99	54.0	-14.03	AV	301.00	200	Horizontal	Pass
3	5581.000	96.67	-2.48	--	--	Peak	155.00	150	Horizontal	N/A
3**	5581.000	89.71	-2.48	--	--	AV	155.00	150	Horizontal	N/A
4	7454.538	49.78	-3.07	74.0	-24.22	Peak	142.00	100	Horizontal	Pass
4**	7454.538	39.94	-3.07	54.0	-14.06	AV	142.00	100	Horizontal	Pass
5	10935.300	52.01	0.22	74.0	-21.99	Peak	45.00	150	Horizontal	Pass
5**	10935.300	42.95	0.22	54.0	-11.05	AV	45.00	150	Horizontal	Pass
6	16091.888	54.04	1.87	74.0	-19.96	Peak	218.00	300	Horizontal	Pass
6**	16091.888	44.36	1.87	54.0	-9.64	AV	218.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.800	38.78	-17.75	74.0	-35.22	Peak	54.00	400	Vertical	Pass
1**	1601.800	28.86	-17.75	54.0	-25.14	AV	54.00	400	Vertical	Pass
2	4384.000	49.41	-4.44	74.0	-24.59	Peak	28.00	100	Vertical	Pass
2**	4384.000	41.05	-4.44	54.0	-12.95	AV	28.00	100	Vertical	Pass
3	5581.400	87.15	-2.49	--	--	Peak	342.00	100	Vertical	N/A
3**	5581.400	79.97	-2.49	--	--	AV	342.00	100	Vertical	N/A
4	7350.175	50.11	-3.30	74.0	-23.89	Peak	281.00	300	Vertical	Pass
4**	7350.175	40.87	-3.30	54.0	-13.13	AV	281.00	300	Vertical	Pass
5	10943.062	51.51	0.14	74.0	-22.49	Peak	125.00	150	Vertical	Pass
5**	10943.062	42.27	0.14	54.0	-11.73	AV	125.00	150	Vertical	Pass
6	15836.474	53.92	2.00	74.0	-20.08	Peak	111.00	300	Vertical	Pass
6**	15836.474	44.40	2.00	54.0	-9.60	AV	111.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.700	38.91	-17.60	74.0	-35.09	Peak	239.00	100	Horizontal	Pass
1**	1596.700	29.36	-17.60	54.0	-24.64	AV	239.00	100	Horizontal	Pass
2	4138.600	49.07	-4.68	74.0	-24.93	Peak	110.00	200	Horizontal	Pass
2**	4138.600	39.44	-4.68	54.0	-14.56	AV	110.00	200	Horizontal	Pass
3	5699.000	95.00	-1.85	--	--	Peak	160.00	150	Horizontal	N/A
3**	5699.000	87.82	-1.85	--	--	AV	160.00	150	Horizontal	N/A
4	7372.888	49.73	-3.69	74.0	-24.27	Peak	76.00	300	Horizontal	Pass
4**	7372.888	40.91	-3.69	54.0	-13.09	AV	76.00	300	Horizontal	Pass
5	10906.838	51.41	0.42	74.0	-22.59	Peak	264.00	100	Horizontal	Pass
5**	10906.838	41.95	0.42	54.0	-12.05	AV	264.00	100	Horizontal	Pass
6	16199.775	53.49	2.72	74.0	-20.51	Peak	0.00	300	Horizontal	Pass
6**	16199.775	44.46	2.72	54.0	-9.54	AV	0.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.000	38.90	-17.61	74.0	-35.10	Peak	54.00	300	Vertical	Pass
1**	1514.000	29.45	-17.61	54.0	-24.55	AV	54.00	300	Vertical	Pass
2	4216.800	49.65	-5.00	74.0	-24.35	Peak	129.00	300	Vertical	Pass
2**	4216.800	39.88	-5.00	54.0	-14.12	AV	129.00	300	Vertical	Pass
3	5700.400	87.56	-1.79	--	--	Peak	352.00	150	Vertical	N/A
3**	5700.400	79.02	-1.79	--	--	AV	352.00	150	Vertical	N/A
4	7338.962	49.62	-2.94	74.0	-24.38	Peak	263.00	100	Vertical	Pass
4**	7338.962	42.10	-2.94	54.0	-11.90	AV	263.00	100	Vertical	Pass
5	11030.750	51.57	-0.11	74.0	-22.43	Peak	200.00	100	Vertical	Pass
5**	11030.750	41.72	-0.11	54.0	-12.28	AV	200.00	100	Vertical	Pass
6	15840.675	53.53	2.02	74.0	-20.47	Peak	235.00	300	Vertical	Pass
6**	15840.675	45.30	2.02	54.0	-8.70	AV	235.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.400	38.33	-17.64	74.0	-35.67	Peak	104.00	400	Horizontal	Pass
1**	1514.400	28.85	-17.64	54.0	-25.15	AV	104.00	400	Horizontal	Pass
2	4383.600	48.89	-4.41	74.0	-25.11	Peak	99.00	200	Horizontal	Pass
2**	4383.600	39.56	-4.41	54.0	-14.44	AV	99.00	200	Horizontal	Pass
3	5508.000	95.17	-2.48	--	--	Peak	159.00	100	Horizontal	N/A
3**	5508.000	87.28	-2.48	--	--	AV	159.00	100	Horizontal	N/A
4	7716.163	49.84	-1.98	74.0	-24.16	Peak	107.00	100	Horizontal	Pass
4**	7716.163	39.82	-1.98	54.0	-14.18	AV	107.00	100	Horizontal	Pass
5	11026.437	51.68	-0.20	74.0	-22.32	Peak	139.00	150	Horizontal	Pass
5**	11026.437	42.66	-0.20	54.0	-11.34	AV	139.00	150	Horizontal	Pass
6	15620.437	53.50	2.62	74.0	-20.50	Peak	0.00	100	Horizontal	Pass
6**	15620.437	44.96	2.62	54.0	-9.04	AV	0.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.400	38.76	-17.45	74.0	-35.24	Peak	93.00	200	Vertical	Pass
1**	1496.400	29.23	-17.45	54.0	-24.77	AV	93.00	200	Vertical	Pass
2	4360.000	49.58	-3.91	74.0	-24.42	Peak	354.00	300	Vertical	Pass
2**	4360.000	40.24	-3.91	54.0	-13.76	AV	354.00	300	Vertical	Pass
3	5508.200	84.89	-2.49	--	--	Peak	343.00	150	Vertical	N/A
3**	5508.200	77.64	-2.49	--	--	AV	343.00	150	Vertical	N/A
4	7338.962	49.66	-2.94	74.0	-24.34	Peak	330.00	300	Vertical	Pass
4**	7338.962	42.00	-2.94	54.0	-12.00	AV	330.00	300	Vertical	Pass
5	11203.826	52.32	0.04	74.0	-21.68	Peak	45.00	200	Vertical	Pass
5**	11203.826	42.14	0.04	54.0	-11.86	AV	45.00	200	Vertical	Pass
6	16119.713	53.46	1.45	74.0	-20.54	Peak	272.00	100	Vertical	Pass
6**	16119.713	43.97	1.45	54.0	-10.03	AV	272.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.400	38.98	-17.53	74.0	-35.02	Peak	248.00	300	Horizontal	Pass
1**	1565.400	29.10	-17.53	54.0	-24.90	AV	248.00	300	Horizontal	Pass
2	4363.600	49.05	-3.96	74.0	-24.95	Peak	220.00	100	Horizontal	Pass
2**	4363.600	40.65	-3.96	54.0	-13.35	AV	220.00	100	Horizontal	Pass
3	5588.000	93.40	-2.32	--	--	Peak	158.00	100	Horizontal	N/A
3**	5588.000	85.74	-2.32	--	--	AV	158.00	100	Horizontal	N/A
4	7351.325	50.17	-3.29	74.0	-23.83	Peak	186.00	200	Horizontal	Pass
4**	7351.325	41.00	-3.29	54.0	-13.00	AV	186.00	200	Horizontal	Pass
5	11081.062	52.01	-0.99	74.0	-21.99	Peak	122.00	200	Horizontal	Pass
5**	11081.062	41.78	-0.99	54.0	-12.22	AV	122.00	200	Horizontal	Pass
6	15849.862	53.64	1.88	74.0	-20.36	Peak	182.00	200	Horizontal	Pass
6**	15849.862	44.58	1.88	54.0	-9.42	AV	182.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.300	39.18	-17.42	74.0	-34.82	Peak	93.00	300	Vertical	Pass
1**	1449.300	29.19	-17.42	54.0	-24.81	AV	93.00	300	Vertical	Pass
2	4376.600	48.79	-4.39	74.0	-25.21	Peak	230.00	400	Vertical	Pass
2**	4376.600	40.19	-4.39	54.0	-13.81	AV	230.00	400	Vertical	Pass
3	5582.800	84.56	-2.45	--	--	Peak	148.00	200	Vertical	N/A
3**	5582.800	75.24	-2.45	--	--	AV	148.00	200	Vertical	N/A
4	7352.763	49.60	-3.35	74.0	-24.40	Peak	360.00	200	Vertical	Pass
4**	7352.763	40.28	-3.35	54.0	-13.72	AV	360.00	200	Vertical	Pass
5	11341.825	52.02	0.52	74.0	-21.98	Peak	282.00	200	Vertical	Pass
5**	11341.825	41.17	0.52	54.0	-12.83	AV	282.00	200	Vertical	Pass
6	15850.387	54.15	1.87	74.0	-19.85	Peak	37.00	400	Vertical	Pass
6**	15850.387	45.27	1.87	54.0	-8.73	AV	37.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1448.900	38.52	-17.41	74.0	-35.48	Peak	82.00	200	Horizontal	Pass
1**	1448.900	29.05	-17.41	54.0	-24.95	AV	82.00	200	Horizontal	Pass
2	4363.000	49.69	-3.90	74.0	-24.31	Peak	0.00	200	Horizontal	Pass
2**	4363.000	40.49	-3.90	54.0	-13.51	AV	0.00	200	Horizontal	Pass
3	5668.400	92.35	-2.17	--	--	Peak	169.00	150	Horizontal	N/A
3**	5668.400	85.07	-2.17	--	--	AV	169.00	150	Horizontal	N/A
4	7339.825	50.24	-2.99	74.0	-23.76	Peak	282.00	300	Horizontal	Pass
4**	7339.825	40.41	-2.99	54.0	-13.59	AV	282.00	300	Horizontal	Pass
5	12223.875	51.23	1.69	74.0	-22.77	Peak	251.00	150	Horizontal	Pass
5**	12223.875	42.95	1.69	54.0	-11.05	AV	251.00	150	Horizontal	Pass
6	16092.937	53.30	1.86	74.0	-20.70	Peak	253.00	300	Horizontal	Pass
6**	16092.937	44.31	1.86	54.0	-9.69	AV	253.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.000	38.58	-17.59	74.0	-35.42	Peak	325.00	300	Vertical	Pass
1**	1622.000	29.55	-17.59	54.0	-24.45	AV	325.00	300	Vertical	Pass
2	4242.600	49.56	-4.80	74.0	-24.44	Peak	253.00	100	Vertical	Pass
2**	4242.600	39.50	-4.80	54.0	-14.50	AV	253.00	100	Vertical	Pass
3	5668.600	82.53	-2.16	--	--	Peak	108.00	200	Vertical	N/A
3**	5668.600	75.28	-2.16	--	--	AV	108.00	200	Vertical	N/A
4	7726.225	50.26	-2.08	74.0	-23.74	Peak	123.00	400	Vertical	Pass
4**	7726.225	40.55	-2.08	54.0	-13.45	AV	123.00	400	Vertical	Pass
5	10924.088	52.12	0.44	74.0	-21.88	Peak	186.00	150	Vertical	Pass
5**	10924.088	42.22	0.44	54.0	-11.78	AV	186.00	150	Vertical	Pass
6	15857.738	53.38	1.57	74.0	-20.62	Peak	147.00	200	Vertical	Pass
6**	15857.738	44.79	1.57	54.0	-9.21	AV	147.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.300	39.39	-17.55	74.0	-34.61	Peak	349.00	200	Horizontal	Pass
1**	1471.300	28.92	-17.55	54.0	-25.08	AV	349.00	200	Horizontal	Pass
2	3659.200	48.74	-6.38	74.0	-25.26	Peak	301.00	200	Horizontal	Pass
2**	3659.200	38.78	-6.38	54.0	-15.22	AV	301.00	200	Horizontal	Pass
3	5522.400	92.76	-2.19	--	--	Peak	159.00	150	Horizontal	N/A
3**	5522.400	85.29	-2.19	--	--	AV	159.00	150	Horizontal	N/A
4	7346.150	49.76	-3.11	74.0	-24.24	Peak	264.00	300	Horizontal	Pass
4**	7346.150	41.40	-3.11	54.0	-12.60	AV	264.00	300	Horizontal	Pass
5	11603.450	51.73	0.42	74.0	-22.27	Peak	312.00	150	Horizontal	Pass
5**	11603.450	42.43	0.42	54.0	-11.57	AV	312.00	150	Horizontal	Pass
6	15621.750	53.72	2.60	74.0	-20.28	Peak	274.00	400	Horizontal	Pass
6**	15621.750	44.38	2.60	54.0	-9.62	AV	274.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.800	38.33	-17.63	74.0	-35.67	Peak	342.00	300	Vertical	Pass
1**	1615.800	29.10	-17.63	54.0	-24.90	AV	342.00	300	Vertical	Pass
2	4308.400	49.32	-4.59	74.0	-24.68	Peak	0.00	400	Vertical	Pass
2**	4308.400	39.48	-4.59	54.0	-14.52	AV	0.00	400	Vertical	Pass
3	5523.200	83.80	-2.16	--	--	Peak	0.00	100	Vertical	N/A
3**	5523.200	75.79	-2.16	--	--	AV	0.00	100	Vertical	N/A
4	7344.138	49.42	-3.10	74.0	-24.58	Peak	12.00	200	Vertical	Pass
4**	7344.138	41.57	-3.10	54.0	-12.43	AV	12.00	200	Vertical	Pass
5	10822.887	52.08	0.94	74.0	-21.92	Peak	171.00	200	Vertical	Pass
5**	10822.887	41.80	0.94	54.0	-12.20	AV	171.00	200	Vertical	Pass
6	15852.225	53.77	1.81	74.0	-20.23	Peak	19.00	400	Vertical	Pass
6**	15852.225	44.58	1.81	54.0	-9.42	AV	19.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.000	38.74	-17.48	74.0	-35.26	Peak	312.00	400	Horizontal	Pass
1**	1570.000	28.40	-17.48	54.0	-25.60	AV	312.00	400	Horizontal	Pass
2	4232.400	50.33	-4.62	74.0	-23.67	Peak	78.00	100	Horizontal	Pass
2**	4232.400	40.26	-4.62	54.0	-13.74	AV	78.00	100	Horizontal	Pass
3	5603.600	91.12	-2.59	--	--	Peak	165.00	150	Horizontal	N/A
3**	5603.600	84.42	-2.59	--	--	AV	165.00	150	Horizontal	N/A
4	7733.700	49.52	-2.32	74.0	-24.48	Peak	360.00	300	Horizontal	Pass
4**	7733.700	40.28	-2.32	54.0	-13.72	AV	360.00	300	Horizontal	Pass
5	10922.362	51.42	0.47	74.0	-22.58	Peak	191.00	150	Horizontal	Pass
5**	10922.362	43.27	0.47	54.0	-10.73	AV	191.00	150	Horizontal	Pass
6	15996.862	53.81	1.32	74.0	-20.19	Peak	250.00	200	Horizontal	Pass
6**	15996.862	43.56	1.32	54.0	-10.44	AV	250.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.000	38.25	-17.56	74.0	-35.75	Peak	223.00	200	Vertical	Pass
1**	1486.000	28.91	-17.56	54.0	-25.09	AV	223.00	200	Vertical	Pass
2	4228.800	48.91	-4.54	74.0	-25.09	Peak	58.00	300	Vertical	Pass
2**	4228.800	40.00	-4.54	54.0	-14.00	AV	58.00	300	Vertical	Pass
3	5603.400	81.83	-2.61	--	--	Peak	353.00	200	Vertical	N/A
3**	5603.400	74.75	-2.61	--	--	AV	353.00	200	Vertical	N/A
4	7345.575	49.42	-3.11	74.0	-24.58	Peak	292.00	100	Vertical	Pass
4**	7345.575	41.59	-3.11	54.0	-12.41	AV	292.00	100	Vertical	Pass
5	12218.412	51.85	1.62	74.0	-22.15	Peak	78.00	150	Vertical	Pass
5**	12218.412	42.82	1.62	54.0	-11.18	AV	78.00	150	Vertical	Pass
6	15855.901	53.76	1.67	74.0	-20.24	Peak	63.00	100	Vertical	Pass
6**	15855.901	44.41	1.67	54.0	-9.59	AV	63.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.800	38.45	-17.45	74.0	-35.55	Peak	270.00	100	Horizontal	Pass
1**	1445.800	28.97	-17.45	54.0	-25.03	AV	270.00	100	Horizontal	Pass
2	4222.800	49.00	-4.96	74.0	-25.00	Peak	199.00	400	Horizontal	Pass
2**	4222.800	39.71	-4.96	54.0	-14.29	AV	199.00	400	Horizontal	Pass
3	5746.800	98.59	-2.13	--	--	Peak	166.00	200	Horizontal	N/A
3**	5746.800	90.84	-2.13	--	--	AV	166.00	200	Horizontal	N/A
4	7352.187	49.65	-3.32	74.0	-24.35	Peak	190.00	300	Horizontal	Pass
4**	7352.187	40.60	-3.32	54.0	-13.40	AV	190.00	300	Horizontal	Pass
5	10942.200	51.58	0.15	74.0	-22.42	Peak	317.00	150	Horizontal	Pass
5**	10942.200	42.91	0.15	54.0	-11.09	AV	317.00	150	Horizontal	Pass
6	15837.525	53.46	2.01	74.0	-20.54	Peak	180.00	100	Horizontal	Pass
6**	15837.525	44.27	2.01	54.0	-9.73	AV	180.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.200	39.41	-17.57	74.0	-34.59	Peak	149.00	400	Vertical	Pass
1**	1572.200	29.38	-17.57	54.0	-24.62	AV	149.00	400	Vertical	Pass
2	4038.600	49.13	-4.80	74.0	-24.87	Peak	81.00	100	Vertical	Pass
2**	4038.600	39.35	-4.80	54.0	-14.65	AV	81.00	100	Vertical	Pass
3	5743.200	92.09	-2.03	--	--	Peak	360.00	150	Vertical	N/A
3**	5743.200	84.86	-2.03	--	--	AV	360.00	150	Vertical	N/A
4	7364.837	50.51	-3.48	74.0	-23.49	Peak	170.00	200	Vertical	Pass
4**	7364.837	40.68	-3.48	54.0	-13.32	AV	170.00	200	Vertical	Pass
5	10917.474	51.67	0.49	74.0	-22.33	Peak	12.00	200	Vertical	Pass
5**	10917.474	42.64	0.49	54.0	-11.36	AV	12.00	200	Vertical	Pass
6	16104.750	54.01	1.61	74.0	-19.99	Peak	291.00	400	Vertical	Pass
6**	16104.750	43.94	1.61	54.0	-10.06	AV	291.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.500	38.85	-17.56	74.0	-35.15	Peak	212.00	100	Horizontal	Pass
1**	1507.500	29.23	-17.56	54.0	-24.77	AV	212.00	100	Horizontal	Pass
2	4297.200	48.72	-4.69	74.0	-25.28	Peak	272.00	200	Horizontal	Pass
2**	4297.200	40.41	-4.69	54.0	-13.59	AV	272.00	200	Horizontal	Pass
3	5783.800	98.57	-2.29	--	--	Peak	159.00	150	Horizontal	N/A
3**	5783.800	91.47	-2.29	--	--	AV	159.00	150	Horizontal	N/A
4	7360.525	50.04	-3.51	74.0	-23.96	Peak	300.00	200	Horizontal	Pass
4**	7360.525	40.21	-3.51	54.0	-13.79	AV	300.00	200	Horizontal	Pass
5	11616.963	51.37	0.34	74.0	-22.63	Peak	236.00	100	Horizontal	Pass
5**	11616.963	42.04	0.34	54.0	-11.96	AV	236.00	100	Horizontal	Pass
6	15831.750	53.67	1.97	74.0	-20.33	Peak	33.00	200	Horizontal	Pass
6**	15831.750	44.53	1.97	54.0	-9.47	AV	33.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.500	39.36	-17.90	74.0	-34.64	Peak	205.00	400	Vertical	Pass
1**	1604.500	28.02	-17.90	54.0	-25.98	AV	205.00	400	Vertical	Pass
2	4230.200	48.79	-4.56	74.0	-25.21	Peak	322.00	300	Vertical	Pass
2**	4230.200	40.04	-4.56	54.0	-13.96	AV	322.00	300	Vertical	Pass
3	5786.600	91.41	-2.33	--	--	Peak	353.00	200	Vertical	N/A
3**	5786.600	84.05	-2.33	--	--	AV	353.00	200	Vertical	N/A
4	7342.700	49.67	-3.09	74.0	-24.33	Peak	125.00	200	Vertical	Pass
4**	7342.700	41.15	-3.09	54.0	-12.85	AV	125.00	200	Vertical	Pass
5	11606.901	51.95	0.40	74.0	-22.05	Peak	220.00	150	Vertical	Pass
5**	11606.901	42.06	0.40	54.0	-11.94	AV	220.00	150	Vertical	Pass
6	16007.099	53.20	1.31	74.0	-20.80	Peak	326.00	200	Vertical	Pass
6**	16007.099	43.34	1.31	54.0	-10.66	AV	326.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.000	38.35	-17.62	74.0	-35.65	Peak	240.00	400	Horizontal	Pass
1**	1577.000	28.51	-17.62	54.0	-25.49	AV	240.00	400	Horizontal	Pass
2	4224.200	48.95	-4.82	74.0	-25.05	Peak	118.00	400	Horizontal	Pass
2**	4224.200	40.49	-4.82	54.0	-13.51	AV	118.00	400	Horizontal	Pass
3	5826.800	99.18	-1.94	--	--	Peak	158.00	200	Horizontal	N/A
3**	5826.800	91.97	-1.94	--	--	AV	158.00	200	Horizontal	N/A
4	7342.700	49.65	-3.09	74.0	-24.35	Peak	127.00	100	Horizontal	Pass
4**	7342.700	40.22	-3.09	54.0	-13.78	AV	127.00	100	Horizontal	Pass
5	11219.350	51.36	-0.09	74.0	-22.64	Peak	48.00	100	Horizontal	Pass
5**	11219.350	42.26	-0.09	54.0	-11.74	AV	48.00	100	Horizontal	Pass
6	16195.049	53.11	2.72	74.0	-20.89	Peak	0.00	400	Horizontal	Pass
6**	16195.049	43.75	2.72	54.0	-10.25	AV	0.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.000	38.28	-17.65	74.0	-35.72	Peak	55.00	100	Vertical	Pass
1**	1581.000	28.95	-17.65	54.0	-25.05	AV	55.00	100	Vertical	Pass
2	4129.600	49.16	-4.84	74.0	-24.84	Peak	76.00	400	Vertical	Pass
2**	4129.600	39.15	-4.84	54.0	-14.85	AV	76.00	400	Vertical	Pass
3	5823.800	92.92	-2.06	--	--	Peak	360.00	200	Vertical	N/A
3**	5823.800	86.27	-2.06	--	--	AV	360.00	200	Vertical	N/A
4	7338.675	49.36	-2.92	74.0	-24.64	Peak	75.00	300	Vertical	Pass
4**	7338.675	40.48	-2.92	54.0	-13.52	AV	75.00	300	Vertical	Pass
5	11606.901	51.31	0.40	74.0	-22.69	Peak	360.00	100	Vertical	Pass
5**	11606.901	41.77	0.40	54.0	-12.23	AV	360.00	100	Vertical	Pass
6	15846.974	53.79	1.92	74.0	-20.21	Peak	346.00	300	Vertical	Pass
6**	15846.974	45.42	1.92	54.0	-8.58	AV	346.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.200	38.42	-17.58	74.0	-35.58	Peak	225.00	200	Horizontal	Pass
1**	1508.200	29.23	-17.58	54.0	-24.77	AV	225.00	200	Horizontal	Pass
2	4213.800	49.69	-4.98	74.0	-24.31	Peak	179.00	400	Horizontal	Pass
2**	4213.800	39.85	-4.98	54.0	-14.15	AV	179.00	400	Horizontal	Pass
3	5743.600	97.07	-2.01	--	--	Peak	168.00	150	Horizontal	N/A
3**	5743.600	89.67	-2.01	--	--	AV	168.00	150	Horizontal	N/A
4	7354.775	49.03	-3.51	74.0	-24.97	Peak	92.00	400	Horizontal	Pass
4**	7354.775	40.56	-3.51	54.0	-13.44	AV	92.00	400	Horizontal	Pass
5	11227.400	52.27	-0.06	74.0	-21.73	Peak	360.00	100	Horizontal	Pass
5**	11227.400	42.14	-0.06	54.0	-11.86	AV	360.00	100	Horizontal	Pass
6	15842.250	53.79	1.99	74.0	-20.21	Peak	235.00	400	Horizontal	Pass
6**	15842.250	44.69	1.99	54.0	-9.31	AV	235.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.500	38.94	-17.53	74.0	-35.06	Peak	273.00	400	Vertical	Pass
1**	1532.500	28.50	-17.53	54.0	-25.50	AV	273.00	400	Vertical	Pass
2	4293.200	49.83	-4.92	74.0	-24.17	Peak	108.00	100	Vertical	Pass
2**	4293.200	38.85	-4.92	54.0	-15.15	AV	108.00	100	Vertical	Pass
3	5746.000	90.50	-2.08	--	--	Peak	354.00	100	Vertical	N/A
3**	5746.000	83.77	-2.08	--	--	AV	354.00	100	Vertical	N/A
4	7733.700	49.08	-2.32	74.0	-24.92	Peak	124.00	300	Vertical	Pass
4**	7733.700	40.22	-2.32	54.0	-13.78	AV	124.00	300	Vertical	Pass
5	12211.800	51.65	1.45	74.0	-22.35	Peak	299.00	100	Vertical	Pass
5**	12211.800	41.45	1.45	54.0	-12.55	AV	299.00	100	Vertical	Pass
6	15855.375	53.57	1.70	74.0	-20.43	Peak	181.00	100	Vertical	Pass
6**	15855.375	44.49	1.70	54.0	-9.51	AV	181.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.800	38.52	-17.70	74.0	-35.48	Peak	183.00	400	Horizontal	Pass
1**	1612.800	28.56	-17.70	54.0	-25.44	AV	183.00	400	Horizontal	Pass
2	4216.000	49.05	-4.98	74.0	-24.95	Peak	138.00	400	Horizontal	Pass
2**	4216.000	39.81	-4.98	54.0	-14.19	AV	138.00	400	Horizontal	Pass
3	5783.600	97.57	-2.30	--	--	Peak	158.00	100	Horizontal	N/A
3**	5783.600	90.17	-2.30	--	--	AV	158.00	100	Horizontal	N/A
4	7731.975	49.09	-2.35	74.0	-24.91	Peak	12.00	400	Horizontal	Pass
4**	7731.975	39.76	-2.35	54.0	-14.24	AV	12.00	400	Horizontal	Pass
5	10926.675	51.54	0.39	74.0	-22.46	Peak	219.00	100	Horizontal	Pass
5**	10926.675	42.45	0.39	54.0	-11.55	AV	219.00	100	Horizontal	Pass
6	15836.738	53.46	2.00	74.0	-20.54	Peak	291.00	300	Horizontal	Pass
6**	15836.738	44.48	2.00	54.0	-9.52	AV	291.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.700	38.57	-17.47	74.0	-35.43	Peak	84.00	100	Vertical	Pass
1**	1527.700	29.95	-17.47	54.0	-24.05	AV	84.00	100	Vertical	Pass
2	4233.600	49.15	-4.66	74.0	-24.85	Peak	230.00	200	Vertical	Pass
2**	4233.600	40.29	-4.66	54.0	-13.71	AV	230.00	200	Vertical	Pass
3	5786.800	90.78	-2.32	--	--	Peak	353.00	150	Vertical	N/A
3**	5786.800	83.73	-2.32	--	--	AV	353.00	150	Vertical	N/A
4	7707.537	49.74	-2.24	74.0	-24.26	Peak	28.00	100	Vertical	Pass
4**	7707.537	39.52	-2.24	54.0	-14.48	AV	28.00	100	Vertical	Pass
5	11714.138	51.32	1.20	74.0	-22.68	Peak	171.00	200	Vertical	Pass
5**	11714.138	41.88	1.20	54.0	-12.12	AV	171.00	200	Vertical	Pass
6	15625.425	54.35	2.55	74.0	-19.65	Peak	198.00	400	Vertical	Pass
6**	15625.425	43.86	2.55	54.0	-10.14	AV	198.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.500	38.40	-17.48	74.0	-35.60	Peak	19.00	300	Horizontal	Pass
1**	1467.500	28.78	-17.48	54.0	-25.22	AV	19.00	300	Horizontal	Pass
2	4199.800	50.03	-4.83	74.0	-23.97	Peak	168.00	200	Horizontal	Pass
2**	4199.800	39.60	-4.83	54.0	-14.40	AV	168.00	200	Horizontal	Pass
3	5827.000	97.80	-1.94	--	--	Peak	158.00	150	Horizontal	N/A
3**	5827.000	90.47	-1.94	--	--	AV	158.00	150	Horizontal	N/A
4	7365.412	50.01	-3.47	74.0	-23.99	Peak	28.00	300	Horizontal	Pass
4**	7365.412	40.85	-3.47	54.0	-13.15	AV	28.00	300	Horizontal	Pass
5	11108.375	51.40	-0.53	74.0	-22.60	Peak	143.00	150	Horizontal	Pass
5**	11108.375	42.12	-0.53	54.0	-11.88	AV	143.00	150	Horizontal	Pass
6	15855.112	53.58	1.72	74.0	-20.42	Peak	164.00	400	Horizontal	Pass
6**	15855.112	44.15	1.72	54.0	-9.85	AV	164.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.800	38.62	-17.64	74.0	-35.38	Peak	191.00	200	Vertical	Pass
1**	1487.800	29.64	-17.64	54.0	-24.36	AV	191.00	200	Vertical	Pass
2	4248.600	49.71	-4.82	74.0	-24.29	Peak	354.00	400	Vertical	Pass
2**	4248.600	39.74	-4.82	54.0	-14.26	AV	354.00	400	Vertical	Pass
3	5827.600	92.06	-1.94	--	--	Peak	0.00	100	Vertical	N/A
3**	5827.600	83.75	-1.94	--	--	AV	0.00	100	Vertical	N/A
4	7373.750	49.44	-3.58	74.0	-24.56	Peak	283.00	100	Vertical	Pass
4**	7373.750	40.33	-3.58	54.0	-13.67	AV	283.00	100	Vertical	Pass
5	11712.987	51.39	1.17	74.0	-22.61	Peak	299.00	150	Vertical	Pass
5**	11712.987	41.89	1.17	54.0	-12.11	AV	299.00	150	Vertical	Pass
6	15858.000	54.44	1.55	74.0	-19.56	Peak	235.00	200	Vertical	Pass
6**	15858.000	44.42	1.55	54.0	-9.58	AV	235.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.100	38.67	-17.60	74.0	-35.33	Peak	348.00	400	Horizontal	Pass
1**	1437.100	29.04	-17.60	54.0	-24.96	AV	348.00	400	Horizontal	Pass
2	4217.000	49.27	-5.00	74.0	-24.73	Peak	227.00	200	Horizontal	Pass
2**	4217.000	40.14	-5.00	54.0	-13.86	AV	227.00	200	Horizontal	Pass
3	5753.200	94.99	-1.82	--	--	Peak	165.00	150	Horizontal	N/A
3**	5753.200	87.96	-1.82	--	--	AV	165.00	150	Horizontal	N/A
4	7385.250	49.85	-3.80	74.0	-24.15	Peak	187.00	200	Horizontal	Pass
4**	7385.250	39.91	-3.80	54.0	-14.09	AV	187.00	200	Horizontal	Pass
5	11722.188	51.64	1.30	74.0	-22.36	Peak	345.00	100	Horizontal	Pass
5**	11722.188	42.40	1.30	54.0	-11.60	AV	345.00	100	Horizontal	Pass
6	15839.362	53.45	2.03	74.0	-20.55	Peak	88.00	300	Horizontal	Pass
6**	15839.362	44.51	2.03	54.0	-9.49	AV	88.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.500	38.24	-17.62	74.0	-35.76	Peak	163.00	100	Vertical	Pass
1**	1615.500	28.61	-17.62	54.0	-25.39	AV	163.00	100	Vertical	Pass
2	4358.800	49.76	-3.85	74.0	-24.24	Peak	187.00	400	Vertical	Pass
2**	4358.800	40.04	-3.85	54.0	-13.96	AV	187.00	400	Vertical	Pass
3	5753.400	88.12	-1.82	--	--	Peak	0.00	200	Vertical	N/A
3**	5753.400	80.38	-1.82	--	--	AV	0.00	200	Vertical	N/A
4	7337.525	49.75	-2.87	74.0	-24.25	Peak	284.00	200	Vertical	Pass
4**	7337.525	41.29	-2.87	54.0	-12.71	AV	284.00	200	Vertical	Pass
5	11608.337	52.76	0.38	74.0	-21.24	Peak	301.00	100	Vertical	Pass
5**	11608.337	42.90	0.38	54.0	-11.10	AV	301.00	100	Vertical	Pass
6	15859.575	53.65	1.46	74.0	-20.35	Peak	63.00	100	Vertical	Pass
6**	15859.575	44.26	1.46	54.0	-9.74	AV	63.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.800	38.47	-17.40	74.0	-35.53	Peak	12.00	300	Horizontal	Pass
1**	1461.800	29.08	-17.40	54.0	-24.92	AV	12.00	300	Horizontal	Pass
2	4229.200	49.82	-4.55	74.0	-24.18	Peak	110.00	400	Horizontal	Pass
2**	4229.200	40.21	-4.55	54.0	-13.79	AV	110.00	400	Horizontal	Pass
3	5797.600	96.52	-2.29	--	--	Peak	171.00	100	Horizontal	N/A
3**	5797.600	89.45	-2.29	--	--	AV	171.00	100	Horizontal	N/A
4	7633.075	50.16	-3.00	74.0	-23.84	Peak	298.00	400	Horizontal	Pass
4**	7633.075	39.52	-3.00	54.0	-14.48	AV	298.00	400	Horizontal	Pass
5	11521.800	51.62	-0.18	74.0	-22.38	Peak	22.00	200	Horizontal	Pass
5**	11521.800	42.52	-0.18	54.0	-11.48	AV	22.00	200	Horizontal	Pass
6	15846.187	53.82	1.92	74.0	-20.18	Peak	245.00	300	Horizontal	Pass
6**	15846.187	44.60	1.92	54.0	-9.40	AV	245.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.600	38.74	-17.59	74.0	-35.26	Peak	180.00	400	Vertical	Pass
1**	1486.600	29.71	-17.59	54.0	-24.29	AV	180.00	400	Vertical	Pass
2	4209.800	49.55	-4.96	74.0	-24.45	Peak	94.00	200	Vertical	Pass
2**	4209.800	39.64	-4.96	54.0	-14.36	AV	94.00	200	Vertical	Pass
3	5797.000	89.13	-2.27	--	--	Peak	360.00	200	Vertical	N/A
3**	5797.000	81.98	-2.27	--	--	AV	360.00	200	Vertical	N/A
4	7361.962	50.02	-3.55	74.0	-23.98	Peak	45.00	400	Vertical	Pass
4**	7361.962	40.47	-3.55	54.0	-13.53	AV	45.00	400	Vertical	Pass
5	10919.487	51.44	0.51	74.0	-22.56	Peak	321.00	150	Vertical	Pass
5**	10919.487	42.49	0.51	54.0	-11.51	AV	321.00	150	Vertical	Pass
6	15840.412	53.29	2.03	74.0	-20.71	Peak	212.00	200	Vertical	Pass
6**	15840.412	44.85	2.03	54.0	-9.15	AV	212.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.700	38.48	-17.58	74.0	-35.52	Peak	143.00	200	Horizontal	Pass
1**	1575.700	28.79	-17.58	54.0	-25.21	AV	143.00	200	Horizontal	Pass
2	4225.600	49.50	-4.69	74.0	-24.50	Peak	349.00	300	Horizontal	Pass
2**	4225.600	40.34	-4.69	54.0	-13.66	AV	349.00	300	Horizontal	Pass
3	5747.200	96.06	-2.16	--	--	Peak	174.00	200	Horizontal	N/A
3**	5747.200	88.74	-2.16	--	--	AV	174.00	200	Horizontal	N/A
4	7465.175	49.79	-3.18	74.0	-24.21	Peak	11.00	300	Horizontal	Pass
4**	7465.175	40.17	-3.18	54.0	-13.83	AV	11.00	300	Horizontal	Pass
5	11227.688	52.85	-0.06	74.0	-21.15	Peak	91.00	200	Horizontal	Pass
5**	11227.688	42.87	-0.06	54.0	-11.13	AV	91.00	200	Horizontal	Pass
6	15588.938	53.91	2.07	74.0	-20.09	Peak	52.00	200	Horizontal	Pass
6**	15588.938	42.83	2.07	54.0	-11.17	AV	52.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.300	38.46	-17.65	74.0	-35.54	Peak	197.00	200	Vertical	Pass
1**	1623.300	28.74	-17.65	54.0	-25.26	AV	197.00	200	Vertical	Pass
2	4256.200	49.70	-4.75	74.0	-24.30	Peak	27.00	200	Vertical	Pass
2**	4256.200	40.69	-4.75	54.0	-13.31	AV	27.00	200	Vertical	Pass
3	5744.200	88.88	-2.01	--	--	Peak	360.00	150	Vertical	N/A
3**	5744.200	82.03	-2.01	--	--	AV	360.00	150	Vertical	N/A
4	7336.663	49.87	-2.91	74.0	-24.13	Peak	330.00	400	Vertical	Pass
4**	7336.663	41.09	-2.91	54.0	-12.91	AV	330.00	400	Vertical	Pass
5	11227.688	51.71	-0.06	74.0	-22.29	Peak	202.00	200	Vertical	Pass
5**	11227.688	42.78	-0.06	54.0	-11.22	AV	202.00	200	Vertical	Pass
6	16093.200	53.85	1.86	74.0	-20.15	Peak	89.00	300	Vertical	Pass
6**	16093.200	44.24	1.86	54.0	-9.76	AV	89.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1478.000	38.57	-17.47	74.0	-35.43	Peak	44.00	200	Horizontal	Pass
1**	1478.000	28.95	-17.47	54.0	-25.05	AV	44.00	200	Horizontal	Pass
2	3849.600	49.50	-5.59	74.0	-24.50	Peak	160.00	200	Horizontal	Pass
2**	3849.600	38.89	-5.59	54.0	-15.11	AV	160.00	200	Horizontal	Pass
3	5783.800	95.43	-2.29	--	--	Peak	171.00	100	Horizontal	N/A
3**	5783.800	87.93	-2.29	--	--	AV	171.00	100	Horizontal	N/A
4	7339.537	50.51	-2.97	74.0	-23.49	Peak	158.00	300	Horizontal	Pass
4**	7339.537	40.27	-2.97	54.0	-13.73	AV	158.00	300	Horizontal	Pass
5	11602.013	51.99	0.40	74.0	-22.01	Peak	127.00	150	Horizontal	Pass
5**	11602.013	43.12	0.40	54.0	-10.88	AV	127.00	150	Horizontal	Pass
6	15846.450	54.34	1.92	74.0	-19.66	Peak	254.00	200	Horizontal	Pass
6**	15846.450	45.28	1.92	54.0	-8.72	AV	254.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.900	38.22	-17.55	74.0	-35.78	Peak	301.00	200	Vertical	Pass
1**	1459.900	29.40	-17.55	54.0	-24.60	AV	301.00	200	Vertical	Pass
2	4226.000	50.14	-4.65	74.0	-23.86	Peak	304.00	400	Vertical	Pass
2**	4226.000	40.33	-4.65	54.0	-13.67	AV	304.00	400	Vertical	Pass
3	5786.600	88.37	-2.33	--	--	Peak	360.00	150	Vertical	N/A
3**	5786.600	80.97	-2.33	--	--	AV	360.00	150	Vertical	N/A
4	7360.813	49.77	-3.52	74.0	-24.23	Peak	236.00	300	Vertical	Pass
4**	7360.813	41.05	-3.52	54.0	-12.95	AV	236.00	300	Vertical	Pass
5	12225.599	51.81	1.71	74.0	-22.19	Peak	79.00	100	Vertical	Pass
5**	12225.599	43.05	1.71	54.0	-10.95	AV	79.00	100	Vertical	Pass
6	15849.338	53.47	1.89	74.0	-20.53	Peak	71.00	100	Vertical	Pass
6**	15849.338	44.73	1.89	54.0	-9.27	AV	71.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.800	38.30	-17.38	74.0	-35.70	Peak	272.00	300	Horizontal	Pass
1**	1447.800	29.51	-17.38	54.0	-24.49	AV	272.00	300	Horizontal	Pass
2	4383.600	49.41	-4.41	74.0	-24.59	Peak	222.00	300	Horizontal	Pass
2**	4383.600	39.12	-4.41	54.0	-14.88	AV	222.00	300	Horizontal	Pass
3	5823.400	95.71	-2.07	--	--	Peak	171.00	150	Horizontal	N/A
3**	5823.400	88.59	-2.07	--	--	AV	171.00	150	Horizontal	N/A
4	7357.650	49.93	-3.46	74.0	-24.07	Peak	96.00	100	Horizontal	Pass
4**	7357.650	41.35	-3.46	54.0	-12.65	AV	96.00	100	Horizontal	Pass
5	11714.138	52.19	1.20	74.0	-21.81	Peak	284.00	150	Horizontal	Pass
5**	11714.138	41.53	1.20	54.0	-12.47	AV	284.00	150	Horizontal	Pass
6	15815.737	54.03	2.47	74.0	-19.97	Peak	142.00	100	Horizontal	Pass
6**	15815.737	43.46	2.47	54.0	-10.54	AV	142.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.000	38.73	-17.62	74.0	-35.27	Peak	278.00	100	Vertical	Pass
1**	1580.000	28.89	-17.62	54.0	-25.11	AV	278.00	100	Vertical	Pass
2	4375.600	49.43	-4.24	74.0	-24.57	Peak	150.00	400	Vertical	Pass
2**	4375.600	40.14	-4.24	54.0	-13.86	AV	150.00	400	Vertical	Pass
3	5823.200	89.25	-2.07	--	--	Peak	6.00	150	Vertical	N/A
3**	5823.200	82.31	-2.07	--	--	AV	6.00	150	Vertical	N/A
4	7365.987	49.56	-3.57	74.0	-24.44	Peak	316.00	200	Vertical	Pass
4**	7365.987	40.97	-3.57	54.0	-13.03	AV	316.00	200	Vertical	Pass
5	11537.325	51.70	-0.28	74.0	-22.30	Peak	316.00	100	Vertical	Pass
5**	11537.325	42.05	-0.28	54.0	-11.95	AV	316.00	100	Vertical	Pass
6	15832.800	53.36	1.97	74.0	-20.64	Peak	0.00	100	Vertical	Pass
6**	15832.800	44.19	1.97	54.0	-9.81	AV	0.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.600	38.64	-17.40	74.0	-35.36	Peak	360.00	100	Horizontal	Pass
1**	1450.600	29.01	-17.40	54.0	-24.99	AV	360.00	100	Horizontal	Pass
2	4225.800	49.52	-4.67	74.0	-24.48	Peak	299.00	200	Horizontal	Pass
2**	4225.800	40.04	-4.67	54.0	-13.96	AV	299.00	200	Horizontal	Pass
3	5753.200	93.27	-1.82	--	--	Peak	166.00	200	Horizontal	N/A
3**	5753.200	85.45	-1.82	--	--	AV	166.00	200	Horizontal	N/A
4	7339.825	49.65	-2.99	74.0	-24.35	Peak	72.00	400	Horizontal	Pass
4**	7339.825	41.15	-2.99	54.0	-12.85	AV	72.00	400	Horizontal	Pass
5	11326.012	52.14	0.84	74.0	-21.86	Peak	283.00	200	Horizontal	Pass
5**	11326.012	41.79	0.84	54.0	-12.21	AV	283.00	200	Horizontal	Pass
6	15840.412	53.97	2.03	74.0	-20.03	Peak	325.00	400	Horizontal	Pass
6**	15840.412	44.99	2.03	54.0	-9.01	AV	325.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.900	38.59	-17.63	74.0	-35.41	Peak	68.00	100	Vertical	Pass
1**	1521.900	28.62	-17.63	54.0	-25.38	AV	68.00	100	Vertical	Pass
2	4347.600	49.82	-4.26	74.0	-24.18	Peak	17.00	200	Vertical	Pass
2**	4347.600	40.27	-4.26	54.0	-13.73	AV	17.00	200	Vertical	Pass
3	5752.600	86.03	-1.81	--	--	Peak	360.00	200	Vertical	N/A
3**	5752.600	78.28	-1.81	--	--	AV	360.00	200	Vertical	N/A
4	7332.638	50.30	-3.14	74.0	-23.70	Peak	220.00	400	Vertical	Pass
4**	7332.638	40.62	-3.14	54.0	-13.38	AV	220.00	400	Vertical	Pass
5	12227.325	51.61	1.70	74.0	-22.39	Peak	140.00	200	Vertical	Pass
5**	12227.325	43.02	1.70	54.0	-10.98	AV	140.00	200	Vertical	Pass
6	15850.387	54.98	1.87	74.0	-19.02	Peak	309.00	400	Vertical	Pass
6**	15850.387	45.58	1.87	54.0	-8.42	AV	309.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.400	38.27	-17.62	74.0	-35.73	Peak	86.00	200	Horizontal	Pass
1**	1509.400	29.63	-17.62	54.0	-24.37	AV	86.00	200	Horizontal	Pass
2	4238.400	49.30	-4.72	74.0	-24.70	Peak	334.00	400	Horizontal	Pass
2**	4238.400	40.09	-4.72	54.0	-13.91	AV	334.00	400	Horizontal	Pass
3	5796.600	94.30	-2.33	--	--	Peak	170.00	150	Horizontal	N/A
3**	5796.600	86.77	-2.33	--	--	AV	170.00	150	Horizontal	N/A
4	7720.475	49.71	-2.34	74.0	-24.29	Peak	300.00	100	Horizontal	Pass
4**	7720.475	39.86	-2.34	54.0	-14.14	AV	300.00	100	Horizontal	Pass
5	11603.162	52.58	0.42	74.0	-21.42	Peak	10.00	200	Horizontal	Pass
5**	11603.162	42.77	0.42	54.0	-11.23	AV	10.00	200	Horizontal	Pass
6	15849.075	53.76	1.89	74.0	-20.24	Peak	360.00	200	Horizontal	Pass
6**	15849.075	45.11	1.89	54.0	-8.89	AV	360.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.700	38.47	-17.51	74.0	-35.53	Peak	147.00	200	Vertical	Pass
1**	1475.700	29.21	-17.51	54.0	-24.79	AV	147.00	200	Vertical	Pass
2	4140.000	49.32	-4.69	74.0	-24.68	Peak	27.00	100	Vertical	Pass
2**	4140.000	39.72	-4.69	54.0	-14.28	AV	27.00	100	Vertical	Pass
3	5797.200	87.35	-2.27	--	--	Peak	360.00	100	Vertical	N/A
3**	5797.200	80.19	-2.27	--	--	AV	360.00	100	Vertical	N/A
4	7336.375	50.96	-2.92	74.0	-23.04	Peak	126.00	300	Vertical	Pass
4**	7336.375	40.75	-2.92	54.0	-13.25	AV	126.00	300	Vertical	Pass
5	11518.349	52.57	-0.12	74.0	-21.43	Peak	0.00	100	Vertical	Pass
5**	11518.349	41.97	-0.12	54.0	-12.03	AV	0.00	100	Vertical	Pass
6	15834.900	54.08	1.98	74.0	-19.92	Peak	181.00	200	Vertical	Pass
6**	15834.900	45.24	1.98	54.0	-8.76	AV	181.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.300	38.85	-17.55	74.0	-35.15	Peak	3.00	200	Horizontal	Pass
1**	1589.300	29.58	-17.55	54.0	-24.42	AV	3.00	200	Horizontal	Pass
2	4192.800	49.37	-4.74	74.0	-24.63	Peak	120.00	300	Horizontal	Pass
2**	4192.800	39.54	-4.74	54.0	-14.46	AV	120.00	300	Horizontal	Pass
3	5765.200	89.96	-1.48	--	--	Peak	171.00	200	Horizontal	N/A
3**	5765.200	82.59	-1.48	--	--	AV	171.00	200	Horizontal	N/A
4	7337.812	50.32	-2.87	74.0	-23.68	Peak	186.00	100	Horizontal	Pass
4**	7337.812	41.58	-2.87	54.0	-12.42	AV	186.00	100	Horizontal	Pass
5	12213.238	52.02	1.51	74.0	-21.98	Peak	0.00	200	Horizontal	Pass
5**	12213.238	42.20	1.51	54.0	-11.80	AV	0.00	200	Horizontal	Pass
6	16102.651	53.98	1.67	74.0	-20.02	Peak	107.00	400	Horizontal	Pass
6**	16102.651	44.32	1.67	54.0	-9.68	AV	107.00	400	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1466.200	38.72	-17.40	74.0	-35.28	Peak	254.00	300	Vertical	Pass
1**	1466.200	29.70	-17.40	54.0	-24.30	AV	254.00	300	Vertical	Pass
2	4227.000	49.01	-4.58	74.0	-24.99	Peak	192.00	100	Vertical	Pass
2**	4227.000	40.97	-4.58	54.0	-13.03	AV	192.00	100	Vertical	Pass
3	5788.400	83.27	-2.26	--	--	Peak	0.00	100	Vertical	N/A
3**	5788.400	75.96	-2.26	--	--	AV	0.00	100	Vertical	N/A
4	7339.537	49.65	-2.97	74.0	-24.35	Peak	360.00	400	Vertical	Pass
4**	7339.537	41.09	-2.97	54.0	-12.91	AV	360.00	400	Vertical	Pass
5	11598.850	51.46	0.36	74.0	-22.54	Peak	108.00	100	Vertical	Pass
5**	11598.850	42.68	0.36	54.0	-11.32	AV	108.00	100	Vertical	Pass
6	15846.974	53.70	1.92	74.0	-20.30	Peak	233.00	400	Vertical	Pass
6**	15846.974	44.88	1.92	54.0	-9.12	AV	233.00	400	Vertical	Pass


A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
802.11ac(VHT80)	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
802.11ac(VHT80)	Middle	Pass	
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
802.11ac(VHT80)	Low	Pass	
	High	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass


Test Data and Plots

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	58.24	3.51	74.0	-15.76	Peak	259.00	200	Horizontal	Pass
1**	5149.025	46.76	3.51	54.0	-7.24	AV	259.00	200	Horizontal	Pass
2	5149.675	56.55	3.47	74.0	-17.45	Peak	4.00	150	Horizontal	Pass
2**	5149.675	46.43	3.47	54.0	-7.57	AV	4.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.11	3.56	74.0	-17.89	Peak	56.00	150	Horizontal	Pass
1**	5350.000	45.50	3.56	54.0	-8.50	AV	56.00	150	Horizontal	Pass
2	5438.733	58.56	3.98	74.0	-15.44	Peak	175.00	200	Horizontal	Pass
2**	5438.733	46.01	3.98	54.0	-7.99	AV	175.00	200	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4806.475	57.66	3.27	74.0	-16.34	Peak	28.00	200	Horizontal	Pass
1**	4806.475	45.95	3.27	54.0	-8.05	AV	28.00	200	Horizontal	Pass
2	5149.675	55.99	3.47	74.0	-18.01	Peak	358.00	200	Horizontal	Pass
2**	5149.675	46.51	3.47	54.0	-7.49	AV	358.00	200	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.93	3.56	74.0	-18.07	Peak	307.00	100	Horizontal	Pass
1**	5350.000	45.26	3.56	54.0	-8.74	AV	307.00	100	Horizontal	Pass
2	5447.350	58.04	4.05	74.0	-15.96	Peak	43.00	150	Horizontal	Pass
2**	5447.350	45.77	4.05	54.0	-8.23	AV	43.00	150	Horizontal	Pass

U-NII-1 11n40 CH38



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5094.100	57.63	3.69	74.0	-16.37	Peak	309.00	100	Horizontal	Pass
1**	5094.100	46.34	3.69	54.0	-7.66	AV	309.00	100	Horizontal	Pass
2	5149.675	56.13	3.47	74.0	-17.87	Peak	284.00	100	Horizontal	Pass
2**	5149.675	46.37	3.47	54.0	-7.63	AV	284.00	100	Horizontal	Pass


U-NII-1 11n40 CH46



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.77	3.56	74.0	-18.23	Peak	0.00	200	Horizontal	Pass
1**	5350.000	45.29	3.56	54.0	-8.71	AV	0.00	200	Horizontal	Pass
2	5416.550	57.84	3.43	74.0	-16.16	Peak	262.00	200	Horizontal	Pass
2**	5416.550	46.13	3.43	54.0	-7.87	AV	262.00	200	Horizontal	Pass

U-NII-1 11ac20 CH36


Bandedge_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.800	58.17	3.46	74.0	-15.83	Peak	258.00	150	Horizontal	Pass
1**	5144.800	46.41	3.46	54.0	-7.59	AV	258.00	150	Horizontal	Pass
2	5149.675	55.65	3.47	74.0	-18.35	Peak	250.00	200	Horizontal	Pass
2**	5149.675	46.58	3.47	54.0	-7.42	AV	250.00	200	Horizontal	Pass


U-NII-1 11ac20 CH48

Bandedge_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.69	3.56	74.0	-18.31	Peak	253.00	200	Horizontal	Pass
1**	5350.000	45.26	3.56	54.0	-8.74	AV	253.00	200	Horizontal	Pass
2	5414.533	58.13	3.38	74.0	-15.87	Peak	222.00	150	Horizontal	Pass
2**	5414.533	45.92	3.38	54.0	-8.08	AV	222.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4826.300	57.92	2.51	74.0	-16.08	Peak	125.00	200	Horizontal	Pass
1**	4826.300	45.92	2.51	54.0	-8.08	AV	125.00	200	Horizontal	Pass
2	5149.675	56.41	3.47	74.0	-17.59	Peak	290.00	150	Horizontal	Pass
2**	5149.675	46.40	3.47	54.0	-7.60	AV	290.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.89	3.56	74.0	-18.11	Peak	68.00	150	Horizontal	Pass
1**	5350.000	45.41	3.56	54.0	-8.59	AV	68.00	150	Horizontal	Pass
2	5429.383	58.11	3.69	74.0	-15.89	Peak	189.00	200	Horizontal	Pass
2**	5429.383	46.15	3.69	54.0	-7.85	AV	189.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4908.200	57.60	3.64	74.0	-16.40	Peak	300.00	200	Horizontal	Pass
1**	4908.200	46.31	3.64	54.0	-7.69	AV	300.00	200	Horizontal	Pass
2	5149.675	56.13	3.47	74.0	-17.87	Peak	0.00	100	Horizontal	Pass
2**	5149.675	46.49	3.47	54.0	-7.51	AV	0.00	100	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.71	3.56	74.0	-18.29	Peak	95.00	150	Horizontal	Pass
1**	5350.000	45.25	3.56	54.0	-8.75	AV	95.00	150	Horizontal	Pass
2	5410.867	58.23	3.42	74.0	-15.77	Peak	331.00	150	Horizontal	Pass
2**	5410.867	46.01	3.42	54.0	-7.99	AV	331.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5111.975	57.61	3.57	74.0	-16.39	Peak	73.00	100	Horizontal	Pass
1**	5111.975	46.02	3.57	54.0	-7.98	AV	73.00	100	Horizontal	Pass
2	5149.675	56.59	3.47	74.0	-17.41	Peak	200.00	100	Horizontal	Pass
2**	5149.675	46.36	3.47	54.0	-7.64	AV	200.00	100	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.28	3.56	74.0	-17.72	Peak	309.00	150	Horizontal	Pass
1**	5350.000	45.69	3.56	54.0	-8.31	AV	309.00	150	Horizontal	Pass
2	5441.117	58.11	4.18	74.0	-15.89	Peak	195.00	150	Horizontal	Pass
2**	5441.117	46.25	4.18	54.0	-7.75	AV	195.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4809.400	57.71	3.17	74.0	-16.29	Peak	152.00	150	Horizontal	Pass
1**	4809.400	46.01	3.17	54.0	-7.99	AV	152.00	150	Horizontal	Pass
2	5149.675	55.12	3.47	74.0	-18.88	Peak	12.00	200	Horizontal	Pass
2**	5149.675	46.36	3.47	54.0	-7.64	AV	12.00	200	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.77	3.56	74.0	-18.23	Peak	216.00	200	Horizontal	Pass
1**	5350.000	45.45	3.56	54.0	-8.55	AV	216.00	200	Horizontal	Pass
2	5406.100	58.00	3.57	74.0	-16.00	Peak	58.00	200	Horizontal	Pass
2**	5406.100	45.96	3.57	54.0	-8.04	AV	58.00	200	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	57.84	3.48	74.0	-16.16	Peak	196.00	150	Horizontal	Pass
1**	5148.050	46.31	3.48	54.0	-7.69	AV	196.00	150	Horizontal	Pass
2	5149.675	56.00	3.47	74.0	-18.00	Peak	0.00	150	Horizontal	Pass
2**	5149.675	46.54	3.47	54.0	-7.46	AV	0.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.25	3.56	74.0	-16.75	Peak	213.00	100	Horizontal	Pass
1**	5350.000	45.65	3.56	54.0	-8.35	AV	213.00	100	Horizontal	Pass
2	5421.133	58.45	3.35	74.0	-15.55	Peak	172.00	150	Horizontal	Pass
2**	5421.133	46.19	3.35	54.0	-7.81	AV	172.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.400	57.62	3.83	74.0	-16.38	Peak	287.00	200	Horizontal	Pass
1**	5134.400	46.55	3.83	54.0	-7.45	AV	287.00	200	Horizontal	Pass
2	5149.675	56.28	3.47	74.0	-17.72	Peak	217.00	200	Horizontal	Pass
2**	5149.675	46.49	3.47	54.0	-7.51	AV	217.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.71	3.56	74.0	-18.29	Peak	342.00	100	Horizontal	Pass
1**	5350.000	45.88	3.56	54.0	-8.12	AV	342.00	100	Horizontal	Pass
2	5442.217	58.41	4.25	74.0	-15.59	Peak	329.00	150	Horizontal	Pass
2**	5442.217	46.26	4.25	54.0	-7.74	AV	329.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5132.450	57.34	3.82	74.0	-16.66	Peak	348.00	200	Horizontal	Pass
1**	5132.450	46.61	3.82	54.0	-7.39	AV	348.00	200	Horizontal	Pass
2	5149.675	56.06	3.47	74.0	-17.94	Peak	337.00	100	Horizontal	Pass
2**	5149.675	46.11	3.47	54.0	-7.89	AV	337.00	100	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.18	3.56	74.0	-17.82	Peak	92.00	150	Horizontal	Pass
1**	5350.000	45.84	3.56	54.0	-8.16	AV	92.00	150	Horizontal	Pass
2	5434.700	57.94	3.86	74.0	-16.06	Peak	245.00	100	Horizontal	Pass
2**	5434.700	46.35	3.86	54.0	-7.65	AV	245.00	100	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5117.500	57.87	3.75	74.0	-16.13	Peak	355.00	100	Horizontal	Pass
1**	5117.500	47.03	3.75	54.0	-6.97	AV	355.00	100	Horizontal	Pass
2	5149.675	56.67	3.47	74.0	-17.33	Peak	322.00	100	Horizontal	Pass
2**	5149.675	46.80	3.47	54.0	-7.20	AV	322.00	100	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.63	3.56	74.0	-18.37	Peak	360.00	150	Horizontal	Pass
1**	5350.000	45.86	3.56	54.0	-8.14	AV	360.00	150	Horizontal	Pass
2	5400.600	58.64	3.42	74.0	-15.36	Peak	287.00	150	Horizontal	Pass
2**	5400.600	45.77	3.42	54.0	-8.23	AV	287.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5429.600	59.77	3.70	74.0	-14.23	Peak	247.00	150	Horizontal	Pass
1**	5429.600	46.31	3.70	54.0	-7.69	AV	247.00	150	Horizontal	Pass
2	5460.000	56.47	3.95	74.0	-17.53	Peak	82.00	200	Horizontal	Pass
2**	5460.000	45.75	3.95	54.0	-8.25	AV	82.00	200	Horizontal	Pass
3	5469.800	58.57	4.14	68.2	-9.63	Peak	246.00	150	Horizontal	Pass
3**	5469.800	46.36	4.14	--	--	AV	246.00	150	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.18	4.02	68.2	-11.02	Peak	343.00	150	Horizontal	Pass
2	5828.959	59.11	4.05	68.2	-9.09	Peak	143.00	200	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5435.800	59.71	3.90	74.0	-14.29	Peak	256.00	200	Horizontal	Pass
1**	5435.800	46.32	3.90	54.0	-7.68	AV	256.00	200	Horizontal	Pass
2	5460.000	55.92	3.95	74.0	-18.08	Peak	114.00	150	Horizontal	Pass
2**	5460.000	45.72	3.95	54.0	-8.28	AV	114.00	150	Horizontal	Pass
3	5469.000	57.08	4.05	68.2	-11.12	Peak	32.00	200	Horizontal	Pass
3**	5469.000	45.87	4.05	--	--	AV	32.00	200	Horizontal	N/A
4	5469.800	56.21	4.14	68.2	-11.99	Peak	4.00	200	Horizontal	Pass
4**	5469.800	46.03	4.14	--	--	AV	4.00	200	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.95	4.02	68.2	-11.25	Peak	30.00	200	Horizontal	Pass
2	5817.709	58.25	3.93	68.2	-9.95	Peak	22.00	100	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5415.600	59.45	3.41	74.0	-14.55	Peak	262.00	150	Horizontal	Pass
1**	5415.600	45.98	3.41	54.0	-8.02	AV	262.00	150	Horizontal	Pass
2	5460.000	56.63	3.95	74.0	-17.37	Peak	293.00	150	Horizontal	Pass
2**	5460.000	45.59	3.95	54.0	-8.41	AV	293.00	150	Horizontal	Pass
3	5468.800	58.39	4.02	68.2	-9.81	Peak	203.00	200	Horizontal	Pass
3**	5468.800	45.78	4.02	--	--	AV	203.00	200	Horizontal	N/A
4	5469.800	56.81	4.14	68.2	-11.39	Peak	117.00	200	Horizontal	Pass
4**	5469.800	46.24	4.14	--	--	AV	117.00	200	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.36	4.02	68.2	-11.84	Peak	49.00	200	Horizontal	Pass
2	5827.292	58.40	4.06	68.2	-9.80	Peak	255.00	200	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5441.400	58.29	4.20	74.0	-15.71	Peak	144.00	150	Horizontal	Pass
1**	5441.400	46.23	4.20	54.0	-7.77	AV	144.00	150	Horizontal	Pass
2	5460.000	56.27	3.95	74.0	-17.73	Peak	135.00	100	Horizontal	Pass
2**	5460.000	45.86	3.95	54.0	-8.14	AV	135.00	100	Horizontal	Pass
3	5464.000	57.52	4.02	68.2	-10.68	Peak	179.00	150	Horizontal	Pass
3**	5464.000	45.71	4.02	--	--	AV	179.00	150	Horizontal	N/A
4	5469.800	56.10	4.14	68.2	-12.10	Peak	307.00	200	Horizontal	Pass
4**	5469.800	46.02	4.14	--	--	AV	307.00	200	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.01	4.02	68.2	-11.19	Peak	38.00	200	Horizontal	Pass
2	5803.125	59.00	3.72	68.2	-9.20	Peak	25.00	200	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5419.800	58.55	3.47	74.0	-15.45	Peak	111.00	150	Horizontal	Pass
1**	5419.800	46.09	3.47	54.0	-7.91	AV	111.00	150	Horizontal	Pass
2	5460.000	55.96	3.95	74.0	-18.04	Peak	286.00	100	Horizontal	Pass
2**	5460.000	45.59	3.95	54.0	-8.41	AV	286.00	100	Horizontal	Pass
3	5464.400	57.40	4.03	68.2	-10.80	Peak	283.00	100	Horizontal	Pass
3**	5464.400	45.74	4.03	--	--	AV	283.00	100	Horizontal	N/A
4	5469.800	57.02	4.14	68.2	-11.18	Peak	349.00	200	Horizontal	Pass
4**	5469.800	45.92	4.14	--	--	AV	349.00	200	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.72	4.02	68.2	-11.48	Peak	269.00	150	Horizontal	Pass
2	5767.917	58.55	4.33	68.2	-9.65	Peak	284.00	200	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5423.800	58.85	3.55	74.0	-15.15	Peak	27.00	200	Horizontal	Pass
1**	5423.800	46.26	3.55	54.0	-7.74	AV	27.00	200	Horizontal	Pass
2	5460.000	55.56	3.95	74.0	-18.44	Peak	5.00	150	Horizontal	Pass
2**	5460.000	45.53	3.95	54.0	-8.47	AV	5.00	150	Horizontal	Pass
3	5464.000	58.05	4.02	68.2	-10.15	Peak	221.00	100	Horizontal	Pass
3**	5464.000	45.61	4.02	--	--	AV	221.00	100	Horizontal	N/A
4	5469.800	56.43	4.14	68.2	-11.77	Peak	322.00	200	Horizontal	Pass
4**	5469.800	45.86	4.14	--	--	AV	322.00	200	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.40	4.02	68.2	-11.80	Peak	338.00	100	Horizontal	Pass
2	5802.500	58.45	3.70	68.2	-9.75	Peak	279.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.916	58.35	3.80	68.2	-9.85	Peak	330.00	100	Horizontal	Pass
2	5650.000	56.81	3.90	68.2	-11.39	Peak	120.00	200	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.75	4.01	68.4	-10.65	Peak	38.00	100	Horizontal	Pass
2	5996.500	59.29	4.98	68.2	-8.91	Peak	323.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.792	58.44	3.93	68.2	-9.76	Peak	231.00	150	Horizontal	Pass
2	5650.000	56.81	3.90	68.2	-11.39	Peak	284.00	100	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	58.07	4.01	68.4	-10.33	Peak	345.00	150	Horizontal	Pass
2	5984.000	58.94	4.21	68.2	-9.26	Peak	226.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.250	58.44	3.96	68.2	-9.76	Peak	154.00	150	Horizontal	Pass
2	5650.000	56.54	3.90	68.2	-11.66	Peak	8.00	200	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.33	4.01	68.4	-11.07	Peak	321.00	150	Horizontal	Pass
2	5998.500	59.17	4.99	68.2	-9.03	Peak	175.00	100	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5613.959	57.86	3.38	68.2	-10.34	Peak	273.00	100	Horizontal	Pass
2	5650.000	56.26	3.90	68.2	-11.94	Peak	199.00	100	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	56.96	4.01	68.4	-11.44	Peak	58.00	100	Horizontal	Pass
2	5949.000	58.94	4.46	68.2	-9.26	Peak	152.00	200	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.750	58.37	3.89	68.2	-9.83	Peak	96.00	150	Vertical	Pass
2	5650.000	57.27	3.90	68.2	-10.93	Peak	336.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	58.16	4.01	68.4	-10.24	Peak	85.00	100	Horizontal	Pass
2	5935.250	58.95	4.11	68.2	-9.25	Peak	306.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.209	58.01	3.90	68.2	-10.19	Peak	162.00	200	Horizontal	Pass
2	5650.000	56.74	3.90	68.2	-11.46	Peak	303.00	200	Horizontal	Pass

U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.37	4.01	68.4	-11.03	Peak	73.00	200	Horizontal	Pass
2	5988.750	59.17	4.35	68.2	-9.03	Peak	20.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2280100-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2280100-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2280100-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--